

This is a digital copy of a book that was preserved for generations on library shelves before it was carefully scanned by Google as part of a project to make the world's books discoverable online.

It has survived long enough for the copyright to expire and the book to enter the public domain. A public domain book is one that was never subject to copyright or whose legal copyright term has expired. Whether a book is in the public domain may vary country to country. Public domain books are our gateways to the past, representing a wealth of history, culture and knowledge that's often difficult to discover.

Marks, notations and other marginalia present in the original volume will appear in this file - a reminder of this book's long journey from the publisher to a library and finally to you.

Usage guidelines

Google is proud to partner with libraries to digitize public domain materials and make them widely accessible. Public domain books belong to the public and we are merely their custodians. Nevertheless, this work is expensive, so in order to keep providing this resource, we have taken steps to prevent abuse by commercial parties, including placing technical restrictions on automated querying.

We also ask that you:

- + *Make non-commercial use of the files* We designed Google Book Search for use by individuals, and we request that you use these files for personal, non-commercial purposes.
- + Refrain from automated querying Do not send automated queries of any sort to Google's system: If you are conducting research on machine translation, optical character recognition or other areas where access to a large amount of text is helpful, please contact us. We encourage the use of public domain materials for these purposes and may be able to help.
- + *Maintain attribution* The Google "watermark" you see on each file is essential for informing people about this project and helping them find additional materials through Google Book Search. Please do not remove it.
- + *Keep it legal* Whatever your use, remember that you are responsible for ensuring that what you are doing is legal. Do not assume that just because we believe a book is in the public domain for users in the United States, that the work is also in the public domain for users in other countries. Whether a book is still in copyright varies from country to country, and we can't offer guidance on whether any specific use of any specific book is allowed. Please do not assume that a book's appearance in Google Book Search means it can be used in any manner anywhere in the world. Copyright infringement liability can be quite severe.

About Google Book Search

Google's mission is to organize the world's information and to make it universally accessible and useful. Google Book Search helps readers discover the world's books while helping authors and publishers reach new audiences. You can search through the full text of this book on the web at http://books.google.com/



スナジーの

UNI 7816

223 7.

Library of the Museum

COMPARATIVE ZOÖLOGY,

AT HARVARD COLLEGE, CAMBRIDGE, MASS.

The gift of the U. S. National Museum

No. 6513. April 21, 1892, Jan. 19, 1893

SMITHSONIAN INSTITUTION,

UNITED STATES NATIONAL MUSEUM.

Jan. 19. 1893

BULLETIN

OF THE

UNITED STATES NATIONAL MUSEUM.

No. 40.

BIBLIOGRAPHIES OF AMERICAN NATURALISTS:

IV. THE PUBLISHED WRITINGS OF GEORGE NEWBOLD LAWRENCE, 1844-1891.

 \mathbf{BY}

L. S. FOSTER.

WASHINGTON:
GOVERNMENT PRINTING OFFICE.

1892.

ADVERTISEMENT.

This work (Bulletin No. 40) is one of a series of papers intended to illustrate the collections belonging to the United States, and constituting the National Museum, of which the Smithsonian Institution was placed in charge by the act of Congress of August 10, 1846.

The publications of the National Museum consist of two series—the Bulletin, of which this is No. 40, in continuous series, and the Proceedings, of which the fifteenth volume is now in press. A small edition of each paper in the Proceedings is distributed in pamphlet form to specialists in advance of the publication of the bound volume.

The Bulletin of the National Museum, the publication of which was commenced in 1875, consists of elaborate papers based upon the collections of the Museum, reports of expeditions, etc., while the Proceedings is intended to facilitate the prompt publication of freshly acquired facts relating to biology, anthropology, and geology, descriptions of restricted groups of animals and plants, the discussion of particular questions relative to the synonymy of species, and the diaries of minor expeditions.

Other papers, of more general popular interest, are printed in the Appendix to the Annual Report.

Full lists of the publications of the Museum may be found in the current catalogues of the publications of the Smithsonian Institution.

Papers intended for publication in the Proceedings and Bulletin of the National Museum are referred to the Committee on Publications, composed as follows: T. H. Bean (chairman), A. Howard Clark, R. E. Earll, Otis T. Mason, John Murdoch, Leonhard Stejneger, Frederick W. True, and Lester F. Ward.

> S. P. LANGLEY, Secretary of the Smithsonian Institution.

WASHINGTON, D. C., June 13, 1892.

п



BIBLIOGRAPHIES OF AMERICAN NATURALISTS.

IV.

THE PUBLISHED WRITINGS

or

GEORGE NEWBOLD LAWRENCE, 1844-1891.

L. S. FOSTER.

WASHINGTON:
GOVERNMENT PRINTING OFFICE.
1892.

CONTENTS.

	Page.
Frontispiece, portrait of Mr. George N. Lawrence.	
Contents	v
Biographical sketch	VI
Avian genus named in honor of Mr. George N. Lawrence	IX
Species of birds named in honor of Mr. George N. Lawrence	IX
Chronological catalogue of the publications of Mr. George N. Lawrence, 1844	
to 1891	1
Alphabetical list of new species and subspecies of birds, described by Mr.	
George N. Lawrence, 1846 to 1891, with habitat of type specimen	101
Index	107

BIOGRAPHICAL SKETCH OF GEORGE NEWBOLD LAWRENCE.

Spencer F. Baird, who has aptly been considered the Nestor of American ornithologists, possessed, besides the capacity for organization, the power of guiding as well as enkindling enthusiasm.

Fortunate was it for ornithological science when, in 1841, Prof. Baird and Mr. George N. Lawrence formed an acquaintanceship, which soon ripened into a close and lasting intimacy. Stimulated by this, Mr. Lawrence then commenced the scientific study of birds. From his earliest recollection, however, birds had attracted him and he had paid considerable attention to them.

George Newbold Lawrence was born in the city of New York, where he has always resided, on October 20, 1806. His parents were both of English stock; his father's ancestors, coming to this country in 1635; finally settled in New York, and those on his mother's side located in Burlington County, N. J., in 1681.

His business career was an active and successful one, he having at the early age of twenty entered into a partnership, with his father and others, in the wholesale drug business in New York City. In this he continued for thirty-six years, devoting assiduously his spare time to ornithology. In his earlier efforts to preserve bird-skins he endeavored to do so without removing the body of the bird, lacking as yet the counsel of a skilled taxidermist. This indicates that he felt an irresistible spur to action, the impelling force of all earnest souls.

Repeatedly he was of service to the Smithsonian Institution in the details of outfitting expeditions for field work, and in many ways aided Prof. Baird in scientific matters. He took the initiative in organizing the Ober expedition to the Lesser Antilles.

He became a near neighbor of John James Audubon at about the close of the life of that illustrious naturalist, and was very familiar with his sons Victor and John. For the many years covered by his activity in ornithology he has conducted an extensive correspondence, embracing most of the naturalists throughout the world, particularly those interested in ornithology.

His collection of bird-skins of great scientific value, numbering about 8,000 specimens, and containing some 300 types of new species of birds, was deposited in the American Museum of Natural History, New York City, in May, 1887.

Digitized by Google

He joined The Lyceum of Natural History in the City of New York in 1845, and now is a member, a fellow, and a patron of its successor, The New York Academy of Sciences. Upon the organization of The American Ornithologists' Union, in 1883, he became an active member, and at its Eighth Congress, November, 1890, he was elected an honorary member. Of The Linnæan Society of New York, he likewise is an honorary member, having been chosen as such April 13, 1878. The British Ornithologists' Union made him a foreign member in 1872, and he is also connected with a large number of kindred societies in this and other countries.

Throughout his scientific career Mr. Lawrence has commanded the confidence and respect of all of his contemporaries, with many of whom he has formed cordial friendships, and it is with amazement that we consider the long list of great names, from Vieillot to the present time, that since the birth of Mr. Lawrence have impressed indelibly the brilliancy of their splendid genius on American ornithology. Wilson, Audubon, Bonaparte, Brewer, Nuttall, Baird, Cassin, Giraud, De Kay, and many more have come, and passed on, during the stretch of one life. Of a verity American ornithological science has been favored in its leaders during the last fourscore years.

The beneficial influence of the labors of Mr. Lawrence, with pen and pencil, on the progress of American ornithology has been great and undisputed, but it was particularly among the avifauna of the West Indies, Mexico, Central and South America that his most strenuous efforts were exerted. All but 17 of the 319 new species of birds described by him came from that region. Endowed with great power of analysis and a remarkable patience, he applied these to the investigation of specific distinctions, and his conclusions have but rarely been questioned.

A scrutiny of the titles of his numerous papers will fully indicate the wide scope and excellent character of the work of this veteran ornithologist.

L. S. F.

NEW YORK CITY, August 1, 1891.

AVIAN GENUS NAMED IN HONOR OF MR. GEORGE N. LAWRENCE.

- Lawrencia, Ridgway. Description of a new genus of Tyrannidæ from Santo Domingo. By Robert Ridgway. < The Auk, Vol. III, No. 3, July, 1886, pp. 382, 383. Type, Empidonax nanus, Lawrence.
- SPECIES OF BIRDS NAMED IN HONOR OF MR. GEORGE N. LAWRENCE, ARRANGED IN ORDER OF PUBLICATION, WITH BIBLIOGRAPHICAL DATA AND HABITAT.
- Muscicapa lawrenceii, Giraud. Lawrence's Fly Catcher. < Sixteen new species of Texas birds. By Jacob P. Giraud, jr. New York, 1841. p. 9, Pl. 1, Fig. 2. Habitat, Texas.

This species is now Myiarchus lawrenceii (GIR.), No. [455] of the A. O. U. Check-list of North American Birds.

- Carduelis lawrencei, Cassin. Lawrence's Goldfinch. Descriptions of new species of Birds of the Genera Parus, Linn.; Emberiza, Linn.; Carduelis, Briss.; Myiothera, Ill.; and Leuconerpes, Sw., specimens of which are in the collection of the Academy of Natural Sciences of Philadelphia. By John Cassin. < Proc. Acad. Nat. Sci. Phila., Vol. v, October, 1850, p. 105, Pl. v. Habitat, Sonoma and San Diego, California.
 - Now Spinus lawrencei (CASS.), No. 531 of A. O. U. Check-list.
- Fregetta lawrencii, Bonaparte. The Black and White Stormy Petrel. < Cons. Gen. Avium, C. L. Bonaparte, Vol. II, 1857, p. 198. Habitat, Florida.
- Cyphorinus lawrencii, Sclater & Salvin. Lawrence's Wren. Notes on a Collection of Birds from the Isthmus of Panama. By P. L. Sclater and Osbert Salvin. < Proc. Zool. Soc. Lond., 1864, p. 345. Habitat, Veragua, Panamá.
 - A colored plate of this bird may be found in Exotic Ornithology, Sclater & Salvin. London, 1869.
- Gymnoglaux lawrencii, Sclater & Salvin. Descriptions of New or little known American Birds of the Families Fringillidæ, Oxyrhamphidæ, Bucconidæ and Strigidæ. By P. L. Sclater and Osbert Salvin. < Proc. Zool. Soc. Lond., 1868, pp. 327 & 328, 329, Pl. XXIX, wc. of foot on p. 328. Habitat, Cuba.
- Helminthophaga lawrencii, Herrick. Lawrence's Warbler. Description of a new species of Helminthophaga. By Harold Herrick. < Proc. Acad. Nat. Sci. Phila., 1874, p. 220, Pl. xv. Habitat, Chatham, New Jersey.

Now Helminthophila lawrencei (HERRICK), No. 20 of A. O. U. Hypothetical list. Considered a hybrid.

Digitized by Google

- Geotrygon lawrencii, Salvin. A visit to the principal Museums of the United States, with Notes on some of the Birds contained therein.
 By Osbert Salvin. < The Ibis, Third series, Vol. IV, October, 1874, p. 329, Pl. XII. Habitat, Veragua, Panamá.
- Thryothorus felix lawrencii, Ridgway. Description of a new wren from the Tres Marias Islands. By Robert Ridgway. < Bull. Nutt. Ornith. Club, Vol. III, No. 1, January, 1878, pp. 10, 11. Habitat, Tres Marias Islands, off the western coast of Mexico.
- Pseudocolaptes lawrencii (Ridgway). Description of two new species of birds from Costa Rica, and notes on other rare species from that country. By Robert Ridgway. <Proc. U. S. Nat. Mus., Vol. 1 (for 1878), 1879, pp. 253, 254. Habitat, La Palma and Navarro, Costa Rica.
- Picumnus lawrencii, Cory. Descriptions of four new species of Haitian Birds. By Charles B. Cory. < Bull. Nutt. Ornith. Club, Vol. vi, No. 3, July, 1881, p. 129, Pl. I. Habitat, Haiti.
- Mimus gilvus lawrencei, Ridgway. Description of several new races of American birds. By Robert Ridgway. <Proc. U. S. Nat. Mus., Vol. v (for 1882), 1883, pp. 10-12. Habitat, Isthmus of Tehuantepec, Mexico. A subspecies.
- Lanio lawrencii, Sclater. On some little-known Species of Tanagers. By P. L. Sclater. < The Ibis, Fifth series, Vol. III, July, 1885, pp. 272, 273, Pl. VI, Fig. 2. Habitat, Island of Trinidad, West Indies.
- Hæmophila lawrencii, Salvin & Godman. < Biologia Centrali-Americana, Vol. I, 1879-1887, p. 397. This signature issued August, 1886. Habitat, Juchitan, near Tehuantepec, Mexico.
- Icterus lawrencii, Cory. Descriptions of six supposed new species of birds from the Islands of Old Providence and St. Andrews, Caribbean Sea. By Charles B. Cory. < The Auk, Vol. IV, No. 3, July, 1887, p. 178. Author's edition, issued May 28, 1887. Habitat, St. Andrews Island, West Indies.
- Iache lawrencei, von Berlepsch. Lawrence's Humming Bird. Descriptions of new Species and Subspecies of Trochilidæ. By Hans von Berlepsch. < The Ibis, Fifth series, Vol. v, July, 1887, pp. 292–294. Habitat, Tres Marias Islands, off the western coast of Mexico.
- Dendrornis lawrencei, Ridgway. Descriptions of some new species and subspecies of birds from Middle America. By Robert Ridgway. < Proc. U. S. Nat. Mus., Vol. x (for 1887), 1888, p. 509. This signature issued August 6, 1888. Habitat, Panamá.
- Amazilia lawrencei, Elliot. Descriptions of supposed new species of humming birds belonging to the genera Amazilia and Eriocnemis. By D. G. Elliot. < The Auk, Vol. VI, No. 3, July, 1889, pp. 209, 210. Author's edition issued April 9, 1889. Habitat, Bogotá, Colombia.

- Empidonax lawrencei, Allen. Descriptions of New Species of South American Birds, with remarks on various other littleknown Species. By J. A. Allen. < Bull. Am. Mus. Nat. Hist., Vol. II, No. 3, December, 1889, pp. 150, 151. Author's edition issued June 28, 1889. Habitat, South America.
- Sclerurus lawrencei, Ridgway. A review of the genus Sclerurus of Swainson. By Robert Ridgway. < Proc. U. S. Nat. Mus., Vol. XII (for 1889), 1890, pp. 29, 30. This article, No. 762, was published February 5, 1890. Habitat, Bahia, Brazil (?)

BIBLIOGRAPHY OF THE PUBLISHED WRITINGS

OF

GEORGE NEWBOLD LAWRENCE, 1844-1891.

CHRONOLOGICAL CATALOGUE.

1.

1844. L	AWRENCE, GEORGE N. Letter dated New York, December 3, 1842, to J. P. Giraud, jr. < The Birds of Long Island. By J. P. Giraud, jr. New York, 1844, p. 309. 1. Anas penelope
	Long Island, N. 1
	2 .
1846. L.	AWRENCE, GEORGE N. Description of a New Species of Anser. By George N. Lawrence. Read March 16th, 1846. Ann. Lyc. Nat. Hist. New York . Vol. IV, 1847, pp. 171, 172, plate No. XII of Anser nigricans. Issued in Nos. 6, 7, August, 1846.
	1. Anser nigricans, n. s
	3.
	AWRENCE, GEORGE N. Extract from the Minutes of the Lyceum of Natural History of New York, February 8th, 1847. Mr. Lawrence read a description of a new species of Procellaria from Florida, which he proposes to call Brevirostris. Ann. Lyc. Nat. Hist. New York. Vol. IV, 1847, third page of cover of Nos. 8, 9, April, 1847. 1. Procellaria brevirostris, n. s. Florida. Third page of cover.
	. 4 .
	AWRENCE, GEORGE N. Description of a New Species of Procellaria. By George N. Lawrence. Read February 18th, 1847. Ann. Lyc. Nat. Hist. New York . Vol. IV, 1847, pp. 475, 476, plate No. xv of Procellaria meridionalis, Lawrence. Issued in Nos. 10, 11, July, 1847. 1. Procellaria meridionalis, n.s

--

1849. LAWRENCE, GEORGE N. Observations on the preceding Paper (one by John Bell, "Observations on the Limosa Scolopacea of Say"). By George N. Lawrence. Read January 7, 1849. < Ann. Lyc. Nat. Hist. New York. Vol. v, 1852, pp. 4, 5, plate No. 1 of Macrorhamphus scolopaceous, Lawr., f in summer and Q in winter. Issued in No. 1, May, 1849.</p>

1. Macrorhamphus scolopaceous, n. s......Shores of Gulf of Mexico, Mississippi Valley and westwardpages 4, 5

1

184 9.	LAWRENCE, GEORGE N. Mimus melanopterus. By George N. Lawrence. Read 16th April, 1849. < Ann. Lyc. Nat. Hist. New York. Vol. v, 1852, pp. 35, 36 plate No. II of Mimus melanopterus (Lawrence). Issued in No. 1, May, 1849. 1. Mimus melanopterus, n. s
	7.
	••
1851.	LAWRENCE, GEORGE N. On the occurrence of the Caspian Tern (Sylochelidor Caspius) in North America. By George N. Lawrence. Read May 6th, 1850 Ann. Lyc. Nat. Hist. New York . Vol. v, 1852, pp. 37, 38. Issued in No. 2 April, 1851.
	1. Sylochelidon caspiusLong Island, New Jerseypages 37, 3
	8.
1851.	LAWRENCE, GEORGE N. Description of a new species of Tyrannus. By George N. Lawrence. Read June 3d, 1850. < Ann. Lyc. Nat. Hist. New York. Vol. v 1852, pp. 39, 40, plate No. III of Tyrannus cassinii, Lawrence. Issued in No. 2, April, 1851.
	1. Tyrannus cassinii, n. s
	9.
1001.	LAWRENCE GEORGE N. Descriptions of new species of Birds of the general Conirostrum, D'Orb. et Laft., Embernagra, Less. and Xanthornus, Briss. together with a List of other species not heretofore noticed as being found within the limits of the United States. By George N. Lawrence. Read 28th April, 1851. < Ann. Lyc. Nat. Hist. New York. Vol. v, 1852, pp. 115-117, plate No. v of Conirostrum ornatum and Embernagra ruftvirgata. Issued in No. 3, May, 1851.
	THREE NEW SPECIES.
	Page
	1. Conirostrum ornatum, n. s. Rio Grande, Texas 11 2. Embernagra rufivirgata, n. s Rio Grande, Texas 112, 11 3. Xanthornus affinis, n. s Texas and Mexico 113, 11
	LIST OF BIRDS FROM TEXAS (NEW TO THE U.S.) COLLECTED BY CAPT. J. P. M'COWN, U.S. A.
	1. Chordeiles brasilianus (Gmelin)
	2. Picolaptes brunneicapillus, La Fresnaye
	3. Pyrocephalus rubineus, Bodd.=Muscicapa coronata, Gmel
	4. Cyanocorax yucas, Bodd.=Corvus peruvianus, Gmel 11
	5. Quiscalus macrourus, Swain
	6. Icterus cucullatus, Swainson
	7. Cardinalis sinuatus, Bonap
	9. Columba flavirostris, Wagler
	10. Ortalida vetula, Wagler
	11. Dendrocygna autumnalis (Linn.), Eyton
	10.
1851	LAWRENCE, GEORGE N. Additions to North American Ornithology. By
	George N. Lawrence. No. 1. < Ann. Lyc. Nat. Hist. New York. Vol. v 1852, pp. 117-119. Issued in No. 3, May, 1881.
	George N. Lawrence. No. 1. <ann. hist.="" lyc.="" nat.="" new="" td="" v<="" vol.="" york.=""></ann.>
	George N. Lawrence. No. 1. Ann. Lyc. Nat. Hist. New York . Vol. v 1852, pp. 117-119. Issued in No. 3, May, 1881.

1851.	LAWRENCE, GEORGE N. Descriptions of New Species of Birds of the Genera Toxostoma Wagler, Tyrannula Swainson, and Plectrophanes Meyer. By George N. Lawrence. Read 8th Sept., 1851. Ann. Lyc. Nat. Hist. New York . Vol. v, 1852, pp. 121–123. Issued in No. 4, September, 1851. Page. 1. Toxostoma le contei, n. s
	3. Plectrophanes mc cownii, n. ş
	12.
1851.	LAWRENCE, GEORGE N. Additions to North American Ornithology. By George N. Lawrence. No. 2. < Ann. Lyc. Nat. Hist. New York. Vol. v, 1852, pp. 123, 124. Issued in No. 4, September, 1851. Page.
	1. Centurus santa-cruzi, Bonap Western Texas 123, 124 2. Culicivora atricapilla, Swain Texas 124 3. Spermophila albigularis (Spix), Sw Texas 124
	13.
1852.	LAWRENCE, GEORGE N. Ornithological Notes. By George N. Lawrence. Read April 24th, 1852. Ann. Lyc. Nat. Hist. New York . Vol. v, 1852, pp. 220–223. Notes on nine species of North American birds.
	Page.
	1. Buteo harlani, Aud
	5. Turdus nævius, Gmelin
	7. Sterna forsteri, Nutt
	14.
1853.	LAWRENCE, GEORGE N. Descriptions of New Species of Birds of the Genera Ortyx Stephens, Sterna Linn., and Icteria Vieillot. By George N. Lawrence. Read Feb. 14, 1853. Ann. Lyc. Nat. Hist. New York . Vol. VI, 1858, pp. 1-4.
	Page. 1. Ortyx texanus, n. s Texas 1-3 2. Sterna pikei, n. s Coast of California 3, 4 3. Icteria longicauda. n. s California 4
	15.
1853.	LAWRENCE, GEORGE N. Additions to North American Ornithology.—No. 3. By George N. Lawrence. Read March 28, 1853. Ann. Lyc. Nat. Hist. New York. Vol. vi, 1858, pp. 4-7.
	Page. Page. 1. Ephialtes choliba, Vieill
	3. Procellaria capensis, Linn

1853.	Lawrence, George N. Ornithological Notes. No. 2. By George N. Lawrence. Read March 28, 1853. Ann. Lyc. Nat. Hist. New York . Vol. VI, 1858, pp. 7-14.
	Page
	1. Stereorarius catarractes (Linn.)
	2. Sylvicola pensilis (Gmel.) Long Island, N. Y 8
	3. Buteo pennsylvanicus (Wilson)Adult of and Q
	FACTS AND OBSERVATIONS FROM NOTES TAKEN WHEN IN TEXAS. BY CAPT. J. P. M'COWN, U. S. ARMY.
	1. Conirostrum ornatum, Lawrence 9
	2. Embernagra rufivirgata, Lawrence 9
	3. Icterus cucullatus (Swain.)
	4. Callipepla squamata (Vigors)
	5. Cyrtonyx massena (Less.)
	6. Chiac-ka-laca, Ortalida vetula (Wagler)
	7. Chaparral cock, Geococcyx viaticus, Wagler
	8. Pyrocephalus coronatus (Gmel.)
	9. Quiscalus macrourus (Swain.)
	10. Turdus solitarius (Wilson)
	11. Athene hypugæa (Bon.)
	12. Milvulus forficatus (Gm.)
	13. Cyanocorax luxuosus (Lesson)
	14. Columba flavirostris, Wagler
	15. Columba leucoptera, Linn
	16. Macrorhamphus scolopaceus (Say), Lawrence
	17. Plectrophanes mc cownii, Lawrence
	18. Tyrannula cinerascens, Lawrence
	17.
1854.	Lawrence, George N. Description of a New Species of Bird of the Genus Larus, Linn. By George N. Lawrence. Read March 7, 1854.

1858. LAWRENCE, GEORGE N.	Descriptions of Seven New Spec	eies of Humming-Birds.
By George N. Lawren	ce. Read February 15th, 1858.	<ann. hist.<="" lyc.="" nat.="" td=""></ann.>
New York. Vol. VI, 1	858, pp. 258–264.	

		Page
1. Phæthornis moorei, n. s	Ecuador	258, 259
2. Phæthornis villosus, n. s	Ecuador, Santa Fé de Bogotá	259, 260
3. Phæthornis atrimentalis, n. s	Ecuador	260
4. Phæthornis nigricinctus, n. s	Ecuador	260, 261
5. Glaucis affinis, n. s	Ecuador	261, 262
6. Campylopterus splendens, n. s	Ecuador	262, 263
7. Ionolaima frontalis, n. s	Ecuador	263, 264

21.

1858. LAWRENCE, GEORGE N. Descriptions of two New Species of Gulls in the Museum of the Smithsonian Institution at Washington. By George N. Lawrence. Read June 29th, 1857. Ann. Lyc. Nat. Hist. New York. Vol. VI, 1858, pp. 264-266.

22.

1858. LAWRENCE, GEORGE N. Observations on the preceding Paper (one by John Gundlach, Ph. D. "Notes on some Cuban Birds, with Descriptions of three New Species"). Ann. Lyc. Nat. Hist. New York. Vol. VI, 1858, pp. 275-277.

OBSERVATIONS ON FOUR CUBAN BIRDS MENTIONED IN DR. GUNDLACH'S PAPER.

	Page.
1. P.(icus) chrysocaulosus, n. s	276
2. C.(ulicivora) lembeyei, n. s.	276
3. O.(ypselus) collaris	276
4. Cypselus niger	276, 277

23.

1858. LAWRENCE, GEORGE N. Longipennes, Totipalmi, Brachypteri. By George N. Lawrence. <Explorations and surveys for a railroad route from the Mississippi River to the Pacific Ocean. Vol. 1x, War Department, Birds, Washington, 1858, pp. 820-899. Reissued.*</p>

LONGIPENNES.

PROCELLARIDÆ.

		Page.
1. Diomeda exulans, Linnæus	Pacific Ocean	821
2. Diomeda brachyura, Temminck	North Pacific Ocean, coasts of Cali	ifornia
	and Oregon	822

^{*}Baird, S. F. The Birds | of | North America; | the descriptions of species based chiefly on the collections | in the | Museum of the Smithsonian Institution. | By Spencer F. Baird, | Assistant Secretary of the Smithsonian Institution, | with the co-operation of | John Cassin, | of the Academy of Natural Sciences of Philadelphia, | and | George N. Lawrence, | of the Lyceum of Natural History of New York. | With an atlas of one hundred plates. | Text. | — | Philadelphia: | J. B. Lippincott & Co. | 1860. 4to. 2 p. ill. (Title, Advt.), pp. i-lvi, 1-1005. Atlas, pll. 100. A reissue, retitled, of Vol. IX, Pacific Railroad Reports, 1858, q. v. The main text is identical, apparently from the same plates; and so the preliminary matter seems to be, excepting new Title, Advt., Explanation of Plates (pp. vii-xii), and Systematic List of Illustrations (pp. xiii-xv).—Helminthophaga virginiæ, p. xi (pl. 79, f. 1), sp. n. The Atlas consists of 100 pll., about half of which are new, the remainder being from the Pacific Railroad Reports and Mexican Boundary Surrey, retouched and relettered, in some cases redrawn, for this edition. Bibliographical Appendix to Birds of the Colorado Valley. Part first. By Elliot Coues, p. 653, Washington. 1878.

		,	
185 8.	Lawr	ENCE, GEORGE N.—Continued.	Page.
	3.	Diomeda chlororhynchus, Gmelin	Pacific Ocean, coast of Oregon822, 823
•	4.	Diomeda fuliginosa, Gmelin	Pacific coasts of California and Oregon 823
	5.	Procellaria gigantea, Gmelin	Pacific Ocean, off Columbia River 825
	6.	Procellaria glacialis, Linnæus	Northern Atlantic Ocean825, 826
	7.	Procellaria pacifica, Audubon	Pacific coast of North America 826
	8.	Procellaria tenuirostris, Audubon	Pacific coast, Columbia River826, 827
	9.	Procellaria meridionalis, Lawrence	Atlantic coast from Florida to New
			York
	10.	Daption capensis, Stephens	Off the coast of California
			Coast of Oregon and Russian America 829
			Northwest coast of America829, 830
	13.	Thalassidroma leachii, Bon	Atlantic coast from Massachusetts to Baffins Bay
	14.	Thalassidroma melania, Bonaparte	Coast of California 830
			Off the Atlantic coast from the Gulf of
		•	Mexico to Baffins Bay 831
	16.	Thalassidroma pelagica, Vigors	Atlantic Ocean, banks of Newfound-
		- 0 . 0	land831, 832
	17.	Fregetta lawrencii, Bonaparte	Florida coast
	18.	Puffinus major (Faber)	Atlantic Ocean, Florida coast to the Gulf
		-	of St. Lawrence 833
	19.	Puffinus fuliginosus, Strickland	Atlantic coast of the Northern States,
			banks of Newfoundland 834
	20.	Pufinus anglorum, Temm	Coast of New Jersey to Labrador 834
	21.	Pufinus obscurus, Latham	Southern coast of the United States; Gulf
			of Mexico
	22.	Puffinus cinereus, Gmelin	Pacific Ocean, off the California coast. 835, 836
		LARIDA	c.
	23.	Stercorarius catarractes. Temm	Coast of California
			Labrador, as far south as New York in
		• ,	winter, Harrisburg, Pa838, 839
	25.	Stercorarius parasiticus, Temminck	Arctic America; coast of the United
		- · · · · · · · · · · · · · · · · · · ·	States from New York northward 839
	26.	Stercorarius cepphus (Brünnich)	Arctic seacoasts of America; Baffins
			Bay 840
	27.	Larus glaucus, Brünnich	Arctic seas, Labrador; New York in
			winter rarely 842
	28.	Larus glaucescens, Lichtenstein	Northwest coast of North America842, 843
	29.	Larus leucopterus, Faber	Arctic seas, Baffins Bay, Labrador 843
	30.	Larus chalcopterus, Licht	American coast of Bering Strait and
			Greenland 843
	31.	Larus marinus, Linnæus	North Atlantic, Labrador; as far south
			as Florida in winter
	32.	Larus argentatus, Brünnich	Atlantic coast from Texas to Newfound-
			land; Western States; Ohio and Mis-
			sissippi rivers844, 845
			Northwest coast of North America 845
			West coast of North America 846
	35.	Larus delawarensis, Ord	Arctic America; Texas to Labrador;
	0.0	T	western rivers; northwest coast846, 847
			Pacific coast; Puget Sound
			Coast of California
			Texas to Massachusetts
			Panamá; coast of Louisiana851, 852 Texas to Nova Scotia; Mississippi River;
	*1.	Our overeprime outmaniprim (OIU.)	fur countries; Pacific coast of North
			America
	49	Chroicocenhalus minutus, Bruch	Arctic America? Europe
			Fur countries; Labrador; southern coast
	-0.		in winter
	44.	Rissa septentrionalis. Lawrence	Pacific coast of North America; Puget
			Sound

1858. LAWRENCE, GEORGE N.—Continued.	Page.
45. Rissa brevirostris, Brandt	Northwest coast of North America 855
46. Rissa nivea, Bruch	Russian America 855
47. Pagophila eburnea, Kaup	
48. Pagophila brachutarri. Hollböll	Greenland 856
	Arctic seas
	California
	Nova Scotia northward; Arctic seas 857
52. Sterna aranea, Wilson	
32. Sterna aranea, W 118011	
** ** ** ** ** **	as Connecticut
	Coast of New Jersey northward 859
54. Sterna regia, Gambel	
	dle States and California 859, 860
55. Sterna elegans, Gambel	Pacific coast of Mexico; coast of southern California, northern California? 860
56. Sterna acuflavida, Cabot	Texas to Florida 860
57. Sterna havellii, Audubon	Texas to South Carolina 861
	Coasts of New Jersey and Long Island 861
	Texas to Florida
	Texas to Labrador
61. Sterna macrura, Naumann	
or. See the tree of the A saumann	Arctic seas; fur countries
62. Sterna forsteri, Nuttall	Louisiana to Florida; New York, fur
	countries, and California
63. Sterna paradisea, Brünnich	Florida to New York 863
	Coast of California 863
- ·	Texas to Labrador; western rivers 864
66. Hydrochelidon plumbea (Wilson)	
60. 119 01001001001 pramition (11 1202)	sissippi River and tributaries; fur coun-
on A	tries
	Texas to Florida
TOTIPAL	MI.
PELECANI	T) 75
	DÆ.
69. Pelecanus erythrorhynchus, Gmelin	United States; rare on coasts of Middle
69. Pelecanus erythrorhynchus. Gmelin	United States; rare on coasts of Middle and Northern States; fur countries up
	United States; rare on coasts of Middle and Northern States; fur countries up to the 61st parallel
69. Pelecanus erythrorhynchus. Gmelin 70. Pelecanus fuscus, Linnæus	United States; rare on coasts of Middle and Northern States; fur countries up to the 61st parallel
	United States; rare on coasts of Middle and Northern States; fur countries up to the 61st parallel
70. Pelecanus fuscus, LinnæusSULIDA	United States; rare on coasts of Middle and Northern States; fur countries up to the 61st parallel
70. Pelecanus fuscus, LinnæusSULIDA	United States; rare on coasts of Middle and Northern States; fur countries up to the filst parallel
70. Pelecanus fuscus, Linnæus	United States; rare on coasts of Middle and Northern States; fur countries up to the 61st parallel
70. Pelecanus fuscus, LinnæusSULIDA	United States; rare on coasts of Middle and Northern States; fur countries up to the 61st parallel
70. Pelecanus fuscus, Linnæus	United States; rare on coasts of Middle and Northern States; fur countries up to the 61st parallel
70. Pelecanus fuscus, Linnæus	United States; rare on coasts of Middle and Northern States; fur countries up to the fist parallel
70. Pelecanus fuscus, Linnæus	United States; rare on coasts of Middle and Northern States; fur countries up to the 61st parallel
70. Pelecanus fuscus, Linnæus	United States; rare on coasts of Middle and Northern States; fur countries up to the 61st parallel
70. Pelecanus fuscus, Linnæus	United States; rare on coasts of Middle and Northern States; fur countries up to the fist parallel
70. Pelecanus fuscus, Linnæus	United States; rare on coasts of Middle and Northern States; fur countries up to the 61st parallel
70. Pelecanus fuscus, Linnæus	United States; rare on coasts of Middle and Northern States; fur countries up to the filst parallel
70. Pelecanus fuscus, Linnæus	United States; rare on coasts of Middle and Northern States; fur countries up to the 61st parallel
70. Pelecanus fuscus, Linnæus	United States; rare on coasts of Middle and Northern States; fur countries up to the fist parallel
70. Pelecanus fuscus, Linnæus	United States; rare on coasts of Middle and Northern States; fur countries up to the flist parallel
70. Pelecanus fuscus, Linnæus	United States; rare on coasts of Middle and Northern States; fur countries up to the 61st parallel
TACHYPET 73. Tachypetes aquilus, Vicillot 74. Graculus carbo, Gray 75. Graculus cincinnatus, Gray 77. Graculus dilophus, Gray 77. Graculus dilophus, Gray	United States; rare on coasts of Middle and Northern States; fur countries up to the 61st parallel

1858. LAWRENCE, GEORGE N.—Continued.	Page.
80. Graculus penicillatus, Gray	
PLOTID.#	fornia; Washington Territory881, 882
82. Plotus anhinga, Linnæus	Southern States from Florida to Carolina; Texas
PHAËTONII	DÆ.
83. Phaëton flavirostris, Brandt	Florida coast
BRACHYPT	ERI.
COLYMBID	Æ.
	United States generally
	Texas; Columbia River 1
86. Colymbus pacificus, n. s	Coast of California: Puget Sound889, 890 During the winter as far south as Mary-
88. Podiceps griseigena Gray	land; Arctic seas; Pacific coast890, 891Fur countries; in the Atlantic States as
on I though you got a surjection of the surjecti	far south as Pennsylvania, in win-
89. Podiceps cristatus, Lath	ter
	ward; Texas in winter; fur countries; Pacific side of the continent; Washing-
	ton Territory
90. Podiceps occidentalis, n. s	to California
	California and New Mexico
92. Podiceps cornutus, Lath	
0. T. II	River
95. Poditymbus podiceps, Lawrence	Arctic America?
24.	
1860. LAWRENCE, GEORGE N. Descriptions of	-
of the Genera Heliomaster, Amazilia,	
rence. Read April 9, 1860. <i>Ann.</i> 1862, pp. 107–110. Issued in Nos. 4–9,	
	Page.
2. Amazilia xantusii, n. s	Santa Fé de Bogotá, New Granada107-109 Cape St. Lucas, South California109, 110 Veraguas, New Granada110, 111
25 .	
1860. LAWRENCE, GEORGE N. Description of	a New Species of Bird of the Genus
Phæton; also of a new species of Hum	nming Bird of the genus Heliopædica.
By George N. Lawrence. Read April York. Vol. VII, 1862, pp. 142-145. Is	23, 1860. <i>Ann. Lyc. Nat. Hist. New</i> sued in No. 4–9. April–May. 1860.
	Page.
26.	
1860. LAWRENCE, GEORGE N. Notes on some C	Cuban Birds, with Descriptions of New
Species. By George N. Lawrence. Hist. New York. Vol. VII, 1862, pp. 24 1860.	Read May 21, 1860. <i><ann. i="" lyc.="" nat.<=""> 17–275. Issued in No. 4–9, April–May,</ann.></i>
	Page

1858.	LAWRENCE, GEORGE N.—Continued.	aga
	3. Accipiter fringilloides, Vigors255	5-257
	4. Cymindis wilsoni, Cassin	. 257
	5. Gymnoglaux nudipes (Daudin)257	7–259
	6. Glaucidium siju (D'Orbigny)259	
	7. Antrostomus cubanensis, n. s	
	8. Chordeiles minor, Cabanis	
	9. Chordeiles popetue (Vieillot)	
	10. Atthis helenæ (Gundlach)	
	11. Dendroica albicollis (Gmelin)	
	12. Empidonax acadicus (Gmelin)	
	13. Vireosylvia altiloqua (Vieillot).	
	14. Sturnella hippocrepis (Wagler)	
	15. Icterus cucullatus, Swainson	
	16. Icterus dominicensis (Linnæus)	
	17. Pyrrhomitris cucullatus (Swainson)	
	18. Spizella socialis (Wilson)	
	19. Crotophaga rugirostris, Swainson.	
	20. Ortyx cubanensis, Gould	
	21. Butorides brunnescens (Gundlach)	
	22. Symphemia semipalmata (Gmelin)	
	23. Macroramphus scolopaceus (Say)	
	24. Macroramphus griseus (Gmelin)	
	25. Dendrocygna viduata (Linnæus)	
	26. Spatula clypeata (Linnæus)	
	27. Larus argentatus, Brünnich	. 215
	27.	
	4 7.	
	Myiarchus and Phlogopsis. By George N. Lawrence. Read 21st May, 18 Ann. Lyc. Nat. Hist. New York. Vol. VII, 1862, pp. 284-286. Issued in	
	4-9, April-May, 1860.	
	, - •,	
	P 1. Myiarchus panamensis, n. s	l, 285
1861.	1. Myiarchus panamensis, n. s	i, 285 5, 286 New
1861.	1. Myiarchus panamensis, n. s	i, 285 5, 286 New De-
1861.	1. Myiarchus panamensis, n. s	i, 285 5, 286 New De-
1861.	1. Myiarchus panamensis, n. s	1, 285 5, 286 New De- lary
1861.	1. Myiarchus panamensis, n. s	1, 285 5, 286 New De- lary 2.
1861.	1. Myiarchus panamensis, n. s	1, 285 5, 286 New De- lary
1861.	1. Myiarchus panamensis, n. s	New De- lary 2.
1861.	1. Myiarchus panamensis, n. s	New De- lary 2.
1861.	1. Myiarchus panamensis, n. s	New De- lary 2
1861.	1. Myiarchus panamensis, n. s	1, 285 5, 286 New De- lary 2. 288 288 288 288 3, 289
1861.	1. Myiarchus panamensis, n. s	1, 285 5, 286 New De- lary 2. 288 288 288 288 3, 289
1861.	1. Myiarchus panamensis, n. s	1, 285 5, 286 New De- lary 2. 288 288 288 3, 289 289
1861.	1. Myiarchus panamensis, n. s	New De- lary 2. 288 288 288 288 288 289 289 289
1861.	1. Myiarchus panamensis, n. s	1, 285 5, 286 New De- lary 2. 288 288 288 289 289 289 289
1861.	1. Myiarchus panamensis, n. s	1, 285 5, 286 New De- lary 2. 288 288 288 289 289 289 289
1861.	1. Myiarchus panamensis, n. s	1, 285 5, 286 New De- lary 2. 288 288 288 289 289 289 289
1861.	1. Myiarchus panamensis, n. s	1, 285 5, 286 New De- lary 2. 288 288 3, 289 289 289 289 289
1861.	1. Myiarchus panamensis, n. s	1, 285 5, 286 New De- lary 2. 288 288 3, 289 289 289 289 289
1861.	1. Myiarchus panamensis, n. s	1, 285 5, 286 New De- lary 2. 288 288 3, 289 289 289 289 289
1861.	1. Myiarchus panamensis, n. s. Isthmus of Panamá 284 2. Phlogopsis mc leannani, n. s. Isthmus of Panamá 285 28. LAWRENCE, GEORGE N. Catalogue of a Collection of Birds, made in M. Grenada. By James McLeannan, Esq., of New York. With Notes and scriptions of New Species. Part 1. By George N. Lawrence. Read Janu 28th, 1861. Ann. Lyc. Nat. Hist. New York. Vol. VII, 1862, pp. 288-300 FALCONIDÆ. 1. Ibycter americanus (Bodd.). 2. Buteo gheisbreghtii, Du Bus. 3. Bnteo pennsylvanicus (Wils.) 4. Leucopternis semiplumbeus, n. s. 286 5. Elanoides furcatus (Linn.). 6. Ictinia plumbea (Gm.). 7. Herpetotheres cachinnans (Linn.). 8. Accipiter pileatus (Max.). 9. Geranospiza cærulescens (Vicill.). STRIGIDÆ. 10. Syrnium perspicillatum (Lath.).	1, 285 5, 286 New De- lary 2. 288 288 288 289 289 289 289
1861.	1. Myiarchus panamensis, n. s	1, 285 5, 286 New De- lary 2. 288 288 289 289 289 289 289

1858. LAWRENCE, GEORGE N.—Continued.

	MOMOTIDÆ.	
14	Momotus martii (Spix.)	age,
	Momotus lessoni, Less	
	Orypticus platyrhynchus (Leadbeater)	
10.	organism pungrigianus (ikuniokus),	. 20
	· TROGONIDÆ.	
17.	Trogon macroura, Gould	. 29
	Trogon massena, Gould	
	Trogon viridis, Linn	
	Trogon aurantiiventris, Gould	
	Trogon caligatus, Gould	
	BUCCONIDÆ.	
22.	Malacoptila panamensis, Lafr	. 29
	ALCEDINIDÆ.	
23.	Ceryle torquata (Linn.)	290
24.	Ceryle amazona (Lath.)	. 290
25 .	Ceryle inda (Linn.)	290
26.	Ceryle americana (Gm.)	290
27.	Ceryle supercilosa (Linn.)	290
	GALBULIDÆ.	
28.	Jacameraps grandis (Gm.)	29
	CÆREBIDÆ.	
90	Cæreba carneipes, Scl	201
	Cæreba lucida, Sclater and Salvin	
	Dacnis cærebicolor, Scl.	
	Certhiola luteola, Caban	
	TROCHILIDÆ.	
33.	Phæthornis eurynomus (Less.)	291
	Phæthornis adolphi, Bourc	
	Heliothrix auritus (Gm.)	
	Heliothrix barroti, Bourc	
37.	Heliomaster stuartæ, Lawr	291
38.	Florisuga mellivora (Linn.)	292
	Thalurania venusta, Gould	
40.	Amazilia riefferi, Bourc	292
41.	Chlorostilbon assimilis, n. s	292
42.	Erythronota edwardi (Bourc. et Delatt.)	292
43.	Juliamya typica, Bonap	292
44.	Damophila amabilis, Gould	292
	CEDMIT A D Z	
	$\mathbf{CERTHIAD}\boldsymbol{\mathit{\Xi}}.$	
	Rhodinocichla rosea, Less	
46.	Dendrornis guttatus (Licht.)	292
	Dendrornis tennirostris (Licht.)	
	Dendrornis — f	
49.	Xiphorhynchus lafresnayanus (Orb.)	292
	TROGLODYTIDÆ.	
50.	Cyphorinus cantans (Gm.)	293
	Thryothorus nigricapillus, Scl.?	
	MNIOTILTIDÆ.	
	Dendroica virens (Gm.)	
52	Helminthonhaua chrusontera (Linn)	293

FORMIC	CARIDA
--------	--------

	I.	agc
54.	Cymbilanius lineatus (Leach)	293
	Thamnophilus transandeanus, Scl	
	Thamnophilus doliatus (Linn.)	
	Myrmetherula surinamensis (Gm.)	
	Pithys rufigularis (Bodd.) ?	
	Gymnocichla nudiceps, Cassin	
	Phlogopsis mc leannani, Lawr	
61.	Pittasoma michleri, Cass	294
	ANABATIDÆ.	
20	Anabates cervinigularis, Scl	90.4
02.	Andodies ceroiniqualits, Sci	294
	TYRANNIDÆ.	
ao.	Scaphorhynchus mexicanus, Lafr	945
	Tyrannus intrepidus, Vieill	
	Tyrannus melancholicus, Vieill	
	Myiarchus panamensis, Lawr	
	Myiodynastes nobilis, Scl	
	Milvulus monachus, Hartl	
	Myiozetetes cayennensis (Linn.)	
	Todirostrum cinereum (Linn.)	
71.	Muscivora mexicana, Scl	295
	•	
	COTINGIDÆ.	
72.	Tityra albitorques, Du Bus	295
	Tityra personata, Jard. and Selby	
74.	Pachyrhamphus cinnamomeus, n. s	296
75.	Pachyrhamphus — ?	296
	·	
	$\mathbf{AMPELID}\mathbf{\tilde{x}}.$	
76.	Chiroxiphia caudata (Shaw)	296
77.	Chiroxiphia mentalis, Scl	296
	Chiroxiphia vitellina, Gould	
	Chiroxiphia cyaneocapilla, Wagl	
80.	Querula cruenta (Bodd.)	296
	CORVIDÆ.	
81.	Uroleuca pileata (Temm.)	296
	STURNIDÆ.	
	Cassidiz baritus (Sw.)	
	Cassidix crassirostris (Sw.)?	
	Ostinops montezuma, Less Ostinops cristatus (Gm.).	
	Ocyalus wagleri (G. R. Gray)	
	Cassiculus prevosti (Less.)	
	Cassiculus icteronotus (Vieill.)	
	Cassiculus uropygialis (Lafr.)	
	Icterus mesomelas (Wagl.)	
91.	Icterus giraudii, Cassin	297
	EDINOII I ID W	
	FRINGILLIDÆ.	
	Cyanoloxia cyanoides (Lafr.)	297
	Hedymeles ludovicianus (Wils.)	
	Saltator atriceps, Less.	
	Saltator magnus (Gm.)	
	Phoenicothraupis rubicoides (Lafr.)	
	Tanagra cana, Swainson Tanagra palmarum, Max	
	Rhamphocelus icteronotus, Bonap	
	Pyranga æstiva (Gm.)	
	Tachyphonus luctuosus, D'Orb. et Lafr	
		•

12 BULLETIN 40, UNITED STATES NATIONAL MUSEUM.

1858.	LAWRENCE, GEORGE N.—Continued.	age.
	102. Tachyphonus cassinii, n. s	, 298
	103. Eucometis cristata (Du Bus.)	
	104. Calliste inornata, Gould	
	105. Calliste francescæ (Lafr.)	
	106. Euphonia hirundinacea, Bp	
	107. Arremon aurantiirostris, Lafr	
	109. Euspiza americana (Gm.)	
	110. Phonipara gutturalis (Licht.)	
	111. Phonipara pusilla (Sw.)	
	RAMPHASTIDÆ.	
	112. Rhamphastos tocard, Vieill	299
	113. Rhamphastos carinatus, Swain	
	114. Pteroglossus torquatus (Wagl.)	
	PSITTACIDÆ.	
	115. Ara militaris (Linn.)	299
	116. Psittovius tovi (Gm.)	
	117. Pionius menstruus (Linn.)	299
	118. Pionius hæmatotis, Scl. et Salv.?	29 9
	PICIDÆ.	
	119. Dryocopus malherbii (G. R. Gray)	299
	120. Centurus pucherani (Malh.)	
	121. Centurus rubriventris, Sw	29 9
	CAPITONIDÆ.	
	122. Capito maculicoronatus, n. s.	300
	CUCULIDÆ.	
	123. Piaya nigricrissa, Scl	300
	124. Piaya rutila (Vieill.)	300
	125. Diplopterus excellens, Scl	
	126. Dromococcyx mexicanus, Bp	
	127. Crotophaga ani, Linn	301
	COLUMBIDÆ.	
	128. Lepidoenas speciosa (Gm.)	301
	129. Chamaepelia rufipennis, Bp	
	130. Peristera cinerea (Temm.)	301
	CRACIDÆ.	
	131. Crax rubra, Linn. f	301
	TETRAONIDÆ.	
	132. Odontophorus guianensis (Gm.)	301
	ARDEIDÆ.	
	133. Euripyga helias (Pallas)	301
	134. Garzetta candidissima (Gm.)	
	135. Butorides virescens (Linn.)	
	136. Tigrisoma brasiliense (Linn.) 137. Pilherodius pileatus (Lath.)	
	2011 2 when varies proceeded (Liacen.)	. 501
	SCOLOPACIDÆ.	
	138. Gallinago wilsonii, Bp	. 301
	PALAMEDRIDÆ.	

1858. LAWRENCE, GEORGE N.—Continued.

	RALLIDÆ.	
	Page	
	ethrura albigularis, n. s	
	COLYMBIDÆ.	
142. Hel	iornis fulica (Bodd.)	2
	29.	
1861. LAWRENCE	c, GEORGE N. Descriptions of Three New Species of Birds. By George	_
N Lawr	ence. Read . pril 22, 1861. < Ann. Lyc. Nat. Hist. New York. Vol	
	choc. Read 1 plil 22, 1001. Ann. Lyc. Nat. 1188. New 107k. 401	•
1 01	Page	١.
2. Polio	laria perspicillata, n. s	4
	30.	
Grenada, tions of	c, GEORGE N. Catalogue of a Collection of Birds made in New, by James McLeannan, esq., of New Vork, with Notes and Descrip New Species. Part II. By George N. Lawrence. Read May 27 Ann. Lyc. Nat. Hist. New York. Vol. VII, 1862, pp. 315-334.	-
	FALCONIDÆ. Page	
143. Sniz	zaëtus tyrannus (Max.)	
	bitinga zonura (Shaw)	
	bitinga anthracina (Nitsch.)	
	urina nitida (Lath.)	
	urina magnirostris (Gm.)	
	rastur gilvicollis (Vieill.)	
	rastur poliogaster (Temm.) ?	
150. Har	pagus bidentatus (Lath.) 31	7
151. Cyn	nindis cayennensis (Gm.)31	7
152. Circ	rus hudsonicus (Liun.)	7
	$\mathbf{STRIGID}oldsymbol{\mathcal{E}}.$	
153. Syri	nium virgatum, Cass	7
	HIRUNDINIDÆ.	
154. Hir	undo horreorum, Barton	7
	ochelidon lunifrons (Say)	
	ochelidon leucoptera (Gm.)	
157. Coty	le flavigaetra (Vieill.)	3
158. Prog	gne chalybea (Gm.)	3
	MOMOTID E .	
159. Mon	notus subrufescens, Scl	3
	BUCCONIDÆ.	
160. Buc	co dysoni, Scl	3
	co tectus, Bodd	
162. Mal	acoptila frontalis, Scl	3
	ALCEDINIDÆ.	
163. Cery	lle alcyon (Linn.)	3
	CŒREBIDÆ.	
164. Cær	eba carneipes, Scl	3
	eba lucida, Scl. and Salv	
	nis — ? 319	
167. Chi	orophanes atricapilla (Vieill.))

1858. LAWRENCE, GEORGE N.—Continued.

	TROCHILIDÆ.	
	•	age
	Glaucis hireutus (Gm.)	
	Glaucis ruckeri (Bourc.) Phæthornis longirostris, Delatt	
	Campylopterus cuvieri (Bourc.)	
	Lampornis mango (Linn.)	
	Hypuroptila buffoni (Less.)	
	Sapphironia cæruleogularis, Gould	
	Chlorostilbon — 1	
176.	Gouldia conversi (Bourc.)	319
	ANABATIDÆ.	
177.	Anabates ochrolæmus, Tsch. ?	319
	Syanallaxis brunneicaudalis, Scl	
	Xenops mexicanus, Scl	
	Dendrocolaptes sancti thomæ (Lafr.)	
181.	Glyporhynchus cuneatus (Licht.) Dendrocincla fumigata (Licht.) ?	320
	Dendrocinela — !	
	Sclourus caudacutus (Vieill.)	
	TROGLODYTIDÆ.	
	Cyphorinus bambla (Bodd.) f	
	Cyphorinus fasciatoventris, Lafr	
	Cyphorinus leucostictus, Caban	
	Troglodytes hypaëdon, Scl. Thryothorus rutilus, Vieill	
	Thryothorus longirostris, Vieill	
	Thryothorus leucotis, Lafr	
	Thryothorus galbraithii, n. s	
	Thryothorus castaneus, n. s	
	MOTACILLIDÆ.	
194.	Anthus rufus (Gm.)	322
	PARIDÆ.	
105	Polioptila superciliaris, Lawr	299
100.		022
	$ extbf{MNIOTILTID} extbf{ ilde{x}}.$	
	Seiurus noreboracensis (Gm.)	
	Mniotilta varia (Linn.)	
	Geothlypis philadelphia (Wils.)	
	Helminthophaga peregrina (Wils.) Dendroica castanea (Wils.)	
	Dendroica pennsylvanica (Linn.)	
	Dendroica æstiva (Gm.)	
203.	Dendroica maculosa (Gm.)	322
204.	Dendroica cærulea (Wils.)	322
	Setophaga ruticilla (Linn.)	
	Basileuterus delattrei, Bp Basileuterus semicervinus, Scl. ?	
207.	Rasuenterus semicerminus, Sci. 1	323
	244, 300 and 400 and 4	
	VIREONIDÆ.	
	VIREONIDÆ. Vireo flavifrons, Vieill	
209.	VIREONIDÆ. Vireo flavifrons, Vieill	323
209. 210.	VIREONIDÆ. Vireo flavifrons, Vieill	323 324
209. 210. 211.	VIREONIDÆ. Vireo flavifrons, Vieill. Vireosylvia flavoviridis, Cass. Hylophilus pusillus, n. s	323 324 324
209. 210. 211.	VIREONIDÆ. Vireo flavifrons, Vieill	323 324 324
209. 210. 211.	VIREONIDÆ. Vireo flavifrons, Vieill. Vireosylvia flavoviridis, Cass. Hylophilus pusillus, n. s	323 324 324
209. 210. 211. 212.	VIREONIDÆ. Vireo flavifrons, Vieill	323 324 324 324
209. 210. 211. 212. 213. 214.	VIREONIDÆ. Vireo flavifrons, Vieill. Vireosylvia flavoviridis, Cass. Hylophilus pusillus, n. s. Hylophilus aurantiifrons, n. s. Hylophilus viridiflavus, n. s. FORMICARIDÆ.	323 324 324 324 325

1858.	LAWRENCE, GEORGE N.—Continued.	age.
	216. Myrmetherula —— ?	
	217. Formicivora quixensis (Corn.)	
	218. Pyriglena maculicaudus, Scl.?	
	219. Myrmeciza exsul, Scl	
	220. Myrmeciza longipes (Vieill.)	
	221. Hypocnemis schistacea, Scl	
	222. Hypocnemis nævoides (Lafr.)	
	223. Hypocnemis — 1	
	224. Pithys leucaspis, Scl	
	225. Formicarius analis (D'Orb. et Lafr.)	
	228. Grallaria perspicillata, Lawr	
	227. Pittasoma michleri, Cass	
	· .	
	TURDIDÆ.	
	228. Turdus fucescens, Steph	326
	229. Turdus casius, Bp	, 327
	WALLY Y 2/2/1/20	
	TYRANNIDÆ.	
	230. Attila spadicea (Gm.) 1	327
•	231. Copurus leuconotus, Lafr	
	232. Pitangus lictor (Licht.)	
	233. Myiarchus crinitus (Linn.)	
	234. Myiarchus nigriceps, Scl.!	
	235. Empidonax brachytarsus, Scl	
	236. Empidonax bairdii, Scl	
	237. Myiobius barbatus (Gm.)	328
	238. Myiobius cinnamomeus (Lafr. et D'Orb.) !	
	239. Tyrannula flavirentris	
	240. Legatus variegatus, Sol. ?	
	241. Myiozetetes columbianus, Cab. & Hein	
	242. Elainia placens, Scl	
	243. Elainia subpagana, Scl	
	244. Leptopogon amaurocephalus, Cab	
	245. Mionectes striaticollis, Lafr. et D'Orb	
	246. Mionectes assimilis, Scl. ?	
	247. Muscivora mexicana, Scl	
	248. Cyclorhynchus brevirostris, Cab. ?	
	249. Cyclorhynchus cinereiceps, Scl	
	250. Platyrhyncha cancroma, Licht	
	251. Todirostrum nigriceps, Scl.	
	252. Todirostrum megacephalum, Sw	330
	COTINGIDÆ.	
	253. Pachyrhamphus marginatus (Licht.)?	330
	254. Pachyrhamphus cinereus (Bodd.) !	330
	255. Lipaugus unirufus, Scl	
	258. Lipaugus holerythrus, Scl	330
	257. Lipaugus rufescens, Scl	330
	ICTERIDÆ.	
	258. Icterus baltimore (Linn.)	331
	259. Icterus spurius (Linn.)	
	TANAGRIDÆ.	
	280. Saltator striatipectus, Lafr	331
	261. Tachyphonus melaleucus (Sparm.)	331
	262. Tachyphonus xanthopigius, Scl	
	263. Tachyphonus delattrii, Lafr	331
	284. Pyranga rubra, Vieill	551 201
	265. Ramphocelus dimidiatus, Lafr	
	266. Ramphocelus luciana, Lafr	
	267. Calliste gyroloides (Lafr.)	002

16 BULLETIN 40, UNITED STATES NATIONAL MUSEUM.

1858. LAWRENCE,	GEORGE N.—Continued.	Page.
	te francescæ (Lafr.)	
	onia gouldii, Scl	
270. Euph	onia minuta, Cab	332
	FRINGILLIDÆ.	
271. Chrys	somitris mexicanus, Sw	332
	rnagra conirostris (Bp.)	
	inia jacarina (Linn.)	
	oborus athiops, Scl	
	nophila minuta (Linn.)	
276. Spern	nophila aurita. Bp.1	333
	PSITTACIDÆ.	
277. Conu	rus pertinax (Linn.)?	333
	PICIDÆ.	
278. Dryo	copus scapularis, Vig	333
279. Picun	mnis grenadensis, Lafr	333
	COLUMBIDÆ.	
280. Chlor	roenas vinacea (Temm.)	
	coenas rufina (Temm.)	
	napelia granatina, Bp	
	ptila verreauxi, Bp	
	dr. Lawr T	
	CRACIDÆ.	
284. Ortal	lida poliocephala, Wagl	338
	TINAMIDÆ.	
285. Tinar	mus pileatus, Bodd	334
	CHARADRIADÆ.	
286. Aegia	ulitis azaræ (Temm.)	334
	ARDEIDÆ.	
287. Florid	da cærulea (Linn.)	
	TANTALIDÆ.	
288. Tanto	alus loculator (Linn.)	
	SCOLOPACIDÆ.	
200 Dh.	chophilus solitarius (Wils.)	,
289. Rhyu 200. Gaml	betta flavipes (Gm.)	33/
	poides macularius (Linn.)	
	urus bartramius (Wils.)	
	ga wilsonii, Nutt	
•	COLVANDID W	
	COLYMBIDÆ.	
294. Podic	ceps dominicus (Linn.)	
	31.	
1862. LAWRENCE,	GEORGE N. Descriptions of six New Spec	ies of Birds from the
Isthmus of	of Panama. By George N. Lawrence. $< Th$	e I bis, 1st series, Vol.
	ry, 1862, pp. 10-13.	,
- ,		
	TURDIDÆ.	Page

1862. LAWRENCE, GEORGE N.—Continued.
${\tt TYRANNID} \boldsymbol{\it E}.$
Page. 2. Pitangus albovittatus, n. s. 11 3. Myiözetetes granadensis, n. s. 11 4. Todirostrum olivaceum, n. s. 12 5. Tyranniscus parvus, n. s. 12 6. Tyrannulus brunneicapillus, n. s. 12, 13
32 .
1862. LAWRENCE, GEORGE N. Descriptions of Six New Species of Birds of the Families Charadridæ, Trochilidæ, and Caprimulgidæ. By George N. Lawrence. Read February 10th, 1862. <a href="https://doi.org/10.1016/j.nc.//doi.org/10.1016</td></tr><tr><td>1. Aegialitis tenuirostris, n. s. Cuba 455, 456 2. Thalurania luciæ, n. s Tres Marias Islands, Mexico 456, 457 3. Chlorostilbon insularis, n. s Tres Marias Islands, Mexico 457 4. Trochilus aurigularis, n. s 458 5. Sapphironia luminosa, n. s New Granada 458, 459 6. Stenopsis maculicaudus, n. s Para 459, 460</td></tr><tr><td>33.</td></tr><tr><td>1862. LAWRENCE, GEORGE N. Catalogue of a Collection of Birds made in New Granada. By James McLeannan, Esq., of New York, with Notes and Descriptions of New Species. Part III. By George N. Lawrence. Read February 10, 1862. Ann. Lyc. Nat. Hist. New York . Vol. VII, 1862, pp. 461-479. Contains corrections of some ascertained errors of previous parts.
FALCONIDÆ.
295. Thrasaëtus harpyia (Linn.) 461 296. Hypotriorchis rufigularis (Daud.) 462 297. Accipiter collaris, Scl 462 298. Micrastur semitorquatus (Vieill.) 462
STRIGIDÆ.
299. Scops choliba (Vieill.). 462 300. Syrnium lineatum, n. s. 462, 463
${\tt TROGONID}{\it \rlap{E}}.$
301. Trogon concinnus, n. s
BUCCONIDÆ.
302. Bucco pectoralis, G. R. Gray
CÆREBIDÆ.
303. Dacnis venusta,* n. s
$\textbf{TROCHILID}\boldsymbol{x}.$
304. Chrysuronia eliciæ, Bourc. et Muls
${\tt DENDROCOLAPTID} \textbf{\textit{\textbf{x}}}.$
306. Scleurus mexicanus, Scl.!

TROGLODYTIDAL.	Page.
311. Cyphorinus philomela Salv	467. 468
MNIOTILTIDÆ.	
	400
312. Dendroica blackburniæ (Gm.)	
313. Myiodioctes canadensis (Linn.)	
314. Oporornie formosus (Wils.)	408
VIREONIDÆ.	
315. Vireolanius pulchellus, Scl	46 8
FORMICARIDÆ.	
316. Myrmotherula fulviventris, n. s	461 460
317. Formicivora boucardi, Scl	
318. Ramphocænus semitorquatus, n. s	
319. Myrmeciza ferruginea, n. s.	470
and any morning of any morning and any and any and any any and any	
TURDIDÆ.	
320. Turdus obsoletus, n. s	470
321. Heleodytes albobrunneus, Lawr	
521. Heleouyics alooorunneus, hawi	410
TYRANNIDÆ.	
322. Attila sclateri, n. 8	470, 471
323. Pitangus albovittatus, Lawr	
324. Empidonax griseigularis, n. s	
325. Myiobius erythrurus, Cab.	472
326. Leptopogon flavovirens, n. s	
328. Myiozetetes granadensis, Lawr	
329. Camptosoma imberbe, Scl.	
330. Tyrannulus brunneicapillus, Lawr.	
331. Tyranniscus parvus, Lawr.	
332. Cyclorhynchus subbrunneus, Scl.	
333. Cyclorhynchus æquinoctialis, Scl.	
334. Cyclorhynchus sylphurescens (Spix.)	
335. Todirostrum schistaceiceps, Scl	
336. Oncostoma olivacea, Lawr	
, ————————————————————————————————————	
COTINGIDÆ.	
and the Leather than the Cal	.=-
337. Pachyrhamphus homochrous, Scl	
338. Heteropelma verapacis, Scl	
339. Cotinga amabilis, Gould	473
FRINGILLIDÆ.	•
rium (imiliam.	
340. Spermophila lineata (Linn.)	
341. Spermophila cinerea, Lafr.!	474
RAMPHASTIDÆ.	
342. Selenidera spectabilis, Cass	474
vzu. Novembuler in a previousium, ∪man	4/4
PSITTACIDÆ.	
343. Ara macao (Linn.)	171
344. Ara severa (Linn.)	
345. Peittovius subcæruleus, n. s	
346. Pionius coccinicollaris, n. s.	
A	, 210
PICIDÆ.	
347. Chloronerpes callopterus, n. s	476, 477

PUBLISHED WRITINGS OF GEORGE NEWBOLD LAWRENCE. 1	19
1862. LAWRENCE, GEORGE N.—Continued.	
CUCULIDÆ.	
Pag 348. Coccygus erythrophthalmus (Wils.)	
COLUMBIDÆ.	
349. Geotrygon violacea (Temm.)?	477
${\bf TINAMID}{\bm{\mathcal{E}}}.$	
350. Tinamus robustus, Scl	47 8
CHARADRIDÆ.	
351. Ægialitis vociferus (Linn.)	47 8
ARDEIDÆ.	
352. Botaurus lentiginosus, Steph	47 8
CANCROMIDÆ.	
353. Cancroma cochlearia, Linn	478
EURIPYGIDÆ.	
354. Euripyga major, Hartl	479
TANTALIDÆ.	
355. Harpiprion cayennensis (Gm.)	479
SCOLOPACIDÆ.	
356. Macrorhamphus griseus (Gm.) 357. Gambetta melanoleuca (Gm.)	
RALLIDÆ.	
358. Aramides rusicollis (Gm.)	
$\mathtt{STERNID}\boldsymbol{\pounds}.$	
360. Hydrochelidon plumbea (Wils.)	479
34 .	
1863. LAWRENCE, GEORGE N. Descriptions of Eight New Species of Birds from t Isthmus of Panama. By Geo. N. Lawrence. < The Ibis. 1st series, Ve v, April, 1863, pp. 181-184.	
$ ext{HIRUNDINID}oldsymbol{ar{x}}.$	ge.
1. Cotyle uropygialis, n. s	
DENDROCOLAPTIDÆ.	
2. Dendrornis nana, n. s	182
FORMICARIIDÆ.	
3. Formicivora virgata, n. s. 4. Myrmelastes corvinus, n. s.	
TYRANNIDÆ.	
5. Myiozetetes marginatus, n. s	183

1863. LAWRENCE, GEORGE N.—Continued.
PICIDÆ.
Page. 8. Celeus squamatus, p. s
35.
1863. LAWRENCE, GEORGE N. Catalogue of a Collection of Birds, made in New
Granada, by James McLeannan, Esq., of New York, with Notes and Descriptions of New Species. Part IV. By Geo. N. Lawrence. Read April 27th, 1863. Ann. Lyc. Nat. Hist. New York . Vol. VIII, 1867, pp. 1-13. Contains corrections of some ascertained errors of previous parts.
VULTURIDÆ.
Page.
361. Sarcoramphus papa (Linn.) 2 362. Cathartes aura (Linn.) 2
363. Cathartes atratus (Bartram)
${\tt FALCONID}{\it \rlap/E}.$
364. Pandion carolinensis (Gm.)
HIRUNDINIDÆ.
365. Petrochelidon albilinea, n. s
366. Cotyle uropygialis, Lawr
${\tt TROGONID}{\it \it $
367. Trogon tenellus, Cab
BUCCONIDÆ.
368. Malacoptila inornata (Du Bus)
${\tt TROCHILID}{\bm{\it E}}.$
369. Heliomaster sclateri, Cab
DENDROCOLAPTIDÆ.
370. Scleurus guatemalensis, Scl
371. Dendrornis nana, Lawr
TROGLODYTIDÆ.
373. Cyphorinus lawrencii n. s. Scl. M. S. 5 374. Thryothorus rufalbus, Lafr 5
375. Thryothorus modestus, Cab
MNIOTILTIDÆ.
376. Dendroica coronata (Linn.)
377. Myiodioctes mitratus (Gm.) 6
$ ext{VIREONID} ilde{m{x}}.$
378. Vireosylvia bogotensis, Bryant?6
FORMICA RIDÆ.
379. Formicivora virgata, Lawr 6
380. Formicivora melœna, Sclater 6 381. Ramphocænus rufiventris, (Bp.) 6
382. Pithys bicolor, n. s
383. Myrmelastes corvinus, Lawr
TURDIDÆ.

384. Turdus minimus, Lafr. !

PUBLISHED WRITINGS OF GEORGE NEWBOLD LAWRENCE. 21

	TYRANNIDÆ.	
		ige.
	Attila citreopygius (Bon.)	7
	Platyrhynchus superciliaris, Lawr	
	Myiozetetes marginatus, Lawr	
	Rhynchocyclus flavo-olivaceus, n. s	8
	Myiobius atricaudus, Lawr	
	Myiobius sulphureipygius, Scl	
391.	Empidonax traillii (Aud.)	8
392.	Empidonax flaviventris, Baird	8
	COTINGIDÆ.	
202	Lipaugus albogriseus, n. s	9
<i>აა</i> ა.	Dipungus moograscus, n. s	9
	TANAGRIDÆ.	
394.	Phænicothraupis fuscicauda, Cab	, 10
	FRINGILLIDÆ.	
395.	Spermophila semicollaris, n. s	10
396.	Spermophila schistacea, n. s), 11
	PSITTACIDÆ.	
397.	Ara aracanga, Linn	11
	Conurus chrysogenys, Mass. et Souancé	
399.	Psittacus pulverulentus, Gm	11
	Draft P	
	PICIDÆ.	
400	Celeus squamatus, Lawr	11
400.	October equimentus, Dawr	
	CUCULIDÆ.	
	OCOUNTED.	
401.	Orotophaga sulcirostris, Sw	11
	COLUMBIDÆ.	
402.	Streptopelia risoria (Linn.)	, 12
	$\mathbf{CRACID}\mathbf{\mathcal{E}}.$	
409	Penelope purpurascens, Wagl	10
	Crax globicera, Linn	
404.	Oraz gwodera, Linu	12
	ARDEIDÆ.	
	ARDEIDÆ.	
405.	Ardea herodias, Linn	12
406.	Herodias egretta (Gm.)	12
407.	Ardetta exilis (Gm.)	12
	Tigrisoma tigrina (Gm.)	
	SCOLOPACIDÆ.	
	Himantopus nigricollis, Vieill	
410.	Actodromas maculata (Vieill.)	12
	· · · · · · · · · · · · · · · · · · ·	
	ANATIDÆ.	
411	Dendrocygna autumnalis (Linn.)	10
	Anas boschas, Linn.	
	Dafila acuta (Linn.)	
414.	Cairina moschata (Linn.)	13
	PELECANIDÆ.	
	PELECANIDÆ.	
415.	Pelecanus fuscus, Linn	13

1863. LAWRENCE, GEORGE N. Descriptions of New Species of Birds of the Families

Virgonials and Rellides By Goo N. Lawrence Proc. Acad. Nat. Sci.

Vireonidæ and Rallidæ. By Geo. N. Lawrence. < Proc. Acad. Nat Sci. Phila. Vol. xv, April, 1863, pp. 106, 107.
VIREONID E .
1. Vireosylvia atripennis, n.sSombrero Island, West Indies 106
RALLIDÆ.
2. Corethrura guatemalensis, n. s. Guatemala 106, 107 3. Aramides axillaris, n. s. New Granada 107
37.
1864. LAWRENCE, GEORGE N. Descriptions of New Species of Birds of the Families Tanagridæ, Cuculidæ, and Trochilidæ, with a Note on Panterpe insignis. By Geo. N. Lawrence. Read June 13th, 1864. Ann. Lyc. Nat. Hist. New York . Vol. VIII, 1867, pp. 41-46.
$ ag{TANAGRID}\mathcal{E}.$ Page.
1. Saltator fulviventris, n. s Paraguay 41 2, Tachyphonus tibialis, n. s San José, Costa Rica 41, 42 3. Tachyphonus napensis, n. s Napo River, Ecuador 42
${f CUCULID}{m x}.$
4. Coccyzus julieni, n. sSombrero Island, West Indies42, 43
TROCHILIDÆ.
5. Urochroa leucura, n. s. Ecuador. 43,44 6. Urosticte ruficrissa, n. s. Ecuador. 44 7. Ramphomicron olivaceus, n. s. La Paz, Bolivia. 44,45 8. Panterpe insignis, Cab. Costa Rica. 46
38.
1864. LAWRENCE, GEORGE N. Catalogue of Birds collected at the Island of Sombrero, W. I., with Observations by A. A. Julien. By George N. Lawrence. Read December 12, 1864. Ann. Lyc. Nat. Hist. New York . Vol. VIII, 1867, pp. 92-106.
Page. 1. Tinnunculus sparveroides (Vigors)
2. Margarops fuscatus (Vieill.) 97
3. Setophaga ruticilla (Linn.) 97
4. Hirundo horreorum, Barton

2.	Margarops fuscatus (Vieill.)	97
3.		97
4.	Hirundo horreorum, Barton	97
5.	Vireosylvia atripennis, Lawr	97
6.	Vireosylvia altiloqua (Vieill.)?	98
7.	Tyrannus griseus, Vieill	98
	Eulampis chlorolæmus, Gould	98
	Orthorhynchus exilis (Gm.)	98
	Coccyzus julieni, Lawr	98
11.	Dolichonyx oryzivorus (Linn.)	98
12.	Zenaida amabilis Bonap	98
	Ardea herodias, Linn	
14.	Nyctherodius violaceus (Linn.)	98
	Charadrius virginicus, Borck98-	
	Ægialitis semipalmatus (Bon.)	
17.	Strepsilas interpres (Linn.)	100
18.	Macrorhamphus griseus (Gm.).	100
19.	Ereunetes pusillus (Linn.)	100
	Micropalama himantopus (Bon.)	

1864. LAWRENCE, GEORGE N.—Continued.
Page.
21. Gambetta flavipes (Gm.) 100
22. Numenius hudsonicus, Latham
24. Querquedula discors (Linn.) 101
25. Pelecanus fuscus, Linn
26. Sula fiber, Linn
27. Tachypetes aquilus (Linn.)
28. Phaeton aethereus, Linn
29. Phaeton flavirostris, Brandt
30. Chroicocephalus atricilla (Linn.)
31. Thalasseus regius, Gambel
32. Haliplana discolor, Coues. 104, 105 33. Anous stolidus (Linn.) 105, 106
34. Sterna antillarum Less. 106
39.
1864. LAWRENCE, GEORGE N. Descriptions of New Species of Birds of the Families
Cærebidæ, Tanagridæ, Icteridæ, and Scolopacidæ. By Geo. N. Lawrence. < Proc. Acad. Nat. Sci. Phila. Vol. xvi, April, 1864, pp. 106-108.
CÆREBIDÆ.
Page. 1. Dacnis ultramarina, n. s
TANAGRIDÆ.
2. Saltator intermedius, n. s
ICTERIDÆ.
3. Cassicus vitellinus, n. s Isthmus of Panamá and Nicaragua 107
SCOLOPACIDÆ.
4. Ereunetes occidentalis, n. s
40.
1865. LAWRENCE, GEORGE N. Descriptions of New Species of Birds of the Families Tanagridæ Dendrocolaptidæ, Formicaridæ, Tyrannidæ, and Trochilidæ By Geo. N. Lawrence. Read May 1st, 1865. Ann. Lyc. Nat. Hist. New York. Vol. VIII, 1867. pp. 126-135.
voi. viii, 1001, pp. 120–100.
TANAGRIDÆ.
Page. 1. Buarremon ocai, n. s
1. Duti Tendit ocut, 11. 8
${\tt DENDROCOLAPTID}_{\it E}$
2. Philydor rufobrunneus, n. s
3. Anabazenops lineatus, n. s
4. Margarornis rubiginosa, n. s
5. Margarornis guttata, n. sEcuador
FORMICARIDÆ.
6. Dysithamnus striaticeps, n. s
7. Dysithamnus rufiventris, n. s. New Granada 131
8. Myrmotherula albigula, n. s
9. Myrmeciza stictoptera, n. s
TYRANNIDÆ.
10. Empidonax flavescens, n. s
11. Contopus lygubris, n. s

24

	TYRANNIDÆ.	
os Elminan an	bpagana, Sel	Page.
	iriquensis, n.s	
	miflava, n s	
	bicollis (Vieill.)	
	columbianus, Cab. et Hein	
	stes nobilis, Scl	
	grannus (Linn.)	
	MOMOTIDÆ.	
32. Momotus le	essoni, Less	
	TROCHILIDÆ.	
33. Lampornis	veraguensis, Gould	177
	CUCULIDÆ.	
34. Piaya nigr	icrissa, Scl	177
	s nævius (Linn.)	
	RAMPHASTIDÆ.	
36. Pteroglossu	us erythropygius, Gould	178
	FALCONIDÆ.	
37. Asturina m	nagnirostris (Gm.)	178
	COLUMBIDÆ.	
38. Chamæpeli	ia rufipennis, Bp	178
	RALLIDÆ.	
39. Aramides 1	ruficollis (Gm.)?	178
	43 .	
the Smithson Nicaragua, w	ORGE N. Catalogue of a Collection of Bird nian Institution, made by Mr. H. E. Holl with Descriptions of New Species. By r 23, 1865. Ann. Lyc. Nat. Hist. New You	and, at Greytown, Geo. N. Lawrence.
	PARIDÆ.	Page.
1. Polioptila s	superciliaris, Lawr	
	TROGLODYTIDÆ.	
2. Thouatham	ıs brunneus, n.s	170 170
	ius atrogularis, Salv.?	· ·
	MNIOTILTIDÆ.	
	la aurocapilla (Linn.)	
	æstiva (Gm.)	
6. Basileutere	us uropygialis, Scl	179
	VIREONIDÆ.	
7. Hylophilus	s pusillus, Lawr	
	CÆRERIDÆ	
0 Thur. 1 11	CÆREBIDÆ.	120

TANAGRIDÆ.	
S. Calliste francescæ, Lafr.	age. 179
10. Tanagra diaconus, Less	
11. Ramphocelus passerinii, Bp	
12. Phænicothraupis fuscicauda, Cab	
13. Arremon aurantiirostris, Lafr	
14. Saltator magnoides, Lafr	
${\tt FRINGILLID}{\bm{\it E}}.$	
15. Spermophila corvina, Scl	
16. Cyanospiza cyanea (Linn.)	
17. Embernagra striaticeps, Lafr	
18. Euspiza americana (Gm.)	. 180
ICTERIDÆ.	
19. Cassiculus prevosti (Less.)	. 180
20. Cassiculus microrhynchus, Scl. & Salv	. 180
21. Icterus mesomelas (Wagl.)	. 180
22. Quiscalus macrourus, Sw	. 180
DENDROCOLAPTIDÆ.	
23. Synallaxis nigrifumosa, n. s	180
24. Glyphorhynchus pectoralis, Scl. & Salv	
25. Dendrocolaptes sancti-thomæ (Lafr.)	
28. Dendrornis pardalotus (Vieill.)	
FORMICARIDÆ.	
27. Thamnophilus hollandi, n. s	1 100
28. Thamnophilus affinis, Cab	
29. Ramphocænus rufiventris (Bp.)	
30. Grallaria dives, Salv	
TYRANNIDÆ.	
31. Todirostrum cinereum (Linn.)	100
32. Tyrannulus semiflavus, Scl. & Salv	
33. Elainea semiflava, Lawr	
34. Myiozetetes texensis (Giraud)	
35. Megarhynchus mexicanus (Lafr.)	
36. Myiarchus lawrencii (Giraud)	
37. Tyrannus carolinensis (Gm.)	
38. Tyrannus satrapa (Licht.)	
39. Tyrannus griseus, Vieill	
. COTINGIDÆ.	
40. Tityra albitorques, Du Bus	
41. Pachyrhampus polychropterus (Vieill.)?	
42. Pachyrhampus cinnamomeus, Lawr	
43. Chiromachæris candei (Parzud.)	
44. Carpodectes nitidus, Salv	. 183
ALCEDINIDÆ.	
45. Ceryle inda, Linn	. 183
BUCCONIDÆ.	
46. Malacoptila verapacis, Scl. & Salv	. 183
TROGONIDÆ.	
47. Trogon massena, Gould	. 183
48. Trogon melanocephalus, Gould	
49. Trogon tenellus, Cab	

TROCHILIDÆ.
Page. 50. Pyrrhophæna riefferi (Bourc.)
RAMPHASTIDÆ.
51. Ramphastos piscivorus, Linn
20
PICIDÆ.
52. Celeus castaneus (Wagl.) 183 53. Centurus pucherani (Malh.) 183
PSITTACIDÆ.
54. Conurus aztec, Souancé ? 184 55. Pionius senilis (Spix) 184
FALCONIDÆ.
56. Urubitinga anthracina, Nitzsch
$\mathbf{ARDEID} \boldsymbol{\mathit{E}}.$
57. Botaurus pinnatus (Licht.)?
RALLIDÆ.
58. Parra gymnostoma, Wagl18459. Aramides ruficollis (Gm.)?18460. Gallinula galeata (Licht.)184
LARIDÆ.
61. Haliplana fuliginosa (Gm.)
44.
1865. LAWRENCE, GEORGE N. Descriptions of new species of Birds of the Families Paridæ, Vireonidæ, Tyrannidæ and Trochilidæ, with a note on Myiarchus Panamensis. By Geo. N. Lawrence. < <i>Proc. Acad. Nat. Sci. Phila.</i> Vol. XVII, February, 1865, pp. 37-39. The note (p. 38) on M. panamensis describes a more perfect plumage than that of type
specimen. Page.
1. Polioptila plumbiceps, n. s Venezuela 37 2. Hylophilus acuticaudus, n. s Venezuela 37, 38 3. Myiarchus venezuelensis, n. s Venezuela 38 4. Chalybura æneicauda, n. s Venezuela 38, 39 5. Chalybura carnioli, n. s Costa Rica, Angostura 39 6. Panychlora parvirostris, n. s Costa Rica, Angostura 39
45 .
1865. LAWRENCE, GEORGE N. Descriptions of four new species of Birds from the Isthmus of Panama, New Granada. By Geo. N. Lawrence. < Proc. Acad. Nat. Sci. Phila. Vol. XVII, June, 1865, pp. 106-108.
1. Tachyphonus rubrifrons, n. s. Line of Panamá Railroad. 106 2. Anthus (Notiocorys) parvus, n. s. City of Panamá . 106, 107 3. Thamnophilus nigricristatus, n. s. Line of Panamá Railroad. 107, 108 4. Geotrygon albiventer, n. s. Line of Panamá Railroad. 108

46.

1866. LAWRENCE, GEORGE N. Catalogue of Birds observed on New York, Long and Staten Islands, and the adjacent parts of New Jersey. By Geo. N. Lawrence. Read April 16, 1866. Ann. Lyc. Nat. Hist. New York. Vol. VIII, 1867, pp. 279-300.

VULTURIDÆ.

		age.
1.	Cathartes aura (Linn.)	279
	FALCONIDÆ.	
	Falco anatum, Bon	
	Hypotriorchis columbarius (Linn.)	
	Hierofalco islandicus (Sabine)	
	Tinnunculus sparverius (Linn.)	
6.	Astur atricapillus (Wils.)	280
7.	Accipiter cooperii, Bon	280
8.	Accipiter fuscus (Gm.)	280
9.	Buteo borealis (Gm.)	280
10.	Buteo lineatus (Gm.)	280
11.	Buteo pennsylvanicus (Wils.)	280
12.	Archibuteo sancti-johannis (Gm.)	280
	Nauclerus furcatus (Linn.)	
	Circus hudsonicus (Linn.)	
	Aquila canadensis (Linn.)	
	Haliætus leucocephalus (Linn.)	
	Pandion carolinensis (Gm.)	
•••	1 william currenties (CIII.)	201
	STRIGIDÆ.	
	Strix pratincola, Bon	
	Bubo virginiara (Gm.)	
	Scops asio (Linn.)	
	Otus wilsonianus, Less	
22.	Brachyotus cassinii, Brewer	281
2 3.	Syrnium nebulosum (Forster)	281
24.	Nyctale acadica (Gm.)	281
25.	Nyctea nivea (Daud.)	281
26.	Surnia ulula (Linn.)	281
	TURDIDÆ.	
	·	
	Turdus mustelinus, Gm	
	Turdus pallasi, Cab	
29.	Turdus fuscescens, Stephens	281
30.	Turdus swainsonii, Cab	281
31.	Turdus migratorius, Linn	281
32.	Turdus nævius, Bon	281
33.	Mimus polyglottus (Linn.)	282
34.	Galeoscoptes carolinensis (Linn.)	282
35.	Harporhynchus rufus (Linn.)	282
	SAXICOLIDÆ.	
36.	Saxicola ænanthe (Linn.)	282
	Sialia sialis (Linn.)	
	SYLVIIDÆ.	
38.	Regulus calendula (Linn.)	282
	Regulus satrapa, Licht	
	Polioptila cærulea (Linn.)	
	PARIDÆ.	
41.	Parus atricapillus, Linn	283
	Parus carolinensis, Aud.	
	Lophophanes bicolor (Linn.).	
	Sitta carolinensis, Gm	
	Sitta canadensis, Linn.	
w.	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	200

	CERTHIADÆ.	
16		ge. 283
40.	Certitia americana, Doll	200
	TROGLODYTIDÆ.	
47	Thryothorus ludovicianus (Gm.)	902
	Troglodytes ædon, Vieill	
	Troglodytes americanus, Aud.	
	Troglodytes hyemalis (Wils.)	
	Cistothorus palustris (Wils.)	
	Oistothorus stellaris (Licht.)	
02.		200
	MOTACILLIDÆ.	
5 3	Anthus ludovicianus, Gm	283
	SYLVICOLIDÆ.	
5.4	Mniotilta varia (Linn.)	902
	Parula americana (Linn.).	
	Geothlypis trichas (Linn.)	
	Geothlypis philadelphia (Wils.)	
	Oporornis agilis (Wils.)	
	Oporornis formosus (Wils.)	
	Helmitherus vermivorus (Gm.)	
	Helminthophaga pinus (Linn.)	
	Helminthophaga chrysoptera (Linn.)	
	Helminthophaga ruficapilla (Wils.)	
	Helminthophaga celata (Say)	
	Helminthophaga peregrina (Wils.)	
88	Dendroica coronata (Linn.)	204
	Dendroica blackburniæ (Gm.)	
	Dendroica castanea (Wils.)	
	Dendroica virens (Gm.).	
	Dendroica canadensis (Linn.)	
	Dendroica pinus (Wils.)	
	Dendroica pennsylvanica (Linn.)	
	Dendroica striata (Forster)	
	Dendroica æstiva (Gm.)	
	Dendroica maculosa (Gm.)	
	Dendroica tigrina (Gm.)	
	Dendroica palmarum (Gm.)	
	Dendroica discolor (Vieill.)	
	Seiurus aurocapillus (Linn.)	
	Seiurus noveboracensis (Gm.)	
	Seiurus ludovicianus (Vieill.)	
	Myiodioctes mitratus (Gm.)	
	Myiodioctes pusillus (Wils.)	
	Myiodioctes canadensis (Linn.)	
85.	Setophaga ruticilla (Linn.)	285
	$ ext{HIRUNDINID}oldsymbol{\mathscr{E}}.$	
86.	Hirundo horreorum, Barton	2 85
87.	Hirundo lunifrons, Say	2 85
	Hirundo bicolor, Vieill	
	Cotyle riparia (Linn.)	
90.	Progne purpurea (Linn.)	285
	VIREONIDÆ.	
91.	Icteria viridis (Gm.)	285
	Vireosylvia olivacea (Linn.)	
93.	Vireosylvia gilva (Vieill.)	285
94.	Vireo noveboracensis (Gm.)	285
	Vireo solitarius (Wils.)	
	Vireo flavifrons, Vieill	
	•	

	LANIIDÆ.	
0.7	Collyrio borealis (Bon.)	age.
97.	Couyrio boreaus (Bon.)	280
	AMPELIDÆ.	
••	1 V T1	00
	Ampelis garrulus, Linn	
	-	200
	TANAGRIDÆ.	
100.	Pyranga rubra (Linn.)	286
	Pyranga æstiva (Linn.)	
	FRINGILLIDÆ.	
102.	Hedymeles ludovicianus (Linn.)	286
	Cardinalis virginianus (Bon.)	
	Guiraca cærulea (Linn.)	
	Euspiza americana (Gm.)	
	Cyanospiza cyanea (Linn.)	
	Passervulus savanna (Wils.) Poecetes gramineus (Gm.)	
	Zonotrichia leucophrys (Forster)	
	Zonotrichia albicollis (Gm.)	
	Melospiza melodia (Wils.)	
	Melospiza lincolnii (Aud.)	
	Melospiza palustris (Wils.)	
	Spizella monticola (Gm.)	
115.	Spizella socialis (Wils.)	286
	Spizella pusilla (Wils.)	
	Junco hyemalis (Linn.)	
	Ammodromus caudacutus (Gm.)	
	Ammodromus maritimus (Wils.)	
	Coturniculus passerinus (Wils.)	
	Coturniculus henslowi (Aud.) Passerella iliaca (Merrom.)	
	Passer domesticus (Linn.) 287	
	Pipilo erythrophthalmus (Linn.)	
	Plectrophanes nivalis (Linn.)	
	Plectrophanes lapponicus (Linn.)	
	Loxia americana (Wils.)	
	Loxia leucoptera, Gm	
	Pinicola canadensis (Briss.)	
	Carpodacus purpureus (Gm.)	
	Egiothus linaria (Linn.)	
	Hesperiphona vespertina (Cooper)	
	Chrysomitris tristis (Linn.)	
134.	Chrysomitris pinus (Wils.)	288
	ALAUDIDÆ.	
125	Eremophila cornuta (Wils.)	920
100.	Dionophea orienta (11 116.)	200
	ICTERIDÆ.	
136.	Icterus baltimore (Linn.)	289
	Icterus spurius (Linn.)	
	Dolichonyx oryzivorus (Linn.)	
	Molothrus pecoris (Gm.)	
	Agelaius phæniceus (Linn.)	
	Sturnella magna (Linn.)	
	Scoleocophagus ferrugineus (Gm.)	
143.	Quiscalus versicolor (Linn.)	289
	CORVIDÆ.	
144	Commentation and the Comment	004

PUBLISHED WRITINGS OF GEORGE NEWBOLD LAWRENCE. 31

	LAWRE	ENCE, GEORGE N.—Continued.	sge.
	146.	Corvus carnivorus, Bartram	
		Corvus americanus, Aud	
		Corvus ossifragus, Wilson	
		TYRANNIDÆ.	
	149.	Tyrannus carolinensis (Linn.)	290
	150.	Myiarchus crinitus (Linn.)	290
	151.	Empidias fuscus (Bon.)	290
	152.	Contopus borealis (Sw.)	290
	153.	Contopus virens (Linn.)	290
	154.	Empidonax traillii (Aud.)	290
	155.	Empidonax minimus, Baird	290
	156.	Empidonax acadicus (Gm.)	290
	157.	Empidonax flaviventris, Baird	290
		ALCEDINIDÆ.	
	158.	Ceryle alcyon (Linn.)	290
		CAPRIMULGIDÆ.	
	159.	Antrostomus vociferus (Wils.)	290
		Chordeiles popetue (Vieill.)	
		CYPSELIDÆ.	
	161	Chætura pelasgia (Linn.)	201
	101.	TROCHILIDÆ.	201
	169	Trochilus colubris, Linn	201
	102.	170000000000000000000000000000000000000	
		${\tt CUCULID}{m x}.$	
	163.	Coccygus americanus (Linn.)	291
	164.	Coccygus erythrophthalmus (Wils.)	291
		${\tt PICID}{\bm{\it E}}.$	
	165.	Picus villosus, Linn	
			291
	166		
		Picus pubescens, Linn	291
	167.	Picus pubescens, Linn Picus borealis, Vieill	291 291
	167. 168.	Picus pubescens, Linn Picus borealis, Vieill Sphyropicus varius (Linn.).	291 291 291
	167. 168. 169.	Picus pubescens, Linn Picus borealis, Vieill Sphyropicus varius (Linn.). Hylotomus pileatus (Linn.).	291 291 291 291
	167. 168. 169. 170.	Picus pubescens, Linn Picus borealis, Vieill Sphyropicus varius (Linn.). Hylotomus pileatus (Linn.). Centurus carolinus (Linn.)	291 291 291 291 291
	167. 168. 169. 170. 171.	Picus pubescens, Linn Picus borealis, Vieill Sphyropicus varius (Linn.). Hylotomus pileatus (Linn.). Centurus carolinus (Linn.). Melanerpes erythrocephalus (Linn.).	291 291 291 291 291 291
	167. 168. 169. 170. 171.	Picus pubescens, Linn Picus borealis, Vieill Sphyropicus varius (Linn.). Hylotomus pileatus (Linn.) Centurus carolinus (Linn.) Melanerpes erythrocephalus (Linn.) Colaptes auratus (Linn.)	291 291 291 291 291 291
	167. 168. 169. 170. 171.	Picus pubescens, Linn Picus borealis, Vieill Sphyropicus varius (Linn.). Hylotomus pileatus (Linn.). Centurus carolinus (Linn.). Melanerpes erythrocephalus (Linn.).	291 291 291 291 291 291
	167. 168. 169. 170. 171. 172.	Picus pubescens, Linn Picus borealis, Vieill Sphyropicus varius (Linn.) Hylotomus pileatus (Linn.) Centurus carolinus (Linn.) Melanerpes erythrocephalus (Linn.) Colaptes auratus (Linn.)	291 291 291 291 291 291 291
	167. 168. 169. 170. 171. 172.	Picus pubescens, Linn Picus borealis, Vieill Sphyropicus varius (Linn.). Hylotomus pileatus (Linn.) Centurus carolinus (Linn.) Melanerpes erythrocephalus (Linn.) Colaptes auratus (Linn.)	291 291 291 291 291 291 291
	167. 168. 169. 170. 171. 172.	Picus pubescens, Linn Picus borealis, Vieill Sphyropicus varius (Linn.) Hylotomus pileatus (Linn.) Centurus carolinus (Linn.) Melanerpes erythrocephalus (Linn.) Colaptes auratus (Linn.) COLUMBIDÆ Ectopistes migratorius (Linn.)	291 291 291 291 291 291 291
	167. 168. 169. 170. 171. 172.	Picus pubescens, Linn Picus borealis, Vieill Sphyropicus varius (Linn.). Hylotomus pileatus (Linn.). Centurus carolinus (Linn.). Melanerpes erythrocephalus (Linn.). Colaptes auratus (Linn.). COLUMBIDÆ. Ectopistes migratorius (Linn.). Zenaidura carolinensis (Linn.). TETRAONIDÆ.	291 291 291 291 291 291 291
	167. 168. 169. 170. 171. 172.	Picus pubescens, Linn Picus borealis, Vieill Sphyropicus varius (Linn.) Hylotomus pileatus (Linn.) Centurus carolinus (Linn.) Melanerpes erythrocephalus (Linn.) Colaptes auratus (Linn.) COLUMBIDÆ. Ectopistes migratorius (Linn.) Zenaidura carolinensis (Linn.)	291 291 291 291 291 291 291 291 291
	167. 168. 169. 170. 171. 172.	Picus pubescens, Linn Picus borealis, Vieill Sphyropicus varius (Linn.). Hylotomus pileatus (Linn.). Centurus carolinus (Linn.). Melanerpes erythrocephalus (Linn.). Colaptes auratus (Linn.). COLUMBIDÆ. Ectopistes migratorius (Linn.). Zenaidura carolinensis (Linn.) TETRAONIDÆ. Cupidonia cupido (Linn.)	291 291 291 291 291 291 291 291 291
	167. 168. 169. 170. 171. 172. 173. 174.	Picus pubescens, Linn Picus borealis, Vieill Sphyropicus varius (Linn.) Hylotomus pileatus (Linn.) Centurus carolinus (Linn.) Melanerpes erythrocephalus (Linn.) Colaptes auratus (Linn.) COLUMBIDÆ. Ectopistes migratorius (Linn.) Zenaidura carolinensis (Linn.) TETRAONIDÆ. Cupidonia cupido (Linn.) Bonasa umbellus (Linn.)	291 291 291 291 291 291 291 291 291 291
·	167. 168. 169. 170. 171. 172. 173. 174.	Picus pubescens, Linn Picus borealis, Vieill Sphyropicus varius (Linn.). Hylotomus pileatus (Linn.). Centurus carolinus (Linn.). Melanerpes erythrocephalus (Linn.). Colaptes auratus (Linn.) COLUMBIDÆ. Ectopistes migratorius (Linn.) Zenaidura carolinensis (Linn.) TETRAONIDÆ. Cupidonia cupido (Linn.) Bonasa umbellus (Linn.)	291 291 291 291 291 291 291 291 291 291
·	167. 168. 169. 170. 171. 172. 173. 174.	Picus pubescens, Linn Picus borealis, Vieill Sphyropicus varius (Linn.) Hylotomus pileatus (Linn.) Centurus carolinus (Linn.) Melanerpes erythrocephalus (Linn.) Colaptes auratus (Linn.) COLUMBIDÆ Ectopistes migratorius (Linn.) Zenaidura carolinensis (Linn.) TETRAONIDÆ Cupidonia cupido (Linn.) Bonasa umbellus (Linn.) PERDICIDÆ Ortyx virginianus (Linn.)	291 291 291 291 291 291 291 291 291 291
	167. 168. 169. 170. 171. 172. 173. 174. 175. 176.	Picus pubescens, Linn Picus borealis, Vieill Sphyropicus varius (Linn.) Hylotomus pileatus (Linn.) Centurus carolinus (Linn.) Melanerpes erythrocephalus (Linn.) Colaptes auratus (Linn.) COLUMBIDÆ Ectopistes migratorius (Linn.) Zenaidura carolinensis (Linn.) TETRAONIDÆ Cupidonia cupido (Linn.) Bonasa umbellus (Linn.) PERDICIDÆ Ortyx virginianus (Linn.) ARDEIDÆ Demiegretta ludoviciana (Wilson)	291 291 291 291 291 291 291 291 291 291
	167. 168. 169. 170. 171. 172. 173. 174. 175. 176.	Picus pubescens, Linn Picus borealis, Vieill Sphyropicus varius (Linn.). Hylotomus pileatus (Linn.). Centurus carolinus (Linn.). Melanerpes erythrocephalus (Linn.). Colaptes auratus (Linn.). COLUMBIDÆ. Ectopistes migratorius (Linn.). Zenaidura carolinensis (Linn.) TETRAONIDÆ. Cupidonia cupido (Linn.). Bonasa umbellus (Linn.). PERDICIDÆ. Ortyx virginianus (Linn.). ARDEIDÆ. Demiegretta ludoviciana (Wilson). Garzetta candidissima (Jacquin)	291 291 291 291 291 291 291 291 291 292 292
	167. 168. 169. 170. 171. 172. 173. 174. 175. 176. 177.	Picus pubescens, Linn Picus borealis, Vieill Sphyropicus varius (Linn.) Hylotomus pileatus (Linn.) Centurus carolinus (Linn.) Melanerpes erythrocephalus (Linn.) Colaptes auratus (Linn.) COLUMBIDÆ Ectopistes migratorius (Linn.) Zenaidura carolinensis (Linn.) TETRAONIDÆ Cupidonia cupido (Linn.) Bonasa umbellus (Linn.) PERDICIDÆ Ortyx virginianus (Linn.) ARDEIDÆ Demiegretta ludoviciana (Wilson)	291 291 291 291 291 291 291 291 291 292 292

1866.		age
	183. Ardetta exilis (Gm.)	
	184. Botaurus lentiginosus, Steph	
	185. Butorides virescens (Linn.)	
	186. Nyctiardea gardeni (Gm.)	
	187. Nyctherodius violaceus (Linn.)	. 29
	TANTALIDÆ.	
	188. Ibis alba (Linn.)	. 29
	189. Ibis ordii, Bon	. 29
	SCOLOPACIDÆ.	
	190. Scolopax rusticola, Linn	2, 293
	191. Philohela minor (Gm.)	
	192. Gallinago wilsonii (Temm.)	
	193. Macrorhamphus griseus (Gm.)	
	194. Macrorhamphus scolopaceus (Say)	
	195. Micropalama himantopus (Bon.)	
	198. Ereunetes pusillus (Gm.)	
	197. Tringa canutus (Linn.)	
	198. Calidris arenaria (Linu.)	
	199. Arquatella maritima (Brunn.)	
	200. Ancylocheilus subarquata (Guld.)	
	201. Pelidna americana (Cass.)	
	202. Actodromas minutilla (Vieill.)	. 294
	203. Actodromas maculata (Vieill.)	
	204. Actodromas bonapartii, Schlegel	. 294
	205. Actodromas cooperi (Baird)	. 294
	206. Symphemia semipalmata (Gm.)	. 294
	207. Gambetta melanoleuca (Gm.)	. 294
	208. Gambetta flavipes (Gm.)	. 294
	209. Rhyacophilus solitarius (Wils.)	. 294
	210. Tringoides macularius (Linn.)	
	211. Philomachus pugnax (Linn.)	. 294
	212. Actiturus bartramius (Wils.)	. 294
	213. Tryngites rufescens (Vieill.)	
	214. Limosa fedoa (Linn.)	
	215. Limosa hudsonica (Lath.)	
	216. Numenius longirostris, Wils	
	217. Numenius hudsonicus, Latham	
	218. Numenius borealis (Forster)	. 294
	${\tt CHARADRIID}{\boldsymbol{\it E}}.$	
	219. Charadrius virginicus Borck	. 294
	220. Ægialitis vociferus (Linn.)	. 294
	221. Ægialitis wilsonius (Ord.)	. 294
	222. Ægialitis semipalmatus (Bon.)	. 294
	223. Ægialitis melodus (Ord.)	. 295
	224. Squatarola helvetica (Linn.)	295
	. HÆMATOPODIDÆ.	
	225. Hæmatopus palliatus, Temm	. 295
	226. Strepsilas interpres (Linn.)	. 295
	RECURVIROSTRIDÆ.	
	227. Recurvirostra americana, Gm	295
	228. Himantopus nigricollis, Vieill.	
	PHALAROPODIDÆ.	
	090 Distance suitemii Cab	00*
	229. Phalaropus wilsonii, Sab	
	230. Phalaropus hyperooreus (Linn.)	
	aux a musur opus jumuur tus (mmi)	

	RALLIDÆ.	_
999	. Rallus elegans, Aud	Page
	Rallus crepitans, Gm	
	Rallus virginianus, Linn	
	Porzana carolina, Vieill.	
	Porzana noveboracensis (Gm.)	
	. Fulica americana, Gm	
	. Gallinula galeata (Licht.)	
239	. Gallinula martinica (Linn.)	. 29
	, who are the same	
	ANATIDÆ.	
	Cygnus americanus, Sharpless	
	Anser hyperboreus, Pallas	
	Anser cœrulescens, Linn	
	Anser gambelii, Hartlaub	
	Bernicla canadensis (Linn.)	
	Bernicla hutchinsii (Rich.)	
	Bernicla brenta (Stephens)	
	Anas boschas, Linn	
	Anas maxima, Gosse 29	
	Anas obscura, Gm	
	Dafila acuta (Liun.)	
	Nettion carolinensis (Gm.)	
	Nettion crecca (Linu.)	
254.	Querquedula discors (Linn.)	. 29
	Spatula clypeata (Linn.)	
25 6.	Chaulelasmus streperus (Linn.)	. 297
	Mareca americana (Gm.)	
	Mareca penelope (Linn.)	
	Aix sponsa (Linn.)	
	Fulix marila (Linn.)	
	Fulix affinis (Forster)	
	Fulix collaris (Donovan)	
	Aythya americana (Eyton)	
	Aythya vallisneria (Wils.) Bucephala americana (Bon.)	
	Bucephala albeola (Linn.)	
	Histrionicus torquatus (Linn.)	
	Harelda glacialis (Linn.)	
	Camptolaemus labradorius (Gm.)	
	Melanetta velvetina (Cassin)	
	Pelionetta perspicillata (Linn.)	
27 2.	Oidemia americana, Swains	. 297
	Somateria mollissima (Linn.)	
	Somateria spectabilis (Linn.)	
	Erismatura rubida (Wils.)	
	Mergus americanus, Cassin	
	Mergus serrator, Linu	
218.	Lophodytes cucultatus (Linn.)	. 298
	PELECANIDÆ.	
970	Pelecanus erythrorhynchus, Gm	200
	Pelecanus fuscas, Linn	
7	2 0000000, 121111	
	SULIDÆ.	
281.	Sula bassana, Brise	. 298
	PHALACROCORACIDÆ.	
	Graculus carbo (Linn.)	
	Graculus dilophus (Sw.)	. 298
	Bull. 40, N. M.——3	

	,
	PROCELLARIDÆ. Page.
284.	Aestrelata meridionalis (Lawr.)
285.	Procellaria leucorrhoa, Vieill
286.	Procellaria pelagica, Linn
	Oceanites oceanica (Khul.)
288.	Nectris fuliginosus, Strick
289.	. Pufinus major, Faber
290.	Pufinus anglorum, Temm
291.	Puffinus obscurus (Gm.)
	LARIDÆ.
292.	Stercorarius pomatorhinus, Temm
	Stercorartus parasiticus (Linn.)
	Stercorarius buffoni (Boie)
295.	Larus glaucus, Brunn
296.	Larus hutchinsii, Richardson
297.	Larus marinus, Linn
298.	Larus smithsonianus, Coues
	Larus delawarensis, Ord
300.	Rissa tridactyla (Linn.)
	Chroicocephalus atricilla (Linn.)
	Chroicocephalus philadelphia (Ord)
	Xema sabinii (Sabine)
	Gelochelidon anglica (Montagu)
	Thalasseus caspius (Pallas)
	Thalasseus regius (Gambel)
	Sterna trudeaui, Aud
	Sterna forsteri, Nutt
	Sterna hirundo, Linu
	Sterna macrura, Naumann 299 Sterna paradisea, Brunn 299
	Sterna parautsea, Brann 289 Sterna antillarum, Lesson 299
	Hydrochelidon fissipes (Linn.) 299
	Rhynchops nigra, Liun
V-2-	COLYMBIDÆ.
	Colymbus torquatus, Brunn
	Colymbus arcticus, Linn
	Colymbus septentrionalis, Linn
	Podiceps griseigena (Bodd.)
	Podiceps cristatus (Linn.) 300
	Podiceps cornutus (Gm.)
021	. I vanymous pounceps (Dilli.)
	ALCIDÆ.
	Utamania torda (Linn.)
	Mormon arcticus (Linn.)
	Uria grylle (Linn.)
	Uria lomvia, Brunn
	Uria arra, Pallas
327.	Mergulus alle (Linn.)
	47 .
1866. LAWRI	ENCE, GEORGE N. Characters of seven New Species of Birds from Cen-
	and South America, with a Note on Thaumatias chionurus, Gould. By
	· · ·
	N. Lawrence. Read June 25, 1866. <i>Ann. Lyc. Nat. Hist. New York.</i> VIII, 1867, pp. 344–350.
	Page.
1.	Campylorhynchus brevipennis, n. sVenezuela
2.	Automolus rufescens, n. s
	Grallaria gigantea, n. s
4.	Grallaria costaricensis, n. s

1866. LAWRENCE, GEORGE N.—Continued. Page. 5. Phæthornis cassinii, n. s. New Granada 347, 348 6. Eupherusa cupreiceps, n. s. Costa Rica 348, 349 Thaumatias chionurus, Gould=Eupherusa niveicauda, Lawr? 349 7. Geotrygon veraguensis, n. s. Veragua 349, 350
48 .
1866. LAWRENCE, GEORGE N. Descriptions of Six New Species of Birds of the Families Hirundinidæ, Formicaridæ, Tyrannidæ, and Trochilidæ. By Geo. N. Lawrence. Read December 10th, 1866.

		91	.
1867.	scription	ns of New Species. By G	ertain Birds from New Granada, with de eo. N. Lawrence. < Proc. Acad. Nat. Sci
	Phila.	Vol. xix, August, 1867, pp	. 94, 95.
	2. Pho	enicothraupis vinacea, n. s	PagePanamá. Not T. rubrifrons
		52	4.
1927	Lambana	Cuanan N Description	s of Five New Species of Central America
1001.	Birds.		Proc. Acad. Nat. Sci. Phila. Vol. XIX, Dec.
	1 (1)	ueis ameus n. s.	PageCosta Rica 23
			Costa Rica
			Honduras
			Guatemala
	. 5. Ara	mides albiventris, n. s	British Honduras
		53	3 .
1000	T		
1000			e of the Birds found in Costa Rica. By
			h, 1868. Ann. Lyc. Nat. Hist. New York
			66–140 issued in Nos. 1–4, April, 1868; pp
	141-149	issued in No. 5, March, 186	3.
	*	TURD	
		0 (6-1-)	Page
			Quebrada Honda, San José, Grecia 9 San José, Rancho Redondo 9
		•	San Mateo
			Cervantes
			Barranca, Frailes, Cervantes 9
			San José 9
			San José, Barranca, Quebrada Honda 9
			Navarro, Dota
			Dota, San José. La Palma 9 Volcan Yrazu, Dota 9
			Cervantes
		CINCL	TTD ZE
	11 06		Dota
	14. 00	·	
		SILVI	IDÆ.
	15. Pol	lioptila superciliaris, Lawr	Angostura, Atiro, Guiatil
		TROGLOD	YTIDÆ.
	16. Rh	odinocichla rosea (Less.)	
			.) San Mateo 9
			Turrialba, Cervantes, Tucurriqui 9
			Angostura, Turrialba
			San José 9:Angostura 9:
		•	San Mateo9
			Tucurriqui
			San Mateo 9
			Gulf of Nicoys
		• • •	San José, Guiatil, San Mateo 9
			Santa Rosa, Tucurriqui
			Pacuare, Angostura 9 San José, Barranca 9
		glodestas in assistes. Raind	an ouse, Darranea

		SYLVICOLIDÆ.	
		Pa _i	
		Mniotilla varia (Linn.) San José, Barranca, Juiz	
		•	93
		Parula inornata, Baird	
		Helminthophaga chrysoptera (Linn.) Barranca	94
		Helminthophaga peregrina (Wils.) San José, Grecia	
		Helmitherus vermivorus (Gm.)	94
		Dendræca virens (Gm.)	94
		Dendræca coronata (Linn.)	94
		Dendræca blackburniæ (Gm.)San José, Atiro, Barranca	94
		Dendræca pennsylvanica (Linn.)Grecia, Barranca	94
		Dendræca æstiva (Gm.) San José	94
			94
		Seiurus aurocapillus (Linn.)	94
		Seiurus noveboracensis (Gm.)San José, Angostura	94
		Sciurus ludovicianus (Aud.)	94
		Oporornis formosus (Wils.)	94
		Geothlypis trichas (Linn.)	94
		Geothlypis philadelphia (Wils.)	94
		Geothlypis macgillivrayi (Aud.)	
		Icteria virene (Linn.)	95
		Mylodioctes pusillus (Wils.)	95
		Basileuterus culticivorus (Licht.)Barranca, Guiatil, Grecia, Doia	93
		Basileuterus mesochrysus, Scl	95
		Basilenterus urepygiatis, Scl	93 93
		Basilenterus melanotis, n. s	
1		Setophaga ruticilla (Linn.)	
		Setophaga aurantiaca, Baird Grecia, Barranca, Dota.	
		Setophaga torquata, Baird	
	61.	Sewphago terquan, DairaSan o ose, La I anna	34
		HIRUNDINIDÆ.	
	62.	Progne leucoguster, Baird San José	90
		Atticora cyanoleuca var. montana, Baird. San José, Barranca	
_		Cotyle riparia (Linn.)	90
		Stelgidopteryx fulvigula, Baird Atiro	90
		VIREONIDÆ.	
	66.	Vireo ylvia olivacea (Linn.)	90
		Viransylvia flavo-viridis, Cassin San José, Aterlas	
		Vircosylvia philadelphica, CassinSan José, Grecia, Dota	
		Vireosylvia josephae, Scl	
		Lanivireo flavifrons (Vieill.) San José	
		Vireo pallens, SalvPunta Arenas.	
		Vireo carmioli, Baird	
	73.	Hylophilus ochraceiceps, Scl	9
		Wallambelera descritatora (Roman) (sin evei	
		esps, Scl.).	9
*	75.	Hylophilus pusillus, LawrDota, Angostura	9
		Oychloris flavigentris, Lafr Gulf of Nicoya	
		Cychloris subflavescens, Cab	
		Vireolanius pulchellus, Scl. & Salv Angostura	
		AMPELIDÆ.	
		Ptilogonys caudatus, CabSan José, Volcan Yrazn	
	80.	Myiadestes melanops, SalvLa Palma, San José, Navarro	3
		CŒREBIDÆ.	
	. اج مم.	Diglossa plumbea, CabQuebrada Honda, San Juan	a,
-	6Z.	Dacnis venusta, Lawr	y

1868.	LAWRE	NCE, GEORGE N.—Continued.	P	age.
	84.	Chlorophanes spiza var. guatemalensis,		
			.Juiz, Turrialba	
	86.	Certhiola mexicana, Sci	.Turrialba, Aleno	. 98
		TANAGRID	Æ.	
	87.	Chlorophonia callophrys (Cab.)	Raucho Redondo, San José, Birris	98
			San José	
			San Juan	
	90.	Euphonia humilis, Cab		98
	91.	Euphonia anneae, Cass. (rufivertex, Salv.)	. Angostura, Santa Rosa	98
•				
			.San José	
		- •		
			.Turrialba, San Juan	
			. Angostura, Payna, Dota	. 98
	97.	Calliste icterocephala, Bonap. (frantzii,	San Tank Dameston Manufallia Data	00
	00		San José, Barranca, Turrialba, Dota Angostura, Dota, Turrialba	
		- · · · · · · · · · · · · · · · · · · ·	. Barranca, Guiatil, Dota	
			Augostura, Turrialba, San José	
			San José, Turrialba, Navarro	
			San José, Angostura	
			Santa Rosa, Angostura, Turrialba	
			. Angostura, San Carlos, Navarro	
			Navarro, Angostura	
	106.	Pyranga rubra (Linu.)	.San José	. 99
	107.	Pyranga erythromelaena (Licht.)	Navarro, Barranca, Dota	. 99
	108.	Pyranga æstiva (Gm.)	Turrialba, Atiro, Grecia, San Mateo,	
			Navarro, San José, Angostura, Santa	
			Rosa	
	109.	Pyranga bidentata, Sw	Barranca, Dota, San José, Birris, Ranche	
	110	Diaminathamania francisco de Cul-	Redoudo	
		- ·	. Angostura.	
			.Guiatil, Grecia99 .Angostura	
			Tucurriqui, Angostura, Pacuare	
			. Augostura, Juiz	
			-Payua100	
			Angostura	
		* · · · · · · · · · · · · · · · · · ·	.Angostura	
	119.	Tachyphonus tibialis, Lawr	.San José, Dota, Volcan Yrazu, Rancho	•
			Redondo, Quebrada Honda	101
	120.	Chlorospingus albitemporalis, Lafr	. San José, Turrialba, Barranca, Dota, San	l
			Mateo	
			.Poas, Rancho Redondo	
			San José, Barranca, Dota, Grecia	
			Guiatil	
		Buarremon carssirostris, Cass. (meso-	.Quebrada Honda, San José, Dota	101
	120.		.Barranca	101
	126.		101	
			San Mateo, Dota, Guiatil	
			.Turrialba	
		•	Pacuare	
			.Turrialba, San José, Augostura	
			San José, Catargo	
			.Payua	
	133.	Pitylus poliogaster, Du Bus	. Angostura	102
		FRINGILLII	DÆ.	
	134		Tucurriqui, Cervantes, San José, Rancho	
			RedondoRedondo	
	135.	Hedymeles ludovicianus (Linn.)	San José, La Palma	

186 8.	LAWRENCE, GEORGE N.—Continued.		Page.
	136. Guiraca cœrulea (Linn.)	Angostura	102
	137. Guiraca concreta (Du Bus.)	Turrialba, Angostura	102
	138. Spermophila morelleti (Puch.)	San José, Grecia	102
	139. Spermophila hoffmanni, Cab		102
	140. Spermophila corvina, Scl	Angostura, Pacuare, Turrialba1	02, 103
	141. Volatinia jacarina (Linn.)		
	142. Phonipara pusilla (Sw.)		
	143. Cyanospiza cyanea (Linn.)	· · · · · · · · · · · · · · · · · · ·	
	144. Cyanospiza ciris (Linn.)		
	145. Amaurospiza concolor, Cab		
	146. Zonotrichia pileata (Bodd.)		
	147. Coturniculus passerinus (Wils.)		
	148. Euspiza americana (Gm.)		
	149. Embernagra striaticeps, Lafr		
	150. Embernagra superciliosa, Salv		
	151. Pyrgisoma biarcuatum (Prev.)		
	152. Pyrgisoma keineri, Bonap		
	153. Melozone leucotis (Cab.)		
	154. Chrysomitris mexicana (Sw.)		
	155. Chrysomitris columbiana, Lafr		
	156. Chrysomitris bryantii, Cass	Dota	104
	· ICTERII	DÆ.	
	157. Ocyalus wagleri (Gray & Mitch.)	San José, Turrialba, San Carlos	104
	158. Ostinops montezumae (Less.)	San Carlos, Angostura	104
	159. Amblycercus prevosti (Less.)		
	160. Icterus pectoralis (Wagl.)		104
	161. Icterus salvini, Cass	Turrialba, San Carlos	104
	162. Pendulinus prosthemelas (Strickland)	• • • • • • • • • • • • • • • • • • • •	104
	163. Hyphantes baltimore (Linn.)	San José	104
	164. Xanthornus spurius (Linn.)	San José	104
	165. Molothrus aeneus (Wagl.)	San José	104
	166. Agelaius phæniceus (Linn.)	Gulf of Nicoya	104
	167. Quiscalus macrurus, Sw	••••••	104
	168. Sturnella ludoviciana (Linn.)	San José	104
	CORVID	Æ.	
	169. Psilorhinus morio (Wagl.)	San José, Turrialba	104
	DENDROCOLA	APTIDÆ.	
	170. Synallaxis erythrops, Scl	Rorrance Data Rirris	105
	171. Synallaxis nigrifumosa, Lawr		
	172. Synallaxis rufigenis, n. s		
	173. Philydor rufobrunneus, Lawr		
	174. Philydor virgatus, Lawr		
	175. Automolus cervinigularis, Scl		
	176. Automolus pallidigularis, Lawr		
	177. Automolus rufescens, Lawr		
	178. Anabazenops variegaticeps, Scl		
	179. Anabazenops lineatus, Lawr		
	180. Xenops mexicanus, Scl		
	181. Oxyrhynchus flammiceps, Temm		
	182. Sittasomus sylvioides, Lafr		
	183. Margarornis brunnescens, Scl		
		Mateo, Birris	106
	184. Margarornis rubiginosa, Lawr		
	185. Glyphorhynchus pectoralis, Scl. & Salv		
	186. Dendrocolaptes sancti-thomæ, Lafr		
	187. Dendrocolaptes multistrigatus, Eyton		
	188. Dendrornis pardalotus, Vieill		
	189. Dendrornis erythropygia, Scl		
	190. Picolaptes affinis, Lafr		
	191. Picolaptes compressus, Cab		
	192. Picolantes lineaticens. Lafr	Guif of Nicova	107

		FORMICARIDÆ.	
		P	age.
	193.	Cymbilanius lineatus, Vieili	107
		Thamnophilus melanocrissus, Scl	
		Thamnophilus affinis, Cab. et Hein. San José, San Mateo, Sachi	
		Thamnophilus punctatus, Cab	
		Thamnophilus nœvius (Gm.) Angostura, Payua	
		Thamnophilus bridgesi, Sci	
	200.	Thamnistes anabatinus, Scl. & Salv Angostura, Tucurriqui	107
		Dysithamnus semicinereus, SclTurrialba, Dota, Grecia, Gulatil	
		Dysithamnus striaticeps, Lawr Angostura	
		Myrmotherula melæna, Scl	
		Myrmotherula fulviventris, Lawr	
		Myrmotherula albigula, Lawr	
		Myrmotherula modesta, n. s. Grecia, Dota Formicivora boucardii, Scl. Angostura, San José, Pacuare	
		Formicivora schisticolor, Lawr	
		Ramphocænus semitorquatus, Lawr	
		Gymnocichla nudiceps (Cassin)	
		Cercomacra tyrannina, Scl	
		Myrmeciza immaculata, Scl. & SalvPayua, Angostura	
		Myrmeciza læmosticta, SalvTucurriqui	
	214.	Myrmeciza stictoptera, Lawr	109
	215.	Hypocnemis nœvoides (Lafr.)Angostura, Turrialba	109
		Pithys bicolor, Lawr	
		Phlogopsis macleannani, LawrAngostura	
		Formicarius analis (Lafr. et D'Orb.)	
		Formicarius hoffmanni, Cab	
		Grallaria perspicillata, Lawr	
		Grallaria dives, Salv	
*	222.	Grallaricula costaricensis, Lawr	110
		TYRANNIDÆ.	
		TYRANNIDÆ. Attila sclateri, Lawr	
	224.	TYRANNIDÆ. Attila sclateri, Lawr	110
	224. 225.	TYRANNIDÆ. Attila sclateri, Lawr	110 110
	224. 225. 226.	TYRANNIDÆ. Attila sclateri, Lawr	110 110 110
	224. 225. 226. 227.	TYRANNIDÆ. Attila sclateri, Lawr	110 110 110 110
	224. 225. 226. 227. 228.	Attila sclateri, Lawr	110 110 110 110 110
	224. 225. 226. 227. 228. 229.	TYRANNIDÆ. Attila sclateri, Lawr	110 110 110 110 110 110
· · · · · · · · · · · · · · · · · · ·	224. 225. 226. 227. 228. 229.	TYRANNIDÆ. Attila selateri, Lawr	110 110 110 110 110 110
	224. 225. 226. 227. 228. 229. 230. 231.	Attila sclateri, Lawr	110 110 110 110 110 110 111 111
	224. 225. 226. 227. 228. 229. 230. 231. 232.	Attila sclateri, Lawr	110 110 110 110 110 110 111 111 111
	224. 225. 226. 227. 228. 229. 230. 231. 232.	Attila sclateri, Lawr	110 110 110 110 110 110 111 111 111
	224. 225. 226. 227. 228. 229. 230. 231. 232. 233. 234. 235.	Attila sclateri, Lawr	110 110 110 110 110 110 111 111 111 111
	224. 225. 226. 227. 228. 229. 230. 231. 232. 233. 234. 235.	Attila sclateri, Lawr	110 110 110 110 110 110 111 111 111 111
	224. 225. 226. 227. 228. 229. 230. 231. 232. 233. 234. 235. 236.	Attila sclateri, Lawr. Guiatil Sayornis aquatica, Scl. & Salv. Copurus leuconotus, Lafr. San José, Pacuare. Platyrhynchus superciliaris, Lawr Todirostrum cinereum (Linn.) Turrialba, Pacuare Todirostrum nigriceps, Scl. Angostura. Todirostrum ecaudatum (Lafr.) Angostura. 110 Oncostoma cinereigulare, Scl. Angostura. Euscarthnus squamicristatus Lafr. Cervantes, Dota, Grecia. Mionectes oleaginus, Licht Mionectes olivaceus, n. s. Barranca, Dota Tyrannulus brunneicapillus, Lawr. Angostura	110 110 110 110 110 110 ,111 111 111 111
	224. 225. 226. 227. 228. 229. 230. 231. 232. 233. 234. 235. 236. 237.	Attila sclateri, Lawr	110 110 110 110 110 110 111 111 111 111
	224. 225. 226. 227. 228. 229. 230. 231. 232. 233. 234. 235. 236. 237. 238.	Attila sclateri, Lawr	110 110 110 110 110 110 111 111 111 111
	224. 225. 226. 227. 228. 229. 230. 231. 232. 233. 234. 235. 236. 237. 238. 239.	Attila sclateri, Lawr	110 110 110 110 110 110 111 111 111 111
	224. 225. 226. 227. 228. 229. 230. 231. 232. 233. 234. 235. 236. 237. 238. 240. 241.	Attila sclateri, Lawr	110 110 110 110 110 110 111 111 111 111
	224. 225. 226. 227. 228. 229. 230. 231. 232. 233. 234. 235. 236. 237. 238. 239. 240.	Attila sclateri, Lawr Guiatil Sayornis aquatica, Scl. & Salv Copurus leuconotus, Lafr San José, Pacuare Platyrhynchus concromiaus, Scl. Navarro Platyrhynchus superciliaris, Lawr Todirostrum cinereum (Linn.) Turrialba, Pacuare Todirostrum nigriceps, Scl. Angostura. 110 Oncostoma cinereigulare, Scl. Angostura. 110 Oncostoma cinereigulare, Scl. Angostura. 110 Seuscarthmus squamicristatus Lafr Cervantes, Dota, Grecia. Mionectes oleaginus, Licht Mionectes assimilis, Scl. Angostura, Guiatil, Payua Mionectes olivaceus, n. s Barranca, Dota Tyrannulus brunneicapillus, Lawr Angostura Tyrannulus brunneicapillus, Lawr Angostura Tyranniscus villissimus, Scl. & Salv Angostura, Dota, Turrialba, Barranca Tyranniscus parvus, Lawr Turrialba Elainea subpagana, Scl. & Salv San José. Elainea placens, Scl. Barranca, Guiatil, Grecia. Elainea frantzii, Lawr San José, Barranca, Dota Elainea arenarum, Salv Punta Arenas	110 110 110 110 110 110 111 111 111 111
	224. 225. 226. 227. 228. 229. 230. 231. 232. 233. 234. 235. 236. 237. 238. 240. 241. 242.	Attila sclateri, Lawr	110 110 110 110 110 110 111 111 111 111
	224. 225. 226. 227. 228. 229. 230. 231. 232. 233. 234. 235. 239. 240. 241. 242. 243.	Attila sclateri, Lawr	110 110 110 110 110 110 111 111 111 111
	224. 225. 226. 227. 228. 230. 231. 232. 233. 234. 235. 236. 237. 238. 240. 241. 242. 243.	Attila sclateri, Lawr. Guiatil Sayornis aquatica, Scl. & Salv. Copurus leuconotus, Lafr. San José, Pacuare Platyrhynchus concrominus, Scl. Navarro Platyrhynchus supercitiaris, Lawr Todirostrum cinereum (Linn.) Turrialba, Pacuare Todirostrum nigriceps, Scl. Angostura. Todirostrum nigriceps, Scl. Angostura. Todirostrum secundatum (Lafr.) Angostura. Todirostrum sequamicristatus Lafr. Cervantes, Dota, Grecia Mionectes oleaginus, Licht Mionectes oleaginus, Licht Mionectes olivaceus, n. s Tyrannulus brunneicapillus, Lawr Angostura, Guiatil, Payua Tyranniscus villissimus, Scl. & Salv Angostura, Dota, Turrialba, Barranca Tyranniscus villissimus, Scl. & Salv Angostura, Dota, Turrialba, Barranca Tyranniscus parvus, Lawr Turrialba Elainea subpagana, Scl. & Salv San José Elainea placens, Scl. Barranca, Guiatil, Grecia. Elainea frantzii, Lawr San José, Barranca, Dota Elainea arenarum, Salv Punta Arenas Tegatus albicollis (Vieill.) San José, Angostura, Catargo	110 110 110 110 110 110 1110 1111 1111
	224. 225. 226. 227. 228. 230. 231. 232. 233. 234. 236. 237. 238. 240. 241. 242. 243. 244.	Attila sclateri, Lawr Guiatil Sayornis aquatica, Scl. & Salv Copurus leuconotus, Lafr San José, Pacuare Platyrhynchus concrominus, Scl. Navarro Platyrhynchus supercitiaris, Lawr Todirostrum cinereum (Linn.) Turrialba, Pacuare Todirostrum nigriceps, Scl. Angostura. 110 Oncostoma cinereigulare, Scl. Angostura. 110 Concostoma cinereigulare, Scl. Angostura. Euscarthmus squamicristatus Lafr Cervantes, Dota, Grecia. Mionectes oleaginus, Licht Mionectes assimilis, Scl. Angostura, Guiatil, Payua Mionectes olivaceus, n. s Tyrannulus brunneicapillus, Lawr Angostura, Dota, Turrialba, Barranca, Tyranniscus villissimus, Scl. & Salv Angostura, Dota, Turrialba, Barranca. Tyranniscus parvus, Lawr Turrialba Elainea subpagana, Scl. & Salv San José. Elainea frantzii, Lawr San José, Barranca, Dota Elainea arenarum, Salv Punta Arenas Legatus albicollis (Vieill.) San José, Angostura, Catargo Myiozetetes texensis (Giraud) San José, Angostura, Catargo	110 110 110 110 110 110 111 111 111 111
	224. 225. 226. 227. 228. 230. 231. 232. 234. 235. 236. 237. 238. 239. 241. 242. 243. 244. 244. 245. 244. 245. 246. 247. 248. 249.	Attila sclateri, Lawr. Guiatil Sayornis aquatica, Scl. & Salv. Copurus leuconotus, Lafr. San José, Pacuare Platyrhynchus concrominus, Scl. Navarro Platyrhynchus supercitiaris, Lawr Todirostrum cinereum (Linn.) Turrialba, Pacuare Todirostrum nigriceps, Scl. Angostura. Todirostrum nigriceps, Scl. Angostura. Todirostrum secundatum (Lafr.) Angostura. Todirostrum sequamicristatus Lafr. Cervantes, Dota, Grecia Mionectes oleaginus, Licht Mionectes oleaginus, Licht Mionectes olivaceus, n. s Tyrannulus brunneicapillus, Lawr Angostura, Guiatil, Payua Tyranniscus villissimus, Scl. & Salv Angostura, Dota, Turrialba, Barranca Tyranniscus villissimus, Scl. & Salv Angostura, Dota, Turrialba, Barranca Tyranniscus parvus, Lawr Turrialba Elainea subpagana, Scl. & Salv San José Elainea placens, Scl. Barranca, Guiatil, Grecia. Elainea frantzii, Lawr San José, Barranca, Dota Elainea arenarum, Salv Punta Arenas Tegatus albicollis (Vieill.) San José, Angostura, Catargo	110 110 110 110 110 110 111 111 111 111
	224. 225. 226. 227. 228. 229. 230. 231. 232. 234. 235. 236. 237. 244. 242. 243. 244. 245. 246. 247. 248. 249.	Attila sclateri, Lawr	110 110 110 110 110 1110 1110 1111 1111 1111 1112 1122 1122 1122 1122 1122 1122 1121 1
	224. 225. 226. 227. 228. 229. 230. 231. 232. 234. 235. 240. 241. 242. 243. 244. 245. 246. 247. 248. 249.	Attila sclateri, Lawr. Guiatil Sayornis aquatica, Scl. & Salv. Copurus leuconotus, Lafr. San José, Pacuare Platyrhynchus concrominus, Scl. Navarro Platyrhynchus supercitiaris, Lawr Todirostrum cinereum (Linn.) Turrialba, Pacuare Todirostrum nigriceps, Scl. Angostura. Todirostrum nigriceps, Scl. Angostura. Todirostrum nigriceps, Scl. Angostura. Todirostrum seaudatum (Lafr.) Angostura. Todirostrum sequamicristatus Lafr. Cervantes, Dota, Grecia Mionectes oleaginus, Licht Mionectes oleaginus, Licht Mionectes oleaginus, Licht Mionectes olivaceus, n. s Tyrannulus brunneicapillus, Lawr Tyranniscus villissimus, Scl. & Salv Angostura, Guiatil, Payua Tyranniscus villissimus, Scl. & Salv Angostura, Dota, Turrialba, Barranca Tyranniscus parvus, Lawr Turrialba Elainea subpagana, Scl. & Salv San José Elainea placens, Scl. Barranca, Guiatil, Grecia. Elainea frantzii, Lawr San José, Barranca, Dota Elainea arenarum, Salv Punta Arenas Legatus albicollis (Viall.) San José, Angostura, Catargo Myiozetetes tezensis (Giraud) San José, Angostura, Catargo Myiozetetes manginatus, Lawr Rhynchocyclus griseimentalis, n. s Dota Pitangus derbianus (Kaup.)	110 110 110 110 110 110 1110 1111 1111
	224. 225. 226. 227. 230. 231. 232. 233. 234. 235. 240. 241. 242. 243. 244. 244. 245. 247. 248. 249. 250. 250. 260. 277. 288. 299.	Attila sclateri, Lawr	110 110 110 110 110 110 1110 1111 1111

186	8. J	ĹAV	VRE	NCE, GEORGE N.—Continued.	go.
			253.	Myjodynastes hemichrysus, Cab. (super-	
				ciliaris, Lawr.)	114
			254.	Megarhynchus mexicanus (Lafr.)Barranca, San José, Turrialba, Grecia	114
				Muscivora mexicana, Scl	
400				Myiobius sulphureipygius, Scl	
			257.	Muiobius eruthrurus. Cab Angostura. Pacuare	114
			258	Myiobius crythrurus, Cab Angostura, Pacuare Myiobius capītalis, Salv Tucurriqui	114
				Mitrephorus phæocercus, Scl.	
				Mitrephorus aurantiiventris, Lawr Tabacles, La Palma, Dota	
				Empidenaa traillit (Aud.)	
				Empidenae flaviventris, Raird	
				Empidonaz flavescens, LawrQuebrada Honda, Barranca, Grocia	
				Contopus virens (Linn.)	
٠.				• •	
	•			Contopus borealis (Sw.)	
				Contopus richardsoni (Sw.)	
				Contopus lugubris, Lawr	
- '				Myiarchus crinitus (Linn.)	
-				Myiarchus panamensis, Lawr	
				Myiarchus lawrencii (Giraud)Angostura, Sachi, Pacuare	
				Myiarchus nigricapillus, CabSan José, Barranca, Grecia	
			272.	Tyrannus melancholicus, VieillSan José, Grecia, Sachi, Barranca	116
				Milvulus tyrannus (Linn.) San José	
			274.	Milvulus forficatus (Gm.)	116
				and the second of the second o	
				COTINGIDÆ.	
			2 75.	Tityra personata, Jard. & SelbySan José, Guiatil, Barranca	116
			276.	Tityra albitorques, DubusPacuare	116
			277.	Hadrostomus aglaiæ (Lafr.)	116
- 1			278.	Pachyrhamphus cinereiventris, Scl Barranca, Angostura, San Mateo	116
•			279.	Pachyrhamphus cinnamomeus, LawrSan José, Angostura, Turrialba, Tucur-	
	. .			riqui	116
2 .		•	280.	Lipaugus holerythrus, Scl	116
•				Lipaugus rufescens, Scl	
				Heteropelma veras pacis, Scl	
	•			Piprites griseiceps, Salv Tucurriqui	
				Pipra mentalis, Scl	
٠. ٠				Pipra leucorrhoa, Scl	
. ''				Ohiroziphia linearis, Bonap San Mateo, El Berilla, Grecia	
				Chiromacharis candei (Parzud.)Turrialba, Angostura	
				Cotinga amabilis, GouldSan José	
-				Querula cruenta (Bodd.)	
				Carpodectes nitidus, SalvTucurriqui	
- :					111
			291.	Chasmorhynchus tricarunculatus, J. & E.	
_				Verreaux San José, Dota, Cervantes, Turrialba	
			292.	. Cephalopterus glabricollis, GouldSan José, Angostura. Dota	117
				MOMOTIDÆ.	
		1		. Momotus martii, Spix	
				. Momotus lessoni, Less	
				. Prionirhynchus platyrhynchus, Leadb Atiro, Barranca, Angostura	
		•	296	. Eumomota superciliaris (Jard. & Selb.)	117
				ALCEDINIDÆ.	
		•			
			297	. Ceryle torquata (Linn.).	117
				· Ceryls amazona (Lath.)	
				. Ceryle dleyon (Linn.)	
		۵.۵	300	. Oeryle cabanisi (Tsch.)	118
		: 15.0	30 1	Coryle superctiosa (Linn.)	118
	٠	•			
	• • •		• • • •	GALBULIDÆ.	
	• • •		300	. Galbula melanogenia, Scl	119
	-	•	بكلابو	. зачижни подминувания, визиминення в врам дон Санов, в ценанов	110

1868. LAWRENCE, GEORGE N.—Continued.

BUCCONIDÆ.

		Pa	
		.Pacuare, Guiatil	
304.	Malacoptila inornata (Du Bus.)	.Angostura. Dota	118
305.	Malacoptila costaricensis, Cab	.San Mateo	118
306.	Monasa peruana, Scl	.San Carlos, San José, Pacuare, Payua	118
	- · ·	•	
	TROGONID	Æ.	
	m	D . M	
307.	Trogon pueua, Gould	. Dota, Turrialba, San José	118
308.	Trogon caligatus, Gould	.San Mateo, Turrialba, Birris, San Juan	118
		.Barranca118,	
		. Angostura, Guiatil, Pacuare, Barranca	
		.San Juan	
312.	Trogon massena, Gould	. Angostura, Tucurriqui	119
313.	Trogon clathratus, Salv	.San Mateo	119
314.	Trogon bairdii, u. s	.San Mateo119,	, 120
315.	Pharomacrus mo-cinno, De la Llave		120
	CAPRIMULG	IDÆ.	
		.San José	
317.	Chordeiles brasilianus (Gm.)	· · · · · · · · · · · · · · · · · · ·	120
		.El Rio Tiribi	
319.	Antrostomus carolinensis (Gm.)	.Las Cruces de Candelaria	120
320.	Nyctidromus albicollis (Gm.)	.San José, Angostura	120
	TROCHILII	Æ.	
321.	Eutoxeres aquila (Loddiges)	.Tucurriqui	. 121
395	Phoethornie emiliae (Boure)	.Angostura, Barranca	121
		. Angostura.	
		Angosvuta	
		.Gulf of Nicoya	
		.Rancho Redondo	
		.Gulf of Nicoya	
331.	Lampornis veraguensis, Gould		121
		.Cervantes	, 122
33 3.	Chalybura melanorrhoa, Salv. (C. carm		
		. Angostura, Pacuare	
		. Bocca del Toro	
		.Angostura, Juiz	
		.Angostura, Tucurriqui	
		.Angostura122	
341.	Trochilus colubris, Linn	.Las Cruces de Candelaria	123
342.	Selasphorus scintilla, Gould	. Barranca, Cervantes, Las Cruces de Can-	
	_	delaria	123
343.	Selasphorus flammula, Salv	. Volcan de Catargo	123
344	Doricha bryantæ, Lawr	.Dota, Las Cruces de Candelaria123,	, 124
345	Panterpe insignis. Cab	La Candelaria, Volcan Yrazu	124
		.La Candelaria, San José, Volcan Yrazu,	
	Collie	124,	
347	Oreonura leucasnis Gould	. Volcano of Chiriqui	
		.Turrialba, Tucurriqui	
	Oreopyra calolæma, Salv. (O. venusta		-
ott.		.Rancho Redondo, Las Cruces de Cande-	
	Liaw F.)	laria	
950	Quantum sin and and Jr. Tarre	laria	
30U.	Telisthein banneti (Peres	Amagatum Comments	120
351.	Benoinrix parroti (Bourc.)	.Angostura, Cervantes	120
		.Barranca, Dota, Catargo 125,	
353.	Henomaster constanti (Delatt.)		126
354.	пенотaster tongrostris (Vieill.)		120

PUBLISHED WRITINGS OF GEORGE NEWBOLD LAWRENCE. 43

1868.		NCE, GEORGE N.—Continued.		Page.
	355.	Heliomaster pallidiceps, Gould	Gulf of Nicoya	. 126
•	356.	Heliomaster sclateri, Cabanis	San José, Angostura12	6, 127
	357.	Pyrrhophæna riefferi (Bourc.)	San José, Angostura, Catargo	. 127
	358.	Erythronota edwardi (Delatt. et Bourc.)		. 127
	359.	Saucerottia sophiæ (Bourc.) (Hemythylace		
			.San José, Dota	
			.Cervantes, Barranca	
			Dota	
			.Barranea	
			.Pacuare	
			San José	
	369.	Chlorostilbon assimilis, Lawr	.Cartago	. 128
		CUCULIDA	E.	
	370.	Crotophaga sulcirostris, Sw	San José	128
	371.	Dromococcyx phasianellus (Spix)	• • • • • • • • • • • • • • • • • • • •	. 128
	372.	Diplopterus nævius (Linn.)	.Guiatil, San Mateo	. 128
	373.	Piaya mehleri, Bonap	.San José, Angostura	. 128
	374.	Morococcyx erythropygia (Less.)	.Pacaca	. 128
	375.	Coccyzus americanus (Linn.)	·····	. 128
	376.	Coccyzus erythrophthalmus (Wils.)	Barranca	. 128
		RAMPHASTI	DÆ.	
	377.	Ramphastos tocard. Vieill	. Angostura, San Carlos, Turrialba	128
		- · · · · ·	San José, Angostura, Dota, Grecia 12	
			. Angostura, Turrialba.	
			San José, Angostura	
			.Barranca, Dota, Turrialba	
		CAPITONII	Æ.	
	383.	Capito bourcieri (Lafr.)	.Barranca, Turrialba	. 130
			.Barranca	
			.San José, Cervantes, Navarro, Birris, I	
			Palma	
		nigin r		
		PICIDÆ.		
	386	Campenbilus quatemalensis (Hartl)	.San José, Angostura, Grecia	130
			.San José, Cervantes, Birris	
		•	. Angostura, Turrialba	
			.Barranca, Turrialba	
		Chloronerpes yucatanensis (Cabot) (uro-		
	000		Turrialba, Barranca	
			San José, Barranca, Dota, Birris	
			.San José, Grecia	151
	393.	Centurus gerini (Temm.) (pucherani, Malh.)	.San José	131
		PSITTACII	DÆ.	
	396.	Sittace macao (Linn.)	.Los Anonos	131
			.Barba	
			.Gulf of Nicoya	
			.San José, Sachi, Juan	
			. Angostura, Frailes, Navarro	
			.Cervantes	
			.San José	

1868. LAWRE	NCE, GEORGE N.—Continued.	Page.
		.Desmonte, Nicoya
		Pacuare
	STRIGIDA	s.
406.	Glaucidium gnoma, Wagl	.San José
		.Los Anonos
		.Dota
		.San José
		San José 132
		San José
414.	Strix perlata, Licht	.San José
	FALCONID	Æ.
415.	Polyhorus auduhoni Cassin	.San José
		San José
418.	Spizaetus ornatus (Daud.)	.San José, La Palma, Juan
	• , ,	La Palma
		San José
		. San José, Angostura
		San José, Angostura 133
		.San José, San Antonio
		.San José
		.La Palma
		Tucurriqui
		.Gulf of Nicoya
		Las Cruces de Candelaria, Rancho Re-
102.	miorator common quantum (v reim)	dondo
433.	Accipiter fuscus (Gm.)	.El Mojon 134
		San José, Dota, Turrialba 134
		El Mojon 134
		San José
		. San José
		Gulf of Nicoya
		San José
		Gulf of Nicoya
		.Birris
443.	Circus hudsonius (Linn.)	San José
	VULTURID	AF.
444		.Gulf of Nicoya
	COLUMBID	Æ.
		.Barranca, Dota134, 135
		.Rancho Redondo, Juan 135
		.Dota
		Angostura 135 Angostura 135
		.Cervantes
		San José, Barranca, Dota
454.	Leptoptila cassinii, Lawr	.San José, Tucurriqui 137
		Navarro
456.	Peristera cinerea, Temm ,	Gulf of Nicoya

1960	T. A WEST	TOTAL CHARGE N. Continued
1000.		NCE, GEORGE N.—Continued.
		Peristera mondetura, Bonap Birris 139
		Chamæpelia passerina (Linn.)
		Melopelia leucoptera (Linn.)San José
		Zenaidura carolinensis (Linn.)
		PENELOPIDÆ.
	462.	Penelope purpurascens, WaglBarranca, Angostura, La Palma 139
		Chamæpetes unicolor, Salv La Palma, Rancho Redondo 139 Ortalida poliocephala, Wagl San José, Turrialba, La Palma 139
		CRACIDÆ.
· i	405	Crax globicera, Linn
	400.	Craz giovicera, Linn
		PERDICIDÆ.
		Ortyx leylandi, Moore
		Dendrortyx leucophrys, Gould Dota, Las Cruces de Candelaria 140
		Odontophorus guttatus, Gould Dota
		Odontophorus veraguensis, Gould Dota, Barranca, Las Cruces de Candelaria 140
		Odontophorus leucolæmus, Salv
	4/1.	Oaomophorus metanous, Saiv1 ucurriqui
		CRYPTURIDÆ.
	472.	Tinamus robustus, Scl
		Tinamus frantzii, n. s
:	474.	Crypturus sallæi (Bonap.)
		CHARADRIIDÆ.
	475.	Charadrius virginicus, Borck
		Aegialitis vociferus (Linn.)
		HAEMATOPODIDÆ.
	477.	Haematopus palliatus, Temm
		SCOLOPACIDÆ.
	478.	Gallinago wilsoni (Temm.)
		Macrorhamphus scolopaceus (Say)
		Gambetta flavipes (Gm.) San José 141
		Gambetta melanoleuca (Gm.) San José 141
	482.	Rhyacophilus solitarius (Wils.)San José
	483	Tringoides macularius (Linn.)
	484	Actiturus bartramius (Wils.)
		TANTALIDÆ.
1	485	. Ibis alba (Linn.)
		PLATALEIDÆ.
	486	. Platalea ajaja, Linn
	300	CANCRONID E
1.	487	. Cancroma cochlearia, Linn
		$\mathbf{ARDEID}\mathbf{\mathcal{E}}.$
		. Demiegretta ludoviciana (W ls
		. Garzetta candidissima (Jacquin)
		. Herodias egretta (Gm.) 142
		. Butorides virescens (Linn
	- 492	. Ardea herodias Linn 142

1868. LAWRENCE, GEORGE N.—Continued. Page. 493. Florida cærula (Linn.) 142 494. Tigrisoma cabanisi, Heine. San Carlos 142 495. Euripyga major, Hartl. Angostura 142
RALLIDÆ.
496. Porzana albigularis (Lawr.) Gulf of Nicoya 142 497. Aramides cayennensis (Gm.) Santa Ana 143 498. Fulica americana, Gm. San Antonio 143
ANATIDÆ.
499. Dendrocygna autumnalis (Linn.) Gulf of Nicoya 143 500. Dafila acuta (Linn.) San José 143 501. Querquedula discors (Linn.) San José 143 502. Fulix affinis (Forster) San Antonio 143
PLOTIDÆ.
503. Plotus anhinga, Linn
PODICIPIDÆ.
504. Podilymbus dominicus (Linn.)
Appendix.
· TYRANNIDÆ.
505. Pogonotriccus ? zeledoni, n. s. Dota, Barranca 144,145 506. Lophornis helenæ (Delatt.) 145 507. Klais guimeti (Bourc. et Muls.) 145 PSITTACIDÆ.
508. Chrysotis auripalliata, Less
${\bf FALCONID}{\bf \pounds}.$
510. Harpyia destructor (Linn.)
Notes.
12. Turdus obsoletus 145 152. Pyrgisoma kieneri (P. cabanisi) 145 181. Ozyrhynchus flammiceps (O. frater) 145, 146 187. Dendrocolaptes multistrigatus (D. puncticollis) 146 248. Rhynchocyclus sulphurescens (R. cinereiceps) 146 306. Monasa peruana (M. grandior) 146 321. Eutozeres aquila (E. salvini) 146 360. Eupherusa exinia (E. egregia) 146, 147 430. Asturina nitida (A. plagiata) 147, 148 452. Geotrygon cæruleiceps (G. chiriquensis) 148, 149
5 4 .
1868. LAWRENCE, GEORGE N. Descriptions of Seven New Species of American Birds from various localities, with a note on Zonotrichia melanotis. By Geo. N. Lawrence. < Proc. Acad. Nat. Sci. Phila. Vol. xx, 1868, pp. 359-361 and 429, 430.
Page. Page. 1. Dendræca capitalis, n. s. Barbados 359, 360 2. Tachyphonus atricapillus, n. s. Island of Trinidad 360 3. Quiscalus fortirostris, n. s. Barbados 360, 361 4. Thamnophilus virgatus, n. s. Turbo, New Granada 361

 25. Tyrannus carolinensis (Linn.)
 116

 26. Myiarchus crinitus (Linn.)
 116

 27. Empidias fuscus (Linn.)
 116

 28. Contopus virens (Linn.)
 116

 29. Empidonaz minimus, Bd.
 116

 30. Empidonaz flaviventris, Bd.
 116



TURDIDÆ.	
	age.
32. Turdus pallasis (Cab.)	
33. Turdus svainsoni, Cab	
34. Turaus myratorius, Linn	111
SAXICOLIDÆ.	
35. Sialia sialis (Linn.)	117
SYLVIIDÆ.	
36. Regulus calendula (Linn.)	117
37. Regulus satrapa, Licht	117
MOTACILLIDÆ.	
38. Anthus ludovicianus (Gm.)	117
SYLVICOLIDÆ.	
39. Mniotilla varia (Linn.)	117
40. Parula americana (Linn.)	
41. Geothlypis trichas (Linn.)	
42. Icteria viridis (Gm.)	
43. Helminthophaga pinus (Linn.)	
44. Helminthophaga chrysoptera (Linn.)	117
45. Seiurus aurocapillus (Linn.)	117
46. Seiurus noveboracensis (Linn.)	
47. Seiurus ludovicianus (Aud.)	
48. Dendroica canadensis (Linn.)	
49. Dendroica blackburniæ (Gm.)	
50. Dendroica castanea (Wils.)	
52. Dendroica striata (Forst.)	
53. Dendroica æstiva (Gm.)	
54. Dendroica maculosa (Gm.)	
55. Dendroica tigrina (Gm.)	
58. Dendroica discolor (Vieill.)	
57. Myiodioctes mitratus (Gm.)	118
58. Setophaga ruticilla (Linn.)	118
TANAGRIDÆ.	
TO TO	
59. Pyranga rubra (Linn.)	118
HIRUNDINIDÆ.	
60. Hirundo horreorum, Bartram	118
61. Hirundo bicolor, Vieill.	
62. Cotyle riparia (Linn.)	
63. Progne purpurea (Linn.)	
AMPELIDÆ.	
64. Ampelis cedrorum (Vieill.)	119
LANIIDÆ.	
65. Collyrio borealis (Vieill.)	119
VIREONIDÆ.	
66. Vireosylvia olivacea (Linn.)	110
67. Vireosylvia gilva (Vieill.)	
68. Vireo noveboracensis (Gm.)	
69. Vireo solitarius (Wils.)	

PUBLISHED WRITINGS OF GEORGE NEWBOLD LAWRENCE. 49

	TURDIDÆ.	
	P	age
	Mimus polyglottus (Linn.)	
	Galeoscoptes carolinensis (Linn.)	
72 .	Harporhynchus rufus (Linn.)	119
	TROGLODYTIDÆ.	
72	Troglodytes aëdon, Vieill	110
	Troglodytes hyemalis (Wils.)	
14.	Troglouytes nyemans (W118.)	120
	CERTHIIDÆ.	
75	Certhia americana, Bon	196
•••	PARIDÆ.	***
	Lophophanes bicolor (Linn.)	
	Parus atricapillus, Linn.	
	Sitta carolinensis, Gm	
19.	Sitta canadensis, Linn	120
	$\textbf{ALAUDID}\textbf{\textit{E}}.$	
80 .	Alauda arvensis (Linn.)	120
	FRINGILLIDÆ.	
	Carpodacus purpureus (Gm.)	
	Chrysomitris tristis (Linn.)	
	Ægiothus linaria (Linn.)	
	Plectrophanes nivalis (Linn.)	
	Coturniculus passerinus (Wils.)	
	Zonotrichia leucophrys (Forst.)	
	Zonotrichia albicollis (Gm.)	
	Junco hyemalis (Linn.)	
	Serinus canaria (Linn.)	
	Spizella monticola (Gm.)	
	Spizella pusilla (Wils.)	
	Spizella socialis (Wils.)	
	Melospiza melodia (Wils.)	
	Melospiza palustris (Wils.)	
	Passerella iliaca (Merr.)	
	Passer domesticus (Linn.)	
	Euspiza americana (Gm.)	
98.	Cyanospiza cyanea (Linn.)	121
	ICTERIDÆ.	
	Dolichonyx oryzivorus (Linn.)	
	Molothrus pecoris (Gm.)	
	Agelaius phæniceus (Linn.)	
	Sturnella magna (Linn.)	
	Icterus spurius (Linn.)	
	Icterus baltimore (Linn.)	
	Scolecophagus ferrugineus (Gm.)	
106.	Quiscalus purpureus (Bartram)	122
	CORVIDÆ.	
107.	Corvus americanus, Aud	122
	Cyanocitta cristata (Linn.)	
	COLUMBIDÆ.	
	Ectopistes migratoria (Linn.)	
110.	Zenaidura carolinensis (Linn.)	122
	TETRAONIDÆ.	
111	Bonasa umbellus (Linn.)	104
		127
	Bull, 40, N. M.——4	

PERDICIDÆ.
Page. 112. Ortyz virginianus (Linn.)
ARDEIDÆ.
113. Ardetta exilis (Gm.) 123
114. Botaurus lentiginosus, Steph
116. Nyctiardea gardeni (Gm.) 123
${\tt CHARADRIID} \textbf{\textit{\pounds}}.$
117. Charadrius virginicus, Borck
118. Ægialites vociferus (Linn.)
119. Philohela minor (Gm.)
120. Gallinago wilsonii (Temm.) 123
121. Rhyacophilus solitarius (Wils.)
122. Tringoides macularius (Linn.)
$\mathtt{RALLID}oldsymbol{\mathcal{E}}.$
123. Rallus virginianus, Linn
124. Fulica americana, Gm
ANATIDÆ.
125. Anas boschas, Linn
126. Aix sponsa (Linn.)
127. Bucephala albeola (Linn.)
LARIDÆ.
128. Larus marinus. Linn
COLYMBIDÆ.
129. Colymbus torquatus, Brunn
56.
1869. LAWRENCE, GEORGE N. List of a Collection of Birds from Northern Yucatan. By Geo. N. Lawrence. Read May 10th, 1869. Ann. Lyc. Nat. Hist. N. Y. Vol. IX, 1870, pp. 198-210; pp. 198-204 issued in No. 6, May, 1869, and pp. 205-
210 in No. 7, June, 1869.
TURDIDÆ.
Page. 1. Turdus grayi, Bonap
2. Mimus gracilis, Cab
TROGLODYTIDÆ.
3. Campylorhynchus guttatus, Lafr 199
4. Thryothorus albinucha (Cabot)
5. Troglodytes intermedius, Cab
${\tt SYLVIID} \boldsymbol{\it E}.$
6. Polioptila cærulea (Linn.)
SYLVICOLIDÆ.
SYLVICOLIDÆ. 7. Parula americana (Linn.)
SYLVICOLIDÆ. 7. Parula americana (Linn.)
SYLVICOLIDÆ. 200 7. Parula americana (Linn.)
SYLVICOLIDÆ. 7. Parula americana (Linn.)
SYLVICOLIDÆ. 200 7. Parula americana (Linn.) 200 8. Protonotaria citrea (Bodd.) 200 9. Helmitherus vermivorus (Gm.) 200 10. Dendræca pennsylvanica (Linn.) 200

PUBLISHED WRITINGS OF GEORGE NEWBOLD LAWRENCE. 51

1000 T.	represent Chapter M. Clantinus	
1809. LA		age.
	13. Dendræca vieilloti, Cassin	
	14. Dendræca dominica (Linn.)	
	15. Seiurus auricapillus (Linn.)	
	16. Seiurus noveboracensis (Gm.)	
	18. Geothlypis poliocephala, Baird	
	19. Icteria virens (Linn.)	
	20. Myiodioctes mitratus (Gm.)	
		200
	HIRUNDINIDÆ.	
	21. Stelgidopteryx fulvipennis (Scl.)	200
	VIREONIDÆ.	
	22. Cychloris flaviventris, Lafr	290
	${\tt TANAGRID}{\it E}.$	
	23. Euphonia affinis (Less.)	200
	24. Saltator atriceps, Less.	
	25. Saltator grandis, Licht	
	au survey grande, 22020	200
	FRINGILLIDÆ.	
	26. Hedymeles ludovicianus (Linn.)	200
	27. Guiraca cærulea (Linn.)	200
	28. Cardinalis virginianus (Linn.)	201
	29. Volatinia jacarina (Linn.)	201
	30. Phonipara pusilla (Sw.)	201
	31. Cyanospiza cyanea (Linn.)	201
	32. Cyanospiza ciris (Linn.)	201
	33. Embernagra ruftvirçata Lawr	201
	CORVIDÆ.	
	34. Cyanocitta crassirostris, Bonap	901
	35. Cyanocorax luctuosus (Less.).	
	•	201
	DENDROCOLAPTIDÆ.	
	36. Dendrornis eburneirostris (Less.)	201
	FORMICARIDÆ.	
	37. Thamnophilus affinis, Cab. et Hein	201
	TYRANNIDÆ.	
	38. Camptosoma imberbe, Scl	201
	39. Elainea placens, Scl	
	40. Myiozetetes texensis (Giraud)	201
	41. Rhynchocyclus cinereiceps, Scl	201
	42. Pitangus derbianus (Kaup)	
	43. Megarhynchus mexicanus (Lafr.)	201
	44. Muscivora mexicana, Scl	201
	45. Pyrocephalus mexicanus, Scl	201
	46. Empidonax traillii (Aud.)	201
	47. Contopus schottii, n. s	202
	48. Myiarchus cooperi (Kaup)	
	49. Myiarchus mexicanus (Kaup)202	•
	50. Myiarchus lawrencii (Giraud)	
	51. Galeoscoptes carolinensis (Linn.)	
	52. Tyrannus satrapa (Licht.)	204
	COTINGIDÆ.	
	COTINGIDÆ.	
	53. Tityra personata (Jard. & Selb.)	90.4

	MOMOTIDÆ.	
	P	age.
	Momotus lessoni, Less	
56.	Eumomota supercitiaris (Jard. & Selb.)	204
	ALCEDINIDÆ.	
27	Ceryle superciliosa (Linn.)	90.
51.	Ceryte supercutosa (Linn.).	. 204
	CAPRIMULGIDÆ.	
E0	Chordeiles tezensis, Lawr	90
	Nyctidromus albicollis (Gm.)	
υ.	1 good on the work (Citis)	20.
	CYPSELIDÆ.	
60.	Chatura vauxii (Townsend)	20
	TROCHILIDÆ.	
61.	Pyrrhophæna cinnamomea (Less.)	20-
	•	
	CUCULIDÆ.	
62.	Crotophaga sulcirostris, Sw	20
63.	Piaya inehleri, Bonap	20
64.	Geococcyx mexicanus (Gm.)	20
	PICIDÆ.	
	Dryocopus scapularis (Vigors)	
	Picus scalaris, Wagl	
67.	Sphyropicus varius (Linn.)	200
68.	Centurus albifrons (Sw.)	0,20
09.	Centurus rubriventris, Sw	, 20
	PSITTACIDÆ.	
70.	Conurus aztec, Souan.	20
	Chrysotis albifrons, Sparrm	
	STRIGIDÆ.	
72.	Glaucidium infuscatum (Temm.)	20
7 3.	Bubo virginianus (Gm.)	20
	7.17.00777.77	
	FALCONIDÆ.	
74.	Polyborus auduboni, Cass	20
	Urubitinga zonura (Shaw)	
	Buteo borealis var. montanus, Nutt	
	Buteo erythronotus (King)	
	Asturina magnirostris (Gm.)	
	Tinnunculus sparverius (Linn.)	
80.	Hypotriorchis aurantius (Gm.)	20
	COLUMBIDÆ.	
01	Leptoptila albifrons, Bonap	- on
	Chamæpelia passerina (Linn.)	
83	Chamæpelia rufipennis, Gray	201
84.	Melopelia leucoptera (Linn.)	20'
85.	Zenaidura yucatanensis, n. s	-201
	PENELOPIDÆ.	
86.	Ortalida maccalli (Baird)	209
	DUDDIAN *	
	PERDICIDÆ.	
	Outra mianogulania (Could)	

88. Ægialites vociferus (Linn.)	D
COL 223/9 WWW VOOD COUNTY (MATERIAL)	Page.
89. Ægialites nivosus, Cassin?	209
90. Squatarola helvetica (Linn.)	
•	
HÆMATOPODIDÆ.	
91. Hæmatopus palliatus, Temm	210
${\tt SCOLOPACID}{\bm{\it E}}.$	
92. Gambetta flavipes (Gm.)	210
93. Calidris arenaria (Linn.)	
94. Limosa fedoa (Linn.)	
95. Symphemia semipalmata (Gm.)	
ARDEIDÆ.	
96. Demiegretta rufa (Bodd.)	210
97. Demiegretta ludoviciana (Wils.)	
98. Garzetta candidissima (Gm.)	
99. Ardea herodias (Linn.)	210
100. Florida cærulea (Linn.)	210
${\tt ANATID}{\bm{\pounds}}.$	
101. Fulix affinis (Forster)	210
LARIDÆ.	
102. Sterna regia, Gambel.	910
103. Sterna acuflavida, Cabot	
	•
57 .	
1869. LAWRENCE, GEORGE N. Catalogue of Birds from Puna Island, Gulf	of Guay-
aquil, in the Museum of the Smithsonian Institution, collected	
	by J. F.
· · · · · · · · · · · · · · · · · · ·	•
Reeve, Esq. By Geo. N. Lawrence. Read May 10th, 1869. < Ann	Lyc. Nat.
Reeve, Esq. By Geo. N. Lawrence. Read May 10th, 1869. <i>Ann Hist. New York.</i> Vol. 1x, 1870, pp. 234-238; pp. 234-236 issued in N	Lyc. Nat.
Reeve, Esq. By Geo. N. Lawrence. Read May 10th, 1869. <i>Ann Hist. New York.</i> Vol. 1x, 1870, pp. 234–238; pp. 234–236 issued in N 1869; pp. 237, 238, in No. 8, December, 1869.	Lyc. Nat.
Reeve, Esq. By Geo. N. Lawrence. Read May 10th, 1869. <i><ann hist.="" i="" new="" york.<=""> Vol. 1x, 1870, pp. 234–238; pp. 234–236 issued in N 1869; pp. 237, 238, in No. 8, December, 1869. TURDIDÆ.</ann></i>	Lyc. Nat. o. 7, June,
Reeve, Esq. By Geo. N. Lawrence. Read May 10th, 1869. <i>Ann Hist. New York.</i> Vol. 1x, 1870, pp. 234–238; pp. 234–236 issued in N 1869; pp. 237, 238, in No. 8, December, 1869.	Lyc. Nat. o. 7, June,
Reeve, Esq. By Geo. N. Lawrence. Read May 10th, 1869. <i><ann hist.="" i="" new="" york.<=""> Vol. 1x, 1870, pp. 234–238; pp. 234–236 issued in N 1869; pp. 237, 238, in No. 8, December, 1869. TURDIDÆ.</ann></i>	Lyc. Nat. o. 7, June,
Reeve, Esq. By Geo. N. Lawrence. Read May 10th, 1869. <i>Ann Hist. New York.</i> Vol. 1x, 1870, pp. 234–238; pp. 234–236 issued in N 1869; pp. 237, 238, in No. 8, December, 1869. TURDIDÆ. 1. Turdus reevei, n. s	Page234, 235
Reeve, Esq. By Geo. N. Lawrence. Read May 10th, 1869. <i>Ann Hist. New York.</i> Vol. 1x, 1870, pp. 234–238; pp. 234–236 issued in N 1869; pp. 237, 238, in No. 8, December, 1869. TURDIDÆ. 1. Turdus reevei, n. s. TROGLODYTIDÆ.	Page234, 235
Reeve, Esq. By Geo. N. Lawrence. Read May 10th, 1869. ### Hist. New York. Vol. 1x, 1870, pp. 234-238; pp. 234-236 issued in N 1869; pp. 237, 238, in No. 8, December, 1869. **TURDIDÆ.** 1. Turdus reevei, n. s.** **TROGLODYTIDÆ.** 2. Thryothorus superciliaris, n. s.** SYLVICOLIDÆ.**	Page234, 235
Reeve, Esq. By Geo. N. Lawrence. Read May 10th, 1869. < Ann Hist. New York. Vol. 1x, 1870, pp. 234-238; pp. 234-236 issued in N 1869; pp. 237, 238, in No. 8, December, 1869. TURDIDÆ. 1. Turdus reevei, n. s. TROGLODYTIDÆ. 2. Thryothorus superciliaris, n. s. SYLVICOLIDÆ. 3. Parula pitiayumi (Vieill.).	Page234, 235
Reeve, Esq. By Geo. N. Lawrence. Read May 10th, 1869. Hist. New York. Vol. 1x, 1870, pp. 234-238; pp. 234-236 issued in N 1869; pp. 237, 238, in No. 8, December, 1869. TURDIDÆ. 1. Turdus reevei, n. s. TROGLODYTIDÆ. 2. Thryothorus superciliaris, n. s. SYLVICOLIDÆ. 3. Parula pitiayumi (Vieill.) TANAGRIDÆ.	Page234, 235 236
Reeve, Esq. By Geo. N. Lawrence. Read May 10th, 1869. < Ann Hist. New York. Vol. 1x, 1870, pp. 234-238; pp. 234-236 issued in N 1869; pp. 237, 238, in No. 8, December, 1869. TURDIDÆ. 1. Turdus reevei, n. s. TROGLODYTIDÆ. 2. Thryothorus superciliaris, n. s. SYLVICOLIDÆ. 3. Parula pitiayumi (Vieill.).	Page234, 235 236
Reeve, Esq. By Geo. N. Lawrence. Read May 10th, 1869. Hist. New York. Vol. 1x, 1870, pp. 234-238; pp. 234-236 issued in N 1869; pp. 237, 238, in No. 8, December, 1869. TURDIDÆ. 1. Turdus reevei, n. s. TROGLODYTIDÆ. 2. Thryothorus superciliaris, n. s. SYLVICOLIDÆ. 3. Parula pitiayumi (Vieill.) TANAGRIDÆ.	Page234, 235 236
Reeve, Esq. By Geo. N. Lawrence. Read May 10th, 1869. Hist. New York. Vol. 1x, 1870, pp. 234-238; pp. 234-236 issued in N 1869; pp. 237, 238, in No. 8, December, 1869. TURDIDÆ. 1. Turdus reevei, n. s. TROGLODYTIDÆ. 2. Thryothorus superciliaris, n. s. SYLVICOLIDÆ. 3. Parula pitiayumi (Vieill.) TANAGRIDÆ. 4. Tanagra cana, Sw.	Page234, 235 236 236
Reeve, Esq. By Geo. N. Lawrence. Read May 10th, 1869. < Ann Hist. New York. Vol. 1x, 1870, pp. 234-238; pp. 234-236 issued in N 1869; pp. 237, 238, in No. 8, December, 1869. TURDIDÆ. 1. Turdus reevei, n. s. TROGLODYTIDÆ. 2. Thryothorus superciliaris, n. s. SYLVICOLIDÆ. 3. Parula pitiayumi (Vicill.) TANAGRIDÆ. 4. Tanagra cana, Sw.	Page234, 235 236 236
Reeve, Esq. By Geo. N. Lawrence. Read May 10th, 1869. Ann Hist. New York. Vol. IX, 1870, pp. 234-238; pp. 234-236 issued in N 1869; pp. 237, 238, in No. 8, December, 1869. TURDIDÆ. 1. Turdus reevei, n. s. TROGLODYTIDÆ. 2. Thryothorus superciliaris, n. s. SYLVICOLIDÆ. 3. Parula pitiayumi (Vieill.) TANAGRIDÆ. 4. Tanagra cana, Sw. FORMICARIDÆ. 5. Thamnophilus albinuchalis, Scl.	Page234, 235 236 236
Reeve, Esq. By Geo. N. Lawrence. Read May 10th, 1869. < Ann Hist. New York. Vol. 1x, 1870, pp. 234-238; pp. 234-236 issued in N 1869; pp. 237, 238, in No. 8, December, 1869. TURDIDÆ. 1. Turdus reevei, n. s. TROGLODYTIDÆ. 2. Thryothorus superciliaris, n. s. SYLVICOLIDÆ. 3. Parula pitiayumi (Vieill.) TANAGRIDÆ. 4. Tanagra cana, Sw FORMICARIDÆ. 5. Thamnophilus albinuchalis, Scl TYRANNIDÆ. 6. Eupsilostoma pusillum, Scl 7. Pyrocephalus nanus. Gould.	Page234, 235236236236236
Reeve, Esq. By Geo. N. Lawrence. Read May 10th, 1869. Ann Hist. New York . Vol. 1x, 1870, pp. 234–238; pp. 234–236 issued in N 1869; pp. 237, 238, in No. 8, December, 1869. TURDIDÆ. 1. Turdus reevei, n. s. TROGLODYTIDÆ. 2. Thryothorus superciliaris, n. s. SYLVICOLIDÆ. 3. Parula pitiayumi (Vicill.) TANAGRIDÆ. 4. Tanagra cana, Sw. FORMICARIDÆ. 5. Thamnophilus albinuchalis, Scl. TYRANNIDÆ. 6. Eupsilostoma pusillum, Scl. 7. Pyrocephalus nanus. Gould. 8. Empidonax griseipectus, n. s.	Page234, 235236236236236236236236
Reeve, Esq. By Geo. N. Lawrence. Read May 10th, 1869. Hist. New York. Vol. 1x, 1870, pp. 234-238; pp. 234-236 issued in N 1869; pp. 237, 238, in No. 8, December, 1869. TURDIDÆ. 1. Turdus reevei, n. s. TROGLODYTIDÆ. 2. Thryothorus superciliaris, n. s. SYLVICOLIDÆ. 3. Parula pitiayumi (Vicill.) TANAGRIDÆ. 4. Tanagra cana, Sw. FORMICARIDÆ. 5. Thamnophilus albinuchalis, Scl. TYRANNIDÆ. 6. Eupsilostoma pusillum, Scl. 7. Pyrocephalus nanus. Gould. 8. Empidonax grieeipectus, n. s. 9. Contopus punensis, n. s.	Page234, 235236236236236236236236236236236236236236236236236236
Reeve, Esq. By Geo. N. Lawrence. Read May 10th, 1869. Ann Hist. New York . Vol. 1x, 1870, pp. 234–238; pp. 234–236 issued in N 1869; pp. 237, 238, in No. 8, December, 1869. TURDIDÆ. 1. Turdus reevei, n. s. TROGLODYTIDÆ. 2. Thryothorus superciliaris, n. s. SYLVICOLIDÆ. 3. Parula pitiayumi (Vicill.) TANAGRIDÆ. 4. Tanagra cana, Sw. FORMICARIDÆ. 5. Thamnophilus albinuchalis, Scl. TYRANNIDÆ. 6. Eupsilostoma pusillum, Scl. 7. Pyrocephalus nanus. Gould. 8. Empidonax griseipectus, n. s.	Page234, 235236236236236236236237237237237237237237237237

TROCHILIDÆ.
Page. 12. Lesbia amaryllis (Bourc. et Muls.) 237
13. Metallura quitensis, (Fould 237 14. Petasophora anais (Lens.) 237
15. Amazilia dumerili (Less.) 237
CUCULIDÆ.
16. Crotophaga sulcirostris. Sw
PICIDÆ.
17. Chloronerpes callonotus (Waterh.)
FALCONIDÆ.
18. Urubitinga anthracina (Nitzsch.) 238 19. Urubitinga unicineta (Temm.) 238
$\mathbf{CHARADRIID}.E.$
20. Ægialitis semipalmatus (Bonap.)
RALLIDÆ.
21. Parra intermedia, Bonap
58 .
 1869. LAWRENCE, GEORGE N. Characters of some New South American Birds, with Notes on other rare or little known Species. By George N. Lawrence. Read May 31st, 1869. < Ann. Lyc. Nat. Hist. New York. Vol. IX, 1870, pp. 265 –275. Issued in No. 8, December, 1869.
CHARACTERS.
Page. Page. 1. Turdus hauxwelli, n. s. Pebas, Peru. 265, 266 2. Ochthoëca rufomarginatus, n. s. Quito Valley. Ecuador 266 3. Mecocerculus uropygialis, n. s. South America (Ecuador †) 266, 267 4. Pogonotriccus plumbeiceps. n. s. Bogotá, New Granada 267 5. Myiozetetes rufipennis, n. s. Valencia, Venezuela 267, 268 6. Myiozetetes inornatus, n. s. Valencia, Venezuela 268 7. Lesbia ortoni, n. s. Quito Valley, Ecuador 269, 270 8. Accipiter nigroplumbeus, n. s. Quito Valley, Ecuador 270, 271
Notes.
1. Icterus auratus, Bonap Yucatan 271-273 2. Todirostrum plumbeum (Gm.) Venezuela 273, 274 3. Brachygalba lugubris (Sw.) Venezuela 274, 275
59 .
1871. LAWRENCE, GEORGE N. Descriptions of New Species of Birds from Mexico, Central America, and South America, with a Note on Rallus longirostris. By Geo. N. Lawrence. Read January 30th, 1871. Ann. Lyc. Nat. Hist. New York. Vol. x, 1874, pp. 1-21. Issued in Nos. 1-3, February-March, 1871.
Page. 1. Harporhynchus graysoni, n. s., Baird, MS. Socorro Island, Mexico

1871. LAWRENCE, GEORGE N.—Continued.	Page.
	Mazatlan, Mexico
	Venezuela
10. Empidonax fulvipectus, n. s	City of Mexico
	Isthmus of Panamá
13. Conurus holochlorus var. brevipes, Baird	
MS	Socorro Island, Mexico
	Mexico
	·
Note, E	
	Bahia, Brazil 19, 20 Belize, British Honduras 20, 21
60.	
1871. LAWRENCE, GEORGE N. Descriptions Troglodytidæ and Tyrannidæ. By (Sci. Phila. Vol. XXII, Part II, Noven	Geo. N. Lawrence. < Proc. Acad. Nat.
TROGLODYT	TIDÆ.
1. Catherpes sumichrasti, n. s	. Mata Bejuco (Vera Cruz), Mexico 233, 234
TYRANNI	DÆ.
3. Empidonax atrirostris, n. s	Province of Tumbes, Peru 234 Venezuela ? 234, 235 Yucatan 235, 236
61.	
1871. LAWRENCE, GEORGE N. The barnacle American Naturalist. Vol. v, No. 1, N	e goose. By G. N. Lawrence. <i>The</i> March, 1871, pp. 10, 11.
1. Branta leucopsis (Bechst.)	PageCurrituck Sound, North Carolina10, 11
62 .	
1871. LAWRENCE, GEORGE N. Descriptions of with a Note on Eugenes spectabilis. 1871. Ann. Lyc. Nat. Hist. New Yo in Nos. 4, 5, July-November, 1871.	By Geo. N. Lawrence. Read Nov. 27th, rk. Vol. x, 1874, pp. 137-140. Issued
2. Buarremon sordidus, n. s	Page. Mexico ? 137, 138 Bogotá, New Granada 138, 139 Costa Rica 139, 140
Note.	•
4. Eugenes spectabilis, Lawr	San José, Costa Rica
63.	
	N. Lawrence. Read April 22d, 1872. ol. x, 1874, pp. 184–186. Issued in Nos.
	Tehnantepec, Mexico184, 185 Tumbes, Perú186

64.

1872. LAWRENCE, GEORGE N. On the Physical Geography and Natural History of the Islands of the Tres Marias and of Socorro, off the Western Coast of Mexico. By Col. Andrew J. Grayson. Edited by Geo. N. Lawrence. Read June 7, 1871. < Proc. Boston Soc. Nat. Hist. Vol. XIV, 1870-71, pp. 261-302.</p>

BIRDS OF THE TRES MARIAS.

	VULTURIDÆ.	
	Pag	
1. (Cathartes aura (Linn.)267, 2	68
	FALCONIDÆ.	
2 1	Polyborus audubonii, Cass	RR
	Buteo borealis var. montana, Nutt	
	Pandion carolinensis, Gm	
	Falco peregrinus var. nigriceps, Cass	
	Kinnunculus sparverius (Linn.)	
	Hypotriorchis columbarius (Linn.)	
	Hypotriorchis rufigularis (Daud.) (aurantius, Temm.)	
	$\mathbf{STRIGID}m{x}$.	
9. 8	Strix pratincola, Bp	70
	Athene cunicularia (Molina)	
	PSITTACIDÆ.	
11. (Chrysotis levaillanti, Gray	71
12. <i>I</i>	Psittacula cyanopyga, De Souancé	72
	MDOGONID D	
	TROGONIDÆ.	
13. <i>T</i>	Progon ambiguus, Gould272, 2	73
	CAPRIMULGIDÆ.	
14. A	Nyctidromus albicollis (Gmel.)	73
	· • · · · · · · · · · · · · · · · · · ·	
	PICIDÆ.	
15 7	Pious scalaris (Wagl.)273, 2	7.1
15. 1	2/3, 2	14
	COLUMBIDÆ.	
18 7	Leptoptila albifrons, Bp	74
	Columba flavirostris (Wagl.). 2	
	Uhamæpelja pallescens, Baird	
10. (Januare person puncescens, Dairu	13
	TURDIDÆ.	
. 10 1	Malauratia amusikaana (Smain)	=0
	Melanotis cærulescens (Swain.)	
	Furdus flavirostris, Swain	
	Furdus grayi, Bp	
	Furdus ustulatus, Nutt	
20. 11	nontes polygioteus, Limit	• •
	AMPELIDÆ.	
24. 1	Myiadestes obscurus, Lafr	77
	MNIOTILTIDÆ.	
25. 6	Granatellus francescæ, Baird	78
	Parula insularis, Lawr	
	•	

PUBLISHED WRITINGS OF GEORGE NEWBOLD LAWRENCE. 57

TROGLODYTIDÆ.	
Pa 27. Thryothorus felix, Scl	
TYRANNIDÆ.	
28. Myiarchus mexicanus (Kaup.) (cooperi, Baird)	279 279
COTINGIDÆ.	
32. Hadrostomus aglaiæ var. affinis (Elliot)	280
ICTERIDÆ.	
33. Icterus graysoni, Cassin	281
TANAGRIDÆ.	
34. Pyranga bidentata, Swain	281
VIREONIDÆ.	
35. Vireo hypochryseus, Scl	281
FRINGILLIDÆ.	
36. Cardinalis virginianus (Linn.)	929
37. Chrysomitris mexicanus, Sw	
$\mathbf{TROCHILID}\boldsymbol{\mathit{E}}.$	
38. Circe latirostris (Sw.)	
39. Pyrrhophæna graysoni, n. s	
41. Florisuga mellivora (Linn.)	
42. Cyanomyia guatemalensis, Gould	
44. Cholorostilbon insularis, Lawr.	284
ALCEDINIDÆ.	
45. Ceryle alcyon (Linn.)	284
HÆMATOPODIDÆ.	
46. Hæmatopus palliatus, Temm	285
CHARADRIIDÆ.	
47. Ægialitis semipalmatus (Bp.)	2 8 5
ARDEIDÆ.	
48. Ardea herodias, Linn	
49. Herodias egretta (Gm.)	
50. Garzetta candidissima (Gm.) 51. Nyetherodius violaceus (Linn.)	
LARIDÆ.	
52. Haliplana fuliginosa var. crissalis, Baird	28 5

LIST OF SOCORRO ISLAND BIRDS COLLECTED BY A. J. GRAYSON, MAY, 1867.

1001.
PSITTACIDÆ.
Page. 1. Conucus holochlorus var. brevipes, Baird
$ ext{TURDID}oldsymbol{\mathcal{E}}.$
2. Harporhynchus graysoni, Baird
FRINGILLIDÆ.
3. Pipilo carmani, Lawr
TROGLODYTIDÆ.
4. Troglodytes insularis, Lawr
COLUMBIDÆ.
5. Zenaidura graysoni, Baird 299, 300 6. Chamæpelia pallescens, Baird 300
STRIGIDÆ.
7. Micrathene whitneyi (Cooper)
MNIOTILTIDÆ.
8. Parula insularis, Lawr
FALCONIDÆ.
9. Buteo borealis var. montanus, Nutt
ARDEIDÆ.
10. Nyetherodius violaceus (Linn.)
LARIDÆ.
11. Haliplana fuli jinosa var. crissalis, Baird
SULIDÆ.
12. Sula cyanops, Sundevall
13. Sula piscator (Linn.) 302
${\tt PELECANID}\bm{\tilde{x}}.$
14. Pelecanus fuscus, Linn
65.
1874. LAWRENCE, GEORGE N. Descriptions of Six supposed New Species of Ameri-
can Birds. By George N. Lawrence. Read February 9, 1874. < Ann. Lyc.
Nat. Hist. New York. Vol. x, 1874, pp. 395-399. Issued in Nos. 12, 13, October, 1873-February, 1874.
Page.
1. Chlorospingus brunneus, n. s
2. Chlorospingus axillaris, n. s
3. Buarremon atricapillus, n. s
5 Changesign recition a Tolugatence Mexico 307 308

66.

1874. LAWRENCE, GEORGE N. The Birds of Western and Northwestern Mexico, based upon Collections made by Col. A. J. Grayson, Capt. J. Xantus, and Ferd. Bischoff, now in the Museum of the Smithsonian Institution, at Washington, D. C. By Geo. N. Lawrence. < Memoirs Boston Soc. Nat. Hist. Vol. 11, Part 111, No. 2, 1874, pp. 265-319.

TURDIDÆ		
	Pag	
1. Turdus ustulatus, Nutt	Tres Marias	56 100
	Tepic, Tres Marias	
4. Melanotis cærulescens (Sw.)		00
4. meanions de mescens (5w.)	Colima	88
5. Harporhunchus curvirostris (Sw.)	Tepic Mazatlan 2	67
6. Harporhynchus graysoni, Baird	Island of Socorro 2	67
7. Mimus polyglottus (Linn.)	Mazatlan, Tres Marias 2	67
SAXICOLID	מות	
8. Sialia mexicana, Sw	Mazatlan, Plains of Colima 2	67
SYLVIIDÆ		
9. Polioptila cærulea (Linn.)	Mazatlan, Tonila 2	67
10. Polioptila nigriceps, Baird	Mazatlan, Tepic 2	67
TROGLODYTI	DÆ.	
11. Rhodinocichla rosea (Less.)	Mazatlan, Sierra Madre 2	67
12. Campylorhynchus humilis, Scl		
13. Catherpes mexicanus (Sw.)	Tepic, Guadalajara 2	68
14. Thryothorus felix, Scl	Mazatlan, Tres Marias 2	68
15. Thryothorus sinaloa, Baird		68
16. Thryothorus bewickii var. leucogaster		•
17. Troglodytes insularis, Baird.	Guadalajara	708 42
18. Cistothorus palustris var. paludicola.		•••
Baird	Mazatlan 2	68
MOTACILLI	DÆ.	
19. Anthus ludovicianus (Gm.)	Manatlan	eo.
15. Antikos tautotatantas (Gill.)	mazatati	,00
SYLVICOLIT	Æ.	
20. Seiurus aurocapillus, Linn	Mazatlan 2	69
21. Seiurus ludovicianus (Aud.)		
22. Mniotilta varia (Linn.)	Mazatlan, Colima 2	69
23. Parula insularis, Lawr	Island of Socorro, Tres Marias 2	69
24. Geothlypis trichas (Linn.)		
25. Geothlypis poliocephala, Baird		69
26. Geothlypis philadelphia var. macgillvray		
27. Dendræca auduboni (Towns.)	Mazatlan	
28. Dendræca æstiva (Gm.)		
29. Dendræca vicilloti, Cass		
30. Dendræca dominica (Linn.)		
31. Myiodioctes pusillus (Wils.)		
32. Basileuterus rufifrons (Sw.)		
33. Euthlypis lachrymosa (Bp.)	Mazatlan	70
34. Setophaga picta, Sw		
35. Setophaga miniata, Sw		
36. Granatellus francescæ, Baird		
37. Granatellus venustus, Du Bus	Colima 2	70

	Page.
38.	Progne subis (Linn.)
39.	Hirundo horreorum, BartonGuadalajara, Tepic
40.	Tachycineta bicolor, Vieill
41.	Tachycineta albilinea, Lawr
4 2.	Petrochelidon lunifrons, Say Mazatlan, Tepic
	VIREONIDÆ.
43.	Icteria virens var. longicauda, LawrMazatlan, Tepic
44.	Vireosylvia flavoviridis, Cassin
45.	Vireo solitarius (Wils.)
46.	Vireo plumbeus, Coues
47.	Vireo atricapillus, Woodhouse
48.	Vireo ochraceus, Salvin
49.	Vireo hypochyseus, Scl
	LANIIDÆ.
50.	Collurio ludovicianus var. excubitoroides, Sw
	AMPELIDÆ.
51.	Ptiliogonis cinereus, SwSierra Madre near Colima
	Myiadestes obscurus, Lafr
	TANAGRIDÆ.
53.	Euphonia affinis (Less.)
	Pyranga æstiva var. cooperi, Ridgway Mazatlan
	Pyranga bidentata, Sw Tres Marias
	Pyranga hepatica, SwSierra Madre
	Saltator plumbiceps, Lawr
	Pheucticus chrysopeplus (Vig.)Mazatlan, Rio de la Ameria274, 275
	Hedymeles ludovicianus (Linn.) Plains of Colima
	Hedymeles melanocephalus (Sw.) Mazatlan, Plains of Colima

 68. Oyanospiza ciris (Linn.)
 Mazatlan, Plains of Colima
 276

 69. Oyanospiza amena (Say)
 Mazatlan
 276

 70. Oyanospiza versicolor (Bp.)
 Mazatlan, Tepic
 276, 277

 71. Cyanospiza leclancheri (Lafr.)
 Sierra Madre, Rio de la Ameria
 277

 72. Euspiza americana (Gm.)
 Mazatlan
 277

 (Nutt.)
 Mazatlan
 277

 74. Aimophila melanotis, Lawr
 Plains of Colima
 277

 75. Melospiza lincolni (Aud.)
 Mazatlan, Tepic
 277

 76. Peucœa æstivalis var. botteri, Scl
 Plains of Colima
 277

 77. Coturniculus passerinus (Wils.)
 Mazatlan
 277

 78. Embernagra chlorura (Aud.)
 Mazatlan
 27

 79. Pipilo fuscus var. crissalis, Vigors
 Guadalajara, Tepic
 27

73. Zonotrichia leucophrys var. gambelii,

80. Pipilo erythropthalmus var. carmani,

Island of Socorro	277, 278
Mazatlan, Plains of Colima	278
Mazatlan, Plains of Colima	278
Guadalajara, Durango, Tepic	278
a, Sw. Tres Marias Islands	278
	Mazatlan, Plains of Colima Mazatlan, Plains of Colima Guadalajara, Durango, Tepic

	•		A :	LAUDID	Æ.	Da
85.		alpestris			a .Mazatlan	Page 278
			10	TERIDA	E.	
86.	Cassiculus	melanicter	us (Bp.).		. Mazatlan, Tepic, Plains of Colima,	, Rio de
					Coahuana	
87.	Icterus sp	urius var. a milatus (Su	ffinis, La	wr	.Mazatlan, Plains of Colima	279
					.Tepic, Guadalajara	
					.Topic, Mazatlan, Plains of Colima	
					zanilla Bay	
					.Tres Marias Islands	
					.Mazatian, Manzanilla Bay, Mount Colima, San Blas	tains of
94.	Anelaius 1	phæniceus ()	Linn.)		.Mazatlan	
					.Mazatlan, Tepic	
					.Mazatlan	
					. Mazatlan, near Guadalajara	
					. Mazatlan	
					.Guadalajara	
101.	Quiscalus	<i>major</i> var.	palustri	(Sw.)	.Mazatlan	282, 283
				ORVIDA		
					. Mazatlan	
					. Mazatlan, San Blas, Santiago Rive . Mazatlan, Tres Marias, Sinaloa	
					Plains of Colima, Manzanilla Ba	ay, Las
106.	Callocitta	colliei (Vig	.)		. Mazatlan, Sinaloa.	
107.	Callocitta	formosa (S	w.)		.Manzanilla Bay, Rio de la Ameria	285
108.	Xanthour	a luxuosa (I	Less.)	···········	.Sierra Madre	285
				ROCOLAI		
109.	Dendrorn	is mentalis,	Baird	• • • • • • • • • • • • • • • • • • • •	.Mazatlan, Tepic	285
				RANNID		
					. Mazatlan near Tepic	
					. Mazatlan	
					.Tres Marias Islands	
					. Mazatlan, Tepic, Plains of Colima,	
					.Mazatlan, Plains of Colima	
116.	Myiodyna	istes luteiver	itris, Bp		.Mazatlan, Mountains of Colima Tepic	
117.		ılus rubine			s, . Mazatlan, Plains of Colima, Tepic.	
					.Mazatlan	287
119.		ax flaviven			Mazatlan, Tres Marias Islands, P	
120.	-	ax traillii v	-		Colima, Tepic& & Mazatlan	
121					. Mazatlan	
	_	_			.Tepic, Mazatlan River, Plains of (
123.	Myiarchu	s mexicanu	s (Kaup.) . 	.Mazatlan, Tres Marias Islands, G jara, Tepic	
124.	Myiarchu	s lawrencii,	Giraud.	· · · · · · · · · · · · · · · · · · ·	.Mazatlan, Tres Marias Islands, P Colima	lains of
125.	Myiarchu	s cinerascen	s, Lawr.		.Mazatlan	288
	Tyrannus	melancho	licus Vai	r. satrapo		
127.	-	melancho				900
	baird	,			.,Mazatlan	

1974 Tampingan Change V. Charlingal	_
1874. LAWRENCE, GEORGE N.—Continued.	Page.
	Plains of Colima
	Tepic, Plains of Colima
•	
COTINGI	
	Mazatlan, Sierra Madre
	Mazatlan, Plains of Colima
MOMOTI	DÆMazatlan, Plains of Colima
ALCEDIN	
	Mazatlan, Tres Marias Islands
	Mazatlan, Tupila River
	Mazatlan, Tepic, Plains of Colima, Tupila River, near Guadalajara
TROGON	•
• • •	Mazatlan, Tres Marias Islands, Sinaloa 290 Mazatlan
CAPRIMUL	GIDÆ.
141. Chardeiles terensis Lawr	Mazatlan, San Blas
	Mazatlan, Plains of Colima, Tres Marias Islands
TROCHIL	
	Tres Marias Islands
	Tres Marias Islands
	Sierra Madre
	Mazatlan
	Mazatlan, Guadalajara
149. Cyanomia guatemalensis, Gould	Tres Marias Islands 292
	Tres Marias Islands 292
· · · · · ·	Mazatlan
	Mazatlan, Tres Marias Islands
CUCULI)	Tres Marias Islands 292
COCOLI	OA.
	Mazatlan, Tepic, Plains of Colima292, 293
	Mazatlan, Tupila River, Plains of Colima. 293
	Mazatlan
	Mazatlan
PICIDA	
	Mazatlan, Rio de la Ameria 293
	Mazatlan, Plains of Colima, Tupila River. 293
	Mazatlan, Tres Marias Islands
	Tonila, Jalisco 294
	Mazatlan, Guadalajara, Tepic, Sonora 294
	Mazatlan, Guadalajara, Tepic
PSITTAC	IDÆ.
166. Sittace militaris (Linn.)	Mazatlan, Acapulco
	rd. Socorro Island
168. Conurus petzii (Ḥaḥn.)	Mazatlan, Plains of Colima, Manzanilla Bay, Rio de Conhuyana
	ting and an Countributes

1874.	LAWRE	NCE, GEORGE N.—Continued.	P	age.
			.Tres Marias Islands, Tupila River, Ric)
	170	(Charactic allifornia (Charactic)	do Coahuyana	
			. Mazatlan, Rio de la Ameria, Colima 296	
			.Mazatlan, Tres Marias Islands, Manza	
			nilla Bay	. 297
		STRIGIDA	ε.	
	173.	Spectuto cunicularia var. hupogæa (Bp.)	.Tres Marias Islands, Mazatlan	297
			.Socorro Island	
		- ·	Mazatlan	297
	176.	Glaucidium infuscatum var. gnoma	, .Mazatlan, Colima	
	177.	· ·	.Mazatlan, Colima	
			.Tres Marias Islands, Colima, Rio de la	
			Ameria	298
		FALCONID	Æ.	
	179.	Circus cyaneus var. hudsonius (Linn.)	.Mazatlan	298
			. Mazatlan	
			.Mazatlan	
			. Mazatlan, Sinaloa298	
			. Mazatlan	
			.Mazatlan, Sonora	,
	186.	Falco peregrinus var. anatum, Bp	. Mazatlan, Tres Marias Islands	300
			Mazatlan, Tres Marias Islands	
			. Mazatlan, San Blas	
			. Mazatlan, Tres Marias Islands, San Blas . Mazatlan, Tres Marias Islands	
			. Mazatlan, Tres Marias Islands	
		. 9	Socorro Island	
			. Mazatlan	
			. Mazatlan	
			.Mazatlan	
		•	. Mazatlan, San Blas	
			Colima, Tres Marias Islands, Mazatlan.	
	199.	Polyborus tharus var. auduboni, Cass	. Mazatlan, Tres Marias Islands, Colima	303
		VULTURID	Æ.	
			. Mazatlan, Mountains near Acaponetti	
			. Mazatlan, Tres Marias Islands, Colima.	
	202.	Cathartes atratus (Bartram)	.Mazatlan303	3, 304
		COLUMBID	Æ.	
	204.	Columba flavirostris (Wagl.)	.Mazatlan, Tres Marias Islands, Sierra Madre	
			Mazatlan	304
			Socorro Island	
	207.	Unamæpelia pallescens, Baird	.Mazatlan, Tres Marias Islands, Socorre Island	
	208.	Scardafella inca (Less.)	.Mazatlan, Guadalajara, Tepic	
	209.	Melopelia leucoptera (Linn.)	.Mazatlan, Colima, Sonora	305
	210.	Leptoptila albifrons, Bp	.Mazatlan, Tres Marias Islands	305
		PENELOPID	Æ.	
	211.	Penelope purpurascens. Wagl	.Mazatlan, Tonila	306
			.Tupila River	
	213,	Ortalida wagleri, Gray	. Mazatlan, Sonora, Colima	306

64 BULLETIN NO. 40, UNITED STATES NATIONAL MUSEUM.

	MELEAGRIDÆ.			
214.	Mekagris gallopavo, LinnSierra Madre			
	PERDICIDÆ.			
216. 217. 218. 219.	Cyrtonyx massena (Less.) Guadalajara, Sierra Madre 306 Ortyx graysoni, Lawr Guadalajara 306 Callipepla elegans (Less.) Mazatlan, Jalisco, Colima 306 Callipepla squamata (Vigors) Durango 307 Philortyx fasciatus, Gould Plains of Colima 307 Lophortyx gambelii, Nutt Sonora 307			
	TINAMIDÆ.			
221.	Nothocercus sallæi, Bp			
	CHARADRIDÆ.			
223. 224. 225. 226.	Egialitis vociferus (Linn.) Mazatlan 307 Egialitis semipalmatus (Bp.) Mazatlan, Tres Marias Islands 307 Egialitis voisonius (Ord) Mazatlan 307 Egialitis nivosus, Cass Mazatlan 307 Squatarola helvetica, Linn Mazatlan 307 Aphriza virgata (Lath.) Colima 307			
	HÆMATOPODIDÆ.			
	Hæmatopus palliatus, Temm. Mazatlan, Isabella Island, Tres Marias Islands, Rio Zacatula. 308 Strepsilas interpres (Linn.) Rio Zacatula. 308			
	RECURVIROSTRIDÆ.			
	Recurvirostra americana (Gm.)Rio de Coahuana, Mazatlan			
232.	Gallinago wilsonii, TemmMazatlan, Colima			
234. 235. 236. 237. 238. 239. 240. 241. 242.	Macrorhamphus scolopaceus (Say) Mazatlan 308 Actodromas minutilla (Vieill.) Mazatlan, Manzanilla Bay 308 Calidris arenaria, Linn Mazatlan 308 Limosa fedoa, Linn Mazatlan 308 Symphemia semipalmata (Gm.) Mazatlan 309 Gambetta melanoleuca (Gm.) Colima 309 Gambetta flavipes (Gm.) Mazatlan 309 Rhyacophilus solitarius (Wils.) Mazatlan 309 Tringoides macularius (Linn.) Colima 309 Numenius longirostris, Wils Mazatlan 309 Numenius hudsonicus, Lath Mazatlan, Rio Zacatula 309			
	TANTALIDÆ.			
245.	Ibis alba, Linn Mazatlan 309 Ibis guarauna, Linn Mazatlau, Manzanilla Bay 309 Tantalus loculator, Linn Mazatlau 309			
	PLATALEIDÆ.			
247.	Platalea ajaja, Linn			
	CANCROMIDÆ.			
248.	Cancroma cochlearia, Linn			

ARDEIDÆ.

	Pagei.
249. Ardea herodias, Linn	Mazatlan, Tres Marias Islands 310
250. Herodias egretta (Gm.)	Mazatlan, Rio de Coahuana, Tres Marias
,	Islands
251. Garzetta candidissima (Gm.)	Mazatlan, Rio de Coahuana, Tres Marias Islands
252. Demiegretta leucoprymna (Licht.)	Mazatlan, Manzanilla Bay 310
253. Demiegretta rufa (Bodd.)	Mazatlan 310
254. Florida cærulea (Linn.)	Mazatlan 310
255. Ardetta exilis (Linn.)	Mazatlan, San Blas
256. Butorides virescens (Linn.)	Mazatlan, Colima, Manzanilla Bay 310
	Mazatlan 310
258. Tigrisoma cabanisi, Hein	Mazatlan 311
259. Nyctiardea nævia (Bodd.)	Mazatlan, Rio de Coahuana 311
260. Nyctherodius violaceus (Linn.)	Mazatlan, Rio de Coahuana, Tres Marias Islands, Socorro Island
GRUIDÆ	2.
261 Grus egnadensis Linn	Mazatlan 311
asi. Gray ownersely, Hilli	azavian
RALLID	Æ.
969 Pallus minaminiamus Time	Magatlan
	Mazatlan
	Mazatlan
	Mazatlan, San Blas
	Mazatlan
200. Forphyrio martinica (Linn.)	Rio de Coahuana
201. Gaurnuta gateata, Licht	Mazatlan, Tepic
208. Funca americana, Gm	Colima, Mazatlan
PARRID	7AC
1 ILICIOIDA	12.
269. Parra gymnostoma, Wagl	Mazatlan, Manzanilla Bay, Zacatula
269. Parra gymnostoma, Wagl	Mazatlan, Manzanilla Bay, Zacatula River, Rio de Coahuana, Tepic 312
289. Parra gymnostoma, Wagl	River, Rio de Coahuana, Tepic 312
ANATID	River, Rio de Coahuana, Tepic 312 Æ.
ANATID. 270. Anser gambelli, Hartl	River, Rio de Coahuana, Tepic 312 Æ. Mazatlau 313
ANATID. 270. Anser gambelli, Hartl	River, Rio de Coahuana, Tepic 312 £. Mazatlau 313 is,
ANATID. 270. Anser gambelli, Hartl	River, Rio de Coahuana, Tepic 312 £. Mazatlau 313 is, Durango 313
ANATID. 270. Anser gambelli, Hartl	River, Rio de Coahuana, Tepic 312 Æ. Mazatlau 313 i.s. Durango 313 Mazatlan, San Blas, Sonora, Sinaloa 313
ANATID. 270. Anser gambelli, Hartl	River, Rio de Coahuana, Tepic 312 Æ.
ANATID. 270. Anser gambelli, Hartl	River, Rio de Coahuana, Tepic 312 E. Mazatlan 313 is, Durango 313 Mazatlan, San Blas, Sonora, Sinaloa 313 Mazatlan 313, 314 Mazatlan 313, 314
ANATID. 270. Anser gambelli, Hartl	River, Rio de Coahuana, Tepic 312 E. Mazatlan 313 is, Durango 313 Mazatlan, San Blas, Sonora, Sinaloa 313 Mazatlan 313, 314 Mazatlan 314 Tepic 314
ANATID. 270. Anser gambelli, Hartl	River, Rio de Coahuana, Tepic 312 Æ.
ANATID. 270. Anser gambelli, Hartl. 271. Bernicla canadensis var. occidentali Baird. 272 Dendrocygna fulva (Gm.) 273 Dendrocygna autumnalis (Linn.) 274 Anas boschas, Linn 275 Anas obscura, Gm 276 Dafila acuta (Linn.) 277. Nettion carolinensis (Gm.)	River, Rio de Coahuana, Tepic 312 Æ.
ANATID. 270. Anser gambelli, Hartl	River, Rio de Coahuana, Tepic 312 Æ.
ANATID. 270. Anser gambelli, Hartl	River, Rio de Coahuana, Tepic 312 E.
ANATID. 270. Anser gambelli, Hartl	River, Rio de Coahuana, Tepic 312 E. Mazatlan 313 is, Durango 313 Mazatlan, San Blas, Sonora, Sinaloa 313 Mazatlan 313, 314 Mazatlan 314 Tepic 314 Mazatlan 314
ANATID. 270. Anser gambelli, Hartl. 271. Bernicla canadensis var. occidentali Baird. 272. Dendrocygna fulva (Gm.) 273. Dendrocygna autumnalis (Linn.) 274. Anas boschas, Linn 275. Anas obscura, Gm 276. Dafila acuta (Linn.) 277. Nettion carolinensis (Gm.) 278. Querquedula discors (Linn.) 279. Querquedula cyanoptera, Vig 280. Spatula clypeata (Linn.) 281. Chaulelasmus streperus (Linn.)	River, Rio de Coahuana, Tepic 312 Æ.
ANATID. 270. Anser gambelli, Hartl. 271. Bernicla canadensis var. occidentali Baird. 272 Dendrocygna fulva (Gm.) 273 Dendrocygna autumnalis (Linn.) 274 Anse boschas, Linn 275 Anas obscura, Gm 276 Dafila acuta (Linn.) 277. Nettion carolinensis (Gm.) 278. Querquedula discors (Linn.) 279. Querquedula cyanoptera, Vig 280. Spatula clypeata (Linn.) 281. Chaulelasmus streperus (Linn.) 282. Mareca americana (Gm.)	River, Rio de Coahuana, Tepic 312 Æ.
ANATID. 270. Anser gambelli, Hartl	River, Rio de Coahuana, Tepic 312 Æ.
ANATID. 270. Anser gambelli, Hartl	River, Rio de Coahuana, Tepic 312 Æ.
ANATID. 270. Anser gambelli, Hartl. 271. Bernicla canadensis var. occidentali Baird. 272. Dendrocygna fulva (Gm.) 273. Dendrocygna autumnalis (Linn.) 274. Anas obschas, Linn 275. Anas obscura, Gm 276. Dafila acuta (Linn.) 277. Nettion carolinensis (Gm.) 278. Querquedula discore (Linn.) 279. Querquedula cyanoptera, Vig 280. Spatula clypeata (Linn.) 281. Chaulelasmus streperus (Linn.) 282. Mareca americana (Gm.) 283. Aix sponsa (Linn.) 284. Cairina moschata (Linn.) 285. Aythya vallisneria (Wils.)	River, Rio de Coahuana, Tepic 312 Æ.
ANATID. 270. Anser gambelli, Hartl. 271. Bernicla canadensis var. occidentali Baird. 272. Dendrocygna fulva (Gm.) 273. Dendrocygna autumnalis (Linn.) 274. Anas boschas, Linn 275. Anas obscura, Gm 276. Dafila acuta (Linn.) 277. Nettion carolinensis (Gm.) 278. Querquedula discors (Linn.) 279. Querquedula cyanoptera, Vig 280. Spatula clypeata (Linn.) 281. Chaulelasmus streperus (Linn.) 282. Mareca americana (Gm.) 283. Aix sponsa (Linn.) 284. Cairina moschata (Linn.) 285. Aythya vallisneria (Wils.) 286. Aythya vallisneria (Wils.)	River, Rio de Coahuana, Tepic 312 Æ.
ANATID. 270. Anser gambelli, Hartl. 271. Bernicla canadensis var. occidentalis Baird. 272. Dendrocygna fulva (Gm.). 273. Dendrocygna autumnalis (Linn.). 274. Anas obscura, Gm. 276. Dafila acuta (Linn.). 277. Nettion carolinensis (Gm.). 278. Querquedula discors (Linn.). 279. Querquedula cyanoptera, Vig. 280. Spatula clypeata (Linn.). 281. Chaulelasmus streperus (Linn.). 282. Mareca americana (Gm.). 283. Aix sponsa (Linn.). 284. Cairina moschata (Linn.). 285. Aythya vallisneria (Wils.). 286. Aythya americana (Bp.).	River, Rio de Coahuana, Tepic 312 Æ.
ANATID. 270. Anser gambelli, Hartl	River, Rio de Coahuana, Tepic 312 Æ.
ANATID. 270. Anser gambelli, Hartl	River, Rio de Coahuana, Tepic 312 £.
ANATID. 270. Anser gambelli, Hartl. 271. Bernicla canadensis var. occidentali Baird. 272. Dendrocygna fulva (Gm.) 273. Dendrocygna autumnalis (Linn.) 274. Anas boschas, Linn 275. Anas obscura, Gm 276. Dafila acuta (Linn.) 277. Nettion carolinensis (Gm.) 278. Querquedula discore (Linn.) 279. Querquedula cyanoptera, Vig 280. Spatula clypeata (Linn.) 281. Chaulelasmus streperus (Linn.) 282. Mareca americana (Gm.) 283. Aix sponsa (Linn.) 284. Cairina moschata (Linn.) 285. Aythya vallisneria (Wils.) 286. Aythya americana, Eyton 287. Bucephala americana (Bp.) 288. Fulix affinis, Eyton 290. Fulix affinis, Eyton	River, Rio de Coahuana, Tepic 312 Æ.
ANATID. 270. Anser gambelli, Hartl. 271. Bernicla canadensis var. occidentali Baird. 272. Dendrocygna fulva (Gm.) 273. Dendrocygna autumnalis (Linn.) 274. Anas boschas, Linn 275. Anas obscura, Gm. 276. Dafila acuta (Linn.) 277. Nettion carolinensis (Gm.) 278. Querquedula discors (Linn.) 279. Querquedula cyanoptera, Vig. 280. Spatula clypeata (Linn.) 281. Chaulelasmus streperus (Linn.) 282. Mareca americana (Gm.) 283. Aix sponsa (Linn.) 284. Cairina moschata (Linn.) 285. Aythya vallisneria (Wils.) 286. Aythya vallisneria (Wils.) 287. Bucephala americana (Bp.) 288. Fulix marila (Linn.) 289. Fulix affinis, Eyton 280. Fulix collaris (Don.) 291. Erismatura rubida (Wils.)	River, Rio de Coahuana, Tepic 312 Æ.
ANATID. 270. Anser gambelli, Hartl. 271. Bernicla canadensis var. occidentali Baird. 272. Dendrocygna fulva (Gm.) 273. Dendrocygna autumnalis (Linn.) 274. Anas boschas, Linn 275. Anas obscura, Gm. 276. Dafila acuta (Linn.) 277. Nettion carolinensis (Gm.) 278. Querquedula discors (Linn.) 279. Querquedula cyanoptera, Vig. 280. Spatula clypeata (Linn.) 281. Chaulelasmus streperus (Linn.) 282. Mareca americana (Gm.) 283. Aix sponsa (Linn.) 284. Cairina moschata (Linn.) 285. Aythya vallisneria (Wils.) 286. Aythya vallisneria (Wils.) 287. Bucephala americana (Bp.) 288. Fulix marila (Linn.) 289. Fulix affinis, Eyton 290. Fulix collaris (Don.) 291. Erismatura rubida (Wils.) 292. Erismatura dominica (Linn.)	River, Rio de Coahuana, Tepic 312 Æ.
ANATID. 270. Anser gambelli, Hartl. 271. Bernicla canadensis var. occidentali Baird. 272. Dendrocygna fulva (Gm.) 273. Dendrocygna autumnalis (Linn.) 274. Anas boschas, Linn 275. Anas obscura, Gm. 276. Dafila acuta (Linn.) 277. Nettion carolinensis (Gm.) 278. Querquedula discors (Linn.) 279. Querquedula cyanoptera, Vig. 280. Spatula clypeata (Linn.) 281. Chaulelasmus streperus (Linn.) 282. Mareca americana (Gm.) 283. Aix sponsa (Linn.) 284. Cairina moschata (Linn.) 285. Aythya vallisneria (Wils.) 286. Aythya vallisneria (Wils.) 287. Bucephala americana (Bp.) 288. Fulix marila (Linn.) 289. Fulix affinis, Eyton 280. Fulix collaris (Don.) 291. Erismatura rubida (Wils.)	River, Rio de Coahuana, Tepic 312 Æ.

PELECANIDÆ.

	PELECANII	
		Page. .Mazatlan, Socorro Island 316 .Mazatlan 316
	SULIDÆ.	
	·	Socorro Island 316 Mazatlan, Isabella Island 316
	TACHYPETI	DÆ.
297.	Tachypetes aquilus, LinnGRACULID	. Mazatlan, Isabella Island
900		. Mazatlan
298. (PLOTIDÆ	
299. 1	Plotus anhinga, Linn	Mazatlan, Tepic, Guadalajara 317
	PHAËTHONI	IDÆ.
800		
300		Coast of Michoacan, Gulf of California, Island of Isabel, near San Blas 317
	LARIDÆ.	
302. 6 303. 6 304. 6 305. 1 307. 4 308. 4 309. 4 310. 1 311. 1	Chroicocephalus atricilla, Linn Chroicocephalus franklinii (Swains.) Chroicocephalus philadelphia (Ord.) Sterna galericulata, Licht Sterna maxima, Bodd Sterna forsteri, Nutt Sterna superciliaris, Vieill Haliplana fuliginosa var. crissalis, Baird Hydrochelidon fissipes (Linn.)	Mazatlan 317 Mazatlan 317 Mazatlan 317 Mazatlan 317 Mazatlan 317 Mazatlan, Isabella Island 317 Mazatlan, Isabella Island 318 Mazatlan, Isabella Island, Guayamas 318 Mazatlan 318 Manzanilla 318 Tres Marias Islands, Socorro Island 318 Mazatlan 318 Isabella Island 318 San Blas, Zacatula River 318
315. 1	Podicepsauritus var.californicus, Heerm. Sylbeocyclus dominicus (Linn.)	Manzanilla Bay 319 Guayamas 319 Mazatlan, Tepic 319
	67 .	
Famil ber 16	ies Tanagridæ and Tyrannidæ.	of Two New Species of Birds of the By Geo. N. Lawrence. Read Novem- New York. Vol. XI, 1876, pp. 70-72.
		Page .Bogotá, New Granada
	68.	
Rica.	By Geo. N. Lawrence. Read I	Four New Species of Birds from Costa December 21, 1871. <i>Ann. Lyc. Nat.</i> 18–91. Issued in Nos. 3, 4, February,
2. <i>&</i> 3. <i>(</i>	Stenopsis albicauda, n. s	Talamanca, Costa Rica. Page. Talamanca, Costa Rica. 88, 89 Talamanca, Costa Rica. 89, 90 Talamanca, Costa Rica. 90 Talamanca, Costa Rica. 90, 91

05.
1876. LAWRENCE, GEORGE N. Description of a New Species of Bird of the Genus Pitangus. By Geo. N. Lawrence. Read November 20, 1876. Ann. Lyc. Nat. Hist. New York . Vol. XI, 1876, pp. 288-290. Issued in Nos. 9, 10, December, 1876.
Page. 1. Pitanyus gabbii, n. s
1. Fungits gaoon, n. s
70 .
1875. LAWRENCE, GEORGE N. Descriptions of five New Species of American Birds. By Geo. N. Lawrence. < The Ibis, 3d series, Vol. v, July, 1875, pp. 383-387, Plate No. IX of Chlorospingus? speculiferus, Fig. 1, and Serpophaga leucura, Fig. 2.
Page.
1. Chlorospingus speculiferus, n. s. Porto Rico. .383, 384 2. Chlorospingus nigrifrons, n. s. Ecuador .384 3. Serpophaga leucura, n. s. Ecuador .384, 385 4. Orchilus atricapillus, n. s. Costa Rica, Angostura, Volcan de Irazu .385, 386 5. Empidonax nanus, n. s. Santo Domingo .386, 387
71 .
1876. LAWRENCE, GEORGE N. Birds of Southwestern Mexico, collected by Francis E. Sumichrast, for the U. S. National Museum. Prepared by George N. Lawrence. < Bull U. S. Nat. Mus., No. 4. Washington, 1876, pp. 1-56. TURDIDE.
Page.
1. Catharus occidentalis, Scl Sierra Madre, near Zapotitlan 11 2. Turdus mustelinus, Gm. Tehuantepec City 11 3. Turdus sivainsoni, Cab Tehuantepec 11 4. Turdus grayi, Bp. Tehuantepec 11 5. Turdus flavirostris, Sw Tehuantepec City 11, 12 6. Melanotis cærulescens (Sw.) Sierra Madre, near Zapotitlan 12 7. Harporhynchus curvirostris, (Sw.) Tehuacan 12 8. Minus polyglottus var. caudatus, Baird Tehuantepec City 12 9. Mimus gracilis, Cab Tehuantepec City 12
SYLVIIDÆ.
10. Polioptila cærulea, Linn Theuantepec 12 11. Polioptila albiloris, Scl. Tehuantepec 12 12. Polioptila nigriceps, Baird Tehuantepec, Quiotepec 12, 13
${\tt TROGLODYTID}{\it \rlap/E}.$
13. Campylorhynchus zonatus, LessTehuantepec
14. Campylorhynchus jocosus, Scl
15. Campylorhynchus humilis, Scl Tehuantepec, Tehuantepec City
16. Salpinctes obsoletus (Say) Tehuantepec
18. Thryothorus maculipectus, Lafr Tehuantepec
19. Thryothorus pleurostictus, Scl
MOTACILLIDÆ.
21. Anthus ludovicianus (Gm.)Tehuantepec City 14
MNIOTILTIDÆ.
22. Sciurus aurocapillus (Linn.) Tehuantenec 14
22. Seiurus aurocapillus (Linn.) Tehuantepec 14 23. Seiurus noveboracensis (Gm.) Tehuantepec 14 24. Seiurus ludovicianus (Aud.) Tehuantepec 15

4000	T		
1876.	LAWRENCE GEORGE N.—Continued.		Page.
		Tehuantepec	
		Tehuantepec, Tehuantepec City	
	21. Helminthophaga rujicajnua (Wille)	Tel:uantepec	15
		TehuantepecTehuantepec, Dondominguillo	
		Tehuantepec	
		Tehuantepec	
		Tehuantepec City	
		Tehuantepec City	
		Tehuantepec	
		d.Chiapas	
		Sierra Madre, near Zapotitlan	
		Tehuantepec	
		Tehuantepec	
	39. Myiodioctes pusillus var. pileolatus (Ps	-	
		Tehuantepec	16
		Tehuantepec	
		Tehuantepec	
		Chiapas	
		Sierra Madre, near Zapotitlan	
		Tehuantepec	
	45. Geothlypis philadelphia var. macgill		
		Tehuantepec, Tehuantepec City	17
		Tehuantepec	
	, ,	•	
	HIRUNDIN	IDÆ.	
		Tehuantepec	
		Tehuantepec City, Tehuacan	
		Tehuantepec City	
	50. Cotyte riparia (Linn.)	Tehuantepec City	17
	· VIREONI	T) AP	
	VIIIDONI	D15.	
	51. Vireosylvia flavoviridis, Cass	Tehuantepec	17
	52. Vireosylvia gilva var. swainsoni, Bairo	lTehuantepec	17
	53. Vireo noveboracensis (Gm.)	Tehuantepec	17
	54. Vireo flavifrons, Vieill	Tehuantepec, Chiapas	17
		Tehuantepec, Tehuantepec City, Chiapa	
	56. Vireo belli, Aud	Tehuantepec, Tehuantepec City	18
	57. Vireo hypochryseus, Scl	Quiotepec	18
		Tehuantepec	
	59. Cyclorhis flaviventris, Lafr	Tehuantepec	18
	T 4 27774		
	LANIII)	Æ.	
	60. Collurio ludovicianus var. excubitoroid	e8	
		Tehuantepec City	18
	(2,		10
	AMPELI	DÆ.	
		m • .	
	61. Ampelia cedrorum (Vieill.)	Tehuantepec	18
	TANAGRI	DÆ.	
		Tehuantepec, Tehuantepec City	
		Tehuantepec	
		Chiapas	
		Tehuantepec	
		Tehuantepec	
		Tehuantepec, Chiapas	
		Tehuantepec	
	73. Saltator atricevs. Less	Tehnantenec	19

	FRINGILLIDÆ.	Page.
74.	Hedymeles ludovicianus (Linn.)Tehuantepec	
	Cardinalis virginianus var. carneus,	
	Less Huamelula	. 20
76.	Guiraca cærulea (Linn.)Tehuantepec, Huitzo	. 20
77.	Guiraca parellina (Licht.)Tehuantepec City, Huallago	. 20
	Volatinia jacarina (Linn.) Tehuantepec	
79.	Phonipara pusilla (Sw.) Dondominguillo	. 20
	Cyanospiza cyanea (Linn.) Tehuantepec	
	Cyanospiza ciris (Linn.) Tehuantepec, Tehuantepec City	
	Cyanospiza leclancheri (Lafr.)Tehuantepec, Tehuantepec City	
	Cyanospiza rositæ, LawrTehuantepec	
	Euspiza americana (Gm.)	
	Passerculus savanna var. alaudinus, Bp. Tehuantepec City	
	Zonotrichia mystacalis, Hartl Tehuacan Spizella socialis (Wils.) Chiapas	
	Spizella socialis var. arizonæ, Coues Tehuantepec	
	Spizella atrigularis, Cab	
	Peucæa ruficeps var. boucardi, Scl Puente Colorado	
	Coturniculus passerinus (Wils.)Tchuantepec City	
	Embernagra rufivirgata, Lawr	
	Hæmophila rufescens, SwTehuantepec	
	Hæmophila ruficauda (Bonap.)Tehuantepec, Tehuantepec City	
	Hæmophila sumichrasti, LawrTehuantepec	
	Pipilo maculatus, SwCieneguilla	
97.	Pipilo albicollis, Scl	. 22
98.	Chondestes grammaca (Say)Tehuantepec	. 22
99.	Chrysomitris notata (Du Bus.) Chiapas	. 22
1 0 0.	ALAUDIDÆ. Eremophila alpestris var. chrysolæma (Wagl.)	. 22
	ICTERIDÆ.	
101	Granicalus malaulatama (Pr.) Takwantanan Takwantanan Cita	. 23
	Cassiculus melanicterus (Bp.)Tehuantepec, Tehuantepec City Cassicus prevosti (Less.)Tehuantepec	
	Icterus prosthemelas (Strickland)Tehuantepec	
	Icterus melanocephalus (Wagl.)Tehuantepec	
	Icterus mesomelas (Wagl.)Tehuantepec	
	Icterus gularis (Wagl.) Tehuantepec	
	Icterus pectoralis (Wagl.)	
	Icterus formosus, LawrTehuantepec	
	Icterus spurius var. affinis, LawrTehuantepec, Tehuantepec City	
	Molothrus æneus (Wagl.)Tehuantepec	
	Molothrus pecoris var. obscurus (Gm.) Tehuantepec City	
	Sturnella magna var. mexicana, Scl Tehuantepec	
	Quiscalus macrurus, Sw Tehuantepec	
114.	Quiscalus mexicanus, Cass Tehuantepec	. 24
	CORVIDÆ.	
115.	Cyanocitta coronata (Sw.)Cieneguilla	. 24
	Cyanocitta californica var. sumichrasti,	
	RidgNacaltepec	. 24
	Calocitta formosa (Sw.) Tehuantepec, Tehuantepec City	
	Xanthura guatemalensis (Bp.) Tehuantepec	
	Psilorhinus morio (Licht.) Tehuantepec	
120.	Corvus corax var, carnivorus, Bartram Tehuantepec	. 2
	DENDROCOLAPTIDÆ.	

TYRANNIDÆ.

TYRANNIDÆ. Page			
199	Attila citreopygius (Bp.)T		25
	Sayornis sayus (Bp.)		
	Sayornis nigricans (Sw.)		
	Todirostrum schistaceiceps, Scl		
	Oncostoma cinereigulare, Scl		
	Ornithion incanescens (Max.)		
	· ·	<u> </u>	
	Rhynchocyclus cinereiceps (Scl.)		
	Pitangus derbianus (Kaup)		
	Myiodynastes luteiventris, BpT	-	
	Megarhynchus mexicanus (Lafr.)		
	Muscivora mexicana, Scl	Tehuantepec	26
134.	Pyrocephalus rubineus var. mexicanus,		
		ehaantepec, Tehuantepec City	27
	Empidonax minimus (Baird)T		27
	Empidonax flaviventris (Baird)	Cehuantepec	27
137.	Empidonax traillii var. pusillus (Sw. &		
	Rich.)	ehuantepec City	27
	Empidonax hammondi (De Vesey)C		27
139.	Contopus borcalis (Sw.)	Cehuantepec	27
140.	Contopus pertinax, Cab. et Hein	Chiapas	27
141.	Contopus virens (Linn.)	Cehuantepec	27
142.	Contopus virens var. richardsonii (Sw.) T	Cehuantepec, Tehuantepec City	27
143.	Myiarchus crinitus (Linn.)	Cehuantepec City	27
	Myiarchus crinitus var. cooperi (Kaup) T		28
	Myiarchus cinerascens (Lawr.)		28
	Myiarchus lawrencei (Giraud)		
	Myiarchus flammulatus, Lawr		28
	Tyrannus melancholicus var. satrapa		
		ehuantepec, Dondominguillo	28
149.	Tyrannus crassirostris, SwT		28
	Tyrannus carolinensis (Gm.)		28
	Milvulus forficatus (Gm.)		28
101.	manual organization (Class)	on dancepoo, remainsopoe only	
	COTINGIDÆ		
152.	Tityra personata, Jard. & SelbT	ehuantepec	28
153.	Hadrostomus aglaiæ (Lafr.)	ondominguillo	28
	PIPRIDÆ.	•	
154	Chiroxiphia linearis (Bonap.)T	Chuantana	60
104.	Ontrostphia tinearis (Binap.)	endantepec	29
	MOMOTIDÆ		
	MOMOTIDA	•	
155.	Momotus lessoni, Less	ehuantenec	29
	Momotus mexicanus (Sw.)		
	Eumomota superciliaris (Sandb.)T	- ·	
	(30223)		-
	ALCEDINIDA	E.	
158.	Ceryle torquata (Linn.)	Cehuantepec	30
159.	Ceryle alcyon (Linn.)	`ehuantepec	30
160.	Ceryle amazona (Lath.)T	Cehuantepec	30
161.	Ceryle americana var. cabanisi, TschI	Cehuantepec	30
	Ceryle superciliosa (Linn.)		30
	•	-	
	BUCCONIDA	E.	
163.	Bucco dysoni, Gray	Pehuantepec	30
_00	•	-	30
	TROGONIDÆ	i.	
164	Trogon puella, Gould	Cehuanterec	31
	Trogon braccatus, Cab. et Hein		
	Trogon citreolus, Gould		
	*		

CAPRIMULGIDÆ.		
	age.	
167. Chordeiles texensis, LawrTehuantepec	31	
168. Antrostomus vociferus (Wils.)Tehuantepec City	31	
169. Nyctidromus albicollis (Gm.) Tehuantepec	31	
170. Nyctibius jamaicensis (Gm.)	32	
CYPSELIDÆ.		
171. Chætura vauxii (Towns.)	32	
TROCHILIDÆ.		
172. Campylopterus hemileucurus (Licht.)Chiapas	32	
173. Lampornis prevosti (Less.)Tehuantepec	32	
174. Trochilus colubris, Linn	32	
175. Heliomaster pallidiceps, Gould Tehuantepec	32	
176. Heliomaster leocadia (Bourc.) Tehuantepec City	32	
177. Heliomaster constanti (Delatt.)Chiapas	32	
178. Cyanomia cyanocephala (Less.)Tehuantepec	32	
179. Cyanomia violiceps (Gould)Tehuantepec	32	
180. Pyrrhophæna cinnamomea (Less.) Tehuantepec	32	
181. Pyrrhophæna devillei (Bourc.)	33	
182. Pyrrhophæna riefferi (Bourc.)Tehuantepec	33	
183. Thaumatias candidus (Bourc. et Muls.). Tehuantepec	33	
184. Circe doubledayi (Bourc.)Tehuantepec	33	
185. Chlorolampis canaveti (Less.)Tehuantepec	33	
CUCULIDÆ.		
186. Crotophaga sulcirostris, Sw Tehuantepec	33	
187. Diplopterus nævius (Linn.)Tehuantepec	33	
188. Piaya cayana (Linn.)	33	
189. Piaya ridibundus (Gm.)Tehuantepec City	33	
190. Morococcyx erythropygia (Less.)Tehuantepec, Tehuantepec City	34	
191. Geococcyx mexicanus (Gm.)Tohuantepec	34	
RAMPHASTIDÆ.		
192. Pteroglossus torquatus (Gm.)Tehuan tepec	34	
193. Campephilus guatemalensis (Hartl.) Tehuantepec, Tehuantepec City	34	
194. Dryocopus scapularis (Vig.)Tehuantepec	34	
195. Picus scalaris, WaglPuente Colorado	34	
196. Sphyrapicus varius (Linn.)Tehuantepec, Chiapas	35	
197. Chloronerpes æruginosus (Licht.)Tehuantepec, Chiapas	35	
193. Melanerpes formicivorus (Sw.) Tehuantepec, Chiapas	35	
199. Centurus aurifrons (Wagl.) Tehuantepec	35	
200. Centurus hypopolius (Wagl.)	35	
PSITTACIDÆ.		
201. Ara macao (Linn.)	35	
202. Ara militaris (Linn.)	35	
203. Conurus aztec, SouancéTehuantepec	35	
204. Conurus petzii (Leibl.)	36	
205. Brotogerys tovi (Gm.)	36	
206. Chrysotis farinosa (Bodd.)	36	
207. Chrysotis auropalliata (Less.)Tehuantepec	36	
208. Chrysotis levaillantii, Gray	36	
209. Chrysotis autumnalis (Linn.)	36	
210. Chrysotis albifrons, Sparrm	37 37	
STRIGIDÆ.		
212. Glaucidium ferruginium (Max.)Tehnantepec, Tehnantepec City, Chiapas.	37	
213. Glaucidium gnoma (Wagl.) Tehuantepec, Tehuantepec City, Chiapas.	37	
214. Speotyto cunicularia var. hypogæa (Bp.). Tehuantepec	37	
are speeds cancemarie rating poyees (141.). I chilante pec	٠,	

72 BULLETIN NO. 40, UNITED STATES NATIONAL MUSEUM.

1876. LAWRE	NCE GRORGE N.—Continued.	Pa	ıge.
215.	Bubo virginianus (Gm.)	.Tehuantepec City	
		.Tehuantepec City	
217.	Cicaba squamulata (Licht.)	.Tehuantepec City37	, 38
218.	Pulsatrix torquata (Daud.)	.Tehuantepec	38
219.	Strix flammea var. pratincola, Bp	.Tehuantepec City	38
	FALCONID	Æ.	
220.	Spizaëtus manduyti (Daud.)	.Tehuantepec	38
		.Tehuantepec	38
		.Tehuantepec, Ventosa Bay	38
		.Tehuantepec	39
		.Tehuantepec, Oaxaca	39
225.	Hypotriorchis femoralis (Temm.)	.Tehuantepec City	39
		.Tehuantepec City	39
227.	Asturina plagiata (Licht.)	.Tehuantepec, Tehuantepec City	39
22 8.	Rupornis magnirostris var. griseocauda,	.Tehuantepec	39
990	Geranoenica niara (Du Rus)	.Tehuantepec39	40
		.Tehuantepec, Tehuantepec City 40	
		Tehuantepec, Tehuantepec City	
		. Tehuantepec, Tehuantepec City	
		Tehuantepec, Tehuantepec City	
		.Tehuantepec City, Cacoprieto	
		.Tehuantepec	
		.Tehuantepec	
		.Tehuantepec City	
		Tehuantepec City	
		Tehuantepec, Tehuantepec City, Chiapas.	
		Tehuantepec	
		Tehuantepec42	
		Tehuantepec 42	
		Tehuantepec	
		Tehuantepec	
		Isthmus of Tehuantepec	
	CATHARTII	DÆ.	
246	Cathartee nana (Linn)	.Isthmus of Tehuantepec	43
		Isthmus of Tehnantepec	44
		Isthmus of Tehuantepec	
	COLUMBID	Æ.	
040	Orlean by Amelian data Wood	m.i	
		.Tehuantepec	
		. Chiapas	
		.Tehuantepec City	
		Tehuantepec City	
		Tehuantepec City	44 44
	CRACIDA	Σ.	
ore	Cras alobicara (Linn)	.Tehuantepec	44
		Tehuantepec	45
		Tehuantepec, Tehuantepec City	
		Tehuantepec	
	PERDICIDA	Æ .	
259.	Ortyx coyolcos, Gm	.Tehuantepec	4 5
	CRYPTURII	Æ.	
9£ 0		.Tehuantepec	4R
ardu.			20

CHARADRIIDÆ.	
261. Œdionemus bistriatus, Wagl	ge. 45 46 46
264. Agialitis semipalmata (Bp.) Tehuantepec	46
HÆMATOPIDÆ.	
266. Hæmatopus palliatus, Temm	
RECURVIROSTRIDÆ.	
268. Himantopus nigricollis, VieillTehuantepec	46
PHALAROPIDÆ.	
269. Lobipes hyperboreus (Linn.)Tehuantepec	46
SCOLOPACIDÆ.	
270. Macrorhamphus griseus var. scolopaceus	
(Say)Tehuantepec	46 47
LawrTehuantepec, Tehuantepec City	47 47
274. Actodromas maculata (Vieill.)Tehuantepec City	47
275. Calidris arenaria (Linn.)	47 47
277. Symphemia semipalmata (Gm.)	47
278. Gambetta melanoleuca (Gm.)	47 47
280. Rhyacophilus solitarius (Wils.)Tehuantepec, Tehuantepec City 281. Tringoides macularius (Linu.)Tehuantepec, Tehuantepec City	47 48
282. Numenius longirostris, Wils Tehuantepec	48
283. Numenius hudsonicus, LathamTehuantepec	48
TANTALIDÆ.	
284. Tantalus loculator, LinnTehuantepec	
CANCROMIDÆ.	
286. Cancroma cochlearia, Linn Tehuantepec	4 8
PLATALEIDÆ.	
287. Plataka ajaja, LinnTehuantepec	4 8
ARDEIDÆ.	
288. Ardea herodias, Linn	48 48
290. Demiegretta leucogastra var. leuco- prymna (Licht.)	48
291. Demiegretta rufa (Bodd.) Tehuantepec	49
292. Demiegretta pealei, Bp Tehuantepec City	49 49
294. Butorides virescens (Linn.)Tehuantepec, Tehuantepec City	49
295. Nyctiardea grisea var. nævia (Bodd.) Tehuantepec City	49 4 9
297. Tigrisoma cabanisi, HeinTehuantepec, Tehuantepec City, Venta Salada	49

74 BULLETIN NO. 40, UNITED STATES NATIONAL MUSEUM.

RALLIDÆ.	
I	age.
298. Aramus scolopaceus var. giganteus, Bp Tehuantepec	
299. Aramides albiventris, Lawr	
300. Gallinula galeata, Licht	
501. Futica americana, tili	. 50
PARRIDÆ.	
302. Parra gymnostoma, WaglTehuantepec	. 50
ANATIDÆ.	
303. Dendrocygna autumnalis (Linn.)	
PELECANIDÆ.	
305. Pelecanus fuscus, LinnVentosa Bay	. 50
306. Pelecanus crythrorhynchus, Gm Tehnantepec	
GRACULIDÆ.	
307. Graculus mexicanus, BrandtTehuantepec	. 50
PLOTIDÆ.	
308. Plotus anhinga, LinnTehuantepec	. 50
TACHYPETIDÆ.	
309. Tachypetes aquilus (Linn.)	. 51
LARIDÆ.	
310. Larus delawarensis, OrdTehuantepec	. 51
311. Larus californicus, LawrTehuantepec	
312. Chroicocephalus atricilla (Linn.)Tehuantepec	. 51
313. Gelochelidon anglica (Montagu)Tehuantepec	
314. Thalasseus maximus (Bodd.)Tehuantepec	
315. Thalasseus cantiacus (Gm.)Tehuantepec	
316. Sterna forsteri, Nutt	
317. Sterna doujalli, Mont	
318. Sterna antillarum, Less	
319. Hydrochelidon fissipes (Linn.)Tehuantepec 320. Rhynchops nigra, LinnTehuantepec	
PODICIPIDÆ.	
321. Sylbeocyclus dominicus (Linn.)Tehnantepec	. 52
72.	
1871. LAWRENCE, GEORGE N. Letter to Editor. < The Ibis, 3d series, Vol. 1, J	nlv
1871, p. 370.	
1. Porzana guatemalensis, Lawr	age. 370
2. Porzana concolor, Gosse.	
73 .	
1873. LAWRENCE, GEORGE N. Remarks on Neomorphus pucherani and its All	ies.
By Geo. N. Lawrence. < The Ibis, 3d series, Vol. 111, April, 1873, pp. 287-	
P	age.
1. Neomorphus geoffroyi (Temm.)Brazil	
2. Neomorphus salvini, Scl	
3. Neomorphus rufipennis (G. R. Gray).	, 293
4. Neomorphus pucherani (Deville)Pebas, Peru, Upper Amazons293	, 294

74.

1876.	LAWRENCE, GEORGE N. Description of a New Species of Jay of the Genus Cyanocitta; also of a supposed New Species of the Genus Cyanocorax. By Geo. N. Lawrence. Read October 11, 1875. Ann. Lyc. Nat. Hist. New York. Vol. XI, 1876, pp. 163-166.
	1. Cyanocitta pulchra, n. s. Quito, Ecuador. 163 2. Cyanocorax ortoni? Pacasmayo, Peru. 164-166
	75.
1876.	LAWRENCE, GEORGE N. Note on Muscipeta incanescens, Wied. By George N. Lawrence. < The Ibis, 3d series, Vol. VI, October, 1876, pp. 497, 498. Page.
	1. Muscipeta incanescens, Wied
	76.
1877.	LAWRENCE, GEORGE N. Letter dated New York, April 10th, 1876, to G. D. Rowley. < Ornithological Miscellany. Part VI. London, 1877, pp. 220, 221. Page.
	1. Somateria labradoria (J. F. Gmelin)
	77.
1877.	LAWRENCE, GEORGE N. Occurrence of the Barnacle Goose (Bernicla leucopsis) on Long Island, N. Y. By Geo. N. Lawrence. < Bull. Nutt. Ornith. Club. Vol. 11, No. 1, January, 1877, p. 18.
	1. Bernicla leucopsis, BoieLong Island, N. Y18
	78 .
1877.	LAWRENCE, GEORGE N. A Note on Cupidonia cupido var. pallidicinctus, Ridgway. By George N. Lawrence. Bull. Nutt. Ornith. Club. Vol. 11, No. 2, April, 1877, p. 52.
	Page. 1. Cupidonia cupido var. pallidicinctus, RidgwaySouthwestern Missouri 52
	79.
1877.	LAWRENCE, GEORGE N. Descriptions of New Species of Birds from the Island of Dominica. By George N. Lawrence. Read October 1, 1877. < Ann. New York Acad. of Sci. Vol. 1, 1879, pp. 46-49. Issued in Nos. 1, 2, Dec., 1877. Page.
	1. Thryothorus rufescens, n. s. 47 2. Dendræca plumbea, n. s. 47, 48 3. Myiarchus oberi, n. s. 48, 49
	80.
1877.	LAWRENCE, GEORGE N. Descriptions of New Species of Birds of the Families Trochilidæ and Tetraonidæ. By George N. Lawrence. Read October 15, 1877. Ann. New York Acad. Sci. Vol. 1, 1879, pp. 50-52. Issued in Nos. 1, 2, Dec., 1877.
	Page. Page. 1. Sporadinus bracei, n. s. New Providence, W. I. 50 2. Orthorhynchus emigrans, n. s. Venezuela .50, 51 3. Oyrtonyx sumichrasti, n. s. Santa Efigenia, Mexico ? .51, 52

81 .	
1877. LAWRENCE, GEORGE N. Note on Doricha enicura (Lawrence. < Bull. Nutt. Ornith. Club. Vol. 11, No. 108, 109.	4, October, 1877, pp.
1. Calothorax lucifer (Sw.) ♀Arizona	Page. 108.109
1. 000000000000000000000000000000000000	
82 .	
1977 LAWRENCE CHORGE N. A provisional list of the Direct	Dragnad and Natical
1877. LAWRENCE, GEORGE N. A provisional list of the Birds	
by Mr. Fred. A. Ober, in the Island of Dominica. Be <pre><forest 18,="" and="" dece<="" ix,="" new="" no.="" pre="" stream,="" vol.="" york.=""></forest></pre>	-
Porest and Stream, New York. Vol. 1x, No. 16, Dece	шоег 0, 1011, р. 545.
	Page.
1. Margarops herminieri (Lafr.)	
Margarops densirostris (Vieill.) Margarops montanus (Vieill.)	
4. Cinclocerthia ruficanda, Gould	
5. "Thrush"?	
6. Myiadestes genibarbis, Sw	
7. Thryothorus rufescens, Lawr	
8. Siurus nævius (Bodd.)	
9. Dendræca virens (Gm.)	
10. Dendræca petechia (Linn.)	
11. Dendræca plumbea, Lawr 12. Setophaga ruticilla (Linn.)	
13. Vireosylvia calidris var. dominicana, Lawr	
14. Progne dominicensis (Gm.)	
15. Certhiola dominicana, Taylor	
16. Euphonia flavifrons (Sparm.)	
17. Saltator guadeloupensis, Lafr	
18. Loxigilla noctis (Linn.)	
19. Phonipara bicolor (Linn.)	
20. Elainea martinica (Linn.) 21. Myiarchus oberi, Lawr	
22. Blacicus blancoi, Gund	
23. Tyrannus rostratus, Scl	
24. Eulampis jugularis (Linn.)	
25. Eulampis holosericeus (Linn.)	
26. Thalurania wagleri (Less.)	
27. Orthorhynchus exilis (Gm.)	
28. Chætura poliura (Temm.) 29. "Swift" f	
30. Ceryle alcyon (Linn.)	
31. Coccyzus minor (Gm.)	
32. Chrysotis augusta (Vig.)	
33. "Parrot" ?	345
34. Strix flammea var. nigrescens, Lawr	
35. Pandion haliaëtus (Linn.)	
36. Buteo pennsylvanicus (Wils.)	
37. Tinnunculus sparverius var. antillarum (Gm.)	
39. Phaëthon flavirostris, Brandt.	
40. Pelecanus fuscus (Linn.)	
41. Ardea candidissima (Gm.)	
42. Ardea cærulea, Linn	
43. Butorides virescens (Linn.)	
44. Columba corensis, Gm	
45. Zenaida martinica, Bp.	
46. Chamæpelia passerina (Linn.)	
48. Charadrius vivoinisus Porkh	245

 49. Strepsilas interpres (Linn.)
 345

 50. "Sand piper"?
 345

1877.	LAWRENCE, GEORGE N.—Continued. Page.
	51. Tringoides macularius (Linn.)
	52. "Tern"?
	53. Sterna antillarum (Less.) 345 54. Sterna fuliginosa (Gm.) 345
	55. Sterna anæstheta, Scop
	56. "Diablotin"?
	83 .
1878.	LAWRENCE, GEORGE N. Characters of a supposed new species of South
	American Thrush. By Geo. N. Lawrence. < The Ibis, 4th series, Vol. II,
	January, 1878, p. 57, Plate No. 1.
	Page.
	1. Turdus brunneus, n. s
	84.
1878	LAWRENCE, GEORGE N. On the Members of the Genus Gymnoglaux. By Geo.
1010.	N. Lawrence. < The Ibis, 4th series, No. 6, Vol. II, April, 1878, pp. 184-187.
	Page.
	1. Gymnoglaux nudipes (Daud.)Porto Rico
	2. Gymnoglaux newtoni, n. s
	85.
1878	LAWRENCE, GEORGE N. Description of a New Species of Parrot of the Genus
10.0.	Chrysotis. By George N. Lawrence. Read March 26, 1878. < Ann. New
	York Acad. Sci. Vol. 1,1879, pp. 125, 126. Issued in Nos. 3, 4, April, 1878.
	Page.
	1. Chrysotis lactifrons, n. s
	20
	86.
1878.	LAWRENCE, GEORGE N. Descriptions of Seven New Species of Birds from the
	Island of St. Vincent, West Indies. By George N. Lawrence. Read May
	13th, 1878. < Ann. New York Acad. Sci. Vol. 1, 1879, pp. 146-152. Issued
	in Nos. 5, 6, May-September, 1878.
	Page
	1. Turdus nigrirostris, n. s. St. Vincent, W. I. 146, 147 2. Myiadestes sibilans, n. s St. Vincent, W. I. 147, 148
	3. Thryothorus musicus, n. s
	4. Certhiola atrata, n. s. St. Vincent, W. I. 149
	5. Certhiola saccharina, n. sSt. Vincent, W. I
	6. Leucopeza bishopi, n. s St. Vincent, W. I
	7. Calliste versicolor, n. s
	87.
1878.	LAWRENCE, GEORGE N. Descriptions of Supposed New Species of Birds from
	the Islands of Grenada and Dominica, West Indies. By George N. Lawrence.
	Read June 3d, 1878. < Ann. New York Acad. Sci. Vol. 1, 1879, pp. 160-163.
	Issued in Nos. 5, 6, May-September, 1878.
	Page. 1. Thurdus against the second of Croppeds W. T. 160 161
	1. Turdus caribbæus, n. s
	3. Blacicus brunneicapillus, n. s
	4. Quiscalus luminosus, n. s

1879. LAWRENCE, GEORGE N. Catalogue of the birds of Dominica, from collections made for the Smithsonian Institution, by Frederick A. Ober, together with his notes and observations. By George N. Lawrence. < Proc. U. S. Nat. Mus. Vol. I, 1878, pp. 48-69.

	, , , , , , , , , , , , , , , , , , , ,	
	TURDIDÆ.	
		_
	Margarops herminieri (Lafr.)	52
	Margarops densirostris (Vieill.)	
	Margarops montanus (Vieill.)	
	Cinclocerthia ruficauda, Gould	
5.	Thrush?	53
	SYLVIIDÆ.	
R	Myiadestes genibarbis, Sw	54
٠.		, 0 4
	TROGLODYTIDÆ.	
7.	Thryothorus rufescens, Lawr	5 4
	SYLVICOLIDÆ.	
8.	Siurus nævius (Bodd.)	54
	Dendræca virens (Gm.)	
	Dendræca petechia (Linn.)	
	Dendræca plumbea, Lawr	
12.	Setophaga ruticilla (Linn.)	55
	VIREONIDÆ.	
13.	Vireosylvia calidris var. dominicana, n. s	, 56
	HIRUNDINIDÆ.	
14.	Progne dominicensis (Gm.)	576
	· CÆREBIDÆ.	
	OMKHDIDIE.	
15.	Certhiola dominicana, Taylor	56
	TANAGRIDÆ.	
16	Euphonia flavifrons (Sparm.)56	5.07
	Saltator guadeloupensis, Lafr	
11.	Sustation guardeoupenses, Lan.	31
	FRINGILLIDÆ.	
	FRINGIBLIDAE.	
18.	Loxigilla noctis (Linn.)	. 58
	Phonipara bicolor (Linn.)	
	· · · · · · · · · · · · · · · · · · ·	,
	TYRANNIDÆ.	
20	Elainea martinica (Linn.)	59
	Myiarchus oberi, Lawr	
	Blacicus brunneicapillus, Lawr	
23.	Tyrannus rostratus, Scl	60
	TROCHILIDÆ.	
0.4	The Lance of the Lance of Lance A	
	Eulampis jugularis (Linn.)	
	Eulampis holosericeus (Linn.)	
	Thalurania wagleri (Less.)	
27.	Orthorhynchus exilis (Gm.)	61
	CYPSELIDÆ.	
90	Chætura poliura (Temm.)	69
29.	- · · · · · · · · · · · · · · · · · · ·	62
49.	DWIIL!	nΖ

PUBLISHED WRITINGS OF GEORGE NEWBOLD LAWRENCE. 79 1879. LAWRENCE GEORGE N.—Continued.

ALCEDINIDÆ.	
30. Ceryle aleyon (Linn.)	age 60
	-
CUCULIDÆ.	
31. Coccyzus minor (Gu.)	62
$\mathtt{PSITTACID}\boldsymbol{\mathit{E}}.$	
32. Chrysotis augusta (Vig.)	2.63
33. ———, Parrot?	
STRIGIDÆ.	
34. Strix flammea var. nigrescens, n. s	4 6!
•	-,
FALCONIDÆ.	
35. Pandion haliaëtus (Linn.) 36. Buteo pennsylvanicus (Wils.)	
37. Tinnunculus sparverius var. antillarum (Gm.).	
$\mathbf{FREGATID}m{\mathcal{E}}.$	
38. Fregata aquila (Linn.)	65
PHAËTHONIDÆ.	
39. Phaëthon flavirostris, Brandt	5, 66
PELECANIDÆ.	
40. Pelecanus fuscus (Linn.)	66
	u
ARDEIDÆ.	
41. Ardea candidissima`(Gm.)	
42. Ardea cærulea (Linn.) 43. Butorides virescens (Linn.)	
	U
COLUMBIDÆ.	
44. Columba corensis, Gm	
45. Zenaida martinicana, Bp	
47. Geotrygon montana (Linn.).	
	•
CHARADRIIDÆ.	
48. Charadrius virginicus, Borkh	
49. Strepsilas interpres (Linn.)	67
SCOLOPACIDÆ.	
50. Sandpiper?	
51. Tringoides macularius (Linn.)	67
LARIDÆ.	
52. Tern.? (Sterna stolida?)	68
53. Sterna antillarum (Less.)	68
54. Sterna fuliginosa (Gm.)	
55. Sterna anæstheta, Scop	08
$\mathbf{PROCELLARID}\mathbf{\cancel{E}}.$	
56. "Diablotin"?	8. 69

89.

1879. LAWRENCE, GEORGE N. Catalogue of the birds of St. Vincent, from collections made by Mr. Fred. A. Ober, under the directions of the Smithsonian Institution, with his notes thereon. By George N. Lawrence. Dated July 22, 1878. < Proc. U. S. Nat. Mus. Vol. 1, 1878, pp. 185-198.</p>

TURDIDÆ.	_
	Page.
1. Turdus nigrirostris, Lawr	
2. Margarops herminieri (Lafr.)	
3. Margarops montanus (Vieill.)	
4. Cinclocerthia ruficauda, Gould	
5. Mimus gilvus, Vieill	187, 188
SYLVIIDÆ.	
6. Myiadestes sibilans, Lawr	188, 189
TROGLODYTIDÆ.	
7. Thryothorus musicus, Lawr	100
1. Intryumorus musicus, Lawi	108
SYLVICOLIDÆ.	
8. Leucopeza bishopi, Lawr	189
9. Setophaga ruticilla (Linn.)	189
VIREONIDÆ.	
10. Vireosylvia calidris var. dominicana, Lawr	189
,,,	
HIRUNDINIDÆ.	
11. Progne dominicensis (Gm.)	190
CÆREBIDÆ.	
CAREBIDA.	
12. Certhiola atrata, Lawr	190
13. Certhiola saccharina, Lawr	
TANAGRIDÆ.	
14. Euphonia flavifrons (Sparm.)	190
15. Calliste versicolor, Lawr	190
10. Ouwer to	100
FRINGILLIDÆ.	
16. Loxigilla noctis (Linn.)	
17. Phonipara bicolor (Linn.)	191
ICTERIDÆ.	
-	
18. Quiscalus —— f	191
TYRANNIDÆ.	
19. Elainea martinica (Linn.)	191
20. Myiarchus oberi, Lawr	
21. Tyrannus rostratus, Scl.	
as ay william , our wowe, Notes	101
TROCHILIDÆ.	
22. Eulampis jugularis (Linn.)	
23. Eulampis holosericeus (Linn.)	
24. Orthorhynchus ornatus, Gould?	192
CYPSELIDÆ.	
OII SELLUE.	

PUBLISHED WRITINGS OF GEORGE NEWBOLD LAWRENCE. 81 1879. LAWRENCE, GEORGE N.—Continued.

	ALCEDINIDAE.	Page.
26. Ceryle a	okyon (Linn.)	193
	${f CUCULID}{m x}.$	
27. Coccyzus	s minor (Gm.)	193
28. Crotophe	aga ani, Linn	193
	PSITTACIDÆ.	
	PSITIACIDA.	
29. Chrysoti	is guildingi (Vigors)	193, 194
	CONTAIN T	
	STRIGIDÆ.	
30. Strix fla	ımmea var. nigrescens, Lawr	194
•		
	FALCONIDÆ.	
31. Pandion	n haliaëtus (Linn.)	194
	ennsylvanicus (Wils.)	
33. Urubitin	nga anthracina (Nitzeh) ?	194, 195
	FREGATIDÆ.	
34. Fregata	aquila (Linn.)	195
	PHAËTHONIDÆ.	
	PHAETHUNIDÆ.	
35. Phaëtho	n æthereus (Linn.)	195
	DWL DG / WID W	
	PELECANIDÆ.	
36. Pelecant	us fuscus (Linn.)	196
37. Sula fibe	er (Linn.)	196
	ARDEIDÆ.	
	erodias, Linn	
	a candidissima (Gm.) cærulea (Linn.)	
	les virescens (Linn.)	
	,,	
	COLUMBIDÆ.	
42. Columba	a corensis (Gm.)	169
43. Zenaida	martinicana, Bp	196
44. Chamæj	pelia passerina (Linn.)	196
45. Geotryge	on montana (Linn.)	196, 197
	RALLIDÆ.	
40 D		100
40. Porphyr	rio martinicus (Linn.)	
	CHARADRIIDÆ.	
.= ~ .		
	rola helvetica (Linn.)	
	rius virginicus, Borkhis semipalmata (Bp.)	
	as interpres (Linn.)	
•	,	
	SCOLOPACIDÆ.	
51. Himant	topus nigricollis (Vieill.)	197
	go wilsoni (Temm.)	
	minutilla, Vieill	
54. Calidris	s arenaria (Linn.)	197
	ta flavipes (Gm.)	
	des macularius (Linn.)	
	ius longirostris (Wils.)	18
Bull. 40, 1	N. M.——6	

LARIDÆ.
Page 58. Sterna mazima, Bodd
PODICIPITIDÆ.
59. Podiceps — 1
90.
1879. LAWRENCE, GEORGE N. Catalogue of the birds of Antigua and Barbuda, from collections made for the Smithsonian Institution by Mr. Fred. A. Ober, with his observations. By George N. Lawrence. Dated Nov. 14, 1878.
Antigua.
TURDIDÆ.
1. Margarops densirostris (Vieill.)
SYLVICOLIDÆ.
2. Siurus nœvius (Bodd.). 23 3. Siurus motacilla (Vieill.) 23 4. Dendrœa petechia (Linn.) 23 5. Setophaga ruticilla (Linn.) 23
VIREONIDÆ.
6. Vireosylvia calidris (Linn.)
CÆREBIDÆ.
7. Certhiola dominicana, Taylor23
FRINGILLIDÆ.
8. Loxigilla noctis (Linn.)
TYRANNIDÆ.
10. Tyrannus rostratus, Scl
TROCHILIDÆ.
. 11. Eulampis holosericeus (Linn.)
CUCULIDÆ.
13. Coccyzus minor (Gm.)
$\textbf{STRIGID} \boldsymbol{\textit{\textbf{E}}}.$
14. Speotyto amaura, n. s234-236
FALCONIDÆ.
15. Pandion haliaëtus (Linn.) 230 16. Tinnunculus sparverius var. antillarum (Gm.) 231 17. Buteo pennsylvanicus (Wils.) ? 231 18. Falco — f 232
FREGATIDÆ.
19. Fregata aquila (Linn.)
PELECANIDÆ.
20. Pelecanus fuscus (Linn.) 236

PUBLISHED WRITINGS OF GEORGE NEWBOLD LAWRENCE. 83

	ARDEIDÆ.	
21.	Garzetta candidissima (Gm.)	236
22.	Florida cærulea (Linn.)	236
	Butorides virescens (Linn.)	
24.	Ardea herodias (Linn.)	236
	${ m COLUMBID}ar{E}.$	
25.	Chamæpelia passerina (Linn.)	237
	Columba leucocephala (Linn.)	
27 .	Zenaida martinicana, Bp	237
	$\texttt{TETRAONID} \boldsymbol{\mathit{\rlap{E}}}.$	
28.	Ortyx virginianus (Linn.)	237
	RALLIDÆ.	
29.	Rallus —— ?	237
	Fulica —— ?	
	(III A D A DDIIID E	
	$\mathbf{CHARADRIID}\mathbf{\pounds}.$	
31.	Charadrius virginicus, Borkh	238
	. SCOLOPACIDÆ.	
29	Himantopus nigricollis (Vieill.)	926
	Gallinago wilsoni (Temm.)	
	Ereunetes petrificatus (III.)	
35.	Symphemia semipalmata (Gm.)	238
	Gambetta melanoleuca (Gm.)	
	Rhyacophilus solitarius (Wils.)	
JO.	numentus nuusunuus (Datii.)	200
	LARIDÆ.	
39.	Sterna dougalli, Mont	239
	Sterna !	
41.	Larus atricilla (Linn.)	239
	ANATIDÆ.	
4 2.	Dafila bahamensis (Linn.)	239
	. BARBUDA.	
	THE DATE AS	
	${\tt TURDID} \boldsymbol{\cancel{E}}.$	
1.	Cinclocerthia rusicauda, Gould	239
	${\tt SYLVICOLID}\bm{\pounds}.$	
2.	Dendræca petechia (Linn.)	239
	CŒREBIDÆ.	
2	Certhiola dominicana, Tuylor	926
υ.		204
	$\textbf{FRINGILLID}\boldsymbol{\textit{\textbf{E}}}.$	
	Loxigilla noctis (Linn.)	
5.	Phonipara bicolor (Linn.)	23
	TYRANNIDÆ.	
6.	Myiarchus oberi, Lawr	239
	Tyrannus rostratus, Scl.	

84 BULLETIN NO. 40, UNITED STATES NATIONAL MUSEUM.

	TROCHILIDÆ.	
	Eulampis holosericeus (Linn.)	
•.	CUCULIDÆ.	- 2/21
10.	Coccyzus minor (Gm.)	. 240
	FALCONIDÆ.	
11.	Tinnunculus sparverius var. antillarum (Gm.)	. 240
	Falco communis var. anatum Bp.f	
	FREGATIDÆ.	
13.	Fregata aquila (Linn.)	. 240
	PHAËTHONIDÆ.	
14.	Phaëthon flavirostris, Brandt	. 240
	PELECANIDÆ.	
15.	Pelecanus fuecus (Linn.)	240
	ARDEIDÆ.	
	Ardea herodias, Linn	
17.	Herodias egretta (Gm.) †	241
19.	Butorides virescens (Linn.)	241
	ANATIDÆ.	
90	Dafila bahamensis (Linn.)	941
	Clangula glaucion (Linn.).	
	COLUMBIDÆ.	
	Columba leucocephala, Linn	
	Chamæpelia passerina (Linn.)	
	NUMIDIDÆ.	
25	Numida meleagris, Linn. Introduced	241
	RALLIDÆ.	
	Rallus —— †	
27.	Fulica — 1	241
	CHARADRIIDÆ.	
	Charadrius virginicus, Borkh	
29.	Egialitis semipalmata (Bp.)?	241
	SCOLOPACIDÆ.	
30.	Himantopus nigricollis (Vieill.)	242
	Gallinago wilsoni (Temm.)	
	Ereunetes petrificatus (III.)	
	Symphemia semipalmata (Gm.) Gambetta flavipes (Gm.)	
	Rhyacophilus solitarius (Wils.)?	
	Numenius hudsonicus (Lath.)	
	LARIDÆ.	
37.	Sterna maxima, Bodd. ?	242
	Larus atricilla, Linn	
	PODICIPITIDÆ.	
39.	Podilymbus podiceps (Linn.)?	242

1879. LAWRENCE, GEORGE N. Description of a New Species of Cypselidæ of the Genus Chætura. By George N. Lawrence. Read November 11, 1878. < An New York Acad. of Soi. Vol. 1, 1879, pp. 255, 256. Issued in Nos. 7, 8, SepDec., 1878.	n.
Pag 1. Chætura dominicana, n. s	
92.	
1879. LAWRENCE, GEORGE N. Catalogue of the birds of Grenada, from a colletion made by Mr. Fred. A. Ober for the Smithsonian Institutien, including others seen by him, but not obtained. By George N. Lawrence. Date Dec. 10, 1878. < Proc. U. S. Nat. Mus. Vol. I, 1878, pp. 265-278.	ng
TURDIDÆ.	ze.
1. Turdus nigrirostris, Lawr 2 2. Turdus carribbœus, Lawr 267, 2 3. Mimus gilvus, Vicill 2	267 268
TROGLODYTIDÆ.	
4. Thryothorus grenadensis, Lawr	?68
SYLVICOLIDÆ.	
5. Setophaga ruticilla (Linn.)	2 6 8
VIREONIDÆ.	
6. Vireosylvia calidris var. dominicana, Lawr	269
HIRUNDINIDÆ.	
7. Progne dominicensis (Gm.)?	269
CŒREBIDÆ.	
8. Certhiola atrata, Lawr	269
TANAGRIDÆ.	
9. Euphonia flavifrons (Sparm.) 2 10. Calliste versicolor, Lawr 2	
${\bf FRINGILLID}{\bf \it \it$	
11. Loxigilla noctis (Linn.)212. Phonipara bicolor (Linn.)2	
ICTERIDÆ.	
13. Quiscalus luminosus, Lawr	:70
TYRANNIDÆ.	
14. Elainea martinica (Linn.) 2 15. Myiarchus oberi, Lawr 2	
16. Tyrannus rostratus, Scl	
17. Tyrannus melancholicus, Vieill	71
TROCHILIDÆ.	
18. Glaucis hirsutus (Gm.) 2 19. Eulampis holosericeus (Linn.) 2	
20. Orthorhynchus cristatus (Linn.)	
CYPSELIDÆ.	•
21. Chatura — 1	72

	ALCEDINID.E. P.	age.
22.	Ceryle aleyon (Linn.)	272
	CUCULIDÆ.	
23.	Coceyzus minor (Cim.) 272 Crotophaga ani, Liun	., 273 273
۵4.	Crotophaga ant, man	210
	STRIGIDÆ.	
25.	Strix flammea var. nigrescens, Lawr	273
	FALCONIDÆ.	
26.	Pandion haliaëtus (Linn.)	273
	Buteo pennsylvanicus (Wils.)	
28.	Tinnunculus sparverius var. antillarum (Gm.).	214
	FREGATIDÆ.	
29.	Fregata aquila (Linn.)	274
	PHAËTHONIDÆ.	
30.	Phaëthon æthereus, Linn	274
	DWI DG ANAD D	
	PELECANIDÆ.	
31.	Pelecanus fuscus, Linn	274
32.	Sula fiber (Linn.).	2/4
	ARDEIDÆ.	
33.	Ardea herodias, Linn.	274
34.	Garzetta candidissima (Gm.)	274
	Florida cærulea (Linn.)	
	Butorides virescens (Linn.) Nyctiardea violacea (Linn.)	
31.	Trycturaea vootacea (Ellin.)	210
	PLATALEIDÆ.	
38.	Platalea ajaja (Linn.)	275
	COLUMNIA T	
	COLUMBIDÆ.	
39.	Columba corensis, Gm	275
	Zenaida martinicana, Bp	
	Geotrygon montana (Linn.)	
	KALLIDÆ.	
	Gallinula galeata (Licht.)	
	Porzana — † Fulica — †	
20.		2,0
	CHARADRIIDÆ.	
46.	Charadrius virginicus, Borkh	276
	SCOLOPACIDÆ.	
	Tringoides macularius (Linn.)276	
4 8.	Numenius hudsonicus (Lath.)?	277
	LARIDÆ.	
49.	Anous stolidus (Linn.)	277
	Standard market Bodd	075

TANAGRIDÆ.

 13. Euphonia flavifrons (Sparm.)
 354

 14. Saltator guadeloupensis, Lafr.
 354, 355

FRINGILLIDÆ.	
15. Loxigilla noctiv (Linn.)	ige.
16. Phonipara bicolor (Linn.)	
ICTERIDÆ.	
17. Icterus bonana (Linn.)	255
18. Quiscalus infexirostris, Sw	
TYRANNIDÆ.	
19. Elainea martinica (Linn.)	357
20. Myiarchus sclateri, n. s	358
21. Tyrannus rostratus, Scl	358
TROCHILIDÆ.	
22. Eulampis jugularis (Linn.)	358
23. Eulampis holosericeus (Linn.)	
24. Orthorhynchus ezilis (Gm.)	358
CYPSELIDÆ.	
25. Chætura — !	359
ALCEDINIDÆ.	
00 G 1 1 (7)	050
26. Ceryle aleyon (Linn.)	308
CUCULID.E.	
27. Coccyzus minor (Gm.)	35 9
FALCONIDÆ.	
28. Tinnunculus sparverius var. antillarum (Gm.)	359
FREGATIDÆ.	
29. Fregata aquila (Linn.)	359
PHAËTHONIDÆ.	
30. Phaëthon flavirostris, Brandt	359
PELECANIDÆ.	
31. Pelecanus fuscus (Linn.)	359
ARDEIDÆ.	
32. Ardea herodias (Linn.)	
33. Florida cœrulea (Linn.) 34. Butorides virescens (Linn.)	
COLUMBIDÆ.	
35. Columba corensis (Gm.)	360 360
37. Chamæpelia passerina (Linn.)	
38. Geotrygon montana (Linn.)	
SCOLOPACIDÆ.	
39. Tringoides macularius (Linn.)	360
LARIDÆ.	
40. Sterna dovaalli Mont	360

1879.	LAWRENCE, G	EORGE 1	V. Catalogue	of a collection	n of birds obta	ained in Guade-
	loupe for th	e Smiths	onian Institut	ion, by Mr. F	red. A. Ober.	By George N.
	Lawrence,	Dated	Dec. 31, 1878.	<pre>C. U. A.</pre>	S. Nat. Mus., V	Vol. 1, 1878, pp.
	449-462.					

	TURDIDÆ.	
	Pag	
	Margarops herminieri (Lafr.)452,4	
2.	Margarops densirostris (Vieill.)	153
	Margarops montanus (Vieill.)	
4.	Cinclocerthia ruficauda, Gould	193
	TROGLODYTIDÆ.	
5.	Thryothorus rufescens, Lawr	153
	SYLVICOLIDÆ.	
6.	Siurus nævius (Bodd.)	153
7.	Dendræca petechia var. melanoptera, n. s	154
	Dendræca plumbea, Lawr	
9.	Setophaga ruticilla (Linn.)	154
	VIREONIDÆ.	
10.	Vireosylvia calidris var. dominicana, Lawr	154
	HIDDING NA	
	HIRUNDINIDÆ.	
11.	Hirundo horreorum, Barton	1 55
	(CIDNETS V	
	CŒREBIDÆ.	
12.	Certhiola dominicana, Taylor	4 55
	MANA ODTO TO	
	TANAGRIDÆ.	
13.	Euphonia flavifrons (Sparm.)	456
	Saltator guadeloupensis, Lair	
	TOTAL CALL TO THE	
	FRINGILLIDÆ.	
15.	Loxigilla noctis (Linn.)	157
16.	Phonipara bicolor (Linn.)	4 57
	ICTERIDÆ.	
17	Quiscalus guadeloupensis, n. s457,	450
11.	Quecusto guantito aprilibrio, in a	100
	TYRANNIDÆ.	
••	Elainea martinica (Linn.).	
18.	Etainea martinica (Linn.)	108
	TROCHILIDÆ.	
	The Land Control of The A	
	Eulampis jugularis (Linn.)	
	Eulampis holosericeus (Linn.) Orthorhynchus exilis (Gm.)	
21.	Ormornynenus exus (Gm.)	109
	CYPSELIDÆ.	
22	Cypseloides niger (Gm.)	450
	Service of the servic	0
	ALCEDINIDÆ.	
23.	Ceryle alcyon (Linn.)	459
	Ceryle torquata (Linn.)	
		-
	PICIDÆ.	
25.	Melanerpes l'herminieri (Loss.)	459

1879. LAWRENCE, GEORGE N.-Continued.

	CUCULIDÆ.
26.	Coccyzus minor (Gm.) Page.
	FALCONIDÆ.
27.	Tinnunculus sparverius var. antillarum (Gm.)
	PHAETHONIDÆ.
28.	Phaëthon æthereus (Linn.)
	ARDEIDÆ.
	Butorides virescens (Linn.) 460 Nyctiardea violacea (Linn.) 460
30.	COLUMBIDÆ.
	Columba corensis, Gm
	Zenaida martinicana, Bp
	Chamæpelia passerina (Linn.) 460 Geotrygon mystacea (Temm.) 460, 461
	RALLIDÆ.
	Rallus crepitans, Gm
	CHARADRIIDÆ.
	Charadrius virginicus, Borkh
	SCOLOPACIDÆ.
39.	Tringa maculata (Vieill.)
	Ereunetes petrificatus (Ill.)
41.	Rhyacophilus solitarius (Wils.)
	LARIDÆ.
42.	Larus atricilla, Linn
43.	Sterna maxima, Bodd
44.	Sterna dougalli, Mont
45.	Sterna fuliginosa (Gm.)
	95.
Isla sho Geo	ENCE, GEORGE N. A general catalogue of the birds noted from the nds of the Lesser Antilles visited by Mr. Fred. A. Ober; with a table wing their distribution, and those found in the United States. By rge N. Lawrence. Dated March 20, 1879. < Proc. U. S. Nat. Mus., Vol. 878, pp. 486-488.
	BIRDS OF THE LESSER ANTILLES.
1	Page. 1. Turdus nigrirostris, Lawr
	2. Turdus caribbœus, Lawr
	3. Turdus —— ?
	Margarops herminieri (Lafr.)
	5. Margarops densirostris (Vieill.)
	3. Margarops montanus (Vieill.)
7	7. Ramphocinclus brachyurus (Vieill.)

8. Cinclocerthia ruficauda, Gould 486
9. Cinclocerthia gutturalis, Lafr. 486

1879.	LAWRE	NCE, GEORGE N.—Continued.	Page.
	10.	Mimus gilvus, Vieill	486
		Myiadestes genibarbis, Sw	
		Myiadestes sibilans, Lawr	
		Thryothorus rufescens, Lawr	
		Thryothorus musicus, Lawr	
		Thryothorus grenadensis, Lawr	
		Thryothorus martinicensis, Scl	
		Siurus nævius (Bodd.)	
		Siurus motacilla (Vieill.) Dendræca virens (Gm.)	
		Dendræca plumbea, Lawr	
		Dendræca petechia var. ruficapilla (Gm.)	
		Dendræca petechia var. melanoptera, Lawr	
		Dendræca rufigula, Baird	
		Leucopeza bishopi, Lawr	
		Setophaga ruticilla (Linn.)	
	26.	Vireosylvia calidris (Linn.)	486
	27.	Vireosylvia calidris var. dominicana, Lawr	486
	28 .	Progne dominicensis (Gm.)	487
		Hirundo horreorum, Barton	
		Certhiola dominicana, Taylor	
		Certhiola saccharina, Lawr	
		Certhiola atrata, Lawr	
		Certhiola martinicana, Reich	
		Euphonia flavifrons (Sparm.)	
		Calliste versicolor, Lawr Saltator guadeloupensis, Lafr	
		Loxigilla noctis (Linn.)	
		Phonipara bicolor (Linn.)	
		Quiscalus luminosus, Lawr	
		Quiscalus inflexirostris, Sw	
		Quiscalus guadeloupensis, Lawr	
		Icterus bonana (Linn.)	
	43.	Elainea martinica (Linn.)	487
	44.	Myiarchus oberi, Lawr	487
	45.	Myiarchus sclateri, Lawr	487
		Blacicus brunneicapillus, Lawr	
		Tyrannus rostratus, Scl	
		Tyrannus melancholicus, Vieill	
		Glaucis hirsutus (Gm.)	
		Eulampis jugularis (Linn.)	
		Eulampis holosericeus (Linn.)	
		Thalurania wagleri (Less.)	
		Orthorhyncus exilis (Gm.) Orthorhyncus ornatus, Gould	
		Orthorhyncus cristatus (Linn.)	
		Chætura dominicana, Lawr	
		Chætura sp. ?	
		Chætura sp. ?	
		Swift sp. f	
	60.	Cypseloides niger (Gm.)	487
	61.	Melanerpes l'herminieri (Less.)	487
	62.	Ceryle alcyon (Linn.)	487
		Ceryle torquata (Linn.)	
		Coccyzus minor (Gm.)	
		Crotophaga ani, Linn	
		Chrysotis augusta (Vig.)	
		Chrysotis guildingi (Vig.)	
		Parrot sp. f	
		Strix flammea var. nigrescens, Lawr	
		Spectyto amaura, Lawr	
		Buteo pennsylvanicus (Wils.)	
		Urubitinga anthracina (Nitzch.) ?	
			,

1879.	LAWRE	NCE, GEORGE N.—Continued.	Page.
	74.	Falco communis var. anatum, Bp.?	. 487
	75.	Tinnunculus sparverius var. antillarum (Gm.)	. 487
	76.	Fregata aquila (Linn.)	. 487
	77.	Phaëthon æthereus (Linn.)	. 487
	78.	Phaëthon flarirostris (Brandt)	. 487
	79 .	Pelecanus fuscus (Linn.)	. 487
	80.	Sula fiber (Linn.)	. 487
	81.	Ardea herodias, Linn	. 487
	82.	Herodias egretta (Gm.) l	. 487
	83.	Garzetta candidissima (Gm.)	. 487
	84.	Florida cærulea (Linn.)	. 487
		Butorides virescens (Linn.)	
		Nyctiardea violacea (Linn.)	
		Platalea ajaja (Linn.)	
		Dafila bahamensis (Linn.)	
		Clangula glaucion (Linn.)	
		Columba corensis (Gm.)	
		Columba leucocephala, Linn	
		Zenaida martinicana, Bp	
		Chamæpelia passerina (Linn.)	
		Geotrygon montana (Linn.)	
		Geotrygon mystacea (Temm.)	
		Numida meleagris (Linn.)	
		Ortyx virginianus (Linn.)	
		Rallus crepitans (Gin.)	
		Porzana — f	
		Porphyrio martinicus (Linn.)	
		Gallinula galeata (Licht.)	
		Fulica — !	
		Squatarola helvetica (Linn.)	
		Charadrius virginicus (Borkh.)	
	105.	Ægialitis semipalmata (Bp.)	488
		Strepsilas interpres (Linn.)	
	107.	Himantopus nigricollis (Vieill.)	488
	108.	Gallinago wilsoni (Temm.)	488
	109.	Tringa minutilla (Vieill.)	488
	110.	Tringa maculata (Vieill.)	488
		Calidris arenaria (Liun.)	
	112.	Ereunetes petrificatus (Ill.)	488
	113.	Symphemia semipalmata (Gm.)	488
	114.	Gambetta flavipes (Gm.)	488
		Gambetta melanoleuca (Gm.)	
		Rhyacophilus solitarius (Wils.)	
	117.	Tringoides macularius (Linn.)	488
	118.	Numenius longirostris (Wils.)	488
		Numenius hudsonicus (Lath.)	
	120.	Anous stolidus (Linn.)	488
	121.	Sterna maxima (Bodd.)	488
	122.	Sterna dougalli, Mont	488
		Sterna antillarum (Less.)	
		Sterna fuliginosa (Gm.)	
		Sterna anæstheta (Scop.)	
		Larus atricilla (Linn.)	
		Æstrelata — ?	
	128.	Podilymbus podiceps (Linn.)?	488

96.

1880. LAWRENCE, GEORGE N. Description of a New Species of Bird of the Family Turdidæ, from the Island of Dominica, W. I. By Geo. N. Lawrence. Dated April 1, 1880. < Forest and Stream, New York, Vol. XIV, No. 9, April 1, 1880, p. 165.

						,		Page
1.	Margarops	dominicensis,	n. s	.Island of	Dominica,	West 1	Indies	185

1880. LAWRENCE, GEORGE N. Descriptions of two New Species of Parrots and a new Pigeon from South America. By George N. Lawrence. < The Ibis, 4th series, Vol. IV, April, 1880, pp. 237-239.
Page.
1. Chrysotis cœligena, n. s Guiana 237, 238 2. Brotogerys ferrugineifrons, n. s Bogotá, New Grenada 238 3. Melopelia plumbescens, n. s Guiana 238, 239
98.
1881. LAWRENCE, GEORGE N. Description of a new species of bird of the family
Turdidæ, from the Island of Dominica, W. I By Geo. N. Lawrence. Dated Feb. 1, 1880. < Proc. U. S. Nat. Mus., Vol. III, 1880, pp. 16, 17.
Page. 1. Margarops dominicensis, n. s
99.
1881. LAWRENCE, GEORGE N. Description of a new species of parrot of the genus
Chrysotis, from the Island of Dominica. By George N. Lawrence. Dated June 15, 1880. < Proc. U. S. Nat. Mus., Vol. III, 1880, pp. 254-257.
ISLAND OF DOMINICA, WEST INDIES.
Page. 1. Chrysotis nichollsi, n. s
2. Euphonia flavifrons (Sparm.)
3. Myiadestes genibarbis, Sw
4. Elainea martinica (Linn.)
5. Ereunetes petrificatus (III.)
6. Charadrius virginicus, Borkh
8. Chrysotis nichollsi, Lawr
9. Nyetiardea violacea (Linn.) 257
10. Charadrius virginicus, Borkh
11. Anous stolidus (Linn.)
12. Strix flammea var. nigrescens, Lawr
13. Tringa minutilla, Vieill
100.
1881. LAWRENCE, GEORGE N. Description of a new species of Icterus, from the
West Indies. By George N. Lawrence. Dated October 15, 1880. < Proc.
U. S. Nat. Mus., Vol. III, 1880, p, 351.
Page
1. Icterus oberi, n. s
101.
1000 T. superior Change N. Description of a new subspecies of Louisille Com-
1882. LAWRENCE, GEORGE N. Description of a new subspecies of Loxigilla, from the Island of St. Christopher, West Indies. By George N. Lawrence. Dated June 10, 1881. Proc. U. S. Nat. Mus. , Vol. IV, 1881, pp. 204, 205.
Page.
1. Loxigilla portoricensis var. grandis, n. sub-sp
102.
1999 I manage Character V Description Co. New Const. of Charlet Calls Comme
1882. LAWRENCE, GEORGE N. Description of a New Species of Swift of the Genus Chætura, with Notes on two other little-known Birds. By George N. Lawrence. Read February 6, 1882. Ann. N. Y. Acad. Sci., Vol. II, 1882, pp. 245-248. Issued in Nos. 7, 8, March, 1882.
Page, 1. Chætura gaumeri, p. s

 1. Contopus albicollis, n. s.
 Yucatan
 156

 2. Chætura yucatanica, n. s.
 Silam, Yucatan
 156, 157

 3. Engyptila gaumeri, n. s.
 Silam, Yucatan
 157, 158

109.

1885.	LAWRENCE, GEORGE N. Description of a New Species of Bird of the Genus Engyptila, with Notes on two Yucatan Birds. By George N. Lawrence. Read October 26, 1885.

114.

1887. LAWRENCE, GEORGE N. A catalogue of the birds of Grenada, West Indies, with observations thereon. By John Grant Wells, of Grenada. Edited by George N. Lawrence. Dated October, 1886. < Proc. U. S. Nat. Mus., Vol. 1x, 1886, pp. 609-633; pp. 609-624 issued February 24, 1877, and pp. 625-633 issued March 9, 1887.

100 U	eu maren e, 1001.
	TURDIDÆ.
_	Page,
	Turdus nigrirostris, Lawr
	Turdus gymnopthalmus, Cab
٥.	Minus guous, vielli
	TROGLODYTIDÆ.
4.	Thryothorus grenadensis, Lawr
	MNIOTILTIDÆ.
5	Dendroica petechia (Linn.)
	Seiurus nævius (Bodd.)
	Setophaga ruticilla (Linn.)
•	· · · · · · · · · · · · · · · · · · ·
	VIREONIDÆ.
8.	Vireosylvia calidris var. dominicana, Lawr
	HIRUNDINIDÆ.
9.	Progne dominicensis (Gm.)
10.	Hirundo erythrogastra, Bold 612
	CŒREBIDÆ.
	Certhiola atrata, Lawr
	Certhiola saccharina, Lawr
12.	Cornewa successing, 11am 1
	TANAGRIDÆ.
13.	Euphonia flavifrons (Sparrm.)
	Calliste versicolor, Lawr
	FRINGILLIDÆ.
15	Loxigilla noctis (Linn.)
	Spermophila gutturalis (Licht.)
	Euethia bicolor (Linn.)
	Volatinia jacarina (Linn)
	ICTERIDÆ.
	Quiscalus luminosus, Lawr
20.	Dolichonyx oryzivorus (Linn.)
	TYRANNIDÆ.
21.	Elainea martinica (Linn.)
	Myiarchus oberi (Lawr.)
	Blacicus flaviventris, Lawr., n. s
24.	Tyrannus rostratus (Scl.)
	Tyrannus melancholicus, Vieill
26.	Milvulus tyrannus (Linn.) 619
	TROCHILIDÆ.
27	Glaucis hirsutus (Gm.) 619
	Eulampis holosericeus (Linn.) 619
00	Outherhands with a minimum (Time)

PUBLISHED WRITINGS OF GEORGE NEWBOLD LAWRENCE. 97

1887. LAWRENCE, GEORGE N.—Continued.

CYPSELIDÆ.

F	age.
30. Chætura cinereiventris, Scl	
31. Hemiprocne zonaris (Shaw)	620
ALCEDINIDÆ.	
32. Ceryle alcyon (Linn.)	620
`CUCULIDÆ.	
33. Coccyzus minor (Gm.)	620
34. Crotophaga ani, Linn	621
STRIGIDÆ.	•
35. Strix flammea var. nigresoens, Lawr	621
THE COMPANY	
FALCONIDÆ.	
36. Falco columbarius, Linn	622
37. Tinnunculus sparverius caribbæarum (Gm.)	
38. Pandion haliætus carolinensis (Gm.)	
39. Buteo latissimus (Wils.)	
40. Regerhinus uncinatus (Temm.)	, 023
COLUMBIDÆ.	
COLO M DI DIE.	
41. Columba corensis, Gm	624
42. Zenaida martinicana, Bp	
43. Zenaida rubripes, Lawr	
44. Engyptila wellsi, Lawr	
45. Columbigallina passerina (Linn.)	
46. Geotrygon montana (Linn.)	828
10. Geoti ggon montana (Linn.)	, 020
ARDEIDÆ.	
47. Ardea herodias, Linn	
48. Ardea candidissima, Gm	
49. Ardea cœrulea, Linn	
50. Ardea vireceens, Linn	
51. Nycticorax violaceus (Linn.)	6∠7
PLATALEIDÆ.	
52. Ajaja rosea (Linn.)	627
	•••
${\tt CHARADRIID}{\boldsymbol{\pounds}}.$	
53. Charadrius dominicus, Müll	
54. Charadrius squatarola (Linn.)	627
55. Ægialitis semipalmata, Bonap	
56. Oxyechus vociferus (Linn.)	627
STREPSILIDÆ.	
FR GA . Thurst A	
57. Strepsilas interpres (Linn.)	627
SCOLOPACIDÆ.	
SCOLOT ACIDAL.	
58. Gallinago delicata (Ord.)	628
59. Micropalama himantopus (Bonap.)	
60. Actodromas maculata (Vieill.)	
61. Ereunetes pusillus (Linn.)	
62. Limosa fedoa (Linn.)	
63. Symphemia semipalmata (Gmel.)	
64. Actitis macularia (Linn.).	
65. Bartramia longicauda (Bechst.)	
	020
Bull. 40. N. M.——2	

1887. LAWRENCE, GEORGE N.—Continued. 66. Totanus flavipes (Gmel.) 67. Totanus melanoleucus (Gmel.) 68. Numenius hudsonicus (Lath.) 69. Numenius borealis (Forst.)	. 628 . 629
RALLIDÆ.	
70. Porzana carolina (Linn.) 71. Ionornis martinica (Linn.) 72. Gallinula galeata (Licht.) 73. Fulica americana, Gm	. 629 . 629
ANATIDÆ.	620
74. Anas discors, Linn. 75. Anas boschas, Linn. 76. Black duck, sp. f. 77. Erismatura rubida (Wils.)	. 63 0
FREGATIDÆ.	
78. Fregata aquila (Linn.)	. 630
PELECANIDÆ.	
79. Pelecanus fuscus (Linn.) 80. Sula sula (Linn.) 81. Sula piscator (Linn.) 82. Sula cyanops, Sundev PHAËTHONIDÆ.	. 630 . 630
83. Phaëthon æthereus, Linn	631
	. 001
LARIDÆ. 84. Larus atricilla, Linn	. 632 . 632 . 632 . 632
PROCELLA RIIDÆ.	
90. Oceanites oceanicus (Kuhl)	32, 633
PODICIPITIDÆ.	
91. Podilymbus podiceps (Linn.)	
112.	
1887. LAWRENCE, GEORGE N. Description of a New Species of Thrush from Island of Grenada, West Indies. By George N. Lawrence. Read February 1887.	

114.

1887. LAWRENCE, GEORGE N. Additional specimens of Bachman's and Swainson's Warblers, obtained by Mr. Chas. S. Galbraith in the spring of 1887. By George N. Lawrence. < The Auk. Vol. IV, No. 3, July, 1887, pp. 262, 263. Published July 7, 1887.
1. Helminthophila bachmani (Aud.). Louisiana. 262, 263 2. Helinaia swainsonii Aud. Louisiana. 263
115.
1888. LAWRENCE, GEORGE N. Description of a new species of bird of the genus Catharus, from Ecuador. By George N. Lawrence. < Proc. U. S. Nat. Mus. Vol. x, 1887, p. 503. Issued August 6, 1888. Page.
1. Catharus berlepschi, n. s
116.
1888. LAWRENCE, GEORGE N. Description of a new species of wren from the Island of Tobago, West Indies. By George N. Lawrence. < The Auk. Vol. v, No. IV, October, 1888, p. 404. Published October 23, 1888.
1. Troglodytes tobagensis, n. s
117.
 1889. LAWRENCE, GEORGE N. An account of the breeding habits of Puffinus auduboni in the Island of Grenada, West Indies, with a note on Zenaida rubripes. By George N. Lawrence. < The Auk. Vol. VI, No. 1, January, 1889, pp. 19 -21. Published January 4, 1889.
1. Puffinus auduboni, FinschIsland of Grenada, West Indies19-21 2. Zenaida rubripes, LawrIsland of Grenada, West Indies19-21
118.
1889. LAWRENCE, GEORGE N. Remarks upon abnormal coloring of plumage observed in several species of birds. By George N. Lawrence. < The Auk. Vol. vi, No. 1, January, 1889, pp. 46-50. Published January 4, 1889.
Page. 1. Psittovius subcæruleus
2. Vireolanius pulchellus
3. Procnias tersa
5. Chrysotis vittata
119.
1889. LAWRENCE, GEORGE N. A new name for the species of Sporophila from Texas, generally known as S. morelleti. By George N. Lawrence. < The Auk. Vol. vi, No. 1, January, 1889, pp. 53, 54. Published January 4, 1889. Page.
1. Sporophila morelleti sharpei, n. s
120.
1889. LAWRENCE, GEORGE N. An Account of the Former Abundance of some species of Birds on New York Island, at the time of their Migration to the South. By George N. Lawrence. < The Auk. Vol. VI, No. 2, April, 1889, pp. 201 -203. Published April 1, 1889.
Also issued in Abstract of the Proceedings of the Linnman Society of New York for 1888-89.
Page. 1. Agelaius phæniceus 201 2. Tachycineta bicolor 201

1889.—LAWRENCE, GEORGE N.—Continued.	Page.
3. Chelidon erythrogaster	201
4. Ectopistes migratorius	
5. Tyrannus tyrannus	202
6. Colaptes auratus	202
7. Melanerpes erythrocephalus	202
8. Cyanocitta cristata	202
9. Corvus americanus	202
10. Ampelis cedrorum	202
11. Sialia sialis	202
12. Merula migratoria	202, 203
13. Sturnella magna	203
121.	
1891. LAWRENCE, GEORGE N. Description of a new subspecies of Cyps genus Chætura, with a note on the Diablotin. By George N < The Auk. Vol. VIII, No. 1, January, 1891, pp. 59-62. Publish 15, 1891.	. Lawrence.
,	Page.
1. Chætura dominicana colardeaui, n. sub s Guadeloupe, West Indies	

ALPHABETICAL LIST OF NEW SPECIES AND SUBSPECIES OF BIRDS DESCRIBED BY MR. GEORGE N. LAWRENCE, 1846 TO 1891, WITH HABITAT OF TYPE SPECIMEN.

0.	Name.	Habitat of type.	Par
1	Accipiter gundlachi	Cuba	
2	Accipiter nigroplumbeus	Ecuador	
3	Ægialitis tenuirostris	Cuba	
4	Aglæactis olivaceocauda	Peru	
5	Amazilia graysoni	Mexico	
6	Amazilia xantusii*	Lower California	
7	Anabazenops lineatus	Costa Rica	
8	Anser nigricans*	New Jersey	
9	Anser nigricans*	Panamá	
0	Antrostomus cubanensis	Cuba	
1	Aramides albiventris	British Honduras	
2	Aramides axillaris	New Grenada	
3	Attila cinnamomeus.	Mexico	
4	Attila sclateri	New Grenada.	
5	Automolus pallidigularis	New Grenada	
6	Automolus rufescens	Costa Rica	
7	Basileuterus melanotis	Costa Pica	
8		Costa Rica	
	Blacicus brunneicapillus	Island of Dominica, West Indies	-
9	Blacicus flaviventris	Island of Grenada, West Indies	
0	Brotogerys ferrugineifrons	New Grenada	1
1	Buarremon atricapillus	New Grenada	-
2	Buarremon flavovirens	Ecuador	-
3	Buarremon ocai	Mexico	
4	Buarremon sordidus	New Grenada	-
5	Calliste versicolor	Island of St. Vincent, West Indies	
6	Campylorhynchus brevipennis	Venezuela	
7	Campylopterus splendens	Ecuador	
8	Capito maculicoronatus	New Grenada	.
9	Cassicus vitellinus	Panamá and Nicaragua	
0	Catharus berlepschi	Ecuador	
1	Catherpes sumichrasti	Mexico	
2	Celeus squamatus	Danamá	
3	Certhiola atrata	Island of St. Vincent, West Indies	
4	Certhiola saccharina	Island of St. Vincent, West Indies	
5	Ceryle stictipennis	Island of St. Vincent, West Indies Island of St. Vincent, West Indies Island of Guadeloupe, West Indies	
6	Chestara dominicana	Island of Dominios West Indies	
7	Chætura dominicana. Chætura dominicana colardeaui	Island of Dominica, West Indies	-
8	Chetura dominicana colardeaul	Island of Guadeloupe, West Indies	
9	Chætura gaumeri	Yucatan	
	Chætura peregrinator	Yucatan	
0	Chætura yucatanica	Yucatan	
1	Chalybura æneicauda	Venezuela	-
2	Chalybura carnioli	Costa Rica	
3	Chlorenas subvinacea	Costa Rica	
4	Chloronerpes callopterus	New Grenada	-
5	Chlorospingus axillaris	Costa Rica	
6	Chlorospingus brunneus	Costa Rica	
7	Chlorospingus nigrifrons	Ecuador	
8	Chlorospingus speculiferus	Porto Rico	
9	Chlorostilbon assimilis	New Grenada	
0	Chlorostilbon caribæus	Curação, West Indies	.
1	Chlorostilbon insularis	Tres Marias Islands	
2	Chlorostilbon nitens	Venezuela	
3	Chordeiles gundlachii	Cuba	
4	Chordeiles texensis*	Texas	
5	Chrysotis cæligena	Guiana	
6	Chrysotis canifrons	Island of Aruba West Indies	
7	Chrysotis lactifrons	Island of Aruba, West Indies	
8	Chrysotis nichollsi	Island of Dominica, West Indies	1
9	Cistothorus æquatorialis	Foundar	
0	Coccerne inlieni	Combusta Island West India	
1	Coccyzus julieni Colymbus pacificus *	Colifornia Dugat Cound	1
	Conjugateur omatum	Ecuador Sombrero Island, West Indies California, Puget Sound	
2	Conirostrum ornatum	Texas	1
3	Contopus albicollis	Yucatan	
4	Contopus lugubris	Costa Rica	
5	Contopus punensis	Ecuador:	-
6	Contopus schottii	Yucatan	
7	Corethrura albigularis *	New Grenada	
8	Corethrura guatemalensis*	Guatemala	
9	Coturniculus mexicanus*	Mexico	
0	Cotyle uropygialis	Panamá	
	One 1	Costa Rica.	
1	Cyanocitta argentigula. Cyanocitta pulchra.		

^{*}See note at end of this list.

0.	Name.	Habitat of type.	Pag
73	Cyanocorax ortoni	Peru	
74	Cyanospiza rosita	Mexico	
75	Cyrtonyx sumichrasti	Mexico Panamá	
6	Dacnis ultramarina	Panamá	
7	Dacnis venusta	New Grenada	
8	Dendræca capitalis	Barbados	
9	Dendracea capitanis Dendracea petechia melanoptera Dendracea plumbea Dendracincla olivacea	Island of Guadeloupe, West Indies Island of Dominica, West Indies	(4.)
0	Dendræça plumbea	Island of Dominica, West Indies	
11	Dendrocincla olivacea	New Grenada	
2	Dendrorms lachrymosus	New Grenada	
3	Dendrornis mentalis	Mexico	
4	Dendrornis nana	Panamá	
5	Doricha bryantæ	Costa Rica	
6	Dromococcyx rufigularis	Guatemala	
7	Dysithamnus rufiventris	New Grenada	
8	Dysithamnus striaticeps	Costa Rica	
9	Dysithamnus striaticeps Elainea chiriquensis Elainea frantzii	New Grenada	
0	Elainea frantzii	Costa Rica	
1	Elainea macilvainii	Venezuela	
2	Elainea semiflava Embernagra rufivirgata * Empidonax atrirostris	New Grenada	
3	Embernagra rufivirgata*	Texas	
4	Empidonax atrirostris	Venezuela	
5	Empidonax flavescens	Costa Rica	
6	Empidonax fulvipectus	Mexico	
7	Empidonax fulvipectus Empidonax griseigularis Empidonax griseigectus Empidonax must Empidonax nuust	New Grenada	
8	Empidonax griseipectus	Ecuador	
9	Empidonax nanus†	Santo Domingo	
0	Empidonax pectoralis Engyptila gaumeri	New Grenada	
1	Engyptila gaumeri	Yucatan	
2	Engyptila vinaceifulva Engyptila wellsi Ereunetes occidentalis * Eupherusa cupreiceps.	Yucatan	FI
3	Engyptila wellsi	Island of Grenada, West Indies	560
4	Ereunetes occidentalis *	California, Oregon	
5	Eupherusa cupreiceps	Costa Rica	
6	Eupherusa nigriventris	Costa Rica	
7	Eupherusa niveicauda*	Costa Rica	
8	Euphonia purpurea	South America	
9	Formicarius pallidus	Yucatan	
0	Euphonia purpurea Formicarius pallidus Formicivora griseigula	British Guiana	
1	rormicivora schisticolor	Costa Rica	
2	Formicivora virgata	Panamá	
3	Geotrygon albiventer	Panamá	
4	Geotrygon caruleiceps*	Costa Rica	
5	Geotrygon costaricensis	Costa Rica	
6 7	Geotrygon rufiventris	Costa Rica New Grenada	
	Geotrygon veraguensis Glaucis æneus	Costa Rica	
8 9	Glaucis affinis.	Ecuador	
a l	Grallaria costaricensis	Costa Rica.	
0	Crallaria costaricensis	Ecuador	
1 2	Grallaria gigantea Grallaria perspicillata		
3	Gymnoglaux newtoni	New Grenada St. Croix and St. Thomas, West Indies.	
3	Hadrostomus albiventris	Moriae	
4	Hamophila sumichrasti	Mexico	
6	Harpagus fasciatus	Guatemala	
7	Heleodytes albo-brunneus	Panamá	
8	Heliodoxa henryi.	Coata Pica	
9	Heliomostov apostobilie *	Costa Rica	
0	Heliomaster spectabilis* Heliomaster stuartæ	New Grenada	
1	Heliopædica castaneocauda	Lower California	
	Hemiprocne minor		
2 3	Himmed manatonialia	New Grenada Ecuador	
?	Hirundo æquatorialis Hylophilus acuticaudus	Venezuela	
1 5		New Grenada	
,	Hylophilus aurantmrons	New Grenada	
6	Hylophilus piridiflavus	New Grenada	
7	Totorio longicondo *	California	
8	nytophilus aurantiirons. Hylophilus pusillus. Hylophilus viridiflavus Leteria longicauda* Leterus formosus.	Mexico	
0		Island of Montserrat, West Indies	
1	Tanalaima frantalia	Ecuador	
	Ionolaima frontalis Larus californicus* Larus suckleyi	California	
2 3	Larus camornicus"	Puget Sound	
	Lantanagan dayayirang	New Grenada	
4	Leptopogon flavovirens Leptoptila bonapartii Leptoptila cassinii	Mexico	1
5	Tententile essinii	New Grenada	
6	Tontontile fulviventrie*		
	Leptoptila fulviventris* Leptoptila riottei	Yucatan	
8	Lesbia ortoni.	Costa Rica Ecuador	
0	Leucopeza bishopi	Island of St. Vincent, West Indies	
	Dencopes Distropt	New Grenada	1
i	Leucopternis semiplumbeus		

^{*} See note at end of this list. † Type of new genus, Lawrencia, Ridgw.

PUBLISHED WRITINGS OF GEORGE NEWBOLD LAWRENCE.

No.	Name.	Habitat of type.	Pag
53	Loxigilla portoricensis grandis	Island of St. Christopher, West Indies	
54	Macrorhampus scolopaceous	Shores of Gulf of Mexico, Mississippi	
		Valley, and westward	
55	Margarops albiventris	Island of Grenada, West Indies	00 0
56	Margarops dominicensis	Island of Dominica, West Indies	
57	Margarornis guttata Margarornis rubiginosa	Ecuador	
58	Margarornis rubiginosa	Costa Rica	
59	Mecocerculus uropygialis.	South America	
60	Mellisuga albo-coronata*	New Grenada	
61	Mellisuga merrittii	New Grenada	
62	Melopelia plumbescens Mimus melanopterus	Guiana	
53	Mimus melanopterus	Venezuela	
34	Mimus nigriloris	Mexico ?	
55	Mionectes olivaceus	Costa Rica	
66	Mitrephorus aurantiiventris	Costa Rica	
37	Myiadestes sibilans	Island of St. Vincent, West Indies	
38	Myiarchus flammulatus	Mexico	
39	Myiarchus oberi Myiarchus panamensis	Island of Dominica, West Indies	
70	Myiarchus panamensis	Panamá	
71	Myiarchus selateri	Island of Martinique, West Indies	
72	Myiarchus venezuelensis	Venezuela	
73	Myiarchus yucatanensis	Yucatan	
74	Myiobius atricaudus. Myiodynastes superciliaris	Panamá	
5	Myiodynastes superciliaris	Costa Rica	
76	Myjozetetes granadensis	Panamá	
7	Myiozetetes grandis Myiozetetes inornatus Myiozetetes marginatus	Peru	
8	Myiozetetes inornatus	Venezuela	
9	Myiozetetes marginatus	Panamá	
30	Mylozetetes rutipennis	Venezuela	
31	Myrmeciza ferruginea	New Grenada	
32	Myrmeciza stictoptera Myrmelastes corvinus	Costa Rica	
33	Myrmelastes corvinus	New Grenada	
4	Myrmotherula albigula	New Grenada	1
35	Myrmotherula fulviventris	New Grenada	
6	Myrmotherula modesta	Costa Rica	
37	Myrmotherula modesta Octhoëca flaviventris	South America	
88	Octhoëca rufomarginatus	Ecuador	
39	Orchilus atricapillus	Costa Rica	
90	Oreopyra cinereicauda Oreopyra venusta	Costa Rica	
)1	Oreopyra venusta	Costa Rica	
92	Orthorhynchus emigrans	Venezuela	
93	Orthorhynchus emigrans. Ortyx graysoni* Ortyx texanus* Pachyrhamphus cinnamomeus	Mexico	
94	Ortyx texanus *	Texas	
95	Pachyrhamphus cinnamomeus	New Grenada	
96	Panychlora parvirostris*	Costa Rica	
97	Panychlora parvirostris* Parula insularis	Tres Marias Islands	
98	Passerculus guttatus * Petrochelidon albilinea*	Lower California	
99	Petrochelidon albilinea*	New Grenada	
00	Phæthornis atrimentalis	Ecuador	
)1	Phæthornis cassinii	New Grenada	
12	Phothornis moorei	Ecuador	
)3	Phæthornis nigricinctus	Ecuador	
14	Phæthornis villosus	Ecuador	
)5	Phaton flavo-aurantius	(?)	
)6	Pheucticus tibialis	Costa Rica	
)7	Pheucticus tibialis Philydor rufobrunneus	Costa Rica	
18	Philydor virgatus	Costa Rica	
9	Phonicothraupis carmioli	Costa Rica	
10	Phœnicothraupis cristata	New Grenada	
11	Phœnicothraupis vinacea	New Grenada	
2	Phonipara fumosa	Island of Trinidad, West Indies	
3	Phlogopsis macleannani	Panamá	
4	Pionius coccinicollaris	New Grenada	
5	Pionius coccinicollaris Pipilo carmani	New Grenada	1
6	Pipra cinnamomea	Amazon River, South America	
7	Pitangus albovittatus	Panamá	
8	Pitangus gabbii	Santo Domingo	
9	Pithys bicolor	New Grenada	-
20	Platyrhynchus superciliaris	Panamá	
1	Plectrophanes mccownii*	Texas	
22	Podicens clarkii "	California, New Mexico	
23	Podiceps occidentalis*	Pacific coast of United States	
24	Pogonotriccus plumbeicens	New Grenada	
25	Pogonotriccus zeledoni	Costa Rica	-
26	Polioptila albiventris Polioptila melanura	Yucatan	
27	Polioptila melanura	Texas, California	
28	Polioptila plumbiceps	Venezuela	
29	Polioptila plumbiceps	Venezuela New Grenada	
400	Porzana cinereiceps	Costa Rica	
30			

^{*} See note at end of this list.

No.	Name.	Habitat of type.	P: an
232	Procellaria meridionalis	Florida	
233	Psittovius subcaruleus	New Grenada	
34	Pyrgisoma xantusii	Mexico	1
35 36	Pyrrhophena graysoni Pytilus humeralis Quiscalus fortirostris	New Grenada	1
37	Ouigeelus festimentsis		
38	Quiscalus luminosus	Barbadoes	1
39	Quiscalus guadeloupensis	Island of Guadeloupe, West Indies	
40	Ramphocænus semitorquatus	New Grenada	ļ
41	Ramphocænus semitorquatus	Bolivia	1
42	Regulus satrapa aztecus	Mexico	i
43	Rhynchocyclus flavo olivaceus	New Grenada	ł
44	Rhynchocyclus griseimentalis Rhynchocyclus marginatus Rissa septentrionalis Saltator fulviventris	Costa Rica	I
45	Rhynchocyclus marginatus	Panamá	
46	Rissa septentrionalis	Puget Sound Paraguay Panamá Mexico	ł
47	Saltator fulviventris	Paraguay	
48 49	Saltator intermedius	Yanama	i i
50	Saltator plumbiceps	New Grenada	1
51	Sarponhaga grices	Costa Rica.	1
52	Sernonhaga Ingga	Foundar	1
53	Spectyto amaura	Ecuador	1
54	Saphironia luminosa Serpophaga grisea Serpophaga leucura Spectyto amaura Spermophila atricepa	Mexico	1
55		Nicaragua	ļ
56	Spermophila collaris Spermophila fortipes Spermophila hicksii	New Grenada	1
57	Spermophila fortipes	New Grenada	l
58	Spermophila hicksii	Panamá	1
59	Spermophila parva	Mexico	1
60	Spermophila schistacea Spermophila semicollaris	New Grenada	ľ
61 62	Spermophila semicollaris	New Grenada New Providence, West Indies	
	Sporadinus bracei Sporophila morelleti sharpei Stenopsis allicauda Stenopsis maculicaudus	New Providence, West Indies	1
63 64	Storopoia albicondo	Texas	1
65	Steponsis mognificandus	Costa Rica.	l
66	Sterna pikei	Brazil	1
67		Island of Dominica, West Indies	ł
68	Synallaxia maculata	Peru	
69	Synallaxis nigrifumosa	Nicaragua	l
70	Synallaxis maculata. Synallaxis nigrifumosa Synallaxis rufgenis.	Nicaragua Costa Rica	1
71		Your Chanada	
72	Tachyphonus atricapillus	Island of Trinidad, West Indies	1
72 73	Tachyphonus atricapillus Tachyphonus cassinii Tachyphonus napensis	New Grenada	1
74	Tachyphonus napensis	Ecuador	1
75	Tachyphonus propinquus. Tachyphonus rubrifrons	Panama	1
76 77	Tachyphonus rubrifrons	Panamá	l
78	Tachyphonus tibialis	Costa Rica. Tres Marias Islands	ı
79	Thalurania luciæ. Thamnophilus hollandi	Nicaragua	1
80	Thamnophilus leucopygus	New Grenada	l
81	Thampophilus nigrescens	Venezuela	1
82	Thamnophilus nigrescens. Thamnophilus nigricristatus.	Panamá	1
83	Thamnophilus tenuifasciatus	Ecuador	ı
84	Thampophilus virgatus	New Grenada	1
ช5	Thaumatias luciæ	Honduras New Grenada	1
86	Thaumatias viridicaudus	New Grenada	1
87	Thrinodectes virgeticens	Ecuador	1
88	Thryothorus brunneus Thryothorus castaneus* Thryothorus galbraithii.	Nicaragua	1
39	Thrusthama ashadali	New Grenada	1
90 91	Thrusthorus gaidraithii	New Grenada	1
92	Thryothorus grenadensis	Island of Grenada, West Indies	1
93	Thrvothorus rufescens	Island of Dominice West Indice	1
94	Thryothorus rufescens. Thryothorus superciliaris.	Ecuador	1
95	Tinamus frantzii	Costa Rica	1
96	Tinamus frantzii	Panamá	l
97	Todirostrum superciliaris	Venezuela	1
)8	Toxostoma lecontei*	Venezuela	1
99	Todirostrum superciliaris Toxostoma lecontei* Trochilus aurigularis	(१)	
00	Troglodytes brachvirus	Yucatan	1
01	Troglodytes tobagensis Trogon bairdii Trogon concinnus	Island of Tobago, West Indies	1
02	Trogon bairdii	Costa Rica	1
03	Trogon concinnus	New Grenada	1
04 05	Trogon eximius Trogon eximius Turdus brunneus Turdus caribbæus	Panamá	1
06	Turdus orunneus	Upper Amazon River, South America. Island of Grenada, West Indies	i
07	Turdus hauxwelli		1
80	Turdus nigrirostris	Peru. Island of St. Vincent, West Indies	1
09	Turdus obsoletus	New Grenada	ı
10	Turdus reevei.	Ecuador	ŀ
ii l	Tyranniscus parvus	Panama	1

^{*} See note at end of this list.

No.	Neme.	Habitat of type.	Page antea
312	Tyrannula cinerascens*	Texas	
313	Tyrannulus brunneicapillus	Panama	1
314	Tyrannus cassinii	Texas	
315	Urochroa leucura		2
316	Urosticte ruficrissa		
317	Vireosylvia atripennis	Sombrero Island, West Indies	2
318	Vireosylvia calidris dominicana	Island of Dominica, West Indies	7
319	Xanthornus affinis*	Texas and Mexico	ł
320	Zenaida bogotensis	New Grenada	9
321	Zenaida rubripes	Island of Grenada, West Indies	9
322	Zenaidura vucatanensis	Yucatan	5
323	Zonotrichia melanotis*	Mexico.	3

- * Note. Change mainly due to revision of genera, by recent authorities, in name of some of foregoing new species and present status of some others:
 - No. 6, Amazilia xantusii is now Basilinna xantusi (Lawr.). No. 440 of A. O. U. Check-list.
- No. 8. Anser nigricans—Bernicla nigricans, now Branta nigricans (Lawr.). No. 174 of A. O. U. Check list.
 - No. 54. Chordeiles texensis is now No. 421 of A. O. U. Check-list.
 - No. 61, Colymbus pacificus is now Urinator pacificus (Lawr.), No. 10 of A. O. U. Check-list.
 - No. 67, Corethrura albigularis-Porzana albigularis.
 - No. 68, Corethrura guatemalensis likewise was placed in the genus Porzana.
 - No. 69, Coturniculus mexicanus is now No. 577 of A. O. U. Check-list, Peucæa mexicana (Lawr.).
 - No. 93, Embernagra rufivirgata is now No. 586 of A. O. U. Check-list.
 - No. 104, Ereunetes occidentalis is now No. 247 of A. O. U. Check-list.
- No. 107, Eupherusa niveicauda was considered by Mr. John Gould to be Thaumatis chionurus, Gould.
 - No. 114, Geotrygon cæruleiceps proves to be a synonym for Geotrygon chiriquensis, Scl.
 - No. 129, Heliomaster spectabilis was afterwards placed in the genus Eugenes.
- No. 138, Icteria longicauda is now Icteria virens longicauda (Lawr.). No. 683a of A. O. U. Checklist.
 - No. 142, Larus californicus is now No. 53 of A. O. U. Check-list.
 - No. 147, Leptoptila fulviventris=Engyptila fulviventris (Lawr.).
 - No. 160, Mellisuga albo-coronata subsequently placed in the genus Microchera.
 - No. 193, Ortyx graysoni is now No. 290 of A. O. U. Check-list. Colinus graysoni (Lawr.).
 - No. 194, Ortyx texanus is now No. 289b of A. O. U. Check-list. Colinus virginianus texanus (Lawr.).
 - No. 196, Panychlora parvirostris subsequently placed in the genus Microchera.
- No. 198, Passerculus guttatus is now Ammodramus rostratus guttatus (Lawr.), No. 544a of A. O. U. Check-list.
 - No. 199, Petrochelidon albilinea=Tachycineta albilinea.
- No. 221, Plectrophanes mccownii is at present No. 539 of A. O. U. Check-list, Rhynchophanes mccownii (Lawr.).
- No. 222, Podiceps clarkii was thought by the A. O. U. Committee to probably be the female of occidentalis and so placed in the Hypothetical list where it now is No. 1, Æchmophorus clarkii (Lawr.).
- No. 223, Podiceps occidentalis is now Æchmophorus occidentalis (Lawr.), No. 1 of A. O. U. Checklist.
- No. 231, Procellaria brevirostris was afterwards considered to be Procellaria meridionalis and subsequently called Æstrelata meridionalis.
 - No. 289, Thryothorus castaneus was later called Thryophilus castaneus.
- No. 296, Todirostrum olivaceum becomes, by Mr. P. L. Sclater's revision of the generic names Oncostoma olivacea (Lawr.).
- No. 298, Toxostoma lecontei is now Harporhynchus lecontei (Lawr.), No, 711 of A. O. U. Check-list.
- No. 312, Tyrannula cinerascens is now No. 454 of A. O. U. Check-list, Myjarchus cinerascens (Lawr.).
- No. 319, Xanthornus affinis is Icterus spurius var. affinis of "Birds of Western and Northwestern Mexico."
- No. 323, Zonotrichia melanotis placed in the genus Hæmophila thus becoming H. melanotis, but appears as Aimophila melanotis in "Birds of Western and Northwestern Mexico."

A.	Page.
D	American Museum of Natural History vii
Page.	Bulletin of xi
Academy of Natural Sciences, Philadel-	American Naturalist, The 55
phia, Proceedings of	American Ornithologists' Union viii
cooperii	Ammodramus (Ammodromus) cauda-
fringilloides	cutus 30
fuscus	maritimus 30
gundlachi 8, 101	rostratus guttatus 105
nigroplumbeus 54, 101	Ampelidæ11, 30, 37, 48, 56, 60, 68
pileatus 9, 44	Ampelis cedrorum30, 48, 68, 100
Actitis macularia	garrulus 30
Actiturus bartramius	Anabates cervinigularis
Actodromas bonapartii	ochrolæmus 14
cooperi	Anabatidæ
maculata21, 32, 73, 97	Anabazenops lineatus23, 39, 101
minutilla32, 64, 73	Variegaticeps
Æchmophorus clarkii	Anas boschas
occidentalis	discors
Ægialitis azaræ 16	maxima
collaris 73	obscura
melodus 32	penelope
nivosus 53, 64	Anatide
semipalmata22, 32, 54	Ancylocheilus subarquata
57, 64, 73, 81, 84, 90, 92, 97	Anser cærulescens 33
tenuirostris	gambeli 33,65
vocifera19, 32, 45, 50, 53, 64, 73	hyperboreus 33
wilsonius	nigricans
Ægiothus linaria 30, 49	Antenor unicinctus harrisi
Æstrelata meridionalis 34, 105	Anthocephala castaneiventris 42
sp. f 92	Anthus ludovicianus
Agelaius gubernator61	parvus
phœniceus 30, 39, 49, 61, 99	rufus14
Aglæactis olivaceocauda	Antigua, Island of82, 83, 104
Aimophila melanotis 60, 105	Antilles, Lesser 90-92
Aix sponsa	Antrostomus carolinensis 42
Ajaja rosea	cubanensis 9, 101
Alaska 6,7	vociferus31, 47, 71
Alauda arvensis	Aphriza virgata 64
Alaudidæ	Aquila canadensis 28
Alcedinidæ	Ara aracanga 21
31, 41, 47, 52, 57, 62, 70, 79, 81, 86, 88, 89, 97	macao
Alcidæ34	militaris 12, 71
Allen, Dr. J. A xi	severa
Amaurospiza concolor	Aramides albiventris
Amazilia dumerili	axillaris22, 65, 10
graysoni	cayennensis 40
lawrencei	ruficollis
riefferi 10	Aramus scolopaceus giganteus 74
xantusii	Archibuteo sancti-johannis
	Arctic America 6,7,8
Amblycerous prevosti	seas 6,7,8
	. 107

	Page.	1	Page
Ardea cærulea			22, 10
candidissima76		Bonaparte, C. L	ix
herodias		Bonasa umbellus	31, 49
53, 57, 65, 73, 81, 83, 84, 86, 86		Boston Society of Natural History—	
Virescens	97 45 50	Memoirs of	59
53, 57, 58, 65, 73, 79, 81, 83, 84, 86, 88		Proceedings of	56
Ardetta exilis		Botaurus lentiginosus 19	
Arizona	76	pinnatus	65
Arquatella maritima	32	Brachygalba lugubris.	27
Arremon aurantiirostris		Brachyotus cassinii	54 28, 47
rufidorsalis	38	Brachypteri	20, 11
Aruba, Island of	94, 101	Branta leucopsis	55
Astur atricapillus	28	nigricans	105
Asturina magnirostris	, 44, 52	Brazilxi, 17, 55, 7	
nitida13	3, 44 , 46	British Guiana	94. 102
plagiata46	63, 72	British Ornithologists' Union	viii
Athene cunicularia	56	1 Th 4	93, 10 L
hypogœa (hypugœa)	4	tovi	43, 71
Atlantic Ocean	6	Buarremon assimilis	38
States	8	atricapillus	58, 101
Atticora cyanoleuca montana	37	brunneinuchus	38
Atthis helenæ	9	chrysopogon	38
Attila cinnamomeus 55,		crassirostris	38
citreopygius	21, 70		35, 101
sclateri 18, spadicea		mesoxanthus	38
Auk, The ix, x, 94, 95,	15		23, 101
Aulacorhamphus cæruleigularis	43	sordidus	55, 101
Automolus cervinigularis	39	Bubo virginianus (virginiana)28, 44, 47,	
pallidigularis 17,		Bucco dysoni	13, 70
rufescens 34,		pectoralistectus	17
Aythya americana	33, 65	Bucconidæ10, 13, 17. 20, 26,	13
vallisueria	3 3 , 6 5	Bucephala albeola	
		americana	33, 50
в.		Buteo albonotatus.	33, 65 44, 63
Baffins Bay	6	borealis28,	47 79
Baird, Prof. Spencer F	vii, 5	borealis calurus	63
Barbados Island		borealis costaricensis	63
Barbuda, Island of 82		borealis montanus44, 52,	
Bartramia longicauda	97	erythronotus	44, 52
Basileuterus culcivorus	37	fuliginosus	44
delattrei	14	gheisbreghtii	9
melanogenys	37	harlani	3
melanotis	37, 101	latissimus	97
mesochrysus	37	lineatus	28, 47
rufifrons	59, 68	minutus	72
semicervinus	14	nigricollis	63
uropygialis	25, 37	pennsylvanicus4, 9, 28, 44, 72, 76, 79,	
Basilinna xantusi	105		87, 91
Berings' Straits	6	pterocles	72
Bell, John	1	virescens12, 32, 45, 50, 65, 73, 7	70 TO
Bernicla brenta	33 33	81, 83, 84, 86, 87, 88,	10, 19,
canadensis occidentalis	65	01, 00, 04, 60, 61, 66,	90, 92
hutchinsii	33	C.	
leucopsis	75	Cæreba, see Cæreba.	
-	33, 105	Cærebidæ, see Cærebidæ.	
Biologia Centrali-Americana	33, 103 X	Cairina moschata21,	85 7 <i>4</i>
Birds of Long Island	î	Calidris arenaria	91 09
Bischoff, Ferd	59	Californiaix, 3, 4, 5, 6, 7, 8, 101, 10	
Blacicus blancoi	76	Lower	
brunneicapillus77. 78, 91, 9		Southern	7, 8
flaviventris	96, 101	Callipepla elegans	64
Blasipus heermanni	6, 66	squamata	4, 64

Page	Page
Calliste dowii	
francescæ	
frantzii 3	8 Central America
guttata 3	8 Central Park, New York City 47, 50
gyroloides 15, 3	Report of Board of Commissioners . 4
icterocephala 3	8 Ceuturus albifrons 55
inornata 1	
versicolor	1 carolinus 3
Callocitta colliei 6	1 elegans 2, 6
formosa 61, 6	
Calothorax lucifer 62, 7	6 hoffmanni 4
Campephilus guatemalensis43, 62, 7	1 hypopolius 7
Camptolaimus (Camptolaemus) labrado-	pucherani
rius 3	3 rubriventris
Camptostoma (Camptosoma) imberbe18, 51, 6	1 santa-cruzi
Campylopterus cuvieri	4 uropygialis 6
hemileucurus 42,7	
splendens 5, 10	1 Cercomacra tyrannina 4
Campylorhynchus brevipennis 34, 10	
capistratus 3	
guttatus5	
humilis	
jocosus 6	7 dominicana
zonatus 36,6	7 luteola 10, 24
Cancroma cochlearia	3 martinicana 87, 9
Cancromidæ	mexicana 3
Capito bourcieri4	3 saccharina
hartlaubi 4	3 sp. f 8
maculicoronatus 12, 10	1 Ceryle alcyon
Capitonidæ	
Caprimulgidæ9, 17, 31, 42, 47, 52, 56, 62, 7	1 amazona
	2 americana
virginianus30, 51, 5	
virginianus carneus 60, 6	
virginianus igneus 6	0 inda 10, 2
Carduelis lawrencei	
Carolina	8 superciliosa
Carpodacus frontalis 6	
purpureus 30, 4	
Carpodectes nitidus 26, 4	
Caryothraustes humeralis	
Cassiculus icteronotus	
melanicterus 61, 6	
microrhynchus 2	•
prevosti 11, 2	
uropygialis 1	
Cassicus prevosti 6	· 1
vitellinus 23, 10	
Cassidix baritus	
crassirostris 1	1
Cassin, John ix,	
Cathartes atratus	
aura20, 28, 56, 6	
papa 7	- 1
Catharista atrata 7	
Cathartidæ 7.	-
Catharus berlepschi	
frantzii 3	
fuscater	•
gracilirostris 3	1 -
melpomene 3	
mexicanus	1
occidentalis	
Catherpes mexicanus 5	
sumichrasti	Charadrius dominicus 97

Page.	Pagé
Charadrius squatarola97	Chrysotis autumnalis 71
virginicus22, 32, 45, 50, 76, 79, 81	cæligena
83, 84, 86, 90, 92, 93	canifrons
Chasmorhynchus tricarunculatus 41	farinosa
Chaulelasmus streperus	finschii
Chelidon erythrogaster 100	guatemalæ46
Chiac-ka-laca 4	guildingi 81, 91
Chiromachœris candei	lactifrons
Chiroxiphia caudata	levaillanti
cyaneocapilla11	nichollsi
linearis	pulverulenta 43
mentalis	viridigenalis
vitellina 11	vittata99
Chloroenas albilinea	Chrysuronia eliciæ 17, 43
flavirostris	Ciccaba nigrolineata
nigrirostris	squamulata
	Cinclidæ
rufina	
subvinaces	Cinclocerthia gutturalis
vinacea	l e e e e e e e e e e e e e e e e e e e
Chlorolampis canaveti	Cincian and and and and and and and and and a
salvini	Circe doubledayi71
Chloronerpes æruginosus	latirostris
callonotus54	Circus cyaneus hudsonius 63, 72
callopterus 18, 101	hudsonicus
oleaginus 43	Cissolopha sanblasianus
uropygialis 43	Cistothorus æquatorialis 54, 101
yucatanensis 43	palustris 29
Chlorophanes atricapilla	palustris paludicola 59
spi za	stellaris29
spiza guatemalensis 38	Clangula glaucion 84, 92
Chlorophonia callophrys 38	Coccygus americanus31, 43, 47, 62
occipitalis 68	erythrophthalmus19, 31, 43, 47
Chlorospingus albitemporalis 38	julieni 22, 101
axillaris 58, 101	minor .76, 79, 81, 82, 84, 86, 87, 88, 90, 91, 97
brunneus 58, 101	Cœreba carneipes
nigrifrons 67, 101	cyanea
pileatus 38	lucida
speculiferus 67, 101	Cœrebidæ
Chlorostilbon assimilis	80, 82, 83, 85, 87, 89, 96
caribæus 55, 101	Colaptes auratus31, 47, 100
insularis	Colinus graysoni
nitens 13, 101	virginianus texanus 105
sp. f 14	Collurio (Collyrio) borealis 30, 48
Chondestes grammaca 60, 69	ludovicianus excubi-
Chordeiles brasilianus	toroides 60, 68
gundlachii 4, 101	Colombia
minor 9	22, 24, 27, 35, 36, 46, 54, 55, 58, 66,
popetue	93, 94, 95, 101, 102, 103, 104, 105
texensis4, 42, 52, 62, 71, 101, 105	Columba corensis
Chroicocephalus atricilla	fasciata
cucullatus 6	flavirostris
franklinii 6, 66	
minutus 6	leucocephala83, 84, 92
	leucoptera 4 Columbia River 8
philadelphia 6, 34, 66	Column 200 200 100 100 100 100 100 100 100 100
Chrysomitris bryantii	Columbidæ 12, 16, 19, 21, 25, 31, 44, 49, 52, 56, 58,
columbiana	72, 79, 81, 83, 84, 86, 88, 90, 94, 95, 97
mexicanus (mexicana)16, 39, 57	Columbigallina passerina
notata	Colymbidae
pinus 30	Colymbus arcticus
psaltria mexicana 60	pacificus
tristis 30, 49	septentrionalis
Chrysotis albifrons44, 52, 63, 71	torquatus 8, 34, 50
amazonica domestica	Conirostrum ornatum 2, 4, 101
augusta	Connecticut
auripalliata	Conspectus Generum Avium
	•

Page.	Page.
Contopus albicollis 94, 101	Cyanocorax yucas 2
borealis31, 41, 70	Cyanoloxia cyanoides
lugubris	Cyanomyia (Cyanomia) cyanocephala 71
punensis	quadricolor 62
richardsoni	violiceps 71
schottii 51, 101	Cyanospiza amœna
virens	ciris 24, 39, 51, 60, 69
virens richardsonii 61, 70	cyanea26, 30, 39, 49, 51, 69
Conurus astec	leclancheri
chrysogenys	rositæ
• 0, -	
hoffmanni	versicolor 60
holochlorus brevipes	Cychloris (Cyclorhis) flaviventris37, 51, 68
pertinax 16	subflavescens 37
petzii	Cyclorhynchus æquinoctialis 18
Copurus leuconotus	brevirostris
Corethrura albigularis	cinereiceps
guatemalensis	•
Corvidæ	sulphurescens
Corvus americanus	Cygnus americanus
carnivorus 31	Cymbilanius (Cymbilaimus) lineatus 11, 40
corax carnivorus 61, 69	Cymindis cayennensis
mexicanus 61	uncinatus
ossifragus	wilsoni 9
peruvianus 2	Cyphorinus bambla
Cory, Charles B x	cantans 10
Costa Ricax, 22, 24, 27, 34, 35, 36, 46, 55, 58, 66,	fasciatoventris 14
67, 101, 102, 103, 104	lawrencii
Cotinga amabilis	leucophrys 36
Cotingidæ	leucostictus
Coturniculus henslowi	
mexicanus35, 101, 105	philomela
	Cypselidæ31, 47, 52, 71, 78, 80, 85, 88, 89, 94, 97, 100
passerinus30, 39, 49, 60, 69	Cypseloides niger 89, 91
Cotyle flavigastra	
Cotyle flavigastra	Cypselus collaris 5
Cotyle flavigastra 13 riparia 29, 37, 48, 68 uropygialis 19, 20, 101	Cypselus collaris
Cotyle flavigastra 13 riparia 29, 37, 48, 68 uropygialis 19, 20, 101 Coues, Prof. Elliott 5	Cypselus collaris 5 niger 5 Cyrtonyx massena 4,64
Cotyle flavigastra 13 riparia 29, 37, 48, 68 uropygialis 19, 20, 101	Cypselus collaris
Cotyle flavigastra 13 riparia 29, 37, 48, 68 uropygialis 19, 20, 101 Coues, Prof. Elliott 5 Cracidæ 12, 16, 21, 45, 72	Cypselus collaris 5 niger 5 Cyrtonyx massena 4,64 sumichrasti 75,102
Cotyle flavigastra. 13 riparia 29, 37, 48, 68 uropygialis 19, 20, 101 Coues, Prof. Elliott 5 Cracidæ 12, 16, 21, 45, 72 Crax globicera 21, 45, 72	Cypselus collaris 5 niger 5 Cyrtonyx massena 4,64
Cotyle flavigastra 13 riparia 29, 37, 48, 68 uropygialis 19, 20, 101 Coues, Prof. Elliott 5 Cracidæ 12, 16, 21, 45, 72 Crax globicera 21, 45, 72 rubra 12	Cypselus collaris 5 niger 5 Cyrtonyx massena 4,64 sumichrasti 75,102 D.
Cotyle flavigastra 13 riparia 29, 37, 48, 68 uropygialis 19, 20, 101 Coues, Prof. Elliott 5 Cracidæ 12, 16, 21, 45, 72 Crax globicera 21, 45, 72 rubra 12 Craxirex unicinctus harrisii 63	Cypselus collaris 5 niger 5 Cyrtonyx massena 4, 64 sumichrasti 75, 102 D. Dacnis cærebicolor 10
Cotyle flavigastra 13 riparia 29, 37, 48, 68 uropygialis 19, 20, 101 Coues, Prof. Elliott 5 Cracidæ 12, 16, 21, 45, 72 Crax globicera 21, 45, 72 rubra 12 Craxirex unicinctus harrisii 63 Creagrus furcatus 7	Cypselus collaris 5 niger 5 Cyrtonyx massena 4,64 sumichrasti 75,102 D. Dacnis cærebicolor 10 ultramarina 23,25,37,102
Cotyle flavigastra. 13 riparia 29, 37, 48, 68 uropygialis 19, 20, 101 Coues, Prof. Elliott 5 Cracidæ 12, 16, 21, 45, 72 Crax globicera 21, 45, 72 rubra 12 Craxirex unicinctus harrisii 63 Creagrus furcatus 7 Crotophaga ani 12, 81, 86, 91, 97	Cypselus collaris 5 niger 5 Cyrtonyx massena 4, 64 sumichrasti 75, 102 D. Dacnis cærebicolor 10 ultramarina 23, 25, 37, 102 venusta 17, 37, 102
Cotyle flavigastra. 13 riparia 29, 37, 48, 68 uropygialis 19, 20, 101 Coues, Prof. Elliott 5 Cracidæ 12, 16, 21, 45, 72 Crax globicera 21, 45, 72 rubra 12 Craxirex unicinctus harrisii 63 Creagrus furcatus 7 Crotophaga ani 12, 81, 86, 91, 97 rugirostris 9	Cypselus collaris 5 niger 5 Cyrtonyx massena 4, 64 sumichrasti 75, 102 D. Dacnis cærebicolor 10 ultramarina 23, 25, 37, 102 venusta 17, 37, 102 sp. 7 13
Cotyle flavigastra. 13 riparia 29, 37, 48, 68 uropygialis 19, 20, 101 Coues, Prof. Elliott 5 Cracidæ 12, 16, 21, 45, 72 Crax globicera 21, 45, 72 rubra 12 Craxirex unicinctus harrisii 63 Creagrus furcatus 7 Crotophaga ani 12, 81, 86, 91, 97	Cypselus collaris 5 niger 5 Cyrtonyx massena 4, 64 sumichrasti 75, 102 D. Dacnis cærebicolor 10 ultramarina 23, 25, 37, 102 venusta 17, 37, 102 sp. † 13 Dafila acuta 21, 33, 46, 65
Cotyle flavigastra. 13 riparia 29, 37, 48, 68 uropygialis 19, 20, 101 Coues, Prof. Elliott 5 Cracidæ 12, 16, 21, 45, 72 Crax globicera 21, 45, 72 rubra 12 Craxirex unicinctus harrisii 63 Creagrus furcatus 7 Crotophaga ani 12, 81, 86, 91, 97 rugirostris 9	Cypselus collaris 5 niger 5 Cyrtonyx massena 4, 64 sumichrasti 75, 102 D. Dacnis cærebicolor 10 ultramarina 23, 25, 37, 102 venusta 17, 37, 102 sp. 7 13
Cotyle flavigastra 13 riparia 29, 37, 48, 68 uropygialis 19, 20, 101 Coues, Prof. Elliott 5 Cracidæ 12, 16, 21, 45, 72 Crax globicera 21, 45, 72 rubra 12 Craxirex unicinctus harrisii 63 Creagrus furcatus 7 Crotophaga ani 12, 81, 86, 91, 97 rugirostris 9 sulcirostris 21, 43, 52, 54, 62, 71	Cypselus collaris 5 niger 5 Cyrtonyx massena 4, 64 sumichrasti 75, 102 D. Dacnis cærebicolor 10 ultramarina 23, 25, 37, 102 venusta 17, 37, 102 sp. † 13 Dafila acuta 21, 33, 46, 65
Cotyle flavigastra. 13 riparia 29, 37, 48, 68 uropygialis 19, 20, 101 Coues, Prof. Elliott 5 Cracidæ 12, 16, 21, 45, 72 Crax globicera 21, 45, 72 rubra 12 Craxirex unicinctus harrisii 63 Creagrus furcatus 7 Crotophaga ani 12, 81, 86, 91, 97 rugirostris 9 sulcirostris 21, 43, 52, 54, 62, 71 Crypticus platyrhynchus 10 Crypturidæ 45, 72	Cypselus collaris 5 niger 5 Cyrtonyx massena 4, 64 sumichrasti 75, 102 D. Dacnis cærebicolor 10 ultramarina 23, 25, 37, 102 venusta 17, 37, 102 sp. † 13 Dafila acuta 21, 33, 46, 65 bahamensis 83, 84, 92 Damophila amabilis 10, 43
Cotyle flavigastra. 13 riparia 29, 37, 48, 68 uropygialis 19, 20, 101 Coues, Prof. Elliott 5 Cracidæ 12, 16, 21, 45, 72 Crax globicera 21, 45, 72 rubra 12 Craxirex unicinctus harrisii 63 Creagrus furcatus 7 Crotophaga ani 12, 81, 86, 91, 97 rugirostris 9 sulcirostris 21, 43, 52, 54, 62, 71 Crypticus platyrhynchus 10 Crypturidæ 45, 72 Crypturus sallæi 45	Cypselus collaris 5 niger 5 Cyrtonyx massena 4, 64 sumichrasti 75, 102 D. D. Dacnis cærebicolor 10 ultramarina 23, 25, 37, 102 venusta 17, 37, 102 sp. ? 13 Dafila acuta 21, 33, 46, 65 bahamensis 83, 84, 92 Damophila amabilis 10, 43 Daption capensis 6
Cotyle flavigastra. 13 riparia 29, 37, 48, 68 uropygialis 19, 20, 101 Coues, Prof. Elliott 5 Cracidæ 12, 16, 21, 45, 72 Crax globicera 21, 45, 72 rubra 12 Craxirex unicinctus harrisii 63 Creagrus furcatus 7 Crotophaga ani 12, 81, 86, 91, 97 rugirostris 9 sulcirostris 21, 43, 52, 54, 62, 71 Crypticus platyrhynchus 10 Crypturidæ 45, 72 Crypturus sallæi 45 Cuba 1x, 4, 5, 7, 8, 9, 17, 77, 101	Cypselus collaris 5 niger 5 Cyrtonyx massena 4, 64 sumichrasti 75, 102 D. Dacnis cærebicolor 10 ultramarina 23, 25, 37, 102 venusta 17, 37, 102 sp. ? 13 Dafila acuta 21, 33, 46, 65 bahamensis 83, 84, 92 Damophila amabilis 10, 43 Daption capensis 6 Demiegretta leucogastra leucopyrmna 73
Cotyle flavigastra 13 riparia 29, 37, 48, 68 uropygialis .19, 20, 101 Coues, Prof. Elliott 5 Cracidæ .12, 16, 21, 45, 72 Crax globicera .21, 45, 72 rubra 12 Creaxirex unicinctus harrisii 63 Creagrus furcatus 7 Crotophaga ani .12, 81, 86, 91, 97 rugirostris 9 sulcirostris .21, 43, 52, 54, 62, 71 Crypticus platyrhynchus 10 Crypturidæ 45, 72 Crypturus sallæi 45 Cuba .1x, 4, 5, 7, 8, 9, 17, 77, 101 Cuculidæ .12, 19, 21, 22, 25, 31, 43, 47, 52, 54, 62,	Cypselus collaris 5 niger 5 Cyrtonyx massena 4, 64 sumichrasti 75, 102 D. Dacnis cærebicolor 10 ultramarina 23, 25, 37, 102 venusta 17, 37, 102 sp. † 18 Dafila acuta 21, 33, 46, 65 bahamensis 83, 84, 92 Damophila amabilis 10, 43 Daption capensis 6 Demiegretta leucogastra leucopyrmna 73 leucopyrmna 65
Cotyle flavigastra 13 riparia 29, 37, 48, 68 uropygialia 19, 20, 101 Coues, Prof. Elliott 5 Cracidæ 12, 16, 21, 45, 72 Crax globicera 21, 45, 72 rubra 12 Craxirex unicinctus harrisii 63 Creagrus furcatus 7 Crotophaga ani 12, 81, 86, 91, 97 rugirostris 9 sulcirostris 21, 43, 52, 54, 62, 71 Crypturidæ 45, 72 Crypturidæ 45, 72 Crypturidæ 45, 72 Crypturus sallei 45 Cuba 1x, 4, 5, 7, 8, 9, 17, 77, 101 Cuculidæ 12, 19, 21, 22, 25, 31, 43, 47, 52, 54, 62, 71, 79, 81, 82, 84, 86, 88, 90, 97	Cypselus collaris 5 niger 5 Cyrtonyx massena 4, 64 sumichrasti 75, 102 D. Dacnis cærebicolor 10 ultramarina 23, 25, 37, 102 venusta 17, 37, 102 sp. f 13 Dafila acuta 21, 33, 46, 65 bahamensis 83, 84, 92 Damophila amabilis 10, 43 Daption capensis 6 Demiegretta leucogastra leucopyrmna 73 leucopyrmna 65 ludoviciana 31, 45, 53
Cotyle flavigastra	Cypselus collaris 5 niger 5 Cyrtonyx massena 4, 64 sumichrasti 75, 102 D. Dacnis cærebicolor 10 ultramarina 23, 25, 37, 102 venusta 17, 37, 102 sp. f 13 Dafila acuta 21, 33, 46, 65 bahamensis 83, 84, 92 Damophila amabilis 10, 43 Daption capensis 6 Demiegretta leucogastra leucopyrmna 73 leucopyrmna 65 ludoviciana 31, 45, 53 pealei 73
Cotyle flavigastra	Cypselus collaris 5 niger 5 Cyrtonyx massena 4, 64 sumichrasti 75, 102 D. Dacnis cærebicolor 10 ultramarina 23, 25, 37, 102 venusta 17, 37, 102 sp. f 13 Dafila acuta 21, 33, 46, 65 bahamensis 83, 84, 92 Damophila amabilis 10, 43 Daption capensis 6 Demiegretta leucogastra leucopyrmna 73 leucopyrmna 65 ludoviciana 31, 45, 53 pealei 73 rufa 53, 65, 73
Cotyle flavigastra	Cypselus collaris 5 niger 5 Cyrtonyx massena 4, 64 sumichrasti 75, 102 D. Dacnis cærebicolor 10 ultramarina 23, 25, 37, 102 venusta 17, 37, 102 sp. f 13 Dafila acuta 21, 33, 46, 65 bahamensis 83, 84, 92 Damophila amabilis 10, 43 Daption capensis 6 Demiegretta leucogastra leucopyrmna 73 leucopyrmna 65 ludoviciana 31, 45, 53 pealei 73
Cotyle flavigastra	Cypselus collaris 5 niger 5 Cyrtonyx massena 4, 64 sumichrasti 75, 102 D. Dacnis cærebicolor 10 ultramarina 23, 25, 37, 102 venusta 17, 37, 102 sp. f 13 Dafila acuta 21, 33, 46, 65 bahamensis 83, 84, 92 Damophila amabilis 10, 43 Daption capensis 6 Demiegretta leucogastra leucopyrmna 73 leucopyrmna 65 ludoviciana 31, 45, 53 pealei 73 rufa 53, 65, 73
Cotyle flavigastra 13 riparia 29, 37, 48, 68 uropygialis 19, 20, 101 Coues, Prof. Elliott 5 Cracidæ 12, 16, 21, 45, 72 Crax globicera 21, 45, 72 rubra 12 Craxirex unicinctus harrisii 63 Creagrus furcatus 7 Crotophaga ani 12, 81, 86, 91, 97 rugirostris 9 sulcirostris 21, 43, 52, 54, 62, 71 Crypticus platyrhynchus 10 Crypturidæ 45, 72 Crypturus sallæi 45, 78, 8, 91, 7, 71, 101 Cuculidæ 12, 19, 21, 22, 25, 31, 43, 47, 52, 54, 62, 71, 79, 81, 82, 84, 86, 88, 90, 97 Culicivora atricapilla 3 lembeyei 5 Cupidonia cupido 31 cupido pallidicinctus 75	Cypselus collaris 5 niger 5 Cyrtonyx massena 4, 64 sumichrasti 75, 102 D. Dacnis cærebicolor 10 ultramarina 23, 25, 37, 102 venusta 17, 37, 102 sp. 7 13 Dafila acuta 21, 33, 46, 65 bahamensis 83, 84, 92 Damophila amabilis 10, 43 Daption capensis 6 Demiegretta leucogastra leucopyrmna 73 leucopyrmna 65 ludoviciana 31, 45, 53 pealei 73 rufa 53, 65, 73 Dendrocincla fumigata 14 clivacea 17, 102
Cotyle flavigastra	Cypselus collaris 5 niger 5 Cyrtonyx massena 4, 64 sumichrasti 75, 102 D. Dacnis cærebicolor 10 ultramarina 23, 25, 37, 102 venusta 17, 37, 102 sp. 7 13 Dafila acuta 21, 33, 46, 65 bahamensis 83, 84, 92 Damophila amabilis 10, 43 Daption capensis 6 Demiegretta leucogastra leucopyrmna 65 ludoviciana 31, 45, 53 pealei 73 rufa 53, 65, 73 Dendrocincla fumigata 11, 102 sp. ? 14
Cotyle flavigastra	Cypselus collaris 5 niger 5 Cyrtonyx massena 4, 64 sumichrasti 75, 102 Dacnis cærebicolor 10 ultramarina 23, 25, 37, 102 venusta 17, 37, 102 sp. f 13 Dafila acuta 21, 33, 46, 65 bahamensis 83, 84, 92 Damophila amabilis 10, 43 Daption capensis 6 Demiegretta leucopyrmna 73 leucopyrmna 65 ludoviciana 31, 45, 53 pealei 73 rufa 53, 65, 73 Dendrocincla fumigata 14 clivacea 17, 102 sp. f 14 Dendrocolaptes multistrigatus 39, 46
Cotyle flavigastra	Cypselus collaris 5 niger 5 Cyrtonyx massena 4, 64 sumichrasti 75, 102 D. Dacnis cærebicolor 10 ultramarina 23, 25, 37, 102 venusta 17, 37, 102 sp. f 13 Dafila acuta 21, 33, 46, 65 bahamensis 83, 44, 92 Damophila amabilis 10, 43 Daption capensis 6 Demiegretta leucogastra leucopyrmna 73 leucopyrmna 65 ludoviciana 31, 45, 53 pealei 73 rufa 53, 65, 73 Dendrocincla fumigata 14 clivacea 17, 102 sp. f 14 Dendrocolaptes multistrigatus 39, 46 puncticollis 46
Cotyle flavigastra	Cypselus collaris 5 niger 5 Cyrtonyx massena 4, 64 sumichrasti 75, 102 D. Dacnis cærebicolor 10 ultramarina 23, 25, 37, 102 venusta 17, 37, 102 sp. 7 13 Dafila acuta 21, 33, 46, 65 bahamensis 83, 84, 92 Damophila amabilis 10, 43 Daption capensis 6 Demiegretta leucogastra leucopyrmna 73 leucopyrmna 65 ludoviciana 31, 45, 53 pealei 73 rufa 53, 65, 73 Dendrocincla fumigata 14 clivacea 17, 102 sp. f 14 Dendrocolaptes multistrigatus 39, 46 puncticollis 46 sancti-thomæ 14, 26, 39
Cotyle flavigastra	Cypselus collaris 5 niger 5 Cyrtonyx massena 4, 64 sumichrasti 75, 102 D. Dacnis cærebicolor 10 ultramarina 23, 25, 37, 102 venusta 17, 37, 102 sp. 7 13 Dafila acuta 21, 33, 46, 65 bahamensis 83, 84, 92 Damophila amabilis 10, 43 Daption capensis 6 Demiegretta leucogastra leucopyrmna 65 ludoviciana 31, 45, 53 pealei 73 rufa 53, 65, 73 Dendrocincla fumigata 14 clivacea 17, 102 sp. 7 14 Dendrocolaptes multistrigatus 39, 46 puncticollis 46 sancti-thomse 14, 26, 39 Dendrocolaptidæ 17, 19, 20, 23, 26, 39, 51, 61, 69
Cotyle flavigastra	Cypselus collaris 5 niger 5 Cyrtonyx massena 4, 64 sumichrasti 75, 102 D. Dacnis cærebicolor 10 ultramarina 23, 25, 37, 102 venusta 17, 37, 102 sp. 7 13 Dafila acuta 21, 33, 46, 65 bahamensis 83, 84, 92 Damophila amabilis 10, 43 Daption capensis 6 Demiegretta leucogastra leucopyrmna 73 leucopyrmna 65 ludoviciana 31, 45, 53 pealei 73 rufa 53, 65, 73 Dendrocincla fumigata 14 clivacea 17, 102 sp. ? 14 Dendrocolaptes multistrigatus 39, 46 puncticollis 46 sancti-thomæ 14, 26, 39 Dendrocolaptidæ 17, 19, 20, 23, 26, 39, 51, 61, 69 Dendrocygna autumnalis 2, 21, 46, 65, 74
Cotyle flavigastra	Cypselus collaris 5 niger 5 Cyrtonyx massena 4, 64 sumichrasti 75, 102 D. Dacnis cærebicolor 10 ultramarina 23, 25, 37, 102 venusta 17, 37, 102 sp. 7 13 Dafila acuta 21, 33, 46, 65 bahamensis 83, 84, 92 Damophila amabilis 10, 43 Daption capensis 6 Demiegretta leucogastra leucopyrmna 65 ludoviciana 31, 45, 53 pealei 73 rufa 53, 65, 73 Dendrocincla fumigata 14 clivacea 17, 102 sp. 7 14 Dendrocolaptes multistrigatus 39, 46 puncticollis 46 sancti-thomse 14, 26, 39 Dendrocolaptidæ 17, 19, 20, 23, 26, 39, 51, 61, 69
Cotyle flavigastra	Cypselus collaris 5 niger 5 Cyrtonyx massena 4, 64 sumichrasti 75, 102 D. Dacnis cærebicolor 10 ultramarina 23, 25, 37, 102 venusta 17, 37, 102 sp. 7 13 Dafila acuta 21, 33, 46, 65 bahamensis 83, 84, 92 Damophila amabilis 10, 43 Daption capensis 6 Demiegretta leucogastra leucopyrmna 73 leucopyrmna 65 ludoviciana 31, 45, 53 pealei 73 rufa 53, 65, 73 Dendrocincla fumigata 14 clivacea 17, 102 sp. ? 14 Dendrocolaptes multistrigatus 39, 46 puncticollis 46 sancti-thomæ 14, 26, 39 Dendrocolaptidæ 17, 19, 20, 23, 26, 39, 51, 61, 69 Dendrocygna autumnalis 2, 21, 46, 65, 74
Cotyle flavigastra	Cypselus collaris 5 niger 5 Cyrtonyx massena 4, 64 sumichrasti 75, 102 Dacnis cærebicolor 10 ultramarina 23, 25, 37, 102 venusta 17, 37, 102 sp. f 13 Dafila acuta 21, 33, 46, 65 bahamensis 83, 84, 92 Damophila amabilis 10, 43 Daption capensis 6 Demiegretta leucogastra leucopyrmna 73 leucopyrmna 65 ludoviciana 31, 45, 53 pealei 73 rufa 53, 65, 73 Dendrocincla fumigata 14 clivacea 17, 102 sp. f 14 Dendrocolaptes multistrigatus 39, 46 puncticollis 46 sancti-thomse 14, 26, 39 Dendrocolaptidæ 17, 19, 20, 23, 26, 39, 51, 61, 69 Dendrocygna autumnalis 2, 21, 46, 65, 74 fulva 65 viduata 9
Cotyle flavigastra	Cypselus collaris 5 niger 5 Cyrtonyx massena 4, 64 sumichrasti 75, 102 D. Dacnis cærebicolor 10 ultramarina 23, 25, 37, 102 venusta 17, 37, 102 sp. † 18 Dafila acuta 21, 33, 46, 65 bahamensis 83, 84, 92 Damophila amabilis 10, 43 Daption capensis 6 Demiegretta leucogastra leucopyrmna 73 leucopyrmna 65 ludoviciana 31, 45, 53 pealei 73 rufa 53, 65, 73 Pendrocincla fumigata 14 clivacea 17, 102 sp. † 14 Dendrocolaptidæ 39, 46 sancti-thomæ 14, 26, 39 Dendrocolaptidæ 17, 19, 20, 23, 26, 39, 51, 61, 69 Dendrocygna autumnalis 2, 21, 46, 65, 74 fulva 65 viduata 9 Dendroca, see Dendroica.
Cotyle flavigastra	Cypselus collaris 5 niger 5 Cyrtonyx massena 4, 64 sumichrasti 75, 102 Dacnis cærebicolor 10 ultramarina 23, 25, 37, 102 venusta 17, 37, 102 sp. f 13 Dafila acuta 21, 33, 46, 65 bahamensis 83, 84, 92 Damophila amabilis 10, 43 Daption capensis 6 Demiegretta leucogastra leucopyrmna 73 leucopyrmna 65 ludoviciana 31, 45, 53 pealei 73 rufa 53, 65, 73 Dendrocincla fumigata 14 clivacea 17, 102 sp. f 14 Dendrocolaptes multistrigatus 39, 46 puncticollis 46 sancti-thomse 14, 26, 39 Dendrocolaptidæ 17, 19, 20, 23, 26, 39, 51, 61, 69 Dendrocygna autumnalis 2, 21, 46, 65, 74 fulva 65 viduata 9

Page.	Page.
Dendroica auduboni	Elainea chiriquensis
blackburnise	frantzii
cærulea 14,50	macilvainii
canadensis	martinica76, 78, 80, 85, 88, 89, 91, 93, 96
capitalis 46, 102	placens
	semiflava
castanea	
coronata	subpagana15, 25, 40
discolor	Elanoides furcatus
dominica 51,59	Elliot, D. Gx
dominica albilora 68	Embernagra chlorura 60
graciæ 68	conirostris 16
	rufivirgata 2, 4, 51, 69, 102, 105
maculosa14, 29, 48, 68	• • • • • • • • • • • • • • • • • • • •
palmarum	striaticeps 26, 39
pennsylvanica	superciliosa39
	l
petechia76, 78, 82, 83, 96	
petechia melanoptera89, 91, 102	Empidonax acadicus 9, 31
petechia ruficapilla91	atrirostris 55, 102
	bairdii
p.a.a.	
plumbea	brachytarsus 15
rufigula 87,91	difficilis
	flavescens
striata29, 48, 95	
tigrina 29, 48	flaviventris21, 31, 41, 47, 70
vieilloti	flaviventris difficilis 61
	fulvipectus 55, 102
virens10, 29, 37, 68, 76, 78, 91, 95	
Dendromanes homochrous	griseigularis 18, 102
Dendrornis eburneirostris 51,69	griseipectus 53, 102
erythropygia39	hammondi 70
• ••	
guttatus 10	lawrencei X
lachrymosus 17, 102	minimus31, 47, 70
lawrencei x	nanusix, 67, 102
mentalis	l ·
	•
nana	trailli21, 31, 41, 51
pardalotus20, 26, 39	trailli pusillus 61,70
tenuirostris 10	Engyptila fulviventris 95, 105
sp. † 10	gaumeri 94, 102
Dendrortyx leucophrys 45	vinaceifulva 95, 102
Diablotin	wellsi94, 97, 102
	Ephialtes choliba 3
Diomeda brachyura 5	Eremophila alpestris chrysolæma 69
chlororhynchus 6	cornuta 30
exulans5	
	Ereunetes occidentalis23, 102, 105
fuliginosa 6	petrificatus83, 84, 90, 92, 93
Diplopterus excellens	pusillus
nævius	pusillus occidentalis 73
Dolichonyx oryzivorus	Erismatura dominica 65
Dominica, Island of75, 76, 77, 78, 79,	rubida33, 65, 98
85, 92, 93, 101, 102, 103, 104, 105	Erythronota edwardi 10,43
Doricha bryantæ	Eucometis cristata
enicura 76	spodocephala38
Doryfera ludoviciæ 42	Euethia bicolor 96
Dromococcyx mexicanus	Eugenes spectabilis
rufigularis	Eulampis chlorolæmus
Dryocopus malherbii	holosericeus
scapularis	80, 82, 84, 85, 88, 89, 91, 96
Duck, Black, sp. ?	jugularis
Dysithamnus rufiventris 23, 102	Eumomota superciliaris41, 52, 70
semicinereus 40	Eupherusa chionura
striaticeps23, 40, 102	cupreiceps
5011a01001/525, 40, 102	
	egregia 46
E.	eximia
201	nigriventris
Ectopistes migratorius31, 49, 100	niveicauda24, 35, 102, 105
Ecuador	Euphonia affinis
99, 101, 102, 103, 104, 105	anneæ

Elainea arenarum	crassirostris24

Do	
Page. Euphonia elegantissima	Page.
flavifrons 76, 78, 80, 85, 87, 89, 91, 93, 96	Gallinago delicata
gnatho	wilsonii12, 32, 45, 50, 64, 81, 83, 84, 92
gouldii	Gallinula galeata27, 33, 65, 74, 86, 90, 92. 98 martinica
gracilis 38	Gambetta flavipes16, 23, 32, 45, 53, 64, 73, 81, 84, 92
hirundinacea	melanoleuca19, 32, 45, 64, 73, 83, 92
humilis 38	Garzetta candidissima12, 31, 45, 53, 57,
luteicapilla 38	65, 73, 81, 83, 86, 92
minuta 16	Gelochelidon anglica
purpurea	Geococcyx mexicanus
rufivertex	viaticus 4
Eupsilostoma pusillum	Georgia 7
Eurypyga (Euripyga) helias	Geothlypis macgillivrayi
major 19,46	philadelphia14, 29, 37
Eurypygidæ (Euripygidæ) 19 Europe 6	philadelphia macgillivrayi 59,68
Euscarthmus squamicristatus 40	poliocephala 51,59
Euspiza americana	trichas
Euthlypis59	Geotrygon albiventer
Eutoxeres aquila	cæruleiceps
salvini	chiriquensis
F.	lommon off
	montana 44, 76, 79, 81, 86, 88, 92, 97
Falco anatum	mystacea 90, 92
columbarius	rufiventris 66, 102
communis anatum 84, 92	veraguensis
peregrinus anatum	violacea
peregrinus nigriceps 56	Geranospiza cærulescens 9
8p ?	gracilis niger 63
Falconidæ, 9, 13, 17, 20, 25, 27, 28, 44, 46, 47, 52, 54, 56,	niger 72
58, 63, 72, 79, 81, 82, 84, 86, 88, 90, 97 Florida	Giraud, Jacob P., jr
Florida cærulea, 16, 31, 46, 53, 65, 73, 81, 83, 84, 86	Glaucidium ferrugineum (ferruginium) 63,71
88, 92	gnoma 44,71
Florisuga mellivora	infuscatum 52
Fly Catcher, Lawrence's	infuscatum gnoma 63
Forest and Stream	siju9
Formicaridæ .11, 14, 18, 19, 20, 23, 26, 35, 40, 51, 53, 94	Glaucis æneus
Formicarius analis	affinis
hoffmanni 40	
pallidus 94, 102	Glyphorhynchus (Glyporhynchus) cune-
Formicivora boucardii	atus 14
griseigula 94, 102	pectoralis 26, 39
melæna 20	Godman, F. Du Canex
quixensis	Goldfinch, Lawrence's
schisticolor	Gouldia conversi
Fregata aquila76, 79, 81, 82, 84, 86, 88, 92, 98	Graculidæ 66,74
Fregatide	Graculus carbo
Fregetta lawrencii	cincinnatus 7
Fringillidæ 11, 16, 18, 21, 26, 30, 38, 49, 51, 57, 58, 69,	dilophus 7, 33
78, 80, 82, 83, 85, 88, 83, 96	floridanus7
Fulica americana	mexicanus
sp. ?	pencillatus
Fulix affinis	perspicillatus 7 violaceus 8
collaris 33, 65	Violaceus
marila	dives 26, 40
Fur countries 6, 7, 8	gigantea 34, 102
	perspicillata
G.	Granatellus francescæ 56,59
	venustus 59, 68
Galbraith, Chas. S	Grayson, Col. Andrew J
Galbula melanogenia	Greenland 6,7
Galbulidæ 10, 41	Grenada, Island of
Galeoscoptes carolinensis	94, 95, 96, 98, 99, 101, 102, 103, 104, 105

	Page.		Page.
Grenadines, The	87	Helminthophila bachmani	95, 99
Gruide	65	lawrencei	IX
Grus canadensis	65	Helmitherus vermivorus2	9, 37, 50
Guadeloupe, Island of89, 90, 95, 101, 1	102, 104	Hemiprocne minor	94, 102
Guatemala	101, 102	zonaris	27
Guiana93, 1	101, 103	Hemithylaca (Hemythylaca) hoffmanni	43
Guiraca carulea (carula)30, 39, 51	, 60, 69	Henicocichla aurocapilla	25
concreta	39	Herodias egretta21, 31, 45, 57, 6	5, 84, 92
parellina	60, 69	Herpetotheres cachinnans	
Gull, White-winged	94	Herrick, Harold	ıx
Gundlach, Dr. John	5	Hesperiphona vespertina	30
Gymnocichla nudiceps	11, 40	Heteropelma veræpacis (veropacis)	18, 41
Gymnoglaux lawrencii	1x, 77	Hicks, Fred.	24
newtoni	77, 102	Hierofalco islandicus	28
nudipes	9, 77	Himantopus nigricollis 21, 32, 64, 73, 81, 83	
Gyparchus papa	44	Hirundinidæ13, 19, 20, 29, 35, 37, 48, 51, 60	
oj pinendo pirpi		80, 85, 87	
н.		Hirnndo æquatorialis	35, 102
		bicolor	29, 48
Hadrostomus aglaiæ41		erythrogastra	25, 46
aglaiæ affinis	57, 62	· ·	
albiventris35,		horreorum 13, 22, 29, 48, 60, 6	
Hæmatopodidæ (Hæmatopidæ) .32, 45, 53, 57		lunifrons	29
Hæmatopus palliatus	7, 64, 73	Histrionicus torquatus	33
lawrencii	х	Honduras	36, 104
	47, 105	British36,	
rufescens	69	Humming Bird, Lawrence's	x
ruficauda	69	Hydrochelidon fissipes3	1, 66, 74
sumichrasti54,	69, 102	plumbea	7, 19
Haiti	x	Hylophilus acuticaudus	27, 102
Haliætus (Haliaëtus) leucocephalus	28, 47	aurantiifrons	14, 102
Haliplana discolor	23	cinereiceps	37
fuliginosa	27	decurtatus	37, 68
fuliginosa crissalis57	, 58, 66	ochraceiceps	37
Harelda glacialis	33	pusillus14.25	, 37, 102
Harpagus bidentatus	13	viridiflavus	14, 102
	47, 102	Hylotomus pileatus	31
Harpia destructor	46	Hyphantes baltimore	39
Harpiprion cayennensis	19	Hypocnemis nævoides	15, 40
Harporhynchus curvirostris	59, 67	schistacea	15
graysoni54		sp. 7	15
·lecontei	105	Hypotriorchis albigularis	72
rufus	28, 49	aurantius	52, 5 6
Hedymeles ludovicianus 11, 30, 38, 51		columbarius	7, 56, 63
melanocephalus	60	deiroleucus	44
Heleodytes, albo-brunneus16,		femoralis	63, 72
Helinaia swainsonii	95, 99	rufigularis	7, 56, 63
Heliodoxa henryi35,		Hypuroptila buffoni	14
jacula	42		
Heliomaster constanti	42, 71	I.	
leocadiæ	62, 71	Iache lawrencei	x
longirostris	42	Ibis alba32, 4	
pallidiceps	43, 71	guarauna	64
sclateri	20, 43	ordii	32
spectabilis35, 1		Ibis. The	
stuartæ			
Heliopædica castaneocauda	8, 102	Ibyeter americanus	9, 44
Heliornis fulica	13		
Heliothrix auritus		virens3	
barroti	10 49	virens longicauda viridis	
Helminthophaga celata	10, 42	Icteridæ	29, 48 15, 23
	29		15, 23,
chrysoptera10, 29		26, 30, 39, 49, 57, 61, 69, 80, 85, 8 Icterus auratus	
lawrencii	1X		54 4 20 40
peregrina14, 24, 29		baltimore15, 2	
pinus	29, 48	bonana	88, 91
ruficapilla	29, 68	cucullatus2	4, 9, 01

Page.	Page
Icterus dominicensis 9	Leptoptila riottei
formosus	verreauxi
giraudii	Lesbia amaryllis 5
graysoni 57, 61	ortoni 54, 10
gularis	Leucopeza bishopi
lawrencii x	Leucopternis princeps 4
melanocephalus	semiplumbeus
mesomelas	Limosa fedoa
oberi	hudsonica
pectoralis 39, 69	Linnæan Society of New York viii, 9
prosthemelas69	Lipaugus albogriseus
pustulatus	holerythrus 15, 4
salvini	rufescens 15, 4
spurius	unirufus 1
spurius affinis	Lobipes hyperboreus 7
wagleri 61	Long Island, N. Y
	Longipennes
•	Lophodytes cucullatus
Ionolaima frontalis	
Ionornis martinica	l ·
-	Lophornis delattrei 1
J.	helenæ 4
Jacamerops (Jacameraps) grandis 10	gambellii 6
, , , , , , , , , , , , , , , , , , ,	Lophostrix stricklandi 4
Juliamyia (Juliamya) typica 10, 43	Louisiana
Junco hyemalis	Loxia americana
к.	leucoptera
	Loxigilla noctis76, 78, 80, 82, 83, 85, 88, 89, 91, 9
Klais guimeti	portoricensis grandis 93, 10
L.	Lyceum of Natural History of New York,
- -	, .
Labrador 6, 7	Annals of 1, 2, 3, 4, 5, 9, 13, 17, 20, 22, 23, 24, 25, 28
Lampornis mango	34, 35, 36, 50, 53, 54, 55, 58, 66, 67, 7
prevostii	м.
veraguensis	141.
Laniidæ30, 48, 60, 68	McCown, Capt. J. P
Lanio aurantius	McLeannan, James
lawrencii x	Macrorhamphus (Macroramphus) griseus 9, 19
leucothrax	
	22, 3
	griseus scolopaceus 7
solitarius	scolopaceus 1, 4, 9, 32, 45, 64, 10
Laridæ6, 27, 34, 50, 53, 57, 58, 66, 74, 79, 82, 83,	Malacoptila costaricensis 4
84, 86, 88, 90, 98	frontalis 1
Larus argentatus 6,9	inornata 20,4
atricilla83, 84, 87, 90, 92, 98	panamensis 1
californicus4, 6, 74, 102, 105	veræpacis (verapacis) 26,4
chalcopterus 6	Mareca americana
delawarensis	penelope 3
glaucescens 6	Margarops albiventris 98, 10
glaucus 6, 34	densirostris76, 78, 82, 87, 89, 9
hutchinsii	dominicensis
	fuscatus
leucopterus 6, 94 marinus 6, 34, 50	
	herminieri76, 78, 80, 87, 89, 9
occidentalis 6	montanus76, 78, 80, 87, 89, 9
smithsonianus	Margarornis brunnesceus 3
suckleyi 5, 6, 102	guttata 23, 10
Lawrence, Geo. N., Biographical sketch of vii	rubiginosa23, 39, 10
Lawrencia 1X, 102	Martinique, Island of
Legatus albicollis	Maryland
variegatus	Massachusetts
Lepidœnas speciosa	Mecocerculus uropygialis 54, 10
-	
Lentonogon amaurocenhalus 15	
Leptopogon amaurocephalus	Megarhynchus mexicanus26, 41, 51, 7
flavovirens 18, 102	Megarhynchus mexicanus 26, 41, 51, 7 Melanerpes erythrocephalus 31, 47, 10
flavovirens. 18, 102 Leptoptila albifrons	Megarhynchus mexicanus 26, 41, 51, 7 Melanerpes erythrocephalus 31, 47, 10 formicivorus 43, 62, 7
flavovirens 18, 102 Leptoptila albifrons 52, 56, 63, 72 bonaparti 55, 102	Megarhynchus mexicanus 26, 41, 51, 7 Melanerpes erythrocephalus 31, 47, 10 formicivorus 43, 62, 7 l'herminieri 89, 9
flavovirens. 18, 102 Leptoptila albifrons	Megarhynchus mexicanus 26, 41, 51, 7 Melanerpes erythrocephalus 31, 47, 10 formicivorus 43, 62, 7

Page.	Page
Meleagrida 64	Muscivora mexicana
Meleagris gallopavo 64	Myiadestes genibarbis
Mellisuga albo-coronata	melanops
merrittii 8, 103	
Melopelia leucoptera45, 52, 63, 72	•
plumbescens	· ·
Melospiza lincolnii	cooperi
melodia	crinitus
palustris	
Melozone leucotis	•
Mergulus alle 34 Mergus americanus 33	lawrenceiiix, 26, 41, 51, 57, 61, 7
serrator	
3	
Metallura quitensis	
Mexico x, 2, 7, 17, 35, 54, 55, 56-58; 58, 59-66, 67	panamensis
-74, 75, 94, 98, 101, 102, 103, 104, 105	
Gulf of	
Micrastur gilvicollis	
poliogaster 13	,
semitorquatus	1 9
Micrathene whitneyi 58, 63	barbatus 1
Microchera albocoronata 42, 105	capitalis 4
parvirostris 42, 105	cinnamomeus 1
Micropalama himantopus22, 32, 73, 97	erythrurus 18, 4
Middle States of United States 7	sulphureipygius 21, 4
Milvulus forficatus	Myiodioctes cærulescens 6
monachus 11	canadensis18, 29, 3
tyrannus25, 41, 96	mitratus20, 29, 48, 5
Mimus gilvus80, 85, 87, 91, 96	pusillus29, 37, 3
gilvus lawrencei x	pusillus pileolatus 6
gracilis36, 50, 67	Myiodynastes hemichrysus 4
melanopterus 2, 103	luteiventris
nigriloris 55, 103	nobilis
polyglottus28, 49, 56, 59	superciliaris
polyglottus caudatus 67	Mylozetetes cayennensis 1
Mionectes assimilis 15, 40	columbianus 15, 2
oleaginus 40	granadensis
olivaceus 40, 103	grandis 55, 10
striaticollis 15	inornatus 54,10
Mississippi River	marginatus19, 21, 40, 10
Valley 1, 103	rufipennis 54, 103
Missouri 75	texensis
River 6, 8	Myrmeciza exsul
Mitrephorus aurantiiventris24, 41, 103	ferruginea 18, 10
phæocercus	immaculata 40
Mniotilta varia	læmosticta 4
Mniotiltidæ10, 14, 18, 20, 25, 56, 58, 67, 96	
Molothrus æneus	stictoptera 23, 40, 10
pecoris	Myrmelastes corvinus
pecoris obscurus	Myrotherula (Myrmetherula) albigula23, 40, 10
Momotidæ	fulviventris18, 40, 103
Momotus lessoni	motona.
martii 10, 41 mexicanus 62, 70	modesta
· · · · · · · · · · · · · · · · · · ·	pyginca
subrufescens	
Monasa grandior	Sp
peruana 42, 46	1
Montserrat, Island of	
Mormon arcticus	Nauclerus furcatus
Morococcyx crythropygia	Neomorphus geoffroyi 75
Motacillidæ	_
Muscicapa coronata	
	-
Muscipeta incanesceus 75	Barvini

	rage.
Nettion carolinensis	33, 65
crecca	33
New England States	7
New Grenada4, 8, 9-13; 13, 13-16, 17-1	19; 19
20, 22, 24, 27, 35, 36, 46,54	
(66) (93, (94, 95, (01) 102) (103, 1	.04,(105)
New Jersey	34, 101
•	
New Mexico	8, 103
New Providence, Island of	75, 104
New York	75 94
Academy of Sciences, Annals of	15
77, 85, 93, 94	1, 95, 98
City, Central Park	
City, Contract at K	41-00
City, Vicinity of	, 28–34
Island, N. Y28-34, 47	-50.99
Newfoundland	7
Banks of	6
Nicaragua	01 104
North America, Atlantic coast of	6
Northwest coast of	6, 7
Pacific coast of5, 6,	
Western coast of	8
North Carolina	7, 55
Northern States of the United States	7
Nothocercus sallæi	64, 72
Notiocorys parvus	27
Nova Scotia	6, 7, 8
Numenius borealis	32, 98
hudsonicus .23, 32, 64, 73, 83, 84, 86	
longirostris32, 64, 73	3, 81, 92
Numida meleagris	84, 92
	84
Numididæ	
Nuttall Ornithological Club, Bulletin of X	75, 76
Nyetala acadica	
Nyctale acadica	28
Nyctale acadica Nyctea nivea	
Nyctea nivea	28 28, 47
Nyctea nivea	28 28, 47 7, 58, 65
Nyctea nivea	28 28, 47 7, 58, 65 32, 50
Nyctea nivea	28 28, 47 7, 58, 65
Nyctea nivea Nyctherodius violaceus	28 28, 47 7, 58, 65 32, 50 73
Nyctea nivea Nyctherodius violaceus	28 28, 47 7, 58, 65 32, 50 73 65
Nyctea nivea 22, 32, 5 Nyctherodius violaceus 22, 32, 5 Nyctiardea gardeni grisea nævia nævia violacea 86, 96	28 28, 47 7, 58, 65 32, 50 73 65
Nyctea nivea Nyctherodius violaceus	28 28, 47 7, 58, 65 32, 50 73 65
Nyctea nivea Nyctherodius violaceus	28 28, 47 7, 58, 65 32, 50 73 65 0, 92, 93 9
Nyctea nivea Nyctherodius violaceus	28 28, 47 7, 58, 65 32, 50 73 65 0, 92, 93 9 42, 71
Nyctea nivea Nyctherodius violaceus	28 28, 47 7, 58, 65 32, 50 73 65 0, 92, 93 9
Nyctea nivea Nyctherodius violaceus	28 28, 47 7, 58, 65 32, 50 73 65 0, 92, 93 9 42, 71 97
Nyctea nivea Nyctherodius violaceus Nyctiardea gardeni grisea nævia nævia violacea Nyctibius grandis jamaicensis Nyctiorax violaceus Nyctidoromus albicollis 42, 52, 56	28, 47 7, 58, 6532, 5032, 50939 42, 7197 3, 62, 71
Nyctea nivea Nyctherodius violaceus 22, 32, 5; Nyctiardea gardeni grisea nævia nævia. violacea. 86, 96 Nyctibius grandis jamaicensis Nycticorax violaceus. Nyctidromus albicollis. 42, 52, 56 americanus	28, 47 7, 58, 65 32, 50 73 65 0, 92, 93 9 42, 71 97 8, 62, 71
Nyctea nivea Nyctherodius violaceus Nyctiardea gardeni grisea nævia nævia violacea Nyctibius grandis jamaicensis Nyctiorax violaceus Nyctidoromus albicollis 42, 52, 56	28, 47 7, 58, 6532, 5032, 50939 42, 7197 3, 62, 71
Nyctea nivea Nyctherodius violaceus Nyctiardea gardeni grisea nævia nævia violacea Nyctibius grandis jamaicensis Nycticorax violaceus Nyctidromus albicollis guianensis guianensis	28, 47 7, 58, 65 32, 50 73 65 0, 92, 93 9 42, 71 97 8, 62, 71
Nyctea nivea Nyctherodius violaceus 22, 32, 5; Nyctiardea gardeni grisea nævia nævia. violacea. 86, 96 Nyctibius grandis jamaicensis Nycticorax violaceus. Nyctidromus albicollis. 42, 52, 56 americanus	28, 47 7, 58, 65 32, 50 73 65 0, 92, 93 9 42, 71 97 8, 62, 71
Nyctea nivea Nyctherodius violaceus	28, 47 7, 58, 65 73, 65 0, 92, 93 9 42, 71 97 8, 62, 71 9
Nyctea nivea Nyctherodius violaceus Nyctiardea gardeni grisea nævia nævia violacea Nyctibius grandis jamaicensis Nycticorax violaceus Nyctidromus albicollis guianensis guianensis	28, 47 7, 58, 65 73, 65 0, 92, 93 9 42, 71 97 8, 62, 71 9
Nyctea nivea 22, 32, 5 Nyctherodius violaceus 22, 32, 5 Nyctiardea gardeni grisea nævia nævia violacea Nyctibius grandis jamaicensis Nyctidromus albicollis 42, 52, 5 americanus guianensis O. Ober, Frederick A 78, 80, 82, 85, 8°	28, 47 7, 58, 65
Nyctea nivea Nyctherodius violaceus Nyctiardea gardeni grisea nævia nævia violacea Nyctibius grandis jamaicensis Nycticorax violaceus Nyctidromus albicollis guianensis O Ober, Frederick A Oceanites oceanicus 22, 32, 51 06, 96 06, 96 06, 96 07, 97, 80, 82, 85, 87 07, 80, 82, 85, 87 08	28, 47 7, 58, 65
Nyctea nivea Nyctherodius violaceus Nyctherodius violaceus Series grisea nævia nævia violacea Nyctibius grandis jamaicensis Nycticorax violaceus Nyctidromus albicollis americanus guianensis O. Ober, Frederick A	28, 47 7, 58, 6532, 50 73 65 0, 92. 93 42, 71 97 8, 62, 71 9 7, 89, 90 34, 98 98, 103
Nyctea nivea Nyctherodius violaceus Nyctiardea gardeni grisea nævia nævia violacea Nyctibius grandis jamaicensis Nycticorax violaceus Nyctidromus albicollis guianensis O Ober, Frederick A Oceanites oceanicus 22, 32, 51 06, 96 06, 96 06, 96 07, 97, 80, 82, 85, 87 07, 80, 82, 85, 87 08	28, 47 7, 58, 6532, 50 73 65 0, 92. 93 42, 71 97 8, 62, 71 9 7, 89, 90 34, 98 98, 103
Nyctea nivea Nyctherodius violaceus Nyctherodius violaceus Segradeni grisea nævia nævia violacea Nyctibius grandis jamaicensis Nycticorax violaceus Nyctidromus albicollis americanus guianensis O. Ober, Frederick A Oceanites oceanicus Octhoëca (Ochthoèca) flaviventris rufomarginatus	28, 47 7, 58, 6532, 50 73 65 0, 92. 93 42, 71 97 8, 62, 71 9 7, 89, 90 34, 98 98, 103 54, 103
Nyctea nivea Nyctherodius violaceus Nyctiardea gardeni grisea nævia nævia violacea Nyctibius grandis jamaicensis Nycticorax violaceus Nyctidromus albicollis guianensis O. Ober, Frederick A Oceanites oceanicus Octhoëca (Ochthoëca) flaviventris rufomarginatus Ocyalus wagleri	28, 47 7, 58, 65 32, 50 73 65 0, 92. 93 9 42, 71 97 8, 62, 71 9 9 7, 89, 90 34, 98 98, 103 54, 103 11, 39
Nyctea nivea Nyctherodius violaceus Nyctherodius violaceus grisea nævia nævia violacea Nyctibius grandis jamaicensis Nycticorax violaceus Nyctidromus albicollis americanus guianensis O. Ober, Frederick A Oceanites oceanicus Octhoëca (Ochthoëca) flaviventris rufomarginatus Ocyalus wagleri Odontophorus guianensis	28, 47 7, 58, 65 32, 50 73 65 0, 92, 93 9 42, 71 9 7, 89, 90 34, 98 98, 103 54, 103 54, 103 11, 39 12
Nyctea nivea Nyctherodius violaceus Nyctiardea gardeni grisea nævia nævia violacea Nyctibius grandis jamaicensis Nycticorax violaceus Nyctidromus albicollis guianensis O. Ober, Frederick A Oceanites oceanicus Octhoëca (Ochthoëca) flaviventris rufomarginatus Ocyalus wagleri	28, 47 7, 58, 65 32, 50 73 65 0, 92. 93 9 42, 71 97 8, 62, 71 9 9 7, 89, 90 34, 98 98, 103 54, 103 11, 39
Nyctea nivea Nyctherodius violaceus Nyctiardea gardeni grisea nævia nævia violacea Nyctibius grandis jamaicensis Nycticorax violaceus Nyctidromus albicollis americanus guianensis O. Ober, Frederick A Oceanites oceanicus Octhoëca (Ochthoëca) flaviventris rufomarginatus Ocyalus wagleri Odontophorus guianensis gutatus	28, 47 7, 58, 65 73, 50 73, 65 0, 92, 93 9 42, 71 97 8, 62, 71 9 7, 89, 90 34, 98 98, 103 54, 103 11, 39 45
Nyctea nivea Nyctherodius violaceus Nyctherodius violaceus grisea nævia nævia violacea Nyctibius grandis jamaicensis Nycticorax violaceus Nyctidromus albicollis americanus guianensis O. Ober, Frederick A Oceanites oceanicus Octhoëca (Ochthoëca) flaviventris rufomarginatus Ocyalus wagleri Odontophorus guianensis guitatus leucolæmus	28, 47 7, 58, 65 73, 65 0, 92, 93 9 42, 71 97 8, 62, 71 9 7, 89, 90 34, 98 98, 103 54, 103 11, 39 12 45
Nyctea nivea Nyctherodius violaceus Nyctiardea gardeni grisea nævia nævia violacea Nyctibius grandis jamaicensis Nycticorax violaceus Nyctidromus albicollis grisea nævia 1	28, 47 7, 58, 65 32, 50 73 65 0, 92. 93 9 42, 71 97 8, 62, 71 9 9 7, 89, 90 34, 98 98, 103 54, 103 11, 39 12 45 45
Nyctea nivea Nyctherodius violaceus Nyctherodius violaceus grisea nævia nævia violacea Nyctibius grandis jamaicensis Nycticorax violaceus Nyctidromus albicollis americanus guianensis O. Ober, Frederick A Oceanites oceanicus Octhoëca (Ochthoëca) flaviventris rufomarginatus Ocyalus wagleri Odontophorus guianensis guitatus leucolæmus	28, 47 7, 58, 65 73, 65 0, 92, 93 9 42, 71 97 8, 62, 71 9 7, 89, 90 34, 98 98, 103 54, 103 11, 39 12 45
Nyctea nivea Nyctherodius violaceus Nyctiardea gardeni grisea nævia nævia violacea Nyctibius grandis jamaicensis Nycticorax violaceus Nyctidromus albicollis guianensis O. Ober, Frederick A Oceanites oceanicus Octhoëca (Ochthoëca) flaviventris rufomarginatus Ocyalus wagleri Odontophorus guianensis gutatus leucolæmus melanotis veraguensis 22, 32, 52 86, 90 86	28, 47 7, 58, 65 32, 50 73 65 0, 92. 93 9 42, 71 97 8, 62, 71 9 7, 89, 90 34, 98 98, 103 54, 103 11, 39 12 45 45 45
Nyctea nivea Nyctherodius violaceus Nyctiardea gardeni grisea nævia nævia violacea Nyctibius grandis jamaicensis Nycticorax violaceus Nyctidromus albicollis 42, 52, 56 americanus guianensis O. Ober, Frederick A Oceanites oceanicus Octhoëca (Ochthoèca) flaviventris rufomarginatus Ocyalus wagleri Odontophorus guianensis guttatus leucolæmus melanotis veraguensis Oëdicnemus bistriatus	28, 47 7, 58, 65 32, 50 73 65 0, 92, 93 9 42, 71 97 8, 62, 71 9 7, 89, 90 34, 98 98, 103 54, 103 11, 39 12 45 45 45 73
Nyctea nivea Nyctherodius violaceus Nyctherodius violaceus grisea nævia nævia violacea Nyctibius grandis jamaicensis Nycticorax violaceus Nyctidromus albicollis americanus guianensis Ochoëca (Ochthoëca) flaviventris rufomarginatus Ocyalus wagleri Odontophorus guianensis guttatus leucolæmus melanotis veraguensis Oëdicnemus bistriatus Ohio River	28, 47 7, 58, 65 32, 50 73 65 0, 92. 93 9 42, 71 97 8, 62, 71 9 7, 89, 90 34, 98 98, 103 54, 103 11, 39 12 45 45 45
Nyctea nivea Nyctherodius violaceus Nyctherodius violaceus grisea nævia nævia violacea Nyctibius grandis jamaicensis Nycticorax violaceus Nyctidromus albicollis americanus guianensis Ochoëca (Ochthoëca) flaviventris rufomarginatus Ocyalus wagleri Odontophorus guianensis guttatus leucolæmus melanotis veraguensis Oëdicnemus bistriatus Ohio River	28, 47 7, 58, 65 73, 50 73, 50 942, 71 97 8, 62, 71 9 7, 89, 90 34, 98 98, 103 54, 103 11, 39 45 45 45 73 6
Nyctea nivea Nyctherodius violaceus Nyctiardea gardeni grisea nævia nævia violacea Nyctibius grandis jamaicensis Nycticorax violaceus Nyctidromus albicollis guianensis O. Ober, Frederick A Oceanites oceanicus Octhoëca (Ochthoèca) flaviventris rufomarginatus Ocyalus wagleri Odontophorus guianensis gutatus leucolæmus melanotis veraguensis Oëdienemus bistriatus Ohio River Oidemia americana	28, 48, 47, 58, 65,32, 50, 92, 93, 942, 71, 97, 8, 62, 71, 99, 10, 11, 39, 112, 45, 45, 45, 73, 6, 33
Nyctea nivea Nyctherodius violaceus Nyctiardea gardeni grisea nævia nævia violacea Nyctibius grandis jamaicensis Nycticorax violaceus Nyctidromus albicollis guianensis O. Ober, Frederick A Oceanites oceanicus Octhoëca (Ochthoëca) flaviventris rufomarginatus Ocyalus wagleri Odontophorus guianensis gutatus leucolæmus melanotis veraguensis Oëdienemus bistriatus Ohio River Oidemia americana Oncostoma cinereigulare	28, 47 7, 58, 6532, 5032, 5092, 93 9 42, 71 97 8, 62, 71 9 9 7, 89, 90 34, 98 98, 103 54, 103 11, 39 12 45 45 45 73 63 340, 70
Nyctea nivea Nyctherodius violaceus Nyctiardea gardeni grisea nævia nævia violacea Nyctibius grandis jamaicensis Nycticorax violaceus Nyctidromus albicollis guianensis O. Ober, Frederick A Oceanites oceanicus Octhoëca (Ochthoèca) flaviventris rufomarginatus Ocyalus wagleri Odontophorus guianensis gutatus leucolæmus melanotis veraguensis Oëdienemus bistriatus Ohio River Oidemia americana	28, 48, 47, 58, 65,32, 50, 92, 93, 942, 71, 97, 8, 62, 71, 99, 10, 11, 39, 112, 45, 45, 45, 73, 6, 33
Nyctea nivea Nyctherodius violaceus Nyctherodius violaceus grisea nævia nævia violacea Nyctibius grandis jamaicensis Nycticorax violaceus Nyctidromus albicollis grisea nævia O. Ober, Frederick A Oceanites oceanicus Octhoëca (Ochthoëca) flaviventris rufomarginatus Ocyalus wagleri Odontophorus guianensis guitatus leucolæmus melanotis veraguensis Oëdicnemus bistriatus Ohio River Oidemia americana Oncostoma cinereigulare olivacea	28, 47 7, 58, 6532, 50 73 65 0, 92, 93 9 42, 71 9 7, 89, 90 34, 98 98, 103 54, 103 11, 39 12 45 45 45 73 6 33 40, 70 18, 105
Nyctea nivea Nyctherodius violaceus Nyctiardea gardeni grisea nævia nævia violacea Nyctibius grandis jamaicensis Nycticorax violaceus Nyctidromus albicollis 42, 52, 56 americanus guianensis O. Ober, Frederick A Oceanites oceanicus Octhoëca (Ochthoèca) flaviventris rufomarginatus Ocyalus wagleri Odontophorus guianensis guttatus leucolæmus melanotis veraguensis Oëdicnemus bistriatus Ohio River Oidemia americana Oncostoma cinereigulare olivacea Oporornis agilis	28, 47 7, 58, 65 32, 50
Nyctea nivea Nyctherodius violaceus Nyctherodius violaceus grisea nævia nævia violacea Nyctibius grandis jamaicensis Nycticorax violaceus Nyctidromus albicollis grisea nævia O. Ober, Frederick A Oceanites oceanicus Octhoëca (Ochthoëca) flaviventris rufomarginatus Ocyalus wagleri Odontophorus guianensis guitatus leucolæmus melanotis veraguensis Oëdicnemus bistriatus Ohio River Oidemia americana Oncostoma cinereigulare olivacea	28, 47 7, 58, 65 32, 50

	Page.
Orchilus atricapillus	67, 103
Oregon5	
Oreopyra calolæma	
cinereicauda3	
hemileuca	
leucaspis	
venusta	
Ornithion incanescens	
Ortalida maccalli	
poliocephala16,	
ruficauda	
vetula	
wagleri	
Orthorhynchus cristatus85,	
emigrans	
exilis 22, 76, 78, 82, 84,	
ornatus	
Ortyx coyolcos	
cubanensis	
graysoni35, 64	
leylandi	
nigrogularis	
texanus	
virginianus	
Oryzoborus æthiops	
Ostinops cristatus	
montezuma	
Otocoris alpestris chrysolæma	
Otus wilsonianus	
Oxyechus vociferus	
Oxyrhynchus flammiceps	
• •	
	46
frater	. 46
	. 46
Р.	
Р.	
P. Pachyrhamphus cinereiventris cinereus	. 41 . 15
P. Pachyrhamphus cinereiventris	. 41 . 15
P. Pachyrhamphus cinereiventris cinereus	. 41 . 15
P. Pachyrhamphus cinereiventris cinereus cinnamomeus	. 41 . 15 26, 41, 103 . 18
P. Pachyrhamphus cinereiventris cinereus cinnamomeus	. 41 . 15 26, 41, 103 . 18
P. Pachyrhamphus cinereiventris cinereus cinnamomeus	. 41 . 15 26, 41, 103 . 18 . 15
P. Pachyrhamphus cinereiventris cinereus	. 41 . 15 26, 41, 103 . 18 . 15 . 26
P. Pachyrhamphus cinereiventris	. 41 . 15 26, 41, 103 . 18 . 26 . 26 . 11
P. Pachyrhamphus cinereiventris cinereus	. 41 . 15 . 16, 41, 103 . 18 . 15 . 26 . 11 . 5, 6, 8
P. Pachyrhamphus cinereiventris	- 41 - 15 26, 41, 103 - 15 - 26 - 11 - 5, 6, 8
P. Pachyrhamphus cinereiventris	. 41 . 15 26, 41, 103 . 18 . 15 . 26 . 11 . 5, 6, 8 . 7
P. Pachyrhamphus cinereiventris	. 41 - 15 26, 41, 103 - 18 - 26 - 11 - 5, 6, 8 - 7 - 7 - 12 - 1X, X,
P. Pachyrhamphus cinereiventris	. 41 - 15 - 18 - 18 - 26 - 11 - 5, 6, 8 - 7 - 7 - 12 - 11x, x, 3, 104, 105
P. Pachyrhamphus cinereiventris	. 41 . 15 . 18 . 18 . 26 . 11 . 5, 6, 8 . 7 . 7 . 7 . 12 . 1x, x, 3, 104, 105 . 28, 47, 50
P. Pachyrhamphus cinereiventris	- 41 - 15 26, 41, 103 - 18 - 15 - 26 - 11 - 5, 6, 8 - 5 - 7 - 7 - 12 - 1X, X, 3, 104, 105 28, 47, 56 82, 86, 91
P. Pachyrhamphus cinereiventris	. 41 1526, 41, 103 18 15 15 16 16 17 17 18 18 19 19 19 19 19 19 19 19 19 19 19 19 19
P. Pachyrhamphus cinereiventris	- 41 - 15 - 26, 41, 103 - 18 - 26 - 11 - 5, 6, 8 - 7 - 7 - 12 - 11, 12, 2 - 12, 13, 3, 104, 105 - 28, 47, 56 - 82, 86, 91 - 63, 72, 97
P. Pachyrhamphus cinereiventris	41, 15, 26, 41, 103, 105, 106, 107, 103, 105, 105, 105, 105, 105, 105, 105, 105
P. Pachyrhamphus cinereiventris	- 41 - 15 26, 41, 103 - 18 - 15 - 26 - 11 - 5, 6, 8 - 7 - 7 - 12, 1X, X, 3, 104, 105 28, 47, 55 82, 86, 91 - 63, 72, 97 - 22, 42, 7, 103, 105 - 22, 42, 105
P. Pachyrhamphus cinereiventris	41. 1526, 41, 103. 182. 153. 154. 155. 154. 155. 154. 155. 155. 157. 157. 157. 157. 157. 157
P. Pachyrhamphus cinereiventris	. 41 1526, 41, 103 18 155 266 111 5, 6, 8 5 7 7 12 12, 1X, X, 3, 104, 105 282, 86, 91 63, 72, 97 22, 42 7, 103, 105 25, 28, 49, 50 25, 28, 49, 50 27, 103, 105 25, 28, 49, 50 27, 103, 105 27, 103, 103, 103, 103, 103, 103, 103, 103
P. Pachyrhamphus cinereiventris	- 41 - 15 - 16, 41, 103 - 26 - 11 - 5, 6, 8 - 5, 6, 8 - 7 - 12 - 12, 13, 3, 104, 105 - 28, 47, 56 82, 86, 91 - 63, 72, 92 - 22, 42 7, 103, 105 - 22, 104 - 25, 28, 49 - 25, 28, 49
P. Pachyrhamphus cinereiventris	- 41 - 15 - 26 - 11 - 5, 6, 8 - 5, 6, 8 - 7 - 7 - 7 - 12 - 1x, x, 3, 104, 105 - 22, 42, 47, 50 82, 86, 91 - 63, 72, 97 - 22, 42, 47 - 7, 103, 105 - 22, 104 - 25, 28, 49 - 27, 65, 74 - 12
P. Pachyrhamphus cinereiventris	41. 1526, 41, 1036. 188. 155. 266. 111. 5, 6, 8 8. 77. 12. 12, 13, 104, 105, 28, 47, 506 82, 86, 91. 63, 72, 97. 125, 28, 48, 27, 103, 105. 125, 28, 48, 27, 65, 74. 126. 126. 126. 126. 126. 126. 126. 126
P. Pachyrhamphus cinereiventris	41. 15. 15. 16. 41. 103. 18. 15. 15. 15. 15. 15. 15. 17. 17. 17. 17. 17. 17. 17. 17. 17. 17
P. Pachyrhamphus cinereiventris	41, 15, 16, 41, 103, 16, 11, 103, 11, 11, 11, 11, 11, 11, 11, 11, 11, 1
P. Pachyrhamphus cinereiventris	41, 15, 26, 41, 103, 26, 41, 103, 26, 41, 103, 26, 47, 50, 82, 86, 91, 63, 72, 97, 22, 42, 7, 103, 105, 22, 104, 25, 28, 49, 25, 28, 28, 28, 28, 28, 28, 28, 28, 28, 28
P. Pachyrhamphus cinereiventris	- 41 - 15 - 26, 41, 103 - 18 - 15 - 26 - 11 - 5, 6, 8 - 7 - 7 - 12 - 1x, x, 3, 104, 105 - 28, 47, 50 82, 86, 91 - 63, 72, 97 - 22, 42 7, 103, 105 - 27, 65, 74 - 12 - 65, 74 - 79, 91, 93 - 50, 68, 95 - 37 - 37
P. Pachyrhamphus cinereiventris	- 41 - 15 - 26, 41, 103 - 18 - 15 - 26 - 11 - 5, 6, 8 - 7 - 7 - 12 - 1x, x, 3, 104, 105 - 28, 47, 50 82, 86, 91 - 63, 72, 97 - 22, 42 7, 103, 105 - 27, 65, 74 - 12 - 65, 74 - 79, 91, 93 - 50, 68, 95 - 37 - 37

	Page.	Page.
Parus atricapillus	28, 49	Phlogopsis macleannani
carolinensis	28	Phamicothraupis (Phoenicothraupis) car-
Passer domesticus	30.49	mioli 38, 103
Passerculus guttatus35,	103, 105	cristata 66, 103
savanna	30	fuscicauda21, 26, 38, 68
savanna alaudinus	69	rubicoides 11, 68
Passerella iliaca	30, 49	vinacea36, 38, 103
Pelecanidæ	7, 21	Phonipara bicolor
33, 58, 66, 74, 79, 81, 82, 84, 8	6, 88, 98	82, 83, 85, 87, 88, 89, 91
Pelecanus erythrorhynchus	3, 66, 74	fumosa
fuscus		gutturalis
66, 74, 76, 79, 81, 82, 84, 86, 8	8, 92, 98	pusilla
Pelidna americana	32	Piaya cayana
Pelionetta perspicillata	33	mehleri
Pendulinus prosthemelas	39	nigricrissa
Penelope purpurascens	5, 63, 72	ridibundus
Penelopidæ4		rutila 12
Pennsylvania	3, 6, 8	Picidae 12, 16, 18, 20, 21, 27, 31, 43, 47, 52, 54, 56, 62, 89
Perdicidæ	2, 64, 72	Picolaptes affinis
Perisoreus canadensis	30	brunneicapillus 2
Perissoglossa tigrina	95	compressus 39
Peristera cinerea	12, 44	lineaticeps
mondetura	45	Picumnus (Picumnis) grenadensis 16
Peru35, 54, 55, 74, 75, 101, 102,		lawrencii x
Petasophora anais	54	Picus borealis
cyanotis	42	chrysocaulosus5
thalassina	57, 62	harrisii
Petrel, Black and white Stormy	ix	jardinii
Petrochelidon albinea		pubescens
leucoptera	13	scalaris
lunifrons	13, 60	scalaris graysoni
swainsoni	68	villosus
Peucæa æstivalis botteri	60	Pigeon 93,94
mexicana	105	Pilherodias pileatus
ruficeps boucardi	69	Pinicola canadensis
Pezopetes capitalis	38	Pionius coccinicollaris 18, 103
Phæochroa cuvieri	42	hæmatotis
Phaëthon æthereus 23, 66, 81, 86, 9		menstruus 12
flavirostris 8, 23, 76, 79, 8		senilis
flavo-aurantius		Pipilo albicollis
Phaëthonidæ 8, 66, 79, 81, 84, 86, 8	•	carmani
Phæthornis adolphi	10	erythrophthalmus
atrimentalis	5, 103	erythrophthalmus carmani 60
cassinii	35, 103	fuscus crissalis
emilæ	42	maculatus
eurynomus	10	Pipra cinnamomea
longirostris	14, 42	leucorrhoa
moorei	5, 103	mentalis41
nigricinctus	5, 103	Pipridæ
villosus	5, 103	Piprites griseiceps
Phalacrocoracidæ	7, 33	Pitangus albovittatus
Phalaropodidæ (Phalaropidæ)	32, 73	derbianus
Phalaropus fulicarius	32	gabbii
hyperboreus	32	lictor
wilsonii	32	Pithys bicolor
Pharomacrus mo-cinno	42	leucaspis
Pheucticus chrysopeplus	60	rufigularis
tibialis		Pittasoma michleri
Pheugopedius atrogularis	25, 36	Pitylus (Pytilus) grossus
fasciativentris	36	humeralis
Philohela minor	32, 50	poliogaster 38
Philomachus pugnax	3, 32	Platalea ajaja
Philortyx fasciatus	64	Plataleidæ
Philydor rufobruneus		Platyrhynchus (Platyrhyncha) cancroma. 15
	,, 100	

Page.	Page.
Platyrhynchus superciliaris19, 21, 40, 103	Psittovius subcæruleus
Plectrophanes lapponicus	tovi
mccownii	Pterocyanea cæruleata 3
nivalis 30, 49	
Plotidæ	frantzii
Plotus anhinga	torquatus12, 43, 71
Pediceps auritus 8	Ptilogonys (Ptiliogonis) caudatus 37
auritus californicus 66	cinereus 60
californicus 8	Puffinus anglorum 6, 34
clarkii	auduboni 99
cernutus 8, 34	cinereus
cristatus 8, 34	fuliginosus6
deminicus	major 6, 34
.0	obscurus
holbællii 98	sp. ?
eccidentalis	Puget Sound
sp. ? 82, 87	Pulsatrix torquata 72
Podicipidæ	Pygmornis adolphi 42
Podilymbus dominicus 46	Pyranga æstiva
podiceps	æstiva cooperi 60
Poecætes (Poecetes) gramineus 30	bidentata38, 57, 60
Pogonotriccus plumbeiceps	erythromelaena 38
	l a
Polioptila albiloris	ludoviciana 68
albiventris 95, 103	roseigularis 94
cærulea28, 50, 59, 73	rubra15, 30, 38, 48
melanura 4. 103	Pyrgisoma biarcuatum 39
nigriceps 59, 67	cabanisi
plumbiceps	keineri 39, 40
superciliaris	rubricatum 60
Polyborus auduboni	xantusii
tharus auduboni	Pyrocephalus coronatus
Porphyrio martinicus (martinica)65, 81, 92	mexicanus5
Porto Rico	nanus 55
Porzana albigularis	rubineus
carolina	rubineus mexicanus 61, 70
cinereiceps	Pyrrhomitris cucullatus
concolor 74	Pyrrhophæna cinnamomea52, 62, 7
guatemalensis 74, 105	devillei 71
noveboracensis	graysoni35, 57, 62, 10
sp. f	riefferi27, 43, 7
Prionirhynchus platyrhynchus 41	Pyrrhuloxia sinuata
Procellaria brevirostris	1 yer pulowie simulate
	Q.
<u> </u>	. **
gigantea 6	Querquedula cyanoptera 68
glacialis 6	discors23, 33, 46, 65
leucorrhoa 34	Querula cruenta
meridionalis	Quiscalus fortirostris
pacifica 6	
pelagica34	guadeloupensis89, 91, 10-
tenuirostris 6	inflexirostris
Procellaridæ	luminosus
	macrourus
	major 6
Progne chalybea	major macrourus 6
dominicensis76, 78, 80, 85, 87, 91, 96	major palustris 6
leucogaster 37, 68	mexicanus
purpurea 29, 48	
subis 60	-
Protonotaria citrea	versicolor 3
Pseudocolaptes lawrencii x	sp. ? 8
Psilorhinus morio	
Psittacide	R.
	D. 1111
56, 58, 62, 71, 79, 81	Rallidæ
Psittacula cyanopyga 56, 63	27, 33, 46, 50, 54, 65, 74, 81, 83, 84, 86, 90, 9
Psittacus pulverulentus	Rallus crepitans

P	age.		Page.
Rallus elegans	33, 65	Saltator plumbiceps35	, 60, 10
longirostris	55	striatipectus	15, 2
virginianus	50. 65	Salvin, Osbert	ix, s
• •	83, 84	Sandpiper	76, 79
Ramphastidæ		Santo Domingoix, 63, 67,	
Ramphastos (Rhamphastos) approximans	43	Sapphironia ceruleogularis (cæruleigu-	102, 10
			14.4
carinatus	12	laris)	14,4
piscivorus	27	luminosa	17, 10
	12, 43	Sarcoramphus papa	20, 6
Ramphocænus rufiventris	20, 26	Saucerottia sophiæ	4
semitorquatus18, 40	0, 104	Saxicola cenanthe	2
Ramphocelus (Rhamphocelus) dimidiatus	15, 24	Saxicolidæ2	28, 48, 5
icteronotus	11	Sayornis aquatica	4
luciana	15	nigricans	61, 7
passerinii		88yus	7
	38	Scaphorhynchus mexicanus	1:
sanguinolentus		Scardafella inca	63, 7
- "	87, 90	Sclator, P. L	
	32, 64		ix,
Recurvirostridæ32,		Sclerurus (Scleurus) caudacutus	1
Reeve, J. F	53	guatemalensis	20
Regerhinus uncinatus	97	lawrencei	x
Regulus calendula	28.49	mexicanus	1
	28.48	Scolecophagus cyanocephalus	6
<u>-</u>	3, 104	ferrugineus	30, 4
Rhamphomicron (Ramphomicron) oliva-		Scolopacidæ12, 16, 19, 21, 23, 32, 45, 53, 6	4, 73, 79
	2, 104	81, 83, 84, 86, 8	38, 90, 9
Rhodinoeichla rosea		Scolopax rusticola	3:
·		Scops asio	28, 4
Rhodostethia rosea	7	brasilianus	4
Rhyacophilus solitarius16, 32, 45, 50, 64,	٠ ١	choliba	
	90, 92		1
Rhynchocyclus cinereiceps	51, 70	nudipes	4
flavo-olivaceus 2	1, 104	Seiurus aurocapillus	
griseimentalis 40	0, 104	ludovicianus	
marginatus 4'	7, 104	motacilla	82, 9
	10, 46	nævius	9, 91, 9
Rhynchophanes mccownii	105	noveboracensis14, 29, 37, 4	18, 51, 6
Rhynchops nigra		Selasphorus flammula	43
Rhynogryphus aura	72	scintilla	42
Ridgway, Robertix,		Selenidera (Selnidera) spectabilis	18, 4
		Serinus canaria	4:
Rissa brevirostris	7	Serpophaga grisea	55, 10
nivea	7	leucura	
septentrionalis		Setophaga aurantiaca	67, 10
tridactyla (tridactylus)	6, 34	• 0	3'
Rostrhamus (Rosthramus) sociabilis	44	miniata	59, 6
Rowley, G. D	75	picta	59, 6
Rowley's Ornithological Miscellany	75	ruticilla14, 22, 24, 29, 37, 48	
Rupornis magnirostris griseocauda	72	78, 80, 82, 85 , 87, 8	39, 91, 9
Russian America	6, 7	torquata	3'
	,	Sialia mexicana	59
s.		sialis28	3, 48, 10
.		Sitta canadensis	28, 4
St. Andrews Island	x	carolinensis	28, 4
St. Christopher, Island of 9	3, 10 ₈	Sittace macao	A
	7, 102	militaris	43, 6
St. Lawrence, Gulf of	1, 102 e	Sittasomus sylvioides	
	7 100		3
	7, 102	Siurus, see Seiurus.	-
St. Vincent, Island of 77, 80-82, 101, 102, 10		Sixteen new species of Texas birds	
Salpinetes obsoletus	67	Smithsonian Institution 5, 24, 25	
Saltator atriceps11, 38,	,	80, 82, 8	
fulviventris 2	2, 104	Socorro Island 54, 55, 58, 59, 60, 62, 63, 65	6, 66, 10
grandis38,	51, 6 8	Somateria labradoria	7
guadeloupensis	89, 91	mollissima	3
intermedius23, 2	4, 104	spectabilis	3
	26, 38	Sombrero Island22,	
magnus	11	South Americaxi, 34, 35, 54, 93, 98, 102,	
			100, 10

Page.	Page
South Carolina 7	Sterna pikei
Southern States of the United States 8	regia
Spatula clypeata 9, 33, 65	stolida79
Spectyto amaura82, 91, 104	superciliaris 60
cunicularia hypogæa 63,71	trudeauii 7, 3
Spermophila albigularis 3	wilsoni
atriceps 35, 104	sp. 1
aurita	Sternidæ19
badiiventris 24, 104	Strepsilas interpres22, 32, 64, 73, 76, 79, 81, 92, 9
cinerea	Strepsilidæ
collaris	Streptopelia risoria
corvina	Strigidæ9, 13, 17, 28, 44, 47, 52, 56, 58, 63, 71, 75
fortipes	81, 82, 86, 9
gutturalis 96	la and the second of the secon
S .	Strix flammea nigrescens76,79,81,86,91,93,97,10
hicksii	flammea pratincola 63, 73
	perlata 4-
	pratincola
	Strobilophaga enucleator
	Sturnella hippocrepis
parva	
schistacea	magna30, 49, 100
semicollaris 21, 104	magna mexicana 6
torqueola	magna neglecta 6:
Sphyrapicus varius	mexicana 2
Spizaëtus manduyti	Sturnidæ 1
melanoleucus 44, 72	Sula bassana
ornatus	cyanops
tyrannus	fiber
Spizella atrigularis	piscator58, 66, 96
monticola	8ula
pusilla	Sulidæ
socialis	
socialis arizonæ	Swift
Sporadinus bracei	Sylpholydon coming 66, 74
Sporophila morelleti	Sylochelidon caspius
morelleti sharpei 99, 104	Sylvia autumnalis
Squatarola helvetica	Sylvicola pensilis
Stelgidopteryx fulvigula	Sylviidæ28, 36, 48, 50, 53, 59, 67, 78, 80, 87, 98
fulvipennis 51	Symphemia semipalmata
Stenopsis albicauda	53, 64, 73, 83, 84, 92, 93
maculicaudus	Synallaxis (Syanallaxis) brunneicaudalis. 14
Stercorarius buffoni	erythrops 39
catarractes	maculata 55, 10
cepphus 6	nigrifumosa
parasiticus	rufigenis
pomarinus6	Syrnium lineatum
pomatorhinus 34	nebulosum 28
Sterna acuflavida	perspicillatum 9, 4
anæstheta	virgatum
anæthetus	
antillarum23, 34, 74, 77, 79, 92	т.
aranea7	Tachy cineta albilinea 60, 10
caspia 7	bicolor 60, 99
dougalli	Tachypetes aquilus
elegans 7	Tachypetidæ
forsteri3, 7, 34, 66, 74	Tachyphonus atricapillus
frenata7	cassinii
fuliginosa	delattrii 15, 30
galericulata66	luctuosus 11, 3 melaleucus 1
havellii7	melaleucus 15 napensis 22, 104
hirundo	propinguus
macrura 7, 34	rubrifrons 27, 36, 104
maxima	tibialis
paradisea 7, 34	xanthopigius
•	www.p.g.us

	Page.	1	Page.
Tanagra abbas	68	Thryothorus ludovicianus	29
cana	11,53	maculipectus	67
diaconus 2	4, 26, 38	martinicensis	87, 91
melanoptera	38	modestus	20
palmarum	11	musicus77, 80, 9	1, 104
Tanagridæ 15, 21, 22, 23, 2	6, 30, 38	nigricapillus	10
48, 51, 53, 57, 60, 66, 68, 78, 80, 85, 8	7, 89, 96	pleurostictus	67
Tantalidæ 16, 19, 32, 4	5, 64, 73	rufalbus	20, 24
Tantalus loculator 1	6, 64, 73	rufescens75, 76, 78, 89, 9	1, 104
Tern	77, 79	rutilus	14
Tetragonops frantzii	43	sinaloa	59
Tetraonidæ	9, 75, 83	superciliaris	53, 104
Texasix, 2, 3, 4, 6, 7, 8, 99, 101, 103,		Tigrisoma brasiliense	12
Thalasseus cantiacus	74	cabanisi	65, 73
caspius	34	tigrina	21
maximus	74	Tinamidæ16,	19,64
regius	23, 34	1	15, 104
Thallassidroma fregetta	2	pileatus	16
furcata	6	robustus	19, 45
hornby1	6	Tinnunculus sparverius 28, 44, 47, 52, 56,	63, 72
leachii	6	sparverius antillarum76, 79,	
melania	6	86, 88,	
pelagica	6	sparverius caribbæarum	97
wilsoni	6	sparveroides	8, 22
Thalurania luciæ	, 62, 104	Tityra albitorques	,
venusta	10, 42	personata11, 41, 51,	
wagleri	6, 78, 91	1	9, 104
Thamnistes anabatinus	40	Todirostrum cinereum11,	
Thamnophilus affinis2	6, 40, 51	ecaudatum	40
albinuchalis	53	megacephalum	15
amazonicus	14		15, 40
bridgesi	40	olivaceum17, 10	
doliatus	11, 40	plumbeum	54
hollandi	26, 104	1	18, 70
leucopygus	34, 104	·	55, 104
melanocrissus	40	Totanus flavipes	98
nævius	40	melanoleucus	98
nigrescens	35, 104	Totipalmi	7
nigricristatus	27, 104	Toxostoma curvirostris	3
punctatus	40	lecontei	4, 10
tenuifasciatus	35, 104	Tres Marias Islandsx, 17, 35, 54, 56, 57,	
transandeanus	11	61, 62, 63, 64, 65, 66, 101, 10	
virgatus	46, 104	Tringa canutus	32
Thaumatias candidus	71	maculata90,	92, 93
chionurus	35, 105	minutilla81,	
luciæ	36, 104	wilsonii	16
viridicaudus	35, 104	Tringoides16, 32, 45, 50, 64, 73, 77, 79, 81, 8	36, 88
Thrasaëtus harpyia	17, 72		92, 95
Thripadectes virgaticeps	58, 104	Trinidad, Island of x, 46, 58, 10	3, 104
Thrush	76, 78	Trochilidæ10, 14, 17, 20, 22, 25, 27, 31, 3	
Thryophilus castaneus	36, 105	47, 52, 54, 57, 62, 71, 75, 78, 80, 82, 84, 85, 88,	39 , 9 6
modestus	36	Trochilus aquila	4
pleurostictus	36	aurigularis 1	7, 104
rufalbus	36	colubris31, 42,	
thoracicus	36		29, 49
Thryothorus albinucha	50	americanus	29
bewickii leucogaster	59, 67	II.	8, 104
brunneus	25, 104	1	29, 49
castaneus		hypaëdon	14
felix	57, 59	· · · · · · · · · · · · · · · · · · ·	24, 36
felix lawrencii	x	insularis54,	
galbraithii	14, 104		36, 50
grenadensis77, 85, 91			9, 104
leucotis	14	Troglodytidæ 10, 14, 18, 20, 25, 29, 36, 49, 5	
longirostris	14	55, 57, 58, 59, 67, 78, 80, 85, 87, 89,	

Page.	U.
Trogon ambiguus 56, 62	Page.
aurantiiventris 10, 42	United States, Atlantic coast of 6
bairdii	United States National Museum 67
braccatus 70	Bulletin of 67
caligatus 10, 42	Proceedings ofx, x1,78,
citreolus 62, 70	80, 82, 85, 87, 89, 90, 93, 94, 96, 99
clathratus 42	United States, Western 6
concinnus	Uria arra 34
eximius 55, 104	grylle
macroura 10	lomvia
massena	Urinator pacificus
melanocephalus 26	Urochroa leucura 22, 105
puella 42, 70	pileata 11
tenellus20, 26, 42	Urosticte ruficrissa
viridis 10	Urubitinga anthracina13, 27, 44,
Trogonidæ10, 17, 20, 26, 42, 56, 62, 70	54, 63, 72, 81, 91
Tryngites rufescens	unicincta 54
Turdidæ15, 16, 18, 20, 28, 36, 48, 49, 50, 53, 56, 58	zonura13, 44, 52, 63, 72
59, 67, 78, 80, 82, 83, 85, 87, 89, 92, 93, 96	Utamania torda
Turdus alicæ	
brunneus 77, 104	
caribbæus	v.
casius	
flavirostris	Venezuela2, 13, 27,
fuscescens	34, 35, 54, 55, 75, 101, 102, 103
grayi24, 36, 50, 56, 59, 67	Vireo atricapillus 60
gymnopthalmus 96	belli
hauxwelli	carmioli
leuchauchen	flavifrons
migratorius	hypochryseus
minimus 20	noveboracensis
mustelinus	ochraceus
nævius	pallens
nigrescens	plumbeus 60
nigrirostris	solitarius
obsoletus	Vireolanius pulchellus
pallasi	Vireonidæ
T	22, 25, 29, 37, 48, 51, 57, 60, 68, 78, 80, 82, 85, 87, 89, 96
- · · · · · · · · · · · · · · · · · · ·	Vireosylvia altiloqua
reevei	atripennis
swainsonii	bogotensis
	calidris
•	calidris dominicana
	85, 87, 89, 91, 96, 105
	flavoviridis14, 37, 60, 68
Tyrannidæ 11, 15, 17, 18, 19, 21, 23, 25, 26, 31,	gilva
35, 40, 46, 47, 51, 53, 55, 57, 61, 66, 70, 78,	gilva swainsoni 68
80, 82, 83, 85, 88, 89, 94, 96, 98 Tyranniscus parvus	josephæ 37
	magister55
villissimus	olivacea
Tyrannula cinerascens	philadelphia 37
flaviventris	P
semiflavus	Von Berlensch, Hans
Tyrannus carolinensis	Von Berlepsch, Hans
cassinii	v ulturidæ20, 28, 44, 50, 60
crassirostris	
griseus	w.
intrepidus	1
melancholicus11, 41, 53, 85, 91, 96	Warbler, Bachman's 95,99
melancholicus couchii	Lawrence's X
melancholicus satrapa 61,70	Swainson's
rostratus76, 78, 80, 82, 83, 85, 88, 91, 96	Washington Territory 7,8
satrapa	
• tyrannus 100	Wells, John Grant
verticalis	Wren
vociferans 62	
Vocatorano	Lawrence's

X.		z.	
	Page.	ι Ι	Page.
Xanthocephalus icterocephalus	61	Zenaida amabilis	2
Xanthornus affinis	2, 105	bogotensis	95, 10
spurius	39	martinicana (martinica)76, 79	, 81, 83,
Xanthoura (Xanthura) guatemalensis	69	84, 86, 87, 88, 9	0, 92, 9
luxuosa	61	rubripes95, 97	, 99, 10
Xantus, Capt. J.	50	Zenaidura carolinensis31, 45, 4	9, 63, 7
Xema sabinii	7. 34	graysoni5	5, 58, 6
Xenops mexicanus	14. 39	yucatanensis	52, 108
Xiphorhynchus lafresnayanus	10	Zonotrichia albicollis	30, 49
and the second s		leucophrys	30,49
		leucophrys gambelii	60
•		melanotis35	. 47, 105
Y.		mystacalis	69
		pileata	39
Yucatan50-53, 54, 55, 93, 94, 95, 98, 1	01 102	Zoological Society of London, Proceedings	
	103, 105	of	13
	100, 100		***

SMITHSONIAN INSTITUTION, UNITED STATES NATIONAL MUSEUM.

April 21. 1892.

BULLETIN

OF THE

UNITED STATES NATIONAL MUSEUM.

No. 41.

BIBLIOGRAPHIES OF AMERICAN NATURALISTS:

V. THE PUBLISHED WRITINGS OF DR. CHARLES GIRARD.

ВΥ

G. BROWN GOODE.

WASHINGTON: GOVERNMENT PRINTING OFFICE. 1891.

ADVERTISEMENT.

This work (Bulletin No. 41) is one of a series of papers intended to illustrate the collections belonging to the United States, and constituting the National Museum, of which the Smithsonian Institution was placed in charge by the act of Congress of August 10, 1846.

The publications of the National Museum consist of two series—the Bulletins, of which this is No. 41, in continuous series, and the Proceedings, of which the fourteenth volume is now in press. A small edition of each paper in the Proceedings is distributed in pamphlet form to specialists in advance of the publication of the bound volume.

The Bulletins of the National Museum, the publication of which was commenced in 1875, consist of elaborate papers based upon the collections of the Museum, reports of expeditions, etc., while the Proceedings facilitate the prompt publication of freshly acquired facts relating to biology, anthropology, and geology, descriptions of restricted groups of animals and plants, the discussion of particular questions relative to the synonymy of species, and the diaries of minor expeditions.

Other papers, of more general popular interest, are printed in the Appendix to the Annual Report.

Full lists of the publications of the Museum may be found in the current catalogues of the publications of the Smithsonian Institution.


Papers intended for publication in the Proceedings and Bulletins of the National Museum are referred to the Committee on Publications, composed as follows: T. H. Bean, A. Howard Clark (editor), R. E. Earll, Otis T. Mason, John Murdoch, Leonhard Stejneger, Frederick W. True, and Lester F. Ward.

S. P. LANGLEY,

Secretary of the Smithsonian Institution.

WASHINGTON, D. C., May 28, 1891.

..



CHARLES GIRARD, M. D.

BIBLIOGRAPHIES OF AMERICAN NATURALISTS.

V.

THE PUBLISHED WRITINGS

OF

DR. CHARLES GIRARD.

В¥

GEORGE BROWN GOODE.

WASHINGTON:
GOVERNMENT PRINTING OFFICE.
1891.

111



BIOGRAPHICAL SKETCH OF DR. CHARLES GIRARD.

In the preface to Bulletin No. 20 of the U.S. National Museum, "The Published Writings of Spencer Fullerton Baird," mention was made of the contemplated publication of others in the same series, among them the "Bibliography of Dr. Charles Girard." The pressure of other duties has delayed the completion of this work, which is now presented as the fifth of the special bibliographies of prominent naturalists. Charles Girard was born in Mulhouse, France, March 9, 1822, and received his education at Neuchatel, Switzerland, where he was the assistant and pupil of Professor Agassiz, who brought him to the United States in 1847, in company with Mr. E. Desor. Dr. Girard remained in Cambridge, Massachusetts, as a student and assistant to Agassiz until the fall of 1850, when he removed to Washington, and engaged in the natural history work of the Smithsonian Institution, where for a number of years he was Professor Baird's principal assistant, showing marked aptitude for scientific work. The Smithsonian Institution afforded him new opportunities for the pursuit of scientific work, and becoming a naturalized citizen in 1854, he took a medical course at Georgetown College, and was graduated therefrom in 1856. In connection with his medical studies he pursued his scientific researches in the Smithsonian Institution where he remained until 1860, when he decided to visit Meanwhile the civil war occurred which delayed his return to Washington, he having accepted a commission to supply the Confederate army with drugs and surgical instruments. In 1863 Dr. Girard made a tour of the Southern States, and in 1865 returned to Paris, entering immediately upon the practice of medicine, to which he has devoted fifteen years of his life. He now lives in comparative retirement at Neuilly sur Seine, near Paris, where he still devotes himself to scientific He is a man of retiring habits and great industry. America he held high rank among descriptive naturalists.

His special studies were the herpetology and ichthyology of North America, and in the domain of ichthyology he is particularly well known for his work on the cyprinide of North America and the fauna of the Pacific coast. His monograph of the cottoids is the most elaborate of his scientific writings, although his ichthyology of the Pacific coast, that of the Mexican boundary, and his herpetology of the United States Exploring Expedition are much more extensive. Several papers upon helminthology, the practice of medicine, the theory of life, the bibliography of science, and kindred subjects were published by him.

In 1861 Dr. Girard was awarded the Cuvier prize by the Institute of France.*

Dr. Girard's connection with the Smithsonian Institution is best remembered by his association with Prof. Spencer F. Baird, in preparing the well known Catalogue of North American Reptiles, Part 1, Serpents, and in describing numerous species and genera of American reptiles and fishes. His career as an author covered a period of about forty years, extending from 1850 to 1891. His contributions to science number eighty-one papers, distributed as follows: Herpetology, 21; ichthyology, 42; helminthology, 14; theoretical biology, 3; medicine, 1; bibliography, 3.

No portrait of Dr. Girard has been published, but the National Museum has a small portrait painted in Paris in 1847, by Albert de Meuron.

The following genera and species have been named in his honor:

Girardinus, Poey.
Girardinichthys, Bleeker.
Cambarus Girardianus, Faxon.
Microcyphus Girardi, Desor.
Synapta Girardi, Pourtales.
Vortex Girardi, Schmidt.

^{*}The commission on awards in its report published in "Comptes Rendus des Séances de l'Académie des Sciences, 1861, Vol. LII, p. 594," says:

[&]quot;Parmi les ouvrages adressés au concours pour le prix Cuvier, la Commission a remarqué ceux d'un zoologiste américain, M. Girard, sur la faune ichthyologique des régions occidentales du nouveau monde, et sur les reptiles recueilles pendant le voyage d'exploration du Capitaine Wilkes dans les mers antarctiques. Le dernier travail publié aux frais du gouvernement des États-Unis n'est pas indigne de prendre place à côté des beaux et importants ouvrages dont le principal naturaliste de cette expédition, M. Dana, avait précédemment enrichi la science."

BIBLIOGRAPHY

OF THE

PUBLISHED WRITINGS OF CHARLES GIRARD, M. D.

I.—CHRONOLOGICAL CATALOGUE.

1.

		
1849.	GIRARD, CHARLES. On the Genus Cottus Auct.	
	Proceedings Boston Society Natural History, iii, 183-90, 1849.	
	Thus far the Cottus embodied both fresh-water and marine species. In compliance wi the strict rules of scientific nomenclature, the name of Cottus, properly so called, created a Artédi, is henceforth retained for the fresh-water species, or Miller's Thumb; whilst the of Acanthocottus is made to include the marine species, or Sculpins and Bullheads. The American species are recorded as follows:	ated by
	ACANTHOCOTTUS, n. g.	
	Acanthocottus Grænlandicus, G	cti-
	Acanthocottus scorpioïdes, Grd	185
	Greenland, O. Fabricius.	
	Acanthocottus polaris, Grd	
	Acanthocottus polyacanthocephalus, Grd	
	Acanthocottus psittileger, Grd	
	Acanthocottus hexacornis, Grd	186
	Acanthocottus porosus, Grd. 1 Baffin's Bay, Richardson.	186
	Acanthocottus æneus, Grd	186
	New York, Mitchill, De Kay; Massachusetts, Storer.	
	Acanthocottus Mitchilli, Grd	
	Acanthocottus Virginianus, Grd	
	Cottus cognatus, Rich	180
	Great Rear Lake Richardson	
	Cottus Richardsoni, Agass	189
	Cottus Bairdi, Grd 1 Pennsylvania, in the tributaries of Ohio River, Baird; Mahoning River, Kirtland.	
	Cottus meridionalis, Grd. 1 James River, Baird.	
	Cottus gracilis, Heck 1 Massachusetts, Connecticut, W. O. Ayres.	189
	Cottus viscosus, Hald	189
	Eastern Pennsylvania, Haldeman, Baird.	
	Bull. 41, N. M.——1	

849.	GIRARD, CHARLES—Continued.
	Cottus boleoides, Gril
	Cottus Franklini, Agass
	Eastern and southern shores of Lake Superior, Agassiz. Cottus gobioides, Grd
	Burlington, Vermont, Z. Thompson, Dr. D. H. Storer.
	Cottus Fabricii, Grd
	2.
1850.	GIRARD, CHARLES. On the so-called Biogen Liquid. Proceedings Boston Society Natural History, iii, 239-40, 1850. Silliman's American Journal Science and Arts, 2d ser., ix, 399. 1850. Refutation of Mr. Desor's theory on the formation of the primitive egg.
	3.
850.	GIRARD, CHARLES. Additional Observations on the Nomenclature and Classi
	fication of the Fishes of the genus Cottus.
	Proceedings Boston Society Natural History, iii, 302-4. 1850.
	Trachidermis, Heck
	Philippine Islands, Heckel.
	Trachidermis uncinatus, Grd
	Trachidermis intermedius, Grd
	Jesse Island, Siebold. COTTOPSIS, n. g
	Cottopsis asper, Grd
	River Oregon, Lewis and Clarke, Richardson. PODABRUS, Richards
	Podabrus cottoides, Richards
	China Seas, Richardson.
	Podabrus centropomus, Richards
	4 .
1850.	GIRARD, CHARLES. A Monograph of the Fresh-Water Cotti.
	Proceedings American Association for Advancement of Science, ii, 409. 1850.
	An abstract of a fuller work in preparation (n. 26), The following species are enumerated:
	Cottus cognatus, Richards
	Cottus Richardsoni, Agass
	Cottus meridionalis, Grd
	Cottus Franklini, Agass
	Cottus viscosus, Hald 41 Cottus gracilis, Heck 41
	Cottus boleoïdes, Grd 41
	Cottus gobioïdes, Grd41
	Cottus Fabricii, Grd
	5.
1850.	GIRARD, CHARLES. "On Acanthocotti" in Storer's Fishes of Nova Scotia
	Boston Journal of Natural History, vi, 1850, pp. 247-250 (figs.).
	Acanthocottus Grænlandicus, Grd
	Acanthocottus Labradoricus, Grd
	Labrador, H. R. Storer. Acanthocottus variabilis, Grd
	. Maine, Massachusetts, Connecticut, New York; Storer, Ayres, DeKay.

1850.	GIRARD, CHARLES. "On Gasterostei" in Storer's Fishes of Nova Scotia. Boston Journal of Natural History, vi, 1850, pp. 254-260.
	Gasterosteus Cuvieri, Grd, Pl. vii, fig. 1
	Bras d'Or and Red Bay, Labrador H. R. Storer. 7.
	•
1850.	GIRARD, CHARLES. On the Development of Planocera elliptica. Proceedings Boston Society Natural History, iii, 348. 1850. Tracing the egg through successive periods.
	8.
1850.	GIRARD, CHARLES. On the Embryology of Planaria. Proceedings American Association Advancement of Science, ii, 398. 1850. Abstract of a fuller paper on the subject. (See below Nos. 58 and 59.)
	9.
1850.	GIRARD, CHARLES. Sur l'Embryologie des Planaires. Bulletin Societé des Sciences Naturelles, ii, 300. 1850. Neuchatel, Switzerland.
	A French version of the preceding paper (No. 8).
	10.
1850.	GIRARD, CHARLES. Descriptions of Several New Species of Marine Planariæ
	from the Coast of Massachusetts.
	Proceedings Boston Society of Natural History, iii, pp. 251, 264.
	Polyscelis variabilis, n. s
	Boston and Beverly Harbors, Girard. Prosthiostomum gracile, n. s
	Boston Harbor, Girard.
	Procerodes, n. g.
	Procerodes Wheatlandi, n. 8
	Manchester, Massachusetts, Girard. Planocera elliptica, n. s
	Massachusetts, Girard.
	Vortex Warreni, n. s
	Boston Harbor, Girard.
	Vortex candida, n. s
•	Chelsea Beach, Girard.
	11.
1850.	GIRARD, CHARLES. Brief Account of the Fresh-Water Planariæ so far known
	in the United States.
	Proceedings Roston Society of Natural History, iii, 264-7. 1850.
	Planaria gracilis, Hald
	Cambridge. Planaria tigrina, n. s
	New Jersey.
	Dendrocælum pulcherrimum, n. s
	New Jersey.
	Vicinities of Philadelphia and Boston.
	Dugesia, n. g
	Dugesia gonocephaloides, n. s
	New Jersey.
	12 .
1850.	GIRARD, CHARLES. Observations upon Planarian Worms.
	Proceedings Boston Society of Natural History, iii, 363-4. 1850.
	Vortex Warreni and Phagocata gracilis, bringing forth living young.

1850.	GIRARD, CHARLES. Descriptions of Several New Species of Echinoderms.
	Proceedings Boston Society Natural History, iii, 363-7. 1850.
	HELIECHINUS, n. g
	Heliechinus Gouldi, n. s
	Key West, Florids. MELEBOSIS, n. g
	Melebosis mirabilis, n. s
	Psammechinus asteroides, n. s
	Echinometra nigrina, n. s
	Echinocyamus minimus, n. s
	Mediterranean.
	Schizaster lachesis, n. s
	Gulf of Mexico, Texas shore, J. Bartlett.
	14.
1851.	GIRARD, CHARLES. On a New American Saurian Reptile.
	Proceedings American Association for Advancement of Science, iv, 200-2. 1851
	HOLBROOKIA, n. g
	Grand Island, Platte River, Colorado, William Tappan.
	15.
1851.	GIRARD, CHARLES. A New Generic Type in the Class of Worms.
	Proceedings American Association for Advancement of Science, iv, 124. 1851.
	PHYLLOBBANCHUS, n. g
	Phyllobranchus Raveneli, n. s. 12
	Specimen found attached to the body of a skate caught in Charleston Harbor, South Carolina, observed by Dr. Julian Ravenel.
	16.
1851.	GIRARD, CHARLES. An Essay on the Classification of Nemertes and Planariæ preceded by Some General Considerations on the Primary Divisions of th Animal Kingdom. Silliman's American Journal of Science, xi, 2d series, 41, 1851 Revised edition in Proceedings American Association for Advancement of Science iv, 258, 1851.
	17.
1851.	GIRARD, CHARLES. On the Organs of Vision and Nervous System in the Em
	bryo of Ascidia.
	Proceedings Boston Society of Natural History, iv, 30-31, 1851.
	Views on the oculiform spot in embryo representing the nervous system of Ascidia.
	18.
1851.	GIRARD, CHARLES. Die Planarien und Nemertinen Nordamerikas. Nordame
	rircanischer Monatsbericht fur Natur and Heilkunde. Keller and Tiedeman
	Philadelphia, ii, 1851, p. 1.
	PLANARIANS.
	PHAGOCATA, Leidy
	Phagocata gracilis, Leidy.
	Dendrocælum pulcherrimum, Grd
	Dendrocælum superbum, Grd
	Planaria tigrina, Grd
	Dugesia, Grd
	Dugesia gonocephaloides, Grd

PUBLICATIONS OF CHARLES GIRARD, M. D.	5
1851. GIRARD, CHARLES—Continued.	
Dugeria maculata, Grd	3
Vicinities of Phila., Leidy, Girard.	Ī
Prostoma marginatum, Leidy	3
Vicinities of Phila., Leidy.	
Planocera elliptica, Grd	3
Polycelis variabilis, Grd	3
Prosthiostomum gracile, Grd	3
Procerodes, Girard	4
Procerodes Wheatlandi, Grd	4
Vortex Warreni, Grd	4
Vortex candida, Grd	4
Monocelis spatulicauda, n. s	4
Boston Harbor, Ch. Girard.	
. Nemerteans.	
Pelia gracilis, n. s	4
Boston Harbor, Ch. Girard.	
Tetrastemma serpentina, n. s	4
Boston Harbor, Ch. Girard.	
Meckelia fragilis, n. s	4
Chelsea Beach (Mass.), Ch. Girard.	
19.	
1851. GIRARD, CHARLES. On a new Genus of American Cottoids.	
Proceedings Boston Society of Natural History, iv, 18-19. 1851.	
TRIGLOPSIS, n. g Triglopsis Thompsoni, n. s Oswego, Professor Baird.	19 19
20.	

1851. GIRARD, CHARLES. Historical sketch of Gordiaceæ.

Proceedings Academy of Natural Sciences Philadelphia, v. 279-284. 1851.

Observations on the anatomical structure of Gordiaceæ.

21.

1851. GIRARD, CHARLES. The Seventeen-year Locusts (Cicada septendecim.)

Boston Evening Traveller, Sept. 3, 1851.

The metamorphosis of the 17-year locust have been so thoroughly investigated, especially by the late Miss H. Morris, of Germantown, Pa., that no room is left for any doubt as to the period of 17 years of its underground life.

The phenomenon of its regular appearance above ground every 17 years has attracted the attention of the learned community, which carefully recorded the periods during the present century. A curious statement resulted therefrom, viz, that, although reappearing regularly every 17 years in the same locality, minor swarms of that insect were noticed in other localities, appearing likewise regularly every 17 years, the periods of which, however, were not synchronic with those of the appearance of the larger swarms.

The question then arose whether the insect had been created at repeated times during a given epoch in the history of the earth, or whether they all proceeded from a single creation in a single locality, whence they subsequently spread into the manifold places where they are now observed.

The late Dr. Burnett, of Boston, having brought the matter before the American Association for the Advancement of Science at the Albany meeting of August, 1852, upheld the theory of repeated creations of the insect in various localities.

Dr. Girard took up the opposite view, defending the idea of one sole creation on a single locality, imputing the existence of the minor swarms to accidental migrations and climatic influences, without actual transformation in their anatomical and zoölogical characters.



1851.	Girard, Charles. Description of a new Planaria and a new Nemertes fr the Coast of Florida.	om
	Proceedings Boston Society of Natural History, iv, 137. 1851.	
	Thysanozoon nigrum, n. n	137
	Cape Florida, L. F. Pourtales.	
	Meckelia atra, n. s	137
	23 .	
1851.	GIRARD, CHARLES. Mammalia. Iconographic Encyclopædia of Science, Literatu and Arts. New York, 8°. 1851. (See No. 25.)	ıre,
	24.	
1851	GIRARD, CHARLES. On the Classification of Mammalia.	
1001.	Proceedings of American Association for Advancement of Science, iv, 319-35. 18 Two schematic plates represent, one, the classification of mammalia from a biological profession with the other illustrates the historic development of that class through geological en	oint
	25.	
1851.	GIRARD, CHARLES, WITH SPENCER F. BAIRD AND OTHERS. Outlines of Geral Zoölogy "Mammals," Charles Girard "Birds," John Cassin "Retiles," Spencer F. Baird "Fishes," Spencer F. Baird "Invertebrates," S. Haldeman — Reprinted from the Iconographic Encyclopædia of Scien Literature, and Art — New York: Rudolph Garrique, Publisher 2 Ficher St., Astor House 1851. 8vo. 502. 1851. This extract constitutes the coological portion of the work entitled "Iconographic Encyclopedia" 1851.	ep- . S. ce, Bar
	clopædia * * * ',' specially compiled and rewritten, with special reference to adaptation this country. Section relating to mammalia, pp. 392–502, contains a full classification of the group, was special chapter on Geographical Distribution of Mammalia, p. 498.	
	26 .	
1852.	GIRARD, CHARLES. Contributions to the Natural History of the Fresh-wat Fishes of North America. I, Monograph of the Cottoids, with 3 plate [Smithsonian Contributions to Knowledge, vol. iii.] 1852. 4to.	
	Cortus, Artedi	33
	Cottus Richardsoni, Agass., pl. i, figs. 1-2.	39
	Northern shore of Lake Superior, Agassiz. Cottus cognatus, Richards	4 1
	Cottus Wilsoni, n. s., pl. i, figs. 3, 4	42
	French Creek, Pa., L. D. Williams; Alleghany River, Professor Baird.	-
	Cottus Bairdi, Grd., pl. i, figs. 5, 6	44
	Mahoning River, Professor Baird.	
	Cottus Alvordi, n. s., pl. i, figs. 7, 8	46
	Lake Huron, Major Alvord.	47
	Cottus meridionalis, Grd., pl. i, figs. 9, 10	41
	Cottus gracilis, Heck., pl. i, figs. 11, 12	49
	Massachusetts, Connecticut, and New York States.	
	Cottus viscosus, Hald., pl. ii, figs. 1, 2	51
	Reading and Carlisle, Pennsylvania, Professor Baird; Rohrersville, Maryland;	
	Rock Creek, District of Columbia.	52
	Cottus Franklini, Agass., pl. ii, figs. 5, 6	_G G
	Cottus gobioides, Grd., pl. ii, figs. 3, 4	55
	Lamoille River, Ransom Colberth.	

	PUBLICATIONS OF CHARLES GIRARD, M. D.	7
1852.	GIRARD, CHARLES—Continued.	
	Cottus boleoides, Grd., pl. ii, figs. 7, 8 Windsor, Vermont, Ed. Cabot.	56
	Cottus formosus, n. s	58
	Lake Ontario, Professor Baird. Cottus Fabricii, Grd	50
	Greenland, O. Fabricius.	
	Cottopsis, Girard	
	Columbia River, Dr. Gairdner.	
	TRIGLOPSIS, Girard	
	26 . <i>a</i>	
1852	GIRARD, CHARLES. On Salmo Oquassa, a new species of Lake Trout.	
1002.	Proceedings Boston Society of Natural History, iv, 262-3. 1852.	
	Salmo oquaesa, n.s	62
	Moosemegantic Lake, Charles Girard.	
	27 .	
1852.	GIRARD, CHARLES. American Zoölogical, Botanical, and Geological Biblio raphy for the year 1851. Prepared at the request of Prof. Spencer F. Bair Assistant Secretary, Smithsonian Institution. Silliman's American Journal Science and Arts, xiii, 2 ser. 1852. Appendix. (S No. 28.)	ď,
	· 28 .	
1852.	GIRARD, CHARLES. Bibliographia Americana Historico-naturalis A. D. 18: Auctore Carolo Girard Smithsonian Institution Washington December, 1852.	
	Reprint of the former paper (No. 27). The plan was to publish a yearly report, similar the above; the second year was ready for the press when its publication was suspended a never resumed.	
	29.	
1852.	GIRARD, CHARLES. A revision of the North American Astaci with observ tions on their habits and geographical distribution. Proceedings Academy of Natural Sciences Philadelphia, vi, 87-91. 1852.	a-
	FIRST GROUP.	
	Astacus, Gronor	87
	ASTACOIDES, Guérin	87
	CAMBARUS, Erichs Cambarus pellucidus, Erichs	87 87
	Mammoth Cave, Kentucky, Tellkampf.	
	Cambarus afinis, Erichs	87
	Cambarus Oreganus, Erichs	87
	Cambarus Pealei, n. 8.	87
	Potomac at Washington, District of Columbia, Girard. Cambarus rusticus, n. s	88
	Ohio River at Cincinnati, Baird. Cambarus propinquus, n. s	90
	Lake Ontario, Sackett's Harbor, Oswego, Baird.	88
	Cambarus fossor, Grd	88
	water the state of	

1852. GIRARD, CHARLES-Continued.

SECOND GROUP.

Cambarus Bartoni, Erichs	88
Pennsylvania, New York, De Kay; Massachusetts, Gould, etc.	
Cambarus Carolinus, Erichs	86
Carolina, Erichson; Anderson, South Carolina, Girard.	
Cambarus montanus, n. s.	88
Virginia and Maryland, Girard.	89
Cambarus diogenes, n. s	91
Cambarus longulus, n. s	90
Middle States of the United States, Girard.	•
Cambarus pusillus, Grd	90
Lake Ontario, near Saratoga, Lake George, Lake Champlain, Utica, Oswego,	-
(Rafinesque) Baird.	
Cambarus robustus, n. n.	90
Humber River near Toronto, Canada, Girard.	
Cambarus Gambeli, n. s	90
California, Dr. W. Gambel.	
Cambarus Nebrascensis, n. 8	91
Fort Pierre, Nebraska, Culbertson.	
THIRD GROUP.	
Cambarus Blandingi, Erichs	91
Southern States, Harlan; Summerville, South Carolina, Charles Girard.	-
Cambarus Clarki, n. s.	91
Texas, John H. Clark.	
Cambarus aculus, n. s	91
Mobile River, Mississippi, D. C. Lloyd.	
Cambarus acutissimus, n. s	90
Mobile River, Mississippi, D. C. Lloyd.	
CHERAPS, Erichs	87
Engaeus, Erichs	87
•	
3()	
30 .	
30. 852. GIRARD, CHARLES. Révision du genre Cottus des auteurs.	
852. GIRARD, CHARLES. Révision du genre Cottus des auteurs.	1852.
852. GIRARD, CHARLES. Révision du genre Cottus des auteurs. Schweizerische Gesellschaft fur die Gesammten Naturwisscnschaften, xii, 1	1852,
852. GIRARD, CHARLES. Révision du genre Cottus des auteurs.	1852,
852. GIRARD, CHARLES. Révision du genre Cottus des auteurs. Schweizerische Gesellschaft fur die Gesammten Naturwissenschaften, xii, 1 pp. 28. SPECIES OF THE ORIENTAL HEMISPHERE.	
852. GIRARD, CHARLES. Révision du genre Cottus des auteurs. Schweizerische Gesellschaft fur die Gesammten Naturwissenschaften, xii, 1 pp. 28. SPECIES OF THE ORIENTAL HEMISPHERE. Acanthocottus scorpius, Grd	
852. GIRARD, CHARLES. Révision du genre Cottus des auteurs. Schweizerische Gesellschaft fur die Gesammten Naturwissenschaften, xii, 1 pp. 28. SPECIES OF THE ORIENTAL HEMISPHERE. Acanthocottus scorpius, Grd	. (
852. GIRARD, CHARLES. Révision du genre Cottus des auteurs. Schweizerische Gesellschaft fur die Gesammten Naturwissenschaften, xii, 1 pp. 28. SPECIES OF THE ORIENTAL HEMISPHERE. Acanthocottus scorpius, Grd	. (
852. GIRARD, CHARLES. Révision du genre Cottus des auteurs. Schweizerische Gesellschaft fur die Gesammten Naturwissenschaften, xii, 1 pp. 28. SPECIES OF THE ORIENTAL HEMISPHERE. Acanthocottus scorpius, Grd. European oceans at large. Acanthocottus bubalis, Grd. Coasts of France and England, North Sea.	. (
852. GIRARD, CHARLES. Révision du genre Cottus des auteurs. Schweizerische Gesellschaft fur die Gesammten Naturwissenschaften, xii, 1 pp. 28. SPECIES OF THE ORIENTAL HEMISPHERE. Acanthocottus scorpius, Grd. European oceans at large. Acanthocottus bubalis, Grd. Coasts of France and England, North Sea. Acanthocottus quadricornis, Grd.	. (
852. GIRARD, CHARLES. Révision du genre Cottus des auteurs. Schweizerische Gesellschaft fur die Gesammten Naturwissenschaften, xii, 1 pp. 28. SPECIES OF THE ORIENTAL HEMISPHERE. Acanthocottus scorpius, Grd. European oceans at large. Acanthocottus bubalis, Grd. Coasts of France and England, North Sea.	. (
852. GIRARD, CHARLES. Révision du genre Cottus des auteurs. Schweizerische Gesellschaft fur die Gesammten Naturwissenschaften, xii, 1 pp. 28. SPECIES OF THE ORIENTAL HEMISPHERE. Acanthocottus scorpius, Grd. European oceans at large. Acanthocottus bubalis, Grd. Coasts of France and England, North Sea. Acanthocottus quadricornis, Grd. Baltic Sea, England and Scandinavia.	. (
852. GIRARD, CHARLES. Révision du genre Cottus des auteurs. Schweizerische Gesellschaft fur die Gesammten Naturwissenschaften, xii, 1 pp. 28. SPECIES OF THE ORIENTAL HEMISPHERE. Acanthocottus scorpius, Grd. European oceans at large. Acanthocottus bubalis, Grd. Coasts of France and England, North Sea. Acanthocottus quadricornis, Grd. Baltic Sea, England and Scandinavia. Acanthocottus jaok, Grd.	
852. GIRARD, CHARLES. Révision du genre Cottus des auteurs. Schweizerische Gesellschaft fur die Gesammten Naturwissenschaften, xii, 1 pp. 28. SPECIES OF THE ORIENTAL HEMISPHERE. Acanthocottus scorpius, Grd. European oceans at large. Acanthocottus bubalis, Grd. Coasts of France and England, North Sea. Acanthocottus quadricornis, Grd. Baltic Sea, England and Scandinavia. Acanthocottus jaok, Grd. Kamtschatka, Pallas. Acanthocottus platycephalus, Grd. Pallas, Cuvier and Valenciennès.	
852. GIRARD, CHARLES. Révision du genre Cottus des auteurs. Schweizerische Gesellschaft fur die Gesammten Naturwissenschaften, xii, 1 pp. 28. SPECIES OF THE ORIENTAL HEMISPHERE. Acanthocottus scorpius, Grd. European oceans at large. Acanthocottus bubalis, Grd. Coasts of France and England, North Sea. Acanthocottus quadricornis, Grd. Baltic Sea, England and Scandinavia. Acanthocottus jaok, Grd. Kamtschatka, Pallas. Acanthocottus platycephalus, Grd. Pallas, Cuvier and Valenciennès. Acanthocottus diceraus, Grd.	
852. GIRARD, CHARLES. Révision du genre Cottus des auteurs. Schweizerische Gesellschaft fur die Gesammten Naturwissenschaften, xii, 1 pp. 28. SPECIES OF THE ORIENTAL HEMISPHERE. Acanthocottus scorpius, Grd. European oceans at large. Acanthocottus bubalis, Grd. Coasts of France and England, North Sea. Acanthocottus quadricornis, Grd. Baltic Sea, England and Scandinavía. Acanthocottus jaok, Grd. Kamtschatka, Pallas. Acanthocottus platycephalus, Grd. Pallas, Cuvier and Valenciennès. Acanthocottus dierraus, Grd. Sea of Kamtschatka, Tilesius.	- (1 - 1 - 1 - 1
852. GIRARD, CHARLES. Révision du genre Cottus des auteurs. Schweizerische Gesellschaft fur die Gesammten Naturwissenschaften, xii, 1 pp. 28. SPECIES OF THE ORIENTAL HEMISPHERE. Acanthocottus scorpius, Grd. European oceans at large. Acanthocottus bubalis, Grd. Coasts of France and England, North Sea. Acanthocottus quadricornis, Grd. Baltic Sea, England and Scandinavía. Acanthocottus jaok, Grd. Kamtschatka, Pallas. Acanthocottus platycephalus, Grd. Pallas, Cuvier and Valenciennès. Acanthocottus diceraus, Grd. Sea of Kamtschatka, Tilesius. Acanthocottus ventralis, Grd.	- (1 - 1 - 1 - 1
852. GIRARD, CHARLES. Révision du genre Cottus des auteurs. Schweizerische Gesellschaft fur die Gesammten Naturwissenschaften, xii, 1 pp. 28. SPECIES OF THE ORIENTAL HEMISPHERE. Acanthocottus scorpius, Grd. European oceans at large. Acanthocottus bibalis, Grd. Coasts of France and England, North Sea. Acanthocottus quadricornis, Grd. Baltic Sea, England and Scandinavia. Acanthocottus jaok, Grd. Kantschatka, Pallas. Acanthocottus platycephalus, Grd. Pallas, Cuvier and Valenciennès. Acanthocottus diceraus, Grd. Sea of Kantschatka, Tilesius. Acanthocottus ventralis, Grd. Sea of Kamtschatka, Collie.	
852. GIRARD, CHARLES. Révision du genre Cottus des auteurs. Schweizerische Gesellschaft fur die Gesammten Naturwissenschaften, xii, 1 pp. 28. SPECIES OF THE ORIENTAL HEMISPHERE. Acanthocottus scorpius, Grd. European oceans at large. Acanthocottus bubalis, Grd. Coasts of France and England, North Sea. Acanthocottus quadricornis, Grd. Baltic Sea, England and Scandinavia. Acanthocottus jaok, Grd. Kamtschatka, Pallas. Acanthocottus platycephalus, Grd. Pallas, Cuvier and Valenciennès. Acanthocottus diceraus, Grd. Sea of Kamtschatka, Tilesius. Acanthocottus ventralis, Grd. Sea of Kamtschatka, Collie. Acanthocottus claviger, Grd.	
852. GIRARD, CHARLES. Révision du genre Cottus des auteurs. Schweizerische Gesellschaft fur die Gesammten Naturwissenschaften, xii, 1 pp. 28. SPECIES OF THE ORIENTAL HEMISPHERE. Acanthocottus scorpius, Grd. European oceans at large. Acanthocottus bubalis, Grd. Coasts of France and England, North Sea. Acanthocottus quadricornis, Grd. Baltic Sea, England and Scandinavia. Acanthocottus jaok, Grd. Kamtschatka, Pallas. Acanthocottus platycephalus, Grd. Pallas, Cuvier and Valenciennès. Acanthocottus diceraus, Grd. Sea of Kamtschatka, Tilesius. Acanthocottus ventralis, Grd. Sea of Kamtschatka, Collie. Acanthocottus claviger, Grd. Sea of Kamtschatka, Collie.	
852. GIRARD, CHARLES. Révision du genre Cottus des auteurs. Schweizerische Gesellschaft fur die Gesammten Naturwissenschaften, xii, 1 pp. 28. SPECIES OF THE ORIENTAL HEMISPHERE. Acanthocottus scorpius, Grd. European oceans at large. Acanthocottus bubalis, Grd. Coasts of France and England, North Sea. Acanthocottus quadricornis, Grd. Baltic Sea, England and Scandinavia. Acanthocottus jaok, Grd. Kamtschatka, Pallas. Acanthocottus platycephalus, Grd. Pallas, Cuvier and Valenciennès. Acanthocottus diceraus, Grd. Sea of Kamtschatka, Tilesius. Acanthocottus ventralis, Grd. Sea of Kamtschatka, Collie. Acanthocottus Grd. Sea of Kamtschatka, Collie. Acanthocottus Mertensi, Grd.	
852. GIRARD, CHARLES. Révision du genre Cottus des auteurs. Schweizerische Gesellschaft fur die Gesammten Naturwissenschaften, xii, 1 pp. 28. SPECIES OF THE ORIENTAL HEMISPHERE. Acanthocottus secorpius, Grd. European oceans at large. Acanthocottus biblis, Grd. Coasts of France and England, North Sea. Acanthocottus quadricornis, Grd. Baltic Sea, England and Scandinavia. Acanthocottus jaok, Grd. Kamtschatka, Pallas. Acanthocottus platycephalus, Grd. Pallas, Cuvier and Valenciennès. Acanthocottus diceraus, Grd. Sea of Kamtschatka, Tilesius. Acanthocottus ventralis, Grd. Sea of Kamtschatka, Collie. Acanthocottus daviger, Grd. Sea of Kamtschatka, Collie. Acanthocottus Mertensi, Grd. Sea of Kamtschatka, Collie.	
852. GIRARD, CHARLES. Révision du genre Cottus des auteurs. Schweizerische Gesellschaft fur die Gesammten Naturwissenschaften, xii, 1 pp. 28. SPECIES OF THE ORIENTAL HEMISPHERE. Acanthocottus scorpius, Grd. European oceans at large. Acanthocottus bibalis, Grd. Coasts of France and England, North Sea. Acanthocottus quadricornis, Grd. Baltic Sea, England and Scandinavia. Acanthocottus jaok, Grd. Kantschatka, Pallas. Acanthocottus platycephalus, Grd. Pallas, Cuvier and Valenciennès. Acanthocottus diceraus, Grd. Sea of Kamtschatka, Tilesius. Acanthocottus ventralis, Grd. Sea of Kamtschatka, Collie. Acanthocottus deriensi, Grd. Sea of Kamtschatka, Collie. Acanthocottus Mertensi, Grd. Sea of Kamtschatka, Collie. Acanthocottus Mertensi, Grd. Sea of Kamtschatka, Mertens. Acanthocottus marmoratus, Grd.	
852. GIRARD, CHARLES. Révision du genre Cottus des auteurs. Schweizerische Gesellschaft fur die Gesammten Naturwissenschaften, xii, 1 pp. 28. SPECIES OF THE ORIENTAL HEMISPHERE. Acanthocottus scorpius, Grd. European oceans at large. Acanthocottus bubalis, Grd. Coasts of France and England, North Sea. Acanthocottus quadricornis, Grd. Baltic Sea, England and Scandinavia. Acanthocottus jaok, Grd. Kamtschatka, Pallas. Acanthocottus platycephalus, Grd. Pallas, Cuvier and Valenciennès. Acanthocottus diceraus, Grd. Sea of Kamtschatka, Tilesius. Acanthocottus ventralis, Grd. Sea of Kamtschatka, Collie. Acanthocottus derensi, Grd. Sea of Kamtschatka, Collie. Acanthocottus Mertensi, Grd. Sea of Kamtschatka, Mertens. Acanthocottus mermoratus, Grd. Sea of Kamtschatka, Mertens.	
852. GIRARD, CHARLES. Révision du genre Cottus des auteurs. Schweizerische Gesellschaft fur die Gesammten Naturwissenschaften, xii, 1 pp. 28. SPECIES OF THE ORIENTAL HEMISPHERE. Acanthocottus scorpius, Grd. European oceans at large. Acanthocottus bubalis, Grd. Coasts of France and England, North Sea. Acanthocottus quadricornis, Grd. Baltic Sea, England and Scandinavia. Acanthocottus jaok, Grd. Kamtschatka, Pallas. Acanthocottus platycephalus, Grd. Pallas, Cuvier and Valenciennès. Acanthocottus diceraus, Grd. Sea of Kamtschatka, Tilesius. Acanthocottus ventralis, Grd. Sea of Kamtschatka, Collie. Acanthocottus Mertensi, Grd. Sea of Kamtschatka, Mertens. Acanthocottus marmoratus, Grd. Sea of Kamtschatka, Mertens. The following two species are from the Tertiary epoch:	
852. GIRARD, CHARLES. Révision du genre Cottus des auteurs. Schweizerische Gesellschaft fur die Gesammten Naturwissenschaften, xii, 1 pp. 28. SPECIES OF THE ORIENTAL HEMISPHERE. Acanthocottus scorpius, Grd. European oceans at large. Acanthocottus bubalis, Grd. Coasts of France and England, North Sea. Acanthocottus quadricornis, Grd. Baltic Sea, England and Scandinavia. Acanthocottus jaok, Grd. Kamtschatka, Pallas. Acanthocottus platycephalus, Grd. Pallas, Cuvier and Valenciennès. Acanthocottus diceraus, Grd. Sea of Kamtschatka, Tilesius. Acanthocottus ventralis, Grd. Sea of Kamtschatka, Collie. Acanthocottus derens, Grd. Sea of Kamtschatka, Collie. Acanthocottus Mertensi, Grd. Sea of Kamtschatka, Mertens. Acanthocottus marmoratus, Grd. Sea of Kamtschatka, Mertens. The following two species are from the Tertiary epoch: Acanthocottus aries, Grd.	
852. GIRARD, CHARLES. Révision du genre Cottus des auteurs. Schweizerische Gesellschaft fur die Gesammten Naturwissenschaften, xii, 1 pp. 28. SPECIES OF THE ORIENTAL HEMISPHERE. Acanthocottus scorpius, Grd. European oceans at large. Acanthocottus bubalis, Grd. Coasts of France and England, North Sea. Acanthocottus quadricornis, Grd. Baltic Sea, England and Scandinavia. Acanthocottus jaok, Grd. Kamtschatka, Pallas. Acanthocottus platycephalus, Grd. Pallas, Cuvier and Valenciennès. Acanthocottus diceraus, Grd. Sea of Kamtschatka, Tilesius. Acanthocottus ventralis, Grd. Sea of Kamtschatka, Collie. Acanthocottus Mertensi, Grd. Sea of Kamtschatka, Mertens. Acanthocottus marmoratus, Grd. Sea of Kamtschatka, Mertens. The following two species are from the Tertiary epoch:	- 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1

	PUBLICATIONS OF CHARLES GIRARD, M. D.	9
1852.	GIRARD, CHARLES—Continued.	
	Trachidermis, Heck	13
	Trachidermis fasciatus, Heck Philippine Islands, Heckel.	
	Trachiderinis uncinatus, Grd	13
	Northern coasts of Chinese Seas, Richardson.	10
	Trachidermis intermedius, Grd	12
		10
	Jesse Island, Siebold.	٠.
	Podabrus, Richards	
	Podabrus cottoïdes, Richards	14
	Chinese Seas, Richardson.	
	Podabrus centropomus, Richards	15
	Island of Quelpert, Richardson.	
	Cottus affinis, Heck	17
	Scandinavia and Mayhop, Denmark.	
	Cottus gobio, Artedi	17
	France, Belgium, Germany, and Switzerland are to be reëxamined virtually.	
	Cottus gobio of Reisinger, from the Danube and rivulets of Hungary	
	Cottus gobio of Pennant, from England	
	Cottus gobio of Pallas, from Siberia and Lake Baékal	
•	Cottus minutus, Pall	18
	Sea of Okhotsk, Mertens.	
	Cottus pæcilopus, Heck	18
	Carpathian Mountains, Heckel.	
	Cottus microstomus, Heck	18
	Vicinity of Cracow, Heckel.	
	Cottus ferrugineus, Heck	27
	Lakes of Italy, Bonaparte, Heckel.	
	The following species is from the Tertiary epoch:	
	Cottus brevis, Agass	12
	Oeningen (Bavaria), Agassiz.	
	The list of species of Acanthocottus and Cottus being given above (p. 1) we simply men-	
	tion here:	
	Cottopsis, Girard	20
	Cottopsis asper, Grd	21
	Triglopsis, Girard	27
	Triglopsis Thompsoni, Grd	27
	31.	
1852.	GIRARD, CHARLES. Description of two new genera and two species of N	le-
	mertes.	
	Proceedings Boston Society of Natural History, iv, 185-6. 1852.	
	HECATE, n. g	
	Hecate elegans, n. s	186
	Boston Harbor.	
	Poseidon, n. g	186
	Poseidon colei, n. s	86
	Boston Harbor.	
	32 .	
1852.	GIRARD, CHARLES. Description of two new genera and two new species Planariæ.	01
	Proceedings Boston Society of Natural History, iv, 210-19. 1852.	
	Niobe, n. g.	210
	Niobe zonata, n. s	21
	Boston Harbor.	
	FOVIA, n. g.	21
	Fovia Warteni, Grd	21
	Dugesia Foremani, n. s.	
	Tiber Creek, District of Columbia, and Four-Mile Run. C. Girard.	
	Bdelloura parasitica, Leidy, being identical with Vortex candida, Grd., the species will	
	be recorded henceforth as follows:	
	Bdelloura candida Grd	21

1852. GIRARD, CHARLES. An account of a new species of Spatangidæ. Proceedings Boston Society of Natural History, iv., 213. 1852	010
Amphidetus Kurtzi, n. s	
34.	
1852. GIRARD, CHARLES, with SPENCER F. BAIRD. Characteristics of some New tiles in the Museum of the Smithsonian Institution. First Part. Proceedings Academy of Natural Sciences Philadelphia, vi, 68-70. 1852.	Rер-
Siredon lichenoïdes, n. s	. 68
Lake at the head of Santa Fé Creek, New Mexico, R. H. Kern.	
Cnemidophorus tigris, n. s	. 69
Orotaphytus Wizlizeni, n. s	
UTA, n. g	. 69
Uta Stansburiana, n. s	
Valley of Great Salt Lake.	. 09
Elgaria scincicauda, n. s	. 69
Oregon. Plestiodon skiltonianum, n. s	. 69
Oregon, Rev. George Geary.	
Phrynosoma platyrhinum, n. s	. 69
Phrynosoma modestum, n. s	
del Norte, Colonel Graham. Churchillia, n. g	70
Churchillia belona, n. s	
Rio Grande, General Churchill. Coluber mormon, n. s	70
Valley of Great Salt Lake, Captain Stansbury.	. 10
Heterodon nasicum, n. s.	. 70
Texas, General Churchill.	
35 .	
1852. GIRARD, CHARLES, with SPENCER F. BAIRD. Characteristics of some New	
tiles in the Museum of the Smithsonian Institution. By Spencer F. B and Charles Girard. Second Part. Containing the species of the Sau	
order, collected by John H. Clark, under Col. J. D. Graham, head of	
Scientific Corps, United States and Mexican Boundary Commission, and a	
others from the same adjoining territories, obtained from other sources,	
mentioned under their special headings.	
Proceedings Academy of Natural Sciences Philadelphia, vi, pp. 125-9. Prese	nted
for publication July 6, ordered printed Aug. 31, 1852.	
Holbrookia Texana, B. and G. R.	. 125
Holbrookia affinis, n. s. Along the Rio San Pedro.	
Holbrookia propinqua, n. s	. 126
Texas, between Indianola and San Antonio.	
Crotaphytus Gambeli, n. s.	
California, Wm. Gambel. Crotaphytus dorsalis, n. s.	
Desert of Colorado, California, J. L. Leconte.	
Ula ornata, n. s.	

1852.	GIRARD, CHARLES—Continued.
	Sceloporus Poinsetti, n. s
	Rio San Pedro, and the province of Sonora.
	Sceloporus Clarki, n. s.
	Sceloporus Thayeri, n. s.
	Indianola, Texas. Sceloporus dispar, n. s.
	Vera Cruz, Dr. Burroughs.
	Cnemidophorus marmoratus, n. s
	Between San Antonio, Texas, and El Paso del Norte.
	Cnemidophorus Grahami, n. s.
	Found with preceding species.
	Cnemidophorus gularis, n. s.
	Indianola, Texas, and the Valley of the Rio San Pedro. Cnemidophorus perplexus, n. s.
	Valley of the Rio San Pedro.
	Cnemidophorus gracilis, n. s.
	Desert of Colorado, J. L. Leconte.
	Cnemidophorus præsignis, n. s.
	Chagres, C. B. Adams.
	Plestiodon obsoletum, n. s.
	Valley of the Rio San Pedro.
	Elgaria nobilis, n. s. Fort Webster, New Mexico
	2010 11 000001, 21011 11102100
	36.
1852.	GIRARD, CHARLES, with SPENCER F. BAIRD. Characteristics of some New Reptiles in the Museum of the Smithsonian Institution. By Spencer F. Baird and Charles Girard. Third Part. Containing the Batrachians in the collection made by J. H. Clark, esq., under Col. J. D. Graham, on the United States and Mexican Boundary. Proceedings Academy Natural Sciences Philadelphia, vi, p. 173. Presented for publication Oct. 21, ordered printed Oct. 26, 1852. Amblystoma proserpine, n. s
	Rana areolata, n. s. Rio San Pedro of the Gila.
	Bufo punctatus, n. s.
	Rio San Pedro of the Rio Grande del Norte.
	Bufo granulosus, n. s.
	Between Indianola and San Antonio, Texas.
	37.
1050	Company Organization of North Constant II Barne Descriptions of North Constant
1602.	GIRARD, CHARLES, with SPENCER F. BAIRD. Descriptions of New Species of Reptiles, collected by the U. S. Exploring Expedition under the command of Capt. Charles Wilkes, U. S. N. First part.—Including the species from the Western Coast of America.
	Proceedings Academy Natural Sciences Philadelphia, vi, 174-177, 1852. Pre-
	sented for publication Oct. 6, ordered printed Oct. 26, 1852.
	Amblystoma tenebrosum, n. s
	Rana aurora, n. s.
	Puget Sound.
	Rana Draytoni, n. s.
	San Francisco, California, and on Columbia River.
	Hyla regilla, n. s. Sacremento River, in Oregon and Puget Sound.
	Sucremento River, in Oregon and Puget Sound. Bufo boreas, n. s.
	Columbia River and Puget Sound.
	Sceloporus gracilis, n. s
	Oregon.

1852. GIRARD, CHARLES, with SPENCER F. BAIRD-Continued. California, probably Oregon. Puget Sound. Elgaria principis, n. s. Oregon and Puget Sound. Elgaria formosa, n. s. California. Tropidonotus ordinoides, n. s. Puget Sound. WENONA, n. g. Wenona Isabella, n. s. Puget Sound. Calamaria tenuis, n. s. Puget Sound. Crotalus lucifer, n. s. Oregon and California. Emys marmorata, n. s. Puget Sound.

38.

1853. GIRARD, CHARLES, with SPENCER F. BAIRD. Catalogue | of | North American Reptiles | in the Museum of the | Smithsonian Institution. | -- | Part I.-Serpents. | By | S. F. Baird and C. Girard. | - [Seal of the Smithsonian Institution.] | Washington: | Smithsonian Institution. | January, 1853. [Accepted for publication November, 1852.] 8vo, pp. xvi, 172.

CONTENTS.

Preface	Page.
	V
Introduction	vii
Explanations of Terms used.	
Synopsis of families and genera and systematic order of species of North American	
Serpents	íx
Catalogue of Serpents	1-144
Appendix A Species examined, of which no specimens are in possession of the	
Smithsonian Institution	145
Appendix BSpecies described by authors, but of which no specimens could be	
obtained	150
Appendix C.—Species collected on the United States and Mexican Boundary Survey	
by John H. Clark and Arthur Schott, under Maj. Wm. H. Emory, and received too	
late for insertion in their proper places	156
Appendix DIndex of Sources from which the specimens have been received	162
Appendix EIndex of States and Territories from which specimens have been re-	
ceived	164
Alphabetical Index	165
1. Vernacular Names	165
2. Systematic Names	167

Although published under the names of the two authors as a joint production, this work is a series of monographs for which the individual authors only claimed to be responsible. The record of authorship is lost. In the following list of species discussed, the parts written by Professor Baird, so far as he can recall the matter to memory, are printed in italic type, those by Girard in heavy-faced type.

"In the present catalogue it is proposed to present a systematic account of the collection of North American Serpents in the museum of the Smithsonian Institution. In the Appendix will be found such species not in possession of the Institution, as could be borrowed for description, as well as notes on more or less authentic species of which no specimens could be found.

"A complete synonomy of all the species has not been attempted, as tending to swell the bulk of a catalogue too much. All those, however, necessary to a proper understanding of the history or character of the species, have been introduced, and all the synonyms quoted have been actually verified by original reference.

"Owing to the want of osteological preparations, it has been a difficult task to arrange the genera in a natural succession. In many cases forms are now combined which will hereafter

1852. GIRARD, CHARLES, with SPENCER F. BAIRD—Continued.

necessarily be widely separated. The almost entire deficiency of modern general works upon the Colubridæ, has also been a serious obstacle to any correct idea of a natural system. The forthcoming work of M. M. Duméril will undoubtly clear up much of the obscurity which now exists. But when systematic writers all carefully avoid the subject of the Ophidians, each waiting for the others to make the first step, the attempt to combine genera by wellmarked, though perhaps artificial points of relation, will, it is hoped, be looked upon with indulgence, even after more comprehensive and extended investigations shall render it necessary to break up the combinations here adopted.

"The collections upon which the original descriptions of the present catalogue have been based are as follows:-

Spencer F. Baird. Species from Massachusetts, New York, Ohio, and Pennsylvania.

Charles Girard. Maine, Massachusetts, and South Carolina.

Rev. Charles Fox. Species from eastern Michigan.

Dr. P. R. Hoy. Species from eastern Wisconsin.

Prof. L. Agassiz. Lake Superior, Lake Huron, and Florida.

Dr. J. P. Kirkland. Northern Ohio.

G. W. Fahnestock. Western Pennsylvania.

Miss Valeria Blaney. Eastern Shore of Maryland.

Dr. C. B. R. Kennerly. Northern Virginia.

John H. Clark. Maryland, Texas, New Mexico, and Sonora.

John Varden. District of Columbia and Louisiana.

Dr. J. B. Barratt. Western South Carolina.

Miss Charlotte Paine and Mrs. M. E. Daniel. Western South Carolina.

Dr. S. B. Barker. Charleston, S. C.

Prof. F. S. Holmes and Dr. W. J. Burnett. South Carolina.

R. R. Cuyler and Dr. W. L. Jones. Georgia.

D. C. Lloyd. Eastern Mississippi.

Dr. B. F. Shumard and Col. B. L. C. Wailes. Mississippi.

James Fairie. Mexico and Western Louisiana.

Capts. R. B. Marcy and G. B. McClellan, U. S. A. Red River, Ark.

Ferdinand Lindheimer. Central Texas.

Col. J. D. Graham, U. S. A. The specimens collected while on the U. S. and Mex. Boundary Survey, by Mr. J. H. Clark, viz., in Texas, New Mexico, and Sonora.

Maj. W. H. Emory. Specimens collected on the U.S. and Mexican Boundary Survey by Arthur Schott, at Eagle Pass, Tex., and by J. H. Clark, in Texas and New Mexico.

Gen. S. Churchill, U. S. A. Valley of the Rio Grande. Dr. L. Edwards, U. S. A. Northern Mexico.

Dr. Wm. Gambel. New Mexico and California.

Dr. John L. Le Conte. Littoral California.

Dr. C. C. Boyle and J. S. Bowman. Central California.

Dr. A. J. Skilton. Species collected in California by Henry Moores, Esq.

U. S. Exploring Expedition. Littoral California and Oregon.

Academy of Natural Sciences of Philadelphia. Various unique specimens described by Dr. Holbrook.

Boston Society of Natural History. California.

"SMITHSONIAN INSTITUTION, January 5, 1853."

SYSTEMATIC INDEX OF WELL-ASCERTAINED SPECIES OF NORTH AMERICAN SERPENTS. Chomatra Tinn

		CROTALU		
				age.
1.	Crotal	us durissus, Linn	Penna., Louisiana, Mississippi	1
2.	**	admanteus, Beauv	South Carolina	3
8.	4.6	atrox, B. & G., n. s	Texas	5
4.	**	lucifer, B. & G	Oregon	6
5.	44	confluentus, Say	Arkansas, Texas	8
6.	**	molossus B. & G., n. s	Sonora	10
7.	"	oregonus, Holbr	Columbia River	145
		Скоталорно	orus, Gray.	
1.	Crotal	ophorus miliarius, Holbr	Georgia, South Carolina	11
2.	46	consors, B. & G., n. s	Texas	12
3.	**	tergeminus, Holbr	Wisc., Mich., Ohio	14
4.	44	Edwardsi, B. & G., n. s	Mexico, Sonora	15
5.	44	Kirtlandi, Holbr	Ohio	. 16

14 BULLETIN 41, UNITED STATES NATIONAL MUSEUM.

•	AGKISTRODON, Beauv. . Agkistrodon contort riz, B. & GOhio, Penn., S. C., La	
1.		•
	Тохісорнів, Тгоовт.	_
1. 2.	. Toxicophis piscivorus, B. & G Louislana	
	ELAPS, Fitz,	
1.	. Elaps fulvius, Cuv South Carolina	
. 2.		
3.		3
_	EUTAINIA, B. & G., n. g.	
1. 2.	. Eutsinia saurita, B. & G	
3.	The state of the s	
4.	- · · · · · · · · · · · · · · · · · · ·	
5.	. " Pickeringi, B. & G., u. sOregon	7
6.	• • • • • • • • • • • • • • • • • • • •	
7.)
8.	. " sirtalis, B. & G	n
9.	· ·	
10.	·	
11.	,	3
12.		Ĺ
13.		_
14.		
15. 16.	· · · · · · · · · · · · · · · · · · ·	
10.	. Concentral, D. & G	•
	NERODIA, B. & G., n. g.	
	. Nerodia sipedon, B. & G	
2. 3.	Justinut, Di & G	
4.	organicy 2. ac continued to the continue	
5.		
6.		3
7.		
8.		
9. 10.	· · · · · · · · · · · · · · · · · · ·	
10.	· · · · · · · · · · · · · · · · · · ·	,
	REGINA, B. & G., n. g.	
	. Regina leberis, B. & G	
2. 3.	· · · · · · · · · · · · · · · · · · ·	
4.	. Grandon, D. & G., H. S	•
	Ninia, B. & G., n. g.	
1	. Ninia diademata, B. & G., n. s	
1.		•
	HETERODON, Beauv.	
_	. Heterodon platyrhinos, Latr	
2. 3.		
4.		
5.	·	l
5.	PITUOPHIS, Holbr.	
5.		;
5. 6.	Pituophis melanoleucus, Holbr Carolina 65 . " bellona B. & G	
5. 6. 1. 2. 3.	Pituophis melanoleucus, Holbr Carolina 65 . " bellona B. & G Texas, Cal., Sonora 66 . " McClellani, B. & G., n. s Arkansas 68	3
5. 6. 1. 2. 3. 4.	Pituophis melanoleucus, Holbr Carolina 65	3
5. 6. 1. 2. 3.	Pituophis melanoleucus, Holbr Carolina 65	3

1852. GIRAI	RD, CHARLES, with SPENCER F. BAIRD—Continued. SCOTOPHIS, B. & G., p. g.
	G to 11 AW day to the D d G Demonstrates
	Scotophis Alleghaniensis, B. & GPennsylvania
2.	" Lindheimeri B. & G., n. s Texas
3.	" vulpinus, B. & G., n. s
4.	" confinis, B. & G., n. sSouth Carolina
5.	" lætus, B. & G., n. s
6.	" guttatus, B. & G
7.	" quadrivittatus, B. & GFlorida
8.	" Emoryi, B. & G., n. sTexas
	Орнівоция, В. & G., п. д.
- 1.	Ophibolus Boyli, B. & G., n. s
2.	" splendidus, B. & G., n. sSonora
3.	" Sayi, B. & GLa., Miss., Ark., Texas 84
4.	" getulus, B. & G
5.	" rhimbomaculatus, B, & GGa., S. C
6.	" eximius, B. & G
7.	· · · · · · · · · · · · · · · · · · ·
	00
8.	worker, D. w C
9.	yourse, D. t. C., L. C.,
_	GEORGIA, B. & G., n, g.
	Georgia Couperi, B. & G
2.	" obsoleta, B. & G
•	BASCANION, B. & G., n. g.
	Bascanion constrictor, B. & G. Penna., Md., Miss., S. C., La
2.	Tremonto, D. & G., II. G
8.	" Foxi, B. & G., n. sMichigan, Penna
4.	
5.	" vetustus, B. & G., n. s
	Masticophis, B. & G., n. g.
	Masticophis flagelliformis, B. & GSouth Carolina
2.	" flavigularis, B. & G Tex., Ark
3.	" mormon, B. & GUtah
4.	" ornatus, B. & G., n. s
5,	" tæniatus, B. & G
6.	" Schotti, B. & G., n. s
	SALVADORA, B. & G., n. g.
1.	Salvadora Grahamiæ, B. & G., n. sSonors
	LEPTOPHIS, Bell.
1. 2.	Leptophis æstivus, Bell
	CHLOROSOMA, Wagl.
1.	Chlorosoma vernalis, B. & G
	Miss
	CONTIA, B. & G., n. g.
1.	Contia mitis, B. & G., n. s
_	DIADOPHIS, B. & G., n. g.
	Diadophis punctatus, B. & G
2.	
3.	woode, D. w (1, II. S
4.	•
5.	•
-	LODIA, B. & G., n. g.
1.	Lodia tenuis, B. & GOregon

16 BULLETIN 41, UNITED STATES NATIONAL MUSEUM.

1852. GIRARD, CHARLES, with SPENCER F. BAIRD—Continued. SONORA, B. & G., n. g.
1. Sonora semiannulata, B. & G., n. sSonora
Rhinostoma, Fitz.
1. Rhinostoma coccinea, HolbrS. C., Ga., Miss., La
RHINOCHEILUS, B. & G., n. g.
1. Rhinocheilus Leconti B. & G., n. sCalifornia
HALDEA, B. & G., n. g.
1. Haldea striatula, B. & G
FARANCIA, Gray.
1. Farancia abacurus, B. & G
Abastor, Gray.
1. Abastor erythrogrammus, Gray
Virginia, B. & G., n. g.
1. Virginia Valeria, B. & G., n. s
CELUTA, B. & G., n. g.
1. Celuta amæna, B. & G
Tantilla, B. & G., n. g.
1. Tantilla coronata, B. & G., n. s
2. " gracilis, B. & G., n. s. Texas. 132
OSCEOLA, B. & G., n. g.
1. Osceola elapsoidea, B. & GS. C., Miss
STORERIA, B. & G., n. g.
1. Storeria Dekayi, B. & G
Ga 137
Wenona, B. & G.
1. Wenona plumbea, B. & G
RENA, B. & G., n. g.
1. Rena dulcis, B. & G., n. s. Texas 142 2. " humilis, B. & G., n. s. California. 143
SUMMARY.
Genera. Old
Total
SPECIES. Old
Total
. 20

39.

1853. GIRARD, CHARLES, with SPENCER F. BAIRD. List of Reptiles collected in California by Dr. John L. Leconte, with description of New Species. Proceedings Academy Natural Sciences Philadelphia, vi, pp. 300-302. Presented for publication Feb. 15, ordered printed Feb. 22, 1853.

1853. GIRARD, CHARLES, with SPENCER F. BAIRD—Continued.

OPHIDIANS.

	1. Crotatus tucifer? ?, B. and G
	San Diego, California.
	2. Eutainia ordinoides, B. and G.
	San Francisco.
	3. Bascanion vetustus, B and G. (name only).
	San José.
	4. Pituophis annectens, B. and G.
	San Diego.
	5. Rhinocheilus Lecontei, B. and G.
	San Diego.
	6. Contea mitis, B. and G.
	San José.
	7. Diadophis amabilis, B. and G.
	San José.
	8. Rena humilis, B. and G.
	· · · · · · · · · · · · · · · · · · ·
	Vallecitas, California
	SAURIANS.
	1. Charles describe D. and C.
	1. Crotaphytus dorsalis, B. and G
	Desert of Colorado.
	2. Sceloporus occidentalis, B. and G.
	San Francisco.
	3. Uta Stansburiana, B. and G.
	Valley of Great Salt Lake.
	4. Uta ornata, B. and G.
	San Diego and San Francisco.
	5. Phrynosoma coronatum, Blainv.
	San Diego.
	6. Cnemidophorous gracilis, B. and G.
	Desert of Colorado.
	7. Elgaria scincicauda, B. and G.
	California.
	8. Plestiodon Skiltonianum, B. and G.
	San Diego.
	9. Anniella pulchra, Gray.
	San Diego.
	BATRACHIANS.
	•
	1. Bufo halophila, n. s
	Benicia.
	2. Hyla regilla, B. and G.
	San Francisca or San Francisco.
	3. Litoria occidentalis, n. s.
	San Francisco.
	4. Rana Lecontei, n. s.
	San Francisco.
	5. Aneides lugubris, Baird.
	San Francisco.
	6. Batrachoseps attenuata, Bon.
	San Francisco.
	7. Taricha lævis, n. s.
	San Francisco.
	40.
1853.	GIRARD, CHARLES, with SPENCER F. BAIRD. [Report on the] Reptiles in
	Stansbury's Exploration and Survey of the Valley of Great Salt Lake of Utah.
	Washington. 1853. 8°.
	•
	Siredon lichenoides, Baird, pl. i

 Cnemidophorus tigris, B. and G., pl. iii.
 338

 CROTAPHYTUS, Holbrook
 339

 Crotaphytus Wislizeni B. and G., pl. iii.
 340

Bull. 41, N. M.——2

1853.	GIRARD, CHARLES, with SPENCER F. BAIRD-Continued.
	Holbrookia, Girard
	Holbrookia maculata, Girard, pl. vi, fig. 1-3
	UTA, Baird and Girard
	Uta Stansburiana, B. and G., pl. v, fig 4-6
	Sceloporus graciosus, B. and G., pl. v, fig. 1-3
	Elgaria scincicauda, B. and G., pl. iv, fig. 1-3
	Plestiodon Skiltonianum, B. and G., pl. iv, fig. 4-6
	CHURCHILLIA, B. and G
	Churchillia bellona, B. and G
	Coluber mormon, B. and G
	Heterodon nasicus, B. and G
	41.
1853	GIRARD, CHARLES. A monographic essay on the genus Phrynosoma.
1000.	Stansbury's Exploration and Survey of the Valley of Great Salt Lake of Utah Washington, 8°. 1853.
	The following species are discussed:
	Phrynosoma Douglassi Gray, pl. vii, fig. 6-10
	Valley of Great Salt Lake, Captain Stansbury.
	Phrynosoma platyrhinurm, G., pl. vii, fig. 1-5
	About Great Salt Lake, Stansbury.
	Phrynosoma modestum, G., pl. vi, fig. 4-8
	Valley of Rio Grande west of San Antonio, General Churchill.
	Phrynosoma orbiculare, Wiegm
	Montag and in Comons
	Phrynosoma cornutum, Gray, pl. viii, fig. 1-6
	Texas, Arkansas, and Louisiana.
	Phrynosoma coronatum, Blainv., pl. viii, fig. 7-12
	Oregon and California.
	42.
	 -
1853.	GIRARD, CHARLES, with SPENCER F. BAIRD. Description of some new fisher from the River Zuñi.
	Proceedings Academy Natural Sciences Philadelphia, vi, 1853, pp. 368, 369.
	GILA, B. & G., n. g
	1. Gila robusta, n. s. 36
	River Zuñi.
	2. Gila elegans, n. s
	River Zuñi.
	3. Gila gracilis, n. s
	River Zuñi.
	43 .
1853.	GIRARD, CHARLES, with SPENCER F. BAIRD. Description of New Species of Fishes collected by Captains R. B. Marcy and Geo. B. McClellan in Arkansas. Proceedings Academy Natural Sciences Philadelphia, vi, 1853, pp. 390-392. Read
	Aug. 30, 1853.
	1. Pomotis breviceps, n. s. 390 Otter Creek, Arkansas.
	2. Pomotis longulus, n. s
	3. Louciscus lutrensis, n. s.
	Otter Creek, Arkansas.
	4. Leuciscus bubalinus, n. s.
	Otter Creek, Arkansas.
	5. Ceratichthys vigilax, n. s.
	Otter Creek, Arkansas.

1 85 3. G	TRARD, CHARLES, with SPENCER F. BAIRD. [Report on the] Fishes in S greaves' Report of an Expedition down the Zuñi and Colorado Rivers. Washinton. 1853. 8°.	
	GILA, B. & G	145
	1. Gila robusta, B. & G , pl. i (fishes)	
	2. Gila elegans, B. & G., pl. ii (fishes)	150
	3. Gila gracilis, B. & G., pl. iii (fishes)	151
	45.	
ioro a		
1000, G	RARD, CHARLES, with SPENCER F. BAIRD. [Report on the] Reptiles in Man	
	and McClellan's Exploration of the Red River of Louisiana in the year 188)Z.
	Washington, 1853, pp. 217-244.	
	SERPENTS.	
	CROTALUS, L	
	Crotalus confluentus, Say, pl. i	41 (
	EUTAINIA, B. & G	219
	Eutainia proxima, B. & G., pl. ii	
	Red River.	
	Eutainia marciana, B. & G., pl. iii	221
	Open prairie, Red River.	•
	HETERODON, Pal. de B. Heterodon nasicus, B. & G., pl. iv.	
	Sonora and copper mines of the Gila.	444
	PITUOPHIS, Holbr	225
	Pituophis McClellani, B. & G., pl. v.	
	Red River, Arkansas.	
	Scotophis, B. & G	
	Scotophis lætus, B. & G., pl. vi Red River, Arkansas.	227
	Ophibolus, B. & G.	
	Ophibolus Sayi, B. &G., pl. vii	228
	Cache Creek and Red River. Ophibolus gentilis, B. & G., pl. viii.	990
	Red River, Arkansas, and Prairie Mer Rouge, Louisiana; James Fairie.	526
	Masticophis. B. & G.	
	Masticophis flavigularis, B. & G. Red River, Arkansas.	230
	Leptophis, Bell	232
	Leptophis majalis, B. &. G., pl. ix	232
	LIZARDS,	
	Phrynosoma, Wiegm	233
	Phrynosoma cornutum, Gray	233
	South Fork of Red River.	
	CROTAPHYTUS, Holbr	
	Crotaphytus collaris, Holbr South Fork of Red River.	235
	HOLBROOKIA, Girard)) t
	Holbrookia maculata, Grd	
	Canadian River, Arkansas.	
	Sceloporus, Wiegm	
	Sceloporus consobrinus, n. s., pl. x, fig. 5-12	237
	Red River, Arkansas.	
	CNEMIDOPHORUS, Wagl Cnemidophorus gularis, B. & G., pl. x, fig. 1-4	
	Red River, Arkansas.	, Ol
	LYGOSOMA, Gray	240
	Lygosoma lateralis, Dum. & Bibr	
	Cache Creek, Arkansas,	

1853. GIRARD, CHARLES, with SPENCER F BAIRD—Continued.	
Batrachians. Bufo cognatus, Say, pl. xi	949
Arkansas.	
Rana pipiens, Latr	243
Arkansas.	
46 .	
1853. GIRARD, CHARLES, with SPENCER F. BAIRD. [Report on the] Fishes in and McClellan's Exploration of the Red River of Louisiana in the year	
Washington, 1853, pp. 245–252. Pomotis longulus, B. & G., pl. xii	045
Otter Creek, Arkansas.	243
Pomotis breviceps, B. & G., pl. xiii.	246
Otter Creek, Arkansas.	940
Leuciscus vigilax, B. & G., pl. xiv, fig. 1-4	248
Leuciscus bubalinus, B. & G., pl. xiv, fig. 5-8	249
Otter Creek, Arkansas.	
Leuciscus lutrensis, B. & G., pl. xiv, fig. 9-12	251
47 .	
1853. GIRARD, CHARLES. [Report on the] Orthopterous Insects in Marcy and lan's Exploration of the Red River of Louisiana in 1852. Washington 1853.	
DAIHINIA, Hald	257
Daihinia brevipes, Hald., pl. xv, figs. 9-13	257
Anabrus, Hald Anabrus Haldemani, n. s., pl. xv, figs. 5-8	
Red River, Arkansas.	200
Brachypeplus, Charp	
Brachypeplus magnus, n. s., pl. xv, figs. 1-4	
Brachypeplus virescens, Charp	261
Red River, Arkansas.	
· 48.	
1853. GIRARD, CHARLES. [Report on the] Arachnidians in Marcy and Mcc Exploration of the Red River of Louisana in 1852. Washington. 8vo.	
ARANIDÆ.	
Mygale hentzi, n. s., pl. xvi, figs. 1-3	262
Arkansas. Lycosa pilosa, n. s., pl. xvi, figs. 4 and 5	
Canadian River.	
TARENTULIDÆ.	
Thelyphonus excubitor, n. s., pl. xvii, figs. 1-4	265
SCORPIONIDÆ.	a
Scorpio (Telegonus) boreus, n. s., pl. xvii, figs. 5-7 Valley of Great Salt Lake; Stansbury. Eagle Pass, Texas. A. Schott.	
Scorpio (Atreus) Californicus, n. s	209
Scorpio (Atreus) Sayi, n. s Pensacola, Florida. Drs. Jeffrey and Kern.	269
PSEUDOSCORPIONIDÆ.	
Galeodes subulata, Say	270

1853.	GIRARD, CHARLES. [Report on the] Myriapods in Marcy and McClellan's Exploration of the Red River of Louisana in 1852. Pl. xviii. Washington. 8°. 1853.
	Scolopendra heros, n. sp., pl. xviii
	Julus atratus, n. s
	50.
1853.	GIRARD, CHARLES, with SPENCER F. BAIRD. "A communication * * * upon a species of frog, and another of toad, * * * recently described from specimens in the Herpetological Collections of the U. S. Exploring Expedition." Proceedings Academy Natural Sciences Philadelphia, vi, 1853, pp. 378-379.
	Read Aug. 9, 1853. Rana pretiosa, n. s
	Bufo Columbiensis, n. s. Columbia River.
	· 51.
1853.	GIRARD, CHARLES. On a New Species of the Genus Salmo. Proceedings Academy of Natural Sciences Philadelphia, vi, 380-1, 1853. Salmo sebago, n. s
	52.
1853.	GIRARD, CHARLES. Observations upon the American Species of the Genus Esox.
	Proceedings Academy of Natural Sciences Philadelphia, vi, 386. 1853. A comparative examination of Esox estor and Esox reticulatus.
	53.
1853.	GIRARD, CHARLES. Note upon a Nest Constructed by Catfish. Proceedings Academy of Natural Sciences Philadelphia, vi, 387. 1853. Observations at Schuylkill Falls, Pennsylvania.
	54 .
1853.	GIRARD, CHARLES. Publications of Learned Societies and Periodicals in the Library of the Smithsonian Institution. Smithsonian Contributions to Knowledge, vii, 1853, Appendix. Part ii, Ibid., viii. 1856.
	STIMPSONIA, n. g. Stimpsonia aurantiaca, n. s
	Charleston Harbor, Lieutenant Kurtz and Wm. Stimpson. Imogine, n. g. Imogine oculifera, n. s.
	Sullivan's Island, South Carolina; Charles Girard.

1853. GIRARD, CHARLES. Descriptions of New Nemerteans and Planarians from t	he
coast of the Carolinas.	
Proceedings Academy of Natural Sciences Philadelphia, vi, 365-7, 1853.	
Borlaria Kurtzi, n. 8	360
Charleston Harbor.	
RENIERIA, n. g. <i>Re</i> nieria rubra, n. s.	
Charleston Harbor.	
LEODES, n. g.	
Leodes striolenta, n. s.	
Charleston Harbor.	
Amphiporus sanguineus, n. s.	
Charleston Harbor.	
Meckelia pocahontas, n. s.	
Coast of North and South Carolina. Meckelia lizziæ, n. s.	36
Charleston Harbor.	-
56.	
1853. GIRARD, CHARLES, with SPENCER F. BAIRD. Description of New Species	•
Fishes collected by Mr. John H. Clark, on the U. S. and Mexican Bounda	
Survey, under Lt. Col. Jas. D. Graham.	-,
Proceedings Academy Natural Sciences Philadelphia, vi, 1853, pp. 387-390. Re	0.
Aug. 30, 1853.	an
<i>5</i> ,	
Pileoma carbonaria, n. s	38
Boleosoma lepida, n. s.	38
Upper tributaries of the Rio Nueces, Texas.	•
Pomotus aquilensis, n. s.	
Eagle Pass, Texas.	
Catostomus latipinnis, n. s.	
Rio San Pedro of the Rio Gila.	
Gila Emoryi, n. s. Near mouth of the Gila.	
Gila Grahami, n. s.	289
Rio San Pedro of the Gila.	
Fundulus grandis, n. s.	
Brackish waters in the vicinity of Indianola, Texas.	
Fundulus tenellus, n. s.	
Prairie Mer Rouge, Louisiana, and Russellville, Kentucky.	
Hydrargyra similis, n. s. Brackish waters in the vicinity of Indianola.	
Cyprinodon elegans, n. s.	
Rio Grand del Norte.	
Cyprinodon macularius, n. s.	
Rio Gila.	
Cyprinodon bovinus, n. s.	
Leon's Springs, Rio Grande del Norte.	90
Cyprinodon gibbosus, n. s	30
Heterandria affinis, n. s.	
Rio Medina and Rio Salado.	
Heterandria nobilis, n. s.	
Leona and Comanche Springs.	
Heterandria patruelis, n. s.	
Hydrographic basin of the Rio Nueces.	
Heterandria occidentalis, n. s.	

1853. Girard, Charles. Descriptions of New Species of Reptiles collected by the U. S. Exploring Expedition under the command of Capt. Charles Wilkes, U. S. N. Second Part.—Including the species of Batrachians exotic to North America.

Proceedings Academy of Natural Sciences Philadelphia, vi, 420-24, 1853.*

RANIDÆ.

Leptodactylus, Fitz	. 420
Leptodactylus ocellatus, Grd	. 420
Leptodactylus labyrinthicus, Grd	. 420
Leptodactylus typhonius, Fitz	. 420
Leptodactylus serialis, n. s	. 421
Rio de Janeiro, Brazil.	
Leptodactylus caliginosus, n. s. /	. 422
Rio de Janeiro, Brazil.	
Cystignathus, Wagl	. 420
Cystignathus macroglossus, Dum. & B	
Cystignathus gracilis, Dum. & B	. 420
Cystignathus roseus, Dum. & B	. 420
Cystignathus parvulus, n. s	. 422
Rio de Janeiro, Brazil.	
Cystignathus nebulosus, n. s.	. 422
Valparaiso, Chile.	
PLEURODEMA, Tsch	. 420
Pleurodema arunco, Grd	. 420
Pleurodema bibroni, Tsch	
Pleurodema bufonium, Bell	. 420
Pleurodema Darwini, Bell	. 420
Pleurodema elegans, Bell	. 420
Pleurodema nodosa, Grd	
CRINIA, Tsch	
Crinia georgiana, Tsch	. 420
Australia.	
RANIDELLA, n. g	. 425
Ranidella signifera, n. s	
New Holland.	
WAGLERIA, n.g	. 422
Wagleria peroni, Grd	
New Holland.	
Wagleria dorsalis, Grd	. 422
New Holland.	
Kassina, n. g	. 422
Kassina senegalensis, Grd	
Western Africa.	
HYLÆ.	
	
RANOIDEA, Tsch	
Ranoidea resplendens, n.s	. 422
Wollongong Illawara, near the coast.	
Ranoidea flavoviridis, n. s	. 423
Wollongong Illawara, about fresh-water streams.	
Hylarana, Tsch	
Hylarana mindanensis, n. s	. 423
Caldera on Mindanao.	
Hylarana Erythræa, Grd	
Hylarana chalconota, Grd	
Hylarana waigiensis, Grd	
HALOPHILA, n. g	
Halophila heros, n. s.	. 423
Sebukea, Fiji Islands.	
Halophila vitiensis, n. s.	. 423
Sebukea, Fiji Islands.	

^{*}See No. 37—the first part.

1853.	GIRARD, CHARLES-Continued.
	Hylodes parvus, n. s
	Rio de Janeiro, Brazil.
	Eloria bufonium, n. s
	Rio de Janeiro, Brazil. Elosia vomerina, n. s
	Rio de Janeiro, Brazil.
	BUFONIDÆ.
	Rhinoderma signifera, n. s
	Rio de Janeiro, Brazil. Bufo lugubrosus, n. s
	Rio de Janeiro, Brazil.
	Bufo gracilis, n. s
	Rio de Janeiro, Brazil.
	Bufonella, n. g
	Bufonella crucifera, n. s
	New Holland.
	METAEUS, n. g
	Metaeus timidus, n. s
	Valparaiso, Chile.
	58.
1854.	GIRARD, CHARLES. Embryology of Planocera elliptica. Journal Academy of Natural Sciences. 2 Ser., ii, 307-25, 1854. (Three plates.)
	59.
	Philadelphia, the Boston Society of Natural History, and the Lyceum of Natural History of New York, member of the American Association for the Advancement of Science, and the National Institute of Washington I Embryonic Development of Planocera Elliptica. [With Preliminary Remarks upon the general Plan of that Work.] Merrihew and Thompson, Philadelphia. 1-27. 1854.
1854.	GIRARD, CHARLES. On a New Entomostracan of the Family Limnadidæ inhabiting the Western Waters. Proceedings Academy of Natural Sciences Philadelphia, vii, 3, 1854. Limnadella, n. g
	Cincinnati, Ohio; Thomas Kite.
	61.
1854.	GIRARD, CHARLES, with SPENCER F. BAIRD. Decsription of New Species of Fishes collected in Texas, New Mexico, and Sonora, by John H. Clark, on the United States and Mexican Boundary Survey, and in Texas by Capt. Stewart Van Vliet, U. S. A. Second Part. Proceedings Academy Natural Sciences Philadelphia, vii, 1854, pp. 24-29. Presented for publication March 7, ordered printed March 28, 1854.
	Pomotis speciosus, n. s
	Brownsville, Texas.
	Pomotis fallax, n. s.
	Elm Creek, Texas.
	Pomotis convexifrons, n. s.
	Rio Cibolo, Texas.
	Pomotis nefastus, n. s.
	Rio Cibolo and Rio Silado, Texas. Pomotis heros. n. s
	Pomotis heros, n.s

Bryttus longulus, n. s. Rio Cibolo, Texas. Grystes nuecensis, n. s.		
Grystes nuecensis, n. s.		
Rio Frio and Rio Nueces, Texas.		
HERICHTHYS, n. g.		
Herichthys cyanoguttatus, n. s.		
Brownsville, Texas.		
AILURICHTHYS, n.g	26	1
Ailurichthys marinus, n. s.		•
Indianola, Texas. R.		
Arius equestris, n. s.		
Indianola, Texas. R.		
Pimelodus affinis, n. s.		
Rio Grande del Norte.		
ASTYANAX, n. g.		
Astyanax argentatus, n. s	27	1
Rio Nucces, Texas.		
Catostomus congestus, n. s.		
Rio Salado.		
Catostomus Clarki, n. s.		
Rio Santa Cruz, Gila.		
	28	,
Catostomus plebeius, n. s.	28)
Rio Mimbres of Rio Gila.		
Catostomus insignis, n. s.		
Rio San Pedro of Rio Gila.		
Carpiodes tumidus, n. s.		
Near Fort Brown, Texas.		
Gila gibbosa, n. s.		
Rio Santa Cruz.		
Gila pulchella, n. s.	29	,
Rio Mimbres of Rio Gila.		
62.		
eastern part of the United States. Proceedings Academy Natural Sciences Philadelphia, vii, 1854, 85-86.		
Salmo Gloveri, n. s.	5. 85–86)
Salmo Gloveri, n. s. Union River, Maine, M. Townsend Glover.		,
Salmo Gloveri, n. s.		3
Salmo Gloveri, n. s	85-86	
Salmo Gloveri, n. s	85-86	
Salmo Gloveri, n. s	85_86	
Salmo Gloveri, n. s	85_86	
Salmo Gloveri, n. s	85-86 liagnosis of 4. ts on Reptiles	f
Salmo Gloveri, n. s	85–86 liagnosis of 4. ts on Reptiles n full.	f
Salmo Gloveri, n. s Union River, Maine, M. Townsend Glover. 63. 1854. GIRARD, CHARLES. A list of the North American Bufonids, with dinew species. Proceedings Academy Natural Sciences Philadelphia, vii, 86–88. 1854 This paper, is a résumé of more complete descriptions intended for the Report (Nos. 94 and 95), which, for reasons alluded to further on, were not published in	85–86 liagnosis of 64. tts on Reptiles n full86	f
Salmo Gloveri, n. s	85–86 liagnosis of 64. tts on Reptiles n full86	f
Salmo Gloveri, n. s. Union River, Maine, M. Townsend Glover. 63. 1854. GIRARD, CHARLES. A list of the North American Bufonids, with dinew species. Proceedings Academy Natural Sciences Philadelphia, vii, 86–88. 1854 This paper, is a résumé of more complete descriptions intended for the Report (Nos. 94 and 95), which, for reasons alluded to further on, were not published in BUFO AMERICANUS, Lec. All the other States from Maine to Virginia, Valley of Mississippi, No and Canada.	liagnosis of 4. ts on Reptiles n full	f*
Salmo Gloveri, n. s. Union River, Maine, M. Townsend Glover. 63. 1854. GIRARD, CHARLES. A list of the North American Bufonids, with dinew species. Proceedings Academy Natural Sciences Philadelphia, vii, 86-88. 1854 This paper, is a résumé of more complete descriptions intended for the Report (Nos. 94 and 95), which, for reasons alluded to further on, were not published in Bufo Americanus, Lec. All the other States from Maine to Virginia, Valley of Mississippi, No and Canada. Bufo lentiginosus, Holbr	liagnosis of 4. ts on Reptiles n full	f*
Salmo Gloveri, n. s Union River, Maine, M. Townsend Glover. 63. 1854. GIRARD, CHARLES. A list of the North American Bufonids, with dinew species. Proceedings Academy Natural Sciences Philadelphia, vii, 86-88. 1854 This paper, is a résumé of more complete descriptions intended for the Report (Nos. 94 and 95), which, for reasons alluded to further on, were not published in Bufo Americanus, Lec	liagnosis of 4. ts on Reptiles n full. 60 forthwest,	f
Salmo Gloveri, n. s Union River, Maine, M. Townsend Glover. 63. 1854. GIRARD, CHARLES. A list of the North American Bufonids, with dinew species. Proceedings Academy Natural Sciences Philadelphia, vii, 86-88. 1854 This paper, is a résumé of more complete descriptions intended for the Report (Nos. 94 and 95), which, for reasons alluded to further on, were not published in Bufo Americanus, Lec. All the other States from Maine to Virginia, Valley of Mississippi, No and Canada. Bufo lentiginosus, Holbr Seacoast from South Carolina to Florida. Bufo Woodhousi, n. s.	liagnosis of 4. ts on Reptiles n full. 60 forthwest,	f
Salmo Gloveri, n. s Union River, Maine, M. Townsend Glover. 63. 1854. GIRARD, CHARLES. A list of the North American Bufonids, with dinew species. Proceedings Academy Natural Sciences Philadelphia, vii, 86-88. 1854 This paper, is a résumé of more complete descriptions intended for the Report (Nos. 94 and 95), which, for reasons alluded to further on, were not published in BUFO AMERICANUS, Lec. All the other States from Maine to Virginia, Valley of Mississippi, No and Canada. Bufo lentiginosus, Holbr. Seacoast from South Carolina to Florida. Bufo Woodhousi, n. s New Mexico.		f
Salmo Gloveri, n. s. Union River, Maine, M. Townsend Glover. 63. 1854. GIRARD, CHARLES. A list of the North American Bufonids, with dinew species. Proceedings Academy Natural Sciences Philadelphia, vii, 86-88. 1854 This paper, is a résumé of more complete descriptions intended for the Report (Nos. 94 and 95), which, for reasons alluded to further on, were not published in Bufo Americanus, Lec. All the other States from Maine to Virginia, Valley of Mississippi, No and Canada. Bufo lentiginosus, Holbr. Seacoast from South Carolina to Florida. Bufo Woodhousi, n. s. New Mexico. Bufo cognatus, Say.	liagnosis of 4. ts on Reptiles n full. 60 forthwest,	f
Salmo Gloveri, n. s. Union River, Maine, M. Townsend Glover. 63. 1854. GIRARD, CHARLES. A list of the North American Bufonids, with dinew species. Proceedings Academy Natural Sciences Philadelphia, vii, 86-88. 1854 This paper, is a résumé of more complete descriptions intended for the Report (Nos. 94 and 95), which, for reasons alluded to further on, were not published in Bufo Americanus, Lec. All the other States from Maine to Virginia, Valley of Mississippi, No and Canada. Bufo lentiginosus, Holbr. Seacoast from South Carolina to Florida. Bufo Woodhousi, n. s. New Mexico. Bufo cognatus, Say. From Nebraska to Coahuila, Mexico.	85–86 liagnosis of 4. ts on Reptiles n full86 (orthwest,86	f* 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5
Salmo Gloveri, n. s Union River, Maine, M. Townsend Glover. 63. 1854. GIRARD, CHARLES. A list of the North American Bufonids, with dinew species. Proceedings Academy Natural Sciences Philadelphia, vii, 86-88. 1854 This paper, is a résumé of more complete descriptions intended for the Report (Nos. 94 and 95), which, for reasons alluded to further on, were not published in Bufo Americanus, Lec. All the other States from Maine to Virginia, Valley of Mississippi, No and Canada. Bufo lentiginosus, Holbr Seacoast from South Carolina to Florida. Bufo Woodhousi, n. s New Mexico. Bufo cognatus, Say From Nebraska to Coahuila, Mexico. Bufo speciosus, n. s	85–86 liagnosis of 4. ts on Reptiles n full86 (orthwest,86	f
Salmo Gloveri, n. s. Union River, Maine, M. Townsend Glover. 63. 1854. GIRARD, CHARLES. A list of the North American Bufonids, with dinew species. Proceedings Academy Natural Sciences Philadelphia, vii, 86-88. 1854 This paper, is a résumé of more complete descriptions intended for the Report (Nos. 94 and 95), which, for reasons alluded to further on, were not published in Bufo Americanus, Lec. All the other States from Maine to Virginia, Valley of Mississippi, No and Canada. Bufo lentiginosus, Holbr. Seacoast from South Carolina to Florida. Bufo Woodhousi, n. s. New Mexico. Bufo cognatus, Say. From Nebraska to Coahuila, Mexico.	85–86 liagnosis of 4. ts on Reptiles n full86 (orthwest,86	f* 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5
Salmo Gloveri, n. s Union River, Maine, M. Townsend Glover. 63. 1854. GIRARD, CHARLES. A list of the North American Bufonids, with dinew species. Proceedings Academy Natural Sciences Philadelphia, vii, 86-88. 1854 This paper, is a résumé of more complete descriptions intended for the Report (Nos. 94 and 95), which, for reasons alluded to further on, were not published in Bufo Americanus, Lec. All the other States from Maine to Virginia, Valley of Mississippi, No and Canada. Bufo lentiginosus, Holbr Seacoast from South Carolina to Florida. Bufo Woodhousi, n. s New Mexico. Bufo cognatus, Say From Nebraska to Coahuila, Mexico. Bufo speciosus, n. s	11 agnosis of 14.	f
Salmo Gloveri, n. s. Union River, Maine, M. Townsend Glover. 63. 1854. GIRARD, CHARLES. A list of the North American Bufonids, with dinew species. Proceedings Academy Natural Sciences Philadelphia, vii, 86-88. 1854 This paper, is a résumé of more complete descriptions intended for the Report (Nos. 94 and 95), which, for reasons alluded to further on, were not published in Bufo Americanus, Lec. All the other States from Maine to Virginia, Valley of Mississippi, No and Canada. Bufo lentiginosus, Holbr. Seacoast from South Carolina to Florida. Bufo Woodhousi, n. s. New Mexico. Bufo cognatus, Say. From Nebraska to Coahuila, Mexico. Bufo speciosus, n. s. Rio Grande del Norte.	11 agnosis of 14.	f
Salmo Gloveri, n. s. Union River, Maine, M. Townsend Glover. 63. 1854. GIRARD, CHARLES. A list of the North American Bufonids, with dinew species. Proceedings Academy Natural Sciences Philadelphia, vii, 86-88. 1854 This paper, is a résumé of more complete descriptions intended for the Report (Nos. 94 and 95), which, for reasons alluded to further on, were not published in BUFO AMERICANUS, Lec. All the other States from Maine to Virginia, Valley of Mississippi, No and Canada. Bufo lentiginosus, Holbr. Seacoast from South Carolina to Florida. Bufo Woodhousi, n. s. New Mexico. Bufo cognatus, Say. From Nebraska to Coahuila, Mexico. Bufo speciosus, n. s. Rio Grande del Norte. Bufo punctatus, B & G.		f
Salmo Gloveri, n. s. Union River, Maine, M. Townsend Glover. 63. 1854. GIRARD, CHARLES. A list of the North American Bufonids, with dinew species. Proceedings Academy Natural Sciences Philadelphia, vii, 86-88. 1854 This paper, is a résumé of more complete descriptions intended for the Report (Nos. 94 and 95), which, for reasons alluded to further on, were not published in Bufo Americanus, Lec. All the other States from Maine to Virginia, Valley of Mississippi, No and Canada. Bufo lentiginosus, Holbr. Seacoast from South Carolina to Florida. Bufo Woodhousi, n. s. New Mexico. Bufo cognatus, Say. From Nebraska to Coahuila, Mexico. Bufo speciosus, n. s. Rio Grande del Norte. Bufo punctatus, B & G. Devil's River Valley and Coahuila.		f
Salmo Gloveri, n. s Union River, Maine, M. Townsend Glover. 63. 1854. GIRARD, CHARLES. A list of the North American Bufonids, with dinew species. Proceedings Academy Natural Sciences Philadelphia, vii, 86-88. 1854 This paper, is a résumé of more complete descriptions intended for the Report (Nos. 94 and 95), which, for reasons alluded to further on, were not published in Bufo Americanus, Lec. All the other States from Maine to Virginia, Valley of Mississippi, No and Canada. Bufo lentiginosus, Holbr Seacoast from South Carolina to Florida. Bufo Woodhousi, n. s New Mexico. Bufo cognatus, Say From Nebraska to Coahuila, Mexico. Bufo speciosus, n. s Rio Grande del Norte. Bufo punctatus, B & G Devil's River Valley and Coahuila. Bufo debilis, n. s Rio Grande del Norte.	1liagnosis of 14. 1ts on Reptiles 1n full. 16. 16. 16. 16. 16. 16. 16. 16. 16. 16	f
Salmo Gloveri, n. s. Union River, Maine, M. Townsend Glover. 63. 1854. GIRARD, CHARLES. A list of the North American Bufonids, with dinew species. Proceedings Academy Natural Sciences Philadelphia, vii, 86-88. 1854 This paper, is a résumé of more complete descriptions intended for the Report (Nos. 94 and 95), which, for reasons alluded to further on, were not published in Bufo Americanus, Lec. All the other States from Maine to Virginia, Valley of Mississippi, No and Canada. Bufo lentiginosus, Holbr. Seacoast from South Carolina to Florida. Bufo Woodhousi, n. s. New Mexico. Bufo cognatus, Say. From Nebraska to Coahuila, Mexico. Bufo speciosus, n. s. Rio Grande del Norte. Bufo punctatus, B & G. Devil's River Valley and Coahuila. Bufo debilis, n. s. Rio Grande del Norte. Bufo nebulifer, n. s	1liagnosis of 14. 1ts on Reptiles 1n full. 16. 16. 16. 16. 16. 16. 16. 16. 16. 16	f
Salmo Gloveri, n. s. Union River, Maine, M. Townsend Glover. 63. 1854. GIRARD, CHARLES. A list of the North American Bufonids, with dinew species. Proceedings Academy Natural Sciences Philadelphia, vii, 86–88. 1854 This paper, is a résumé of more complete descriptions intended for the Report (Nos. 94 and 95), which, for reasons alluded to further on, were not published in BUFO AMERICANUS, Lec. All the other States from Maine to Virginia, Valley of Mississippi, No and Canada. Bufo lentiginosus, Holbr Seacoast from South Carolina to Florida. Bufo Woodhousi, n. s. New Mexico. Bufo cognatus, Say. From Nebraska to Coahuila, Mexico. Bufo speciosus, n. s. Rio Grande del Norte. Bufo punctatus, B & G. Devil's River Valley and Coahuila. Bufo debilis, n. s. Rio Grande del Norte. Bufo nebulifer, n. s Valley of Rio Grande del Norte.		£ 5 5 7 7 7
Salmo Gloveri, n. s. Union River, Maine, M. Townsend Glover. 63. 1854. GIRARD, CHARLES. A list of the North American Bufonids, with dinew species. Proceedings Academy Natural Sciences Philadelphia, vii, 86-88. 1854 This paper, is a résumé of more complete descriptions intended for the Report (Nos. 94 and 95), which, for reasons alluded to further on, were not published in Bufo Americanus, Lec. All the other States from Maine to Virginia, Valley of Mississippi, No and Canada. Bufo lentiginosus, Holbr. Seacoast from South Carolina to Florida. Bufo Woodhousi, n. s. New Mexico. Bufo cognatus, Say. From Nebraska to Coahuila, Mexico. Bufo speciosus, n. s. Rio Grande del Norte. Bufo punctatus, B & G. Devil's River Valley and Coahuila. Bufo debilis, n. s. Rio Grande del Norte. Bufo nebulifer, n. s		£ 5 5 7 7 7

1854.	GIRARD, CHARLES-Continued.	
	Bufo boreas, B. & G.	
	Columbia River and Puget Sound.	
	Bufo halophila, B. & G	87
	California.	
	Bufo quercinus, Holbr	87
	Charleston, South Carolina.	
	Bufo insidior, n. s.	88
	Chihuahua, Dr. Webb.	
	Engystoma Carolinense, Holbr	88
	South Carolina, Georgia, Florida, Louisiana, and Mississippi. Engystoma rugosum, Dum. & B. (doubtful as North American species)	9
	64.	00
1054	GIRARD, CHARLES. Descriptions of New Fishes collected by Dr. A. L. He	
1004.		
	mann, naturalist attached to the survey of the Pacific Railroad route und	ler
	Lieut. R. S. Williamson, U. S. Army.	
	Proceedings Natural Academy of Sciences Philadelphia, vii, 129-139. 1854.	
	Percidæ.	
	Centrarchus intermedius, n. s	129
	Sacramento River. •	
	COTTIDÆ.	
	Cottopris gulorus, n. s.	129
	Rio San Joaquin.	
	Aspicottus, n. g	
	Aspicottus bison, n. s	130
	San Francisco.	
	LEPTOCOTTUS, n. g	
	Leptocottus armatus, n. s	130
	San Francisco. Scorpænichthys, n. g	191
	Scorpænichthys marmoratus, n. s	
	Scorpænidæ.	.01
	Sebastes auriculatus, n. s	L31
	San Francisco.	
	HETEROLEPIDÆ, n. fam	132
	CHIRUS, Stell	132
	Chirus pictus, n. s	132
	San Francisco.	
	Chirus guttatus, n. s	132
	San Francisco.	
	OPHIODON, n. g	
	Ophiodon elongatus, n. s	133
	GASTEROSTRIDÆ	33
	Gasterosteus Williamsoni, n. s	
	Williamson's Pass, California.	
	Gasterosteus microcephalus, n. s	133
	San Joaquin Valley.	
	Atherinidæ	134
	ATHERINOPSIS, n.g	134
	Atherinopsis Californiensis, n. s.	134
	San Francisco.	
	GOBIIDÆ	
	Gobius gracilis, n. s.	134
	San Francisco. Embiotocoidæ	124
	Embiotoca lineata, n. s	
	San Francisco.	
	Amphistichus similis, n. s	135
	San Francisco.	

San Francisco.

1854.	GIRARD, CHARLES—Continued.	
	Cyprinidæ	135
	Gila conocephala, B. & G. (n. s.)	136
	Rio San Joaquin.	
	Pogonichthys, n. g	
	Pogonichthys inæquilobus, B. & G. (n. s.)	136
	San Joaquin River. Pogonichthys symmetricus, B. & G. (n. s.)	126
	Fort Miller, San Joaquin Valley.	100
	LAYINIA, n.g	137
	Lavinia exilicauda, B. & G. (n. s.)	
	Sacramento River.	
	Lavinia crassicauda, B. & G. (n. s.)	137
	Rio San Joaquin.	
	Lavinia conformis, B. & G. (n. s.)	137
	Posa Creek, California. Leucosomus occidentalis, B. & G. (n. s.)	127
	Posa Creek and Grove Creek, California.	
	CLUPEIDÆ	138
	Clupea mirabilis, n. s	138
	San Francisco.	
	Meletta cærulea, n. 8	138
	San Francisco. Engraulis mordax, n. s	120
	PLEURONECTIDÆ 1	
	Pleuronichthys, n. g.	
	Pleuronichthys canosus	
	San Francisco.	
	Platichthys, n.g	
	Platichthys rugosus, n. s	139
	San Francisco. Parophrys, n. g	
	Parophrys vetulus, n.s.	
	San Francisco.	108
	PSETTICHTHYS, n.g	140
	Psettichthys melanostictus, n. s	140
	San Francisco.	
•	65.	
1854.	GIRARD, CHARLES. Enumeration of the Species of Marine Fishes collected	at
	San Francisco, Cal., by Dr. C. B. R. Kennerly, naturalist, attached to the	
	Survey of the Pacific Railroad route, under Lieut. A. W. Whipple.	
	Proceedings Academy of Natural Sciences Philadelphia, vii, 141-2. 1854.	
	Chirus constellatus, n. s.	141
	Atherinopsis Californiensis, Grd.	
	Porichthys, n. g.	
	Porichthys notatus, n. s.	
	Embiotoca lineata, Grd.	
	Amphistichus argentatus, Ag.	
	Holconotus rhodoterus, Ag.	
	Meletta cærulea, Grd. Gadus proximus, n. s.	
	Parophrys vetulus, Grd.	142
	Psettichthys sordidus, n. s.	
	66.	
1854.	GIRARD, CHARLES. Observations upon a collection of Fishes made on the P	
	cific Coast of the United States by Lieut. W. P. Trowbridge, U. S. Arm	y,
	for the Museum of the Smithsonian Institution.	
	Proceedings Academy of Natural Sciences Philadelphia, vii, 142-56. 1854.	
	Percidæ.	
	Labrax nebulifer, n. s	142
	Monterey, California.	
	Labrax clathratus, n. s	142
	San Diego, California.	

Trachinidæ.
Heterostichus, n. g
Heterostichus rostratus, n. s
San Diego, California.
Sphyrænidæ.
Sphyræna argentea, n. s
San Diego, California.
COTTIDÆ.
Cottopsis parvus, n. s
Presidio, California.
Leptocutus armatus, Grd
San Diego, California.
Scorpænichthys marmoratus, Grd
Scorpænichthys lateralis, n. s
San Luis Obispo, California.
SCORPAENIDÆ.
Scorpæna guttata, n. s
Monterey, California.
Sebastes auriculatus, Grd
Presidio, California.
Sebastes rosaceus, n. s
San Diego, California.
Sebastes fasciatus, n. s
Presidio, California.
HETEROLEPIDÆ.
Chirus guttatus, Grd
Presidio, California.
Chirus constellatus, Grd
Presidio, California.
Gasterosteidæ.
Gasterosteus plebius, n. s
Presidio, California.
Gasterosteus inopinatus, n. s
Presidio, California.
Sciænidæ.
Umbrina undulata, n. s
San Diego, California.
Glyphisodon rubicundus, n. s
Monterey, California.
Scomberesocidæ.
Belone exilis, n. s.
San Diego, California.
Blennius gentilis, n. s
Monterey, California.
Gunnellus ornatus, n.s
Presidio, California.
Apodichthys, n.g
Apodichthys flavidus, n. s
Presidio, California.
Apodichthys violaceus, n. s
San Luis Obisno, California.
Anarrhicas felis, n. s
Monterey, California.
LOPHIDÆ.
Porichthys notatus, Grd
Monterey, California.
Labridæ.
Julis modestus, n. s
San Diego, California.
Atherinidæ.
Atherinopsis Californiensis, Grd
Presidio, California.

1854.	GIRARD,	CHARLES-Continued.
		E

Empiotocoidæ.	
Embiotoca Jacksoni, Ag. 15 Presidio, California.	
Embiotoca lineata, Grd	1
San Diego, California.	
Embiotoca Cassidii, n. s	1
San Diego, California.	
Holeonotus rhodoterus, Ag	2
San Diego, California.	
Holomotus Trowbridgi, n. s	
Holconotus megalops, n. s. 15 Presidio. California.)2
PHANERODON, n. g	
Phanerodon furcatus, n. s	
Presidio, California,	
Amphistichus argenteus, Ag	3
Cyprinidæ.	
Pogonichthys argyreiosus, n. s	3
Presidio, California.	
CYPRINODONTIDÆ. Fundulus parvipinnis, n. s	
San Diego, California.	P#
GADIDÆ.	
Gadus proximus, Grd	i 4
Presidio, California.	
CLUPEIDÆ.	
Clupea mirabilis, Grd	14
Presidio, California.	
Meletta cœrulea, Grd	4
Presidio, California.	
Engraulis mordax, Grd	4
San Diego, California. Engraulis delicatissimus, n. s	
San Diego, California.	14
Sam Diego, Camornia. Salmonidæ.	
Argentina pretiosa, n. s	55
Presidio, California.	-
PLEURONECTIDÆ.	
Pleuronectes maculosus, n. s	55
San Diego, California.	
Platichthys rugosus, Grd	55
Presidio, California.	
Parophrys vetulus, Grd	55
Presidio, California.	
Psettichthys sordidus, Grd	55
Presidio, California.	
DISCOBOLI.	
Lepadogaster reticulatus, n.s	6
San Luis Obispo, California.	
LOPHOBRANCHII.	
Syngnathus brevirostris, n. s	6
San Diego, California.	
Syngnathus leptorhynchus, n. s	6
San Diego, California.	

Cochlognathus ornatus, n. s.
Brownsville, Texas.

1854.	GIRARD, CHARLES. Characteristics of some Cartilaginous Fishes of the Pacific Coast of North America.
	Proceedings Academy of Natural Sciences Philadelphia, vii, 196-7. 1854.
	Cestracion francisci, n. s
	Triacis semifasciatum, n. s. San Francisco Bay, California, Licut. W. P. Trowbridge, U. S. Army. Spinax (Acanthias) Suckleyi, n. s.
	Puget Sound, Dr. George Suckley, U.S. Army.
	Raja binoculata. n. s
	69 .
1854.	GIRARD, CHARLES. Abstract of a report to Lieut. James M. Gilliss, U. S. N.,
	upon the fishes collected during the U.S. N. Astronomical Expedition to Chile.
	Proceedings Academy of Natural Sciences Philadelphia, vii, 197-9. 1854.
	PERCIDÆ.
	PERCICHTHYS, n. g. Percichthys chilensis, n. s
	Percichthys melanops, n. s. Rio de Maypo, Chile.
	Percilia, n. g.
	Percilia Gillissi, n. s. Rio de Maypo, Chile.
	Basilichthys, n. g.
	Basilichthys microlepidotus, n. s
	Nematogenys, n. g. Nematogenys inermis, n. s.
	Chilian fresh waters.
	Alosa musica, n. s
	Caldera Bay, Chile. Engraulis pulchellus, n. s.
	Caldera Bay, Chile.
	Cheiropon, n. g. 199
	Cheirodon pisciculus, n. s
	Bdellostoma polytrema, n. s. Bay of Valparaiso, Chile.
	70.
,	70.
1854.	GIRARD, CHARLES. Abstract of a report to Lieut. James M. Gilliss, U. S.
	N., upon the reptiles collected during the U. S. N. Astronomical Expedition to Chile.
	Proceedings Academy of Natural Sciences Philadelphia, vii,226-7. 1854.
	BATRACHIANN.
	Cystignathus tæniatus, n. s
	Santiago, Chile. Phyllobates auratus n. s
	OPHIDEANS. Elaps nigrocinetus, n.s
	Taboga, Bay of Panama.
	Dryophis vittatus, n. s

1054 Orning Original Continued
1854. GIRARD, CHARLES—Continued. Tachymenis chilensis, n. s
Santiago, Chile.
Tæniophis, n. g.
Tæniophis tantillus, n. s
SAURIANS.
Proctotretus semoratus, n. s
Santiago, Chile.
Proctotretus Stantoni, n. s
71.
1854. GIRARD, CHARLES. Description of some New Species of Fishes from the State
of Massachusetts.
Proceedings Boston Society Natural History, v, 40-41. 1854.
Pomotis obesus, n. s
Charles River, S. F. Baird. Boleosoma fusiforme, n. s
Farmingham, S. F. Baird.
Esox ornatus, n. s.
Farmingham, S. F. Baird.
72 .
1854. GIRARD, CHARLES. On the family of Embiotocoidæ and its mode of develop-
ment.
Proceedings Boston Society of Natural History, v, 81-2. 1854.
An abstract of the paper, No. 80.
73 .
1954 Cenama Citanana On Dissolusiashus simulan
1854. GIRARD, CHARLES. On Placobranchus simplex. Proceedings Boston Society of Natural History, v. 89, 1854.
Proceedings Boston Society of Natural History, v, 89, 1854.
Proceedings Boston Society of Natural History, v, 89, 1854.
Proceedings Boston Society of Natural History, v, 89, 1854. Placobranchus simplex, n. s
Proceedings Boston Society of Natural History, v, 89, 1854. Placobranchus simplex, n. s
Proceedings Boston Society of Natural History, v, 89, 1854. Placobranchus simplex, n. s
Proceedings Boston Society of Natural History, v, 89, 1854. Placobranchus simplex, n. s
Proceedings Boston Society of Natural History, v, 89, 1854. Placobranchus simplex, n. s
Proceedings Boston Society of Natural History, v, 89, 1854. Placobranchus simplex, n. s
Proceedings Boston Society of Natural History, v, 89, 1854. Placobranchus simplex, n. s
Proceedings Boston Society of Natural History, v, 89, 1854. Placobranchus simplex, n. s
Proceedings Boston Society of Natural History, v, 89, 1854. Placobranchus simplex, n. s
Proceedings Boston Society of Natural History, v, 89, 1854. Placobranchus simplex, n. s
Proceedings Boston Society of Natural History, v, 89, 1854. Placobranchus simplex, n. s
Proceedings Boston Society of Natural History, v, 89, 1854. Placobranchus simplex, n. s
Proceedings Boston Society of Natural History, v, 89, 1854. Placobranchus simplex, n. s
Proceedings Boston Society of Natural History, v, 89, 1854. Placobranchus simplex, n. s
Proceedings Boston Society of Natural History, v, 89, 1854. Placobranchus simplex, n. s
Proceedings Boston Society of Natural History, v, 89, 1854. Placobranchus simplex, n. s
Proceedings Boston Society of Natural History, v, 89, 1854. Placobranchus simplex, n. s
Proceedings Boston Society of Natural History, v, 89, 1854. Placobranchus simplex, n. s
Proceedings Boston Society of Natural History, v, 89, 1854. Placobranchus simplex, n. s

1854. GIRARD, CHARLES—Continued	ıed.
---------------------------------	------

NPM	PRTINE	

NEMERTIDÆ.	
Poseidon affinis, n. s	28
Island of Grand Manan; Dr. Stimpson.	
Nareda, n. g.	
Nareda superba, n. s., fig. 17	28
Island of Grand Manan; Dr. Stimpson.	
Nemertes obscura, Desor	28
Island of Grand Manan; Dr. Stimpson.	
Tetrastemma serpentina, Grd	28
Island of Grand Manan; Dr. Stimpson.	
Omatoplea Stimpsoni, n. s., fig. 18	28
Island of Grand Manan; Dr. Stimpson.	
77.	
1855. GIRARD, CHARLES. Report to Lieut. James M. Gilliss, U. S. N., upon the re	an-
tiles collected during the U. S. N. Astronomical Expedition to Chile.	∍P-
· · · · · · · · · · · · · · · · · · ·	::
Report of the U.S. Naval Astronomical Expedition to the Southern Hemisphere,	11,
207-20. 1855.	
BATRACHIA.	
Family Ranidæ	207
CYSTIGNATHUS, Wagler	207
Cystignathus tæniatus, Grd., pl. xxxv, figs. 8-11	207
Family Hylida:	
Phyllobates, Dum. & B	
Phyllobates auratus, Grd., pl. xxxiv, figs. 12-15	209
OPHIDIA.	
Family Viperidæ	
ELAPS, Schn	
Elaps nigrocinetus, Grd., pl. xxxv, figs. 1-6	
Family Oxycephalidæ	
Dryophis vittatus, Grd., pl. xxxvi, figs. 1-6	211
Family Colubridæ.	
TACHYMENIS, Wiegm	
Tachymenis chilensis, Grd., pl. xxxvii, figs. 1-6.	
Tæniophis, Grd.	
Tæniophis tantillus, Grd., pl. xxxvii, figs. 7-12.	
SAURIA.	
Family Stellionidæ	217
PROCTOTRETUS, Dum. & B	
Proctotretus tenuis, Dum. & B., pl. xi, figs. 1-4	219
Proctotretus femoratus, Grd., pl. xi, figs. 5-12.	
Proctotretus Stantoni, Grd., pl. xi, figs. 13-20	
Family Lacertidæ	
APOROMERA, Dum. & B	
Aporomera ornata, Dum. & B., pl. xxxix, figs. 1-4	
CNEMIDOPHORUS, Wagi	
Cnemidophorus præsignis, B. & G., pl. xxxviii, figs. 1-5	انسا
78 .	
1855. GIRARD, CHARLES. Report to Lieut. James M. Gilliss, U. S. N., upon the fish collected during the U. S. N. Astronomical Expedition to Chile.	.e8

1855. GIR. Report of the U. S. Naval Astronomical Expedition to the Southern Hemisphere, ii, 230-53. 1855.

Family Percidæ	230
Percichthys, Girard	230
Percichthys chilensis, Grd., pl. xxix, figs, 1-4	231

1855. GIRARD, CHARLES—Continued. Percilia, Girard 235 Family Atherinidæ 237 NEMATOGENYS, Girard 240 Family Characini 249 **79**. 1855. GIRARD, CHARLES. Report to Lieut. James M. Gilliss upon the Crustacea collected during the U.S. N. Astronomical Expedition to Chile. Report of the U.S. Naval Astronomical Expedition to the Southern Hemisphere, ii, 254-62, 1855, CRUSTACEA.

80.

1855. GIRARD, CHARLES. Notes upon the viviparous Fishes inhabiting the Pacific coast of North America, with an enumeration of the species observed. Proceedings Academy of Natural Sciences Philadelphia, vii, 318-22. 1855.

From observations traced upon the genital apparatus of the female there exists an ovarian sheath or sack, which, during the early period of pregnancy, is an elongated and subcylindrical tube, containing the ovaries proper, two in number, each of which consisting of two, three, or more vascular membranes, attached by their upper edge to the upper floor or roof of the sheath, forming either one, two, or more pouches (according to the number of these membranes) of the same length as the sheath itself, widely open beneath, though not in a direct communication with one another, since the membranes hang loosely down, resting on the lower floor of the sheath.

The eggs are formed within the texture of the ovarian membranes themselves. We have examined the ovaries of *Ennichthys Heermanni*, when the sheath, within which they were contained, was not larger than an ordinary quill. Numerous eggs could be observed in a very immature state, appearing to the naked eye like minute dots. Under the microscope, they exhibited evident traces of the germinal vesicle, surrounded as yet with a very scanty supply of vittiline substance.

The sheath and the ovaries gradually increase in bulk, as the eggs themselves first increase in size and the embryos atterwards. The sheath is a muscular membrane chiefly, whilst the ovarian membranes, we have stated, are altogether vascular.

Bull. 41, N. M.——3

When mature, the eggs either fall into the space between the membranes or ovarian pouches, or else remain attached to the ovaries until the embryos issue out of them. We are inclined to think that they drop into the pouches as eggs. At any rate, we found very young embryos loosely contained in the ovarian pouches, when no trace of the egg membrane could be seen within the tissues of the ovaries in the shape of corporalutei or graffian vesicles. Whatever be the case, numerous eggs or embryos may be observed within one pouch. The young thus remain together until grown to a considerable size, when, filling up the space in a more compact manner, the ovarian membranes, in their nature very expansive, will extend a fold between each embryo. In this manner every individual young, when removed sideways from the ovary, appears to the operator as if inclosed in a separate cavity, pouch, or follicle of the ovary, whilst, in reality, the membranes may be stretched out or extended, and the entire progeny loosened from all adherence or connection with them.

The male organs of generation consist of two spermaries, a right and a left, perfectly independent of each other, each having its separate duct, discharging their contents into an elongated cloaca, into which the bladder likewise empties its contents. This cloaca communicates with the exterior by a subcircular opening, the edge of which is rather protruding. Such is that apparatus—the same in its general structure as in the other osseous fishes. There is no sheath inclosing the two spermaries, and this fact throws a considerable light upon the morphology of the ovaries, the latter being in fact two in number, but so closely connected together as to simulate a single organ. Thus the general disposition, not the plan of structure, of these organs is adapted to the mode of reproduction—a single sheath being a more simple adaptation than two, one for each ovary.

How the mechanical act of fecundation takes place we are not prepared to say from direct observations; the eggs themselves must be fecundated within the ovarian sheath; a copulation of some sort is therefore required, and it is not improbable that at this period the eggs have dropped from the ovarian membranes into the pouches or spaces between these membranes, in which they are freely floating.

The hatching of the embryos takes place at an early period. After leaving the egg shell, they have an abdominal bag containing the remaining yolk, which is to be gradually absorbed during a period when neither the mouth nor the esophagus are formed; the fins having not yet appeared. The visual organs begin with a deposition of an external layer of black pimentum, in every respect similar to the same organs in invertebrata. The head is anteriorly rounded, and the cleft of the mouth not yet apparent at the period when the fins begin to develop. The caudal has the start over all other fins; its posterior margin is first lanceolated, then rounded, with a convexity gradually diminishing until it is perfectly straight, when a gradual emargination commences, and from a slight crescent reaches the forked shape which it assumes in the adult. The soft and articulated portion of the dorsal and anal fins next assume a development reaching extraordinary portions, which they again gradually lose as soon as free from parental sheltering. The posterior portion of these fins is especially to be noticed, being longer and deeper than the anterior portion (the reverse of what we observe in the adult,) and extending generally beyond the base of the caudal fin, a character, therefore, not exclusively proper to the genus Rhacocheilus. The spinous portions of these same fins, on the other hand, develop slowly and gradually, reaching their full growth at a late period. The ventrals and pectorals are likewise tardy in their appearance. The scales are fully developed before the young leave the ovary.

EMBIOTOCA, Agass	320
Embiotoca Jacksoni, Agass	320
San Francisco, Dr. A. L. Heermann.	
Embiotoca Cassidi, Grd	320
San Diego, California, Lieut. W. P. Trowbridge, U. S. A.	
Embiotoca Webbi, n. s	320
San Diego, California, Lieut. W. P. Trowbridge, U. S. A.	
Embiotoca lineata, Grd	320
San Francisco Bay, Dr. A. L. Heermann.	
Embiotoca ornata, n. s	321
San Diego, California, Lieut. W. P. Trowbridge, U. S. A.	
Embiotoca perspicabilis, n. s	321
Puget Sound, Dr. Geo. Suckley, U. S. A.	
DAMALICHTHYS, n. g	321
Damalichthys vacca, n. s	321
Puget Sound, Dr. Geo. Suckley, U. S. A.	
Phanerodon, Girard	
Phanarodon furcatus, Grd	322
San Francisco Bay, Lieut. W. P. Trowbridge, U. S. A.	

1855.	GIRARD, CHARLES—Continued.
	ABEONA, n. g
	Abeona Trowbridgi, Grd 322
	Not precisely known.
	HOLCONOTUS, Agass
	Holconotus rhodoterus, Agass
	From California to Oregon.
	Ennichthys, n. g
	Ennichthys megalops, Grd
	San Francisco Bay, Lieut. W. P. Trowbridge, U. S. A.
	Ennichthys Heermani, Grd
	San Francisco, Dr. A. L. Heermann. Amphistichus, Agass
	Amphistichus argenteus, Agass 323
	San Francisco, Dr. A. L. Heermann.
	Amphistichus similis, Grd
	San Francisco Bay, Dr. A. L. Heermann.
	81.
1855.	${\bf Girard, Charles. \ \ Life \mid inits \mid Physical Aspects. \mid By \mid Charles \ Girard. \mid From \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \$
	the Proceedings of the National Institute Washington Printed by R. A.
	Waters 1855 R. A. Waters, Washington, 1-29. 1855.
	Proceedings National Institute, i. 2-22. 1855.
	We read in the preface:
	"Of the physical nature of animated beings alone, we propose to treat in the present
	memoir: the different phases through which it passes from its first manifestation up to its
	last stage of existence constituting what we term the physical aspects of life.
	"The physical aspects of life result from a series of functions, all of which depend on one
	general function presiding throughout the whole range of animal existence: in other words,
	the law under which a physical being starts is the law under which it lives its whole life
	through.
	"It is therefore proposed, as our chief object, to inquire into the ultimate process of organic
	life, that is to say, the elaboration of matter, its assimilation, and its passage into the various
	parts and organs which it constitutes.
	"Hence the leading thought of this essay may thus be briefly expressed: The phenomena
	of the animal economy take place as though the living fabric were but a factory of cells.
	"First. All the organs and tissues are a compound of cells, diversely modified or meta-
	morphosed.
	"Second. The first aspect under which an animal manifests itself is that of a cell.
	"Third. The subsequent growth of that animal is a simple multiplication of cells.
	"Fourth. The nourishing process is a mere replacing of decayed or broken-up cells by
	new ones.
	"Such is the hypothesis, theory, or law, whichever it may be termed."
	82 .
1856.	GIRARD, CHARLES. Contributions to the Fauna of Chile. 1856. 4°. Fishes,
	Reptiles, and Crustacea. Reprint from the second volume of Gillis's U. S.
	Naval Astronomical Expedition to the Southern Hemisphere during the years
	1849, '50, '51, and '52. (See above, Nos. 77, 78, and 79.)
	10±0, 00, 01, with 02. (800 a0010, 1105, 11, 10, and 10.)
	83.
185A	GIRARD, CHARLES. Notice upon the species of the genus Salmo of authors,
2000.	
	observed chiefly in Oregon and California.
	Proceedings Academy Natural Sciences of Philadelphia, viii, 217-20. 1856.
	Salmo Scouleri, Richards
	Deschutes River, Oregon, Dr. Newberry.
	Salmo quinnat, Richards
	Columbia River, Richardson.
	Salmo spectabilis, n. s
	St. Mary's Mission, Oregon, Dr. Suckley.

1856.	GIRARD, CHARLES—Continued.	
	Fario aurora, n. s. Astoria, Oregon, Lieutenant Trowbridge.	21
	Fario argyreus, n. s. Cape Flattery, Lieutenant Trowbridge.	21
	Fario tsuppitch, Grd. Columbia River, Oregon, Dr. Geo. Suckley.	
	Fario Gairdneri, Grd	21
	Klamath River, Oregon, Dr. Newberry. Fario Clarki, Grd	21
	Columbia River, Oregon, Dr. Suckley. Fario stellatus, n. s.	
	Humboldt Bay, Lieutenant Trowbridge.	
	Salar Lewisi, n. s	
	Salar virginalis, n. s	22
	Salar iridea, Grd	22
	California, Lieutenant Trowbridge and others.	
	84 .	
1856.	GIRARD, CHARLES. On a new genus and species of Urodela from the colletions of the U. S. Exploring Expedition, under Commander Charles Wilk U. S. N.	
	Proceedings Academy of Natural Sciences Philadelphia, viii, 140. 1856.	
	Heredia, n. g. Heredia Oregonensis, n. s. Oregon, U. S. Exploring Expedition.	140
	•	
1856.	85. GIRARD, CHARLES. Contributions to the Ichthyology of the Western Coast	oi
1856.	GIRARD, CHARLES. Contributions to the Ichthyology of the Western Coast the United States from Specimens in the Museum of the Smithsonian Ins- tution.	
1856.	GIRARD, CHARLES. Contributions to the Ichthyology of the Western Coast the United States from Specimens in the Museum of the Smithsonian Instution. Proceedings Academy of Natural Sciences Philadelphia, viii, 131-7 1856.	ti.
1856.	GIRARD, CHARLES. Contributions to the Ichthyology of the Western Coast the United States from Specimens in the Museum of the Smithsonian Instution. Proceedings Academy of Natural Sciences Philadelphia, viii, 131-7 1856. Paralabrax, n. g.	ti- 131
1856.	GIRARD, CHARLES. Contributions to the Ichthyology of the Western Coast the United States from Specimens in the Museum of the Smithsonian Instution. Proceedings Academy of Natural Sciences Philadelphia, viii, 131-7 1856. Paralabrax, n. g	ti- 131
1856.	GIRARD, CHARLES. Contributions to the Ichthyology of the Western Coast the United States from Specimens in the Museum of the Smithsonian Instution. Proceedings Academy of Natural Sciences Philadelphia, viii, 131-7 1856. PARALABRAX, n. g. Paralabrax nebulifer, n. s. Monterey, California, Lieutenant Trowbridge. Paralabrax clathratus, n. s.	ti- 131 132
1856.	GIRARD, CHARLES. Contributions to the Ichthyology of the Western Coast the United States from Specimens in the Museum of the Smithsonian Instution. Proceedings Academy of Natural Sciences Philadelphia, viii, 131-7 1856. PARALABRAX, n. g	131 132
1856.	GIRARD, CHARLES. Contributions to the Ichthyology of the Western Coast the United States from Specimens in the Museum of the Smithsonian Instution. Proceedings Academy of Natural Sciences Philadelphia, viii, 131-7 1856. PARALABRAX, n. g	131 132 132
1856.	GIRARD, CHARLES. Contributions to the Ichthyology of the Western Coast the United States from Specimens in the Museum of the Smithsonian Instution. Proceedings Academy of Natural Sciences Philadelphia, viii, 131-7 1856. PARALABRAX, n. g. Paralabrax nebulifer, n. s. Monterey, California, Lieutenant Trowbridge. Paralabrax clathratus, n. s. San Diego, California, Lieutenant Trowbridge. Homalopomus, n. g.	131 132 132 132
1856.	GIRARD, CHARLES. Contributions to the Ichthyology of the Western Coast the United States from Specimens in the Museum of the Smithsonian Instution. Proceedings Academy of Natural Sciences Philadelphia, viii, 131-7 1856. PARALABRAX, n. g. Paralabrax nebulifer, n. s. Monterey, California, Lieutenant Trowbridge. Paralabraz cathratus, n. s. San Diego, California, Lieutenant Trowbridge. Homalopomus Trowbridgi, n. s. Astoria, Oregon, Lieut. W. P. Trowbridge. Oligocottus maculosus, n. s.	131 132 132 132 132 133
1856.	GIRARD, CHARLES. Contributions to the Ichthyology of the Western Coast the United States from Specimens in the Museum of the Smithsonian Instution. Proceedings Academy of Natural Sciences Philadelphia, viii, 131-7—1856. PARALABRAX, n. g. Paralabrax nebulifer, n. s. Monterey, California, Lieutenant Trowbridge. Paralabrax clathratus, n. s. San Diego, California, Lieutenant Trowbridge. Homalopomus Trowbridgi, n. s. Astoria, Oregon, Lieut. W. P. Trowbridge. Oligocottus maculosus, n. s. Leicottus, n. g.	131 132 132 132 133 133
1856.	GIRARD, CHARLES. Contributions to the Ichthyology of the Western Coast the United States from Specimens in the Museum of the Smithsonian Instution. Proceedings Academy of Natural Sciences Philadelphia, viii, 131-7—1856. PARALABRAX, n. g. Paralabrax nebulifer, n. s. Monterey, California, Lieutenant Trowbridge. Paralabrax cathratus, n. s. San Diego, California, Lieutenant Trowbridge. Homalopomus Trowbridgi, n. s. Astoria, Oregon, Lieut. W. P. Trowbridge. Oligocottus maculosus, n. s. Leicottus hirundo, n. s. San Miguel, California, Lieut. W. P. Trowbridge, U. S. A.	131 132 132 132 133 133 133
1856.	GIRARD, CHARLES. Contributions to the Ichthyology of the Western Coast the United States from Specimens in the Museum of the Smithsonian Instution. Proceedings Academy of Natural Sciences Philadelphia, viii, 131-7 1856. PARALABRAX, n. g. Paralabrax nebulifer, n. s. Monterey, California, Lieutenant Trowbridge. Paralabrax cathratus, n. s. San Diego, California, Lieutenant Trowbridge. HOMALOPOMUS, n. g. Homalopomus Trovbridgi, n. s. Astoria, Oregon, Lieut. W. P. Trowbridge. Oligocottus, n. g. Oligocottus maculosus, n. s. Leicottus, n. g. Leicottus, n. g. Leicottus, n. g. San Miguel, California, Lieut. W. P. Trowbridge, U. S. A. Artedus, n. g.	131 132 132 132 133 133 133
1856.	GIRARD, CHARLES. Contributions to the Ichthyology of the Western Coast the United States from Specimens in the Museum of the Smithsonian Instution. Proceedings Academy of Natural Sciences Philadelphia, viii, 131-7—1856. PARALABRAX, n. g. Paralabrax nebulifer, n. s. Monterey, California, Lieutenant Trowbridge. Paralabrax cathratus, n. s. San Diego, California, Lieutenant Trowbridge. HOMALOPOMUS, n. g. Homalopomus Trowbridgi, n. s. Astoria, Oregon, Lieut. W. P. Trowbridge. OLIGOCOTTUS, n. g. Oligocottus maculosus, n. s. Leicottus hirundo, n. s. San Miguel, California, Lieut. W. P. Trowbridge, U. S. A. ARTEDIUS, n. g. Artedius lateralis, n. s.	131 132 132 132 133 133 133
1856.	GIRARD, CHARLES. Contributions to the Ichthyology of the Western Coast the United States from Specimens in the Museum of the Smithsonian Instution. Proceedings Academy of Natural Sciences Philadelphia, viii, 131-7—1856. PARALABRAX, n. g. Paralabrax nebulifer, n. s. Monterey, California, Lieutenant Trowbridge. Paralabrax clathratus, n. s. San Diego, California, Lieutenant Trowbridge. HOMALOPOMUS, n. g. Homalopomus Trowbridgi, n. s. Astoria, Oregon, Lieut. W. P. Trowbridge. OLIGOCOTTUS, n. g. Leicottus maculosus, n. s. LEICOTTUS, n. g. Leicottus hirundo, n. s. San Miguel, California, Lieut. W. P. Trowbridge, U. S. A. Artedius lateralis, n. s. San Luis Obispo, California, Lieut. W. P. Trowbridge, U. S. A. Artedius notospilotus, n. s.	131 132 132 132 133 133 134 134
1856.	GIRARD, CHARLES. Contributions to the Ichthyology of the Western Coast the United States from Specimens in the Museum of the Smithsonian Instution. Proceedings Academy of Natural Sciences Philadelphia, viii, 131-7—1856. PARALABRAX, n. g. Paralabrax nebulifer, n. s. Monterey, California, Lieutenant Trowbridge. Paralabrax cathratus, n. s. San Diego, California, Lieutenant Trowbridge. HOMALOPOMUS, n. g. Homalopomus Trowbridgi, n. s. Astoria, Oregon, Lieut. W. P. Trowbridge. OLIGOCOTTUS, n. g. Oligocottus maculosus, n. s. Leicocottus hirundo, n. s. San Miguel, California, Lieut. W. P. Trowbridge, U. S. A. Artedius lateralis, n. s. San Luis Obispo, California, Lieut. W. P. Trowbridge, U. S. A. Artedius notospilotus, n. s. Tomales Bay, California, E. Samuels.	ti. 131 132 132 133 133 134 134
1856.	GIRARD, CHARLES. Contributions to the Ichthyology of the Western Coast the United States from Specimens in the Museum of the Smithsonian Instution. Proceedings Academy of Natural Sciences Philadelphia, viii, 131-7—1856. Paralabrax nebulifer, n. s. Monterey, California, Lieutenant Trowbridge. Paralabrax cathratus, n. s. San Diego, California, Lieutenant Trowbridge. Homalopomus Trowbridgi, n. s. Astoria, Oregon, Lieut. W. P. Trowbridge. Oligocottus maculosus, n. s. Leicottus hirundo, n. s. San Miguel, California, Lieut. W. P. Trowbridge, U. S. A. Artedius notospilotus, n. s. San Luis Obispo, California, Lieut. W. P. Trowbridge, U. S. A. Artedius notospilotus, n. s. Tomales Bay, California, E. Samuels. Oplopoma pantherina, n. s.	131 132 132 132 133 133 134 134 134
1856.	GIRARD, CHARLES. Contributions to the Ichthyology of the Western Coast the United States from Specimens in the Museum of the Smithsonian Instution. Proceedings Academy of Natural Sciences Philadelphia, viii, 131-7—1856. PARALABRAX, n. g. Paralabrax nebulifer, n. s. Monterey, California, Lieutenant Trowbridge. Paralabrax clathratus, n. s. San Diego, California, Lieutenant Trowbridge. HOMALOPOMUS, n. g. Homalopomus Trowbridgi, n. s. Astoria, Oregon, Lieut. W. P. Trowbridge. OLIGOCOTTUS, n. g. Oligocottus maculosus, n. s. Leicottus hirundo, n. s. San Miguel, California, Lieut. W. P. Trowbridge, U. S. A. ARTEDIUS, n. g. Artedius lateralis, n. s. San Luis Obispo, California, Lieut. W. P. Trowbridge, U. S. A. Artedius notospilotus, n. s. Tomales Bay, California, E. Samuels. OPLOPOMA, n. g. Oplopoma pantherina, n. s. Cape Flattery, Washington, Lieut. W. P. Trowbridge, U. S. A.	131 132 132 132 133 133 134 134 134
1856.	GIRARD, CHARLES. Contributions to the Ichthyology of the Western Coast the United States from Specimens in the Museum of the Smithsonian Instution. Proceedings Academy of Natural Sciences Philadelphia, viii, 131-7 1856. Paralabrax nebulifer, n. s. Monterey, California, Lieutenant Trowbridge. Paralabrax cathratus, n. s. San Diego, California, Lieutenant Trowbridge. Homalopomus Trowbridgi, n. s. Astoria, Oregon, Lieut. W. P. Trowbridge. Oligocottus, n. g. Oligocottus maculosus, n. s. Leicottus, n. s. San Miguel, California, Lieut. W. P. Trowbridge, U. S. A. Artedius lateralis, n. s. San Luis Obispo, California, Lieut. W. P. Trowbridge, U. S. A. Artedius notospilotus, n. s. Tomales Bay, California, E. Samuels. Oplopoma, n. g. Oplopoma pantherina, n. s. Cape Flattery, Washington, Lieut. W. P. Trowbridge, U. S. A. Gasterosteus intermedius, n. s. Cape Flattery, Washington, Lieut. W. P. Trowbridge.	131 132 132 132 133 133 134 134 134
1856.	GIRARD, CHARLES. Contributions to the Ichthyology of the Western Coast the United States from Specimens in the Museum of the Smithsonian Instution. Proceedings Academy of Natural Sciences Philadelphia, viii, 131-7 1856. Paralabrax nebulifer, n. s. Monterey, California, Lieutenant Trowbridge. Paralabrax cathratus, n. s. San Diego, California, Lieutenant Trowbridge. Homalopomus Trowbridgi, n. s. Astoria, Oregon, Lieut. W. P. Trowbridge. Oligocottus maculosus, n. s. Leicottus, n. g. Leicottus hirundo, n. s. San Miguel, California, Lieut. W. P. Trowbridge, U. S. A. Artedius lateralis, n. s. San Luis Obispo, California, Lieut. W. P. Trowbridge, U. S. A. Artedius notospilotus, n. s. Tomales Bay, California, E. Samuels. OPLOPOMA, n. g. Oplopoma pantherina, n. s. Cape Flattery, Washington, Lieut. W. P. Trowbridge, U. S. A. Gasterosteus intermedius, n. s. Cape Flattery, Washington, Lieut. W. P. Trowbridge. Gasterosteus Pugetti, n. s. Puget Sound, Dr. Geo. Suckley, U. S. A.	131 132 132 132 133 133 134 134 135 135
1856.	GIRARD, CHARLES. Contributions to the Ichthyology of the Western Coast the United States from Specimens in the Museum of the Smithsonian Instution. Proceedings Academy of Natural Sciences Philadelphia, viii, 131-7 1856. Paralabrax nebulifer, n. s. Monterey, California, Lieutenant Trowbridge. Paralabrax clathratus, n. s. San Diego, California, Lieutenant Trowbridge. Homalopomus Trowbridgi, n. s. Astoria, Oregon, Lieut. W. P. Trowbridge. Oligocottus maculosus, n. s. Leicottus, n. g. Leicottus, n. g. Leicottus, n. s. San Miguel, California, Lieut. W. P. Trowbridge, U. S. A. Artedius lateralis, n. s. San Luis Obispo, California, Lieut. W. P. Trowbridge, U. S. A. Artedius notospilotus, n. s. Tomales Bay, California, E. Samuels. OPLOPOMA, n. g. Oplopoma pantherina, n. s. Cape Flattery, Washington, Lieut. W. P. Trowbridge, U. S. A. Gasterosteus intermedius, n. s. Cape Flattery, Washington, Lieut. W. P. Trowbridge. Gasterosteus Pugetti, n. s.	131 132 132 132 133 133 134 134 134 135 135

1856.	GIRARD, CHARLES—Continued.	
	Platichthys umbrosus, n. s	136
	Cape Flattery, Washington, Lieut. W. P. Trowbridge, U. S. A.	
	Pleuronichthys guttulatus, n. s	137
	Tomales Bay, California, E. Samuels.	
	Ammodytes personatus, n. s	137
	Cape Flattery, Washington, Lieut. W. P. Trowbridge, U. S. A.	
	Rhinoptera vespertilio, n. s.	
	Tomales Bay, E. Samuels.	

1856. GIRARD, CHARLES. Researches upon the Cyprinoid Fishes | inhabiting the | Fresh waters of the United States, | west of the Mississippi Valley, | from | Specimens in the Museum of the Smithsonian Institution.

Proceedings Academy of Natural Sciences Philadelphia, viii, 165–213, 1856. [Also reprinted as a pamphlet of 48 pages. 8°.]

The fishes which are the subject of the present memoir were collected at different times and periods by several naturalists and surgeons attached to the various surveys undertaken within the past five years.

And, first of all, there is the survey of the United States and Mexican boundary, from 1851 to 1855. John H. Clark, who accompanied Col. J. D. Graham in 1851, collected extensively in the rivers and creeks of Texas and New Mexico. Under Maj. W. H. Emory, now commissioner of the boundary line, numerous collections were made by Dr. C. B. Kennerly, in Texas, in the valley of the Rio Grande and provinces of Chihuahua and Sonora.

The survey of routes for a railroad to the Pacific was commenced in 1853, and continued until 1855. Lieut. A. W. Whipple, under whose command the survey near the thirty-fifth parallel of latitude was effected, in securing the services of Dr. C. B. Kennerly, contributed very largely to our collections of fishes from Texas and the numerous tributaries of the Arkansas River. H. B. Möllhausen, artist to the same expedition, also showed much zeal and industry for collecting.

The survey near the thirty-second parallel of latitude, western end, under Lieut. J. G. Parke, contributed a few specimens, collected by Dr. A. L. Heermann.

The eastern end of the same thirty-second parallel was explored by Capt. John Pope, and under the direction of Dr. George G. Shumard, interesting specimens were obtained.

The survey of the partial routes on the Pacific side, under Lieut. R. S. Williamson, Dr. A. L. Heermann being surgeon and naturalist to the party, a large collection of fresh-water fishes, among which were several Cyprinoids, was made in the valley of the San Joaquin River and the Tulare Valley.

Subsequently, the same officer explored the Sacramento Valley from San Francisco, California, to Astoria, Oregon, having Dr. John S. Newberry as naturalist, who secured many interesting members of the family of fishes now under consideration.

The survey of the route near the thirty-eighth and thirty-ninth parallels, under the late Captain Gunnisson, and of the forty-first, by Lieut. E. G. Beckwith, secured many interesting specimens from the valley of the Great Salt Lake and Humboldt River.

The survey of the northern route, under Governor I. I. Stevens, was as fruitful in many respects as both the United States and Mexican boundary survey and the survey of the thirty-fifth parallel. Dr. George Suckley, Dr. J. G. Cooper, and Dr. John Evans proved indefatigable in their efforts for collecting.

The upper Missouri and Yellowstone Rivers were explored by Dr. F. V. Hayden, under the protection of Col. A. Vaughan, and thus we were made acquainted with the ichthylo fauna of those remote waters.

Lieut. D. N. Couch, U. S. A., explored in the winter of 1852-'53 the Mexican provinces of Tamaulipas, New-Leon, and Coahuila, thus adding materials towards an elucidation of the natural history of the country south of the Rio Grande del Norte (Rio Bravo), and but partially explored by the United States and Mexican Boundary Commission.

Valuable specimens from Platte or Nebraska River, the valley of the Great Salt Lake of Utah, and Humboldt River were also received from the late J. Soulé Bowman.

To John Potts, esq., of Chihuahua, we owe some very interesting species from the hydrographic basin of Chihuahua River and the valley of Mexico. One species was purchased in the market of the City of Mexico by Maj. William Rich.

The species formerly described from the River Zuñi, collected by Dr. Woodhouse, under Capt. L. Sitgreaves, are likewise included.

Thus the country embraced within these surveys and fields of explorations is limited eastwardly by the valleys of the Missouri and Mississippi, and westwardly by the Pacific Ocean,

extending from Puget Sound and the British possessions at the north to the valleys of the Rio Gila and Rio Grande del Norte (Rio Bravo) to the south, and even including the Mexican provinces of Tamaulipas, New Leon, Coahuila, Chihuahua, and Sonora.

The investigations of such an amount of material could not be extemporized. Indeed, even investigations upon these various collections could not have been traced each separately in the order in which they were collected. From a preliminary examination of the first lot received in 1851 I became very soon impressed with the difficulty of the task and foresaw the utter impossibility, at that time, to do anything like justice to the subject.

In the mean time, however, a Notice upon a collection of fishes from the southern bend of the Tennessee River, in the State of Alabama, by Louis Agassiz, was published, containing several members of the Cyprinoid family. And some time afterwards appeared a Synopsis of the Ichthyological Fauna of the Pacific slope of North America, chiefly from the collections made by the U.S. Exploring Expedition under the command of Capt. C. Wilkes, with recent additions and comparisons with eastern types. By the same author.

These two papers, though anticipating some of the following results, were greeted with a hearty welcome, and I can only regret that the second was not concluded up to the time I am writing. I have delayed entering into this subject as long as was consistent with the duties imposed upon me.

In both of them we find the laudable desire of attempting to bring back into use the long-forgotten genera of Ratinesque, which fell into disuse because of their own imperfection, and if they have not passed into the common nomenclature of the day it was owing to their defect more than to the partiality of naturalists; for we may well imagine how anyone would feel when rebuilding another's work, as little known to the author as to the commentators themselves.

And yet, for my part, I have always looked upon the restoration of Rafinesque's genera and species as highly desirable, as soon as they had once been proposed and introduced into science as names. But in order to do justice to the scheme, it was necessary to the undertaking that one should go to the very ground covered by Rafinesque himself during all seasons of the year, to enable us to discriminate between that which Rafinesque really observed and that which is imaginary.

That the *Ichthyologia Ohiensis* has been and still is a stumbling block, is fully evinced by the fact that Dr. J. P. Kirtland, the Ohio ichthyologist, of untiring and energetic zeal and perseverance, was baffled in many of his attempts to determine Rafinesque's genera and species.

These genera and species, thus restored by Professor Agassiz, may therefore not be received by all ichthyologists as the final settlement of that much controverted question. But whether the identification be right or wrong, since we must have these names, I sincerely hope they will now be adopted, once for all, as proposed.

Since circumstances have compelled me to write this memoir before the completion of Agassiz's synopsis, I have restored the balance of Rafinesque's genera in the family of Cyprinoids: such are *Plargyrus* and *Semotilus*. Once upon that field of inquiry I reverted to Heckel's genera *Argyreus* and *Leucosomus*, and showed their claim for admission upon the same general principles and canons of scientific nomenclature.

On a former occasion the genus Leucosomus was altogether misunderstood by me, and it it thus entered into the "History of the Fishes of Massachusetts, by Dr. D. H. Storer." Professor Agassiz was led into the same error.; Heckel, by inadvertence, applies the name of Cyprinus chrysoleucus, Mitch., to Leuciscus pulchellus, Storer, as shown by the figures given of its teeth and the wording of its generical diagnosis. Leucosomus, therefore, is identical with Cheilonemus, and accordingly the name is to be adopted. Cheilonemus was proposed for Leuciscus pulchellus, and allied species, when it was supposed that Leuciscus chrysoleucus would constitute the type of the genus Leucosomus. But it is now well ascertained that Leuciscus chrysoleucus of Mitchell belongs to Rafinesque's genus Luxilus; and Luxilus has the priority over Leucosomus.

Leuciscus gracilis of Richardson, referred by Heckel to Leucosomus, is of a different generic type.

As to the genus Argyreus, Heckel includes in it two species generally distinct. Cyprinus atronasus, Mitch., and Cypr. rubripinnis, Mus. Par. MS. But Cyprinus rubripinnis is identical with Leucieus cornutus, and since Leucieus cornutus is to enter the genus Plargyrus of Rafinesque, Cyprinus atronasus remains as the type of the genus Argyreus, which again is identical with Rhinichthys. It must be recollected, however, that the teeth figured by Heckel under the name of Argyreus rubripinnis are those of Plargyrus cornutus.

^{*} Am. Jour. of Sci., 2d ser. xvii, 1854, pp. 297, 353.

i Am. Jour. of Sci., 2d ser., xix, 1855, pp. 71, 215.

[;] Amer. Jour. of Sci., 2d ser., xix, 1855, p. 225.

All the species referred to in this memoir I have seen and examined; there is not a solitary fact here recorded that was not the result of personal researches.

On several occasions I have referred to species from the Atlantic States of the Union, and even from the northern lakes, but it will be obvious to everyone that it was only on such occasions as could not well be omitted without sacrifice to the completeness of the subject.

I have aimed at conciseness as far as consistent with the nature of the task. It was deemed unnecessary to recall, the history of any particular genus, unless it happened to be intricate; for whoever is interested in the subject is sufficiently familiar with it. It would be different were I to write a popular work on our fishes.

In the diagnosis of the genera I have often repeated characters shared by many of them; these repetitions I am convinced are needful to their proper understanding. It may not appear so to a few ichthyologists; but I write for naturalists, for the reader who seeks after general information. Besides, the method I follow is the natural, the true method; that which has superseded the artificial method of the last century. In describing the teeth I have adopted Heckel's phraseology, since it appears to me to answer to the present wants of ichthyology.

The coloration, as a general rule, is described from specimens preserved in alcohol, in which the brilliancy of the hues is seldom preserved, and occasionally quite altered.

In the course of these investigations I have carefully compared the fishes of our hemisphere with those occurring in the waters of the eastern hemisphere; and when genera and species, either of fishes or reptiles, have at any time been described as new, it was the result of such comparative study, shunning display of loose erudition and false criticism, which too often leads the true observer into error.

I have thus added many new genera and species to the known lists. This is not surprising; for a country so vast as North America, irrigated by so many branching streams and large bodies of water in the shape of lakes and numerous ponds, a country comparatively little explored, was to yield many species unknown to our predecessors in the field. A superficial knowledge of the history of ichthyology in North America, would at once explain how it is that a "Synopsis of the Fishes of North America," published in 1846, should not have proved a full and complete record of all existing fishes of the country; a synopsis which, moreover, only professes to give such species as were known at that time. If we are so fortunate as to be able to add to the known catalogue of genera and species, let us not lose sight of both the time and the circumstances under which we have accomplished it. Recriminations, in that respect, are not likely to advance our knowledge on the subject, and, furthermore, it places a cotemporary exactly in the same situation towards the next coming generations as the former generations held towards him.

Most of the new genera which I propose have been designated by words taken from the North American Indians, as being more euphonic than any one I might have framed from the Greek. The classic literature has already furnished so many names that there are but few instances in which a name might yet be coined and express what it is intended to represent. I offer this remark as a mere statement, not as an apology.

CYPRINI.	
Mylocheilus, Agass	. 169
Mylocheilus lateralis, Ag.	
Puget Sound, Dr. Suckley.	
Mylocheilus fraterculus, n. s	169
Monterey. California, Lieutenant Trowbridge.	
Mylocheilus caurinus, G	. 169
Astoria, Lieutenant Trowbridge.	
MYLOPHARODON, Agass	. 169
Mylopharodon conocephalus, G	. 169
San Joaquin River, California, Dr. Heermann.	
Mylopharodon robustus, Ayers	. 16
San Francisco, California, Dr. Newberry.	
Catostomi	. 170
Carpiodes damalis, n. s	. 17
Milk River (Upper Missouri), Dr. Suckley; Arkansas River near Fort Smith,	,
Dr. Shumard.	
Ictiobus tumidus, G	170
Rio Grande del Norte.	
MOXOSTOMA, Rafin	. 17
Mozostoma claviformis, n. s.	
Coal Creek, off of South Fork of Canadian River, Möllhausen.	
Moxostoma Kennerlei, n. s.	. 17
Dry Crook Toyon Dr Konnorly	

1856. GIRARD, CHARLES—Continued.	
Mozostoma rictorite, 11. 8	171
With the preceding.	
Mozostoma ('ampbelli, n. s.	172
Live Oak Creek, Texas, Dr. Kennerly; Devil's River, Texas, J. H. Clark.	
Ртусновтомия, Адаза	172
Ptychostomus congestus, (}	172
Rio Salado, Texas, J. H. Clark.	
Ptychostomus albidus, 11. n	172
Rio San Juan (New Leon), Lieut. D. N. Couch.	
Ptychostomus Haydeni, n. s	172
Yellowstone River, Dr. Hayden.	
Minomus, n.g	
Minomus insignis, G	173
Rio San Pedro, tributary of the Gila.	
Minomus plebeius, (i	173
Rio Mimbres, Lake Guzman, Mexico.	
Minomus Clarki, G	173
Rio Santa Cruz.	
Acomus, n. g.	150
Acomus forsterianus, (i	1/3
British North America.	150
Acomus aurora, G	113
Lake Superior, Agassiz. Acomus latipinnis	170
	113
Rio San Pedro, tributary of the Gila. Acomus Guzmaniensis, n. s.	171
Janos River, emptying in Lake Guzman, Dr. Kennerly.	1/4
Acomus generosus, n. s	174
Cottonwood Creek, an affluent of Great Salt Lake of Utah, Lieutenant Beckwi	
Acomus griseus, n.s	
Sweetwater fork of Platte River, J. S. Bowman.	
Acomus lastarius, n. s	174
Milk River, Dr. Suckley.	
CATOSTOMUS, Linn	174
Catostomus occidentalis, Ayers	
San Francisco, California, Dr. Newberry.	
Catostomus labiatus, Ayers	175
Klamath Lake, Oregon, Dr. Newberry.	
Catostomus macrochilus, n. s.	175
Astoria, Lieutenant Trowbridge.	
Catostomus Suckli, n.s.	175
Milk River, Dr. Suckley.	
Catostomus Bernardini, n. s	175
Upper waters of the Rio Huaqui, Mexico.	
Chondrostomi	
CAMPOSTOMA, Agass	
Campostoma anomalum, Agass	
Campostoma ornatum, n. s.	176
Chihuahua River, John Potts.	170
Campostoma formosulum, n. s	176
Rio Sabinal, Texas, Dr. Kennerly. Campostoma nasutum, n. s.	
Cadereita and Monterey (New Leon), Lieutenant Couch.	
Dionda, n. g	176
Dionda spiscopa, n. s.	
Rio Pecos, Capt. John Pope; Camanche Spring, J. H. Clark.	111
Dionda serena, n. s	177
Rio Sabinal, Texas, Dr. Kennerly.	
Dionda Texensis, n. s.	177
Rio Nueces, Texas, J. H. Clark.	
Dionda papalis, n. s.	178
Delaware Creek, tributary of Rio Pecos, Texas, Captain Pope.	
Dionda argentosa, n. s.	178
San Felipe Creek, and Devil's River (Rio Grande), John H. Clark.	
Dionda chrysitis, n. s.	178
Live Oak Creek, Texas, John H. Clark.	

1856	GIRARD, CHARLES—Continued.	
1000.	Dionda melanops, n. s.	178
	Buena Vista, Coahuila, Lieutenant Couch.	•••
	Dionda Couchi, n. s	178
	Guajuco Monterey, and Cadereita, New Leon, Lieutenant Couch.	
	Dionda plumbea, n. s	178
	Canadian River (Llano Estacado) Möllhausen.	
	Dionda spadicea, n. s	178
	Fort Smith, Arkansas, Möllhausen.	
	Hyborhynchus, Agass	
	Hyborhynchus perspicuus, n. s.	179
	Arkansas River near Fort Smith, Dr. Shumard. Hyborhynchus tenellus, n. s	170
	West of Choctaw Agency, Möllhausen.	119
	Hyborhynchus puniceus, n. s	170
	Antelope Creek, Dr. Kennerly, Llano Estacado, Möllhausen.	110
	Hyborhynchus confertus, n. s	179
	Hurrah Creek, tributary of Rio Pecos, Möllhausen.	1.0
	Pimephales, Rafin	180
	Pimephales maculosus, n. s.	
	Arkansas River near Fort Makee, Lieutenant Beckwith.	
	Pimephales fasciatus, n. s	180
	Yellowstone River, Dr. Hayden; Milk River, Upper Missouri, Dr. Suckley.	
	ALGOMA, n. g	180
	Algoma amara, n. s	181
	Laguna, near Fort Brown, J. H. Clark.	
	Algoma fluviatilis, n. s	181
	Monterey, New Leon, Lieutenant Couch.	
	COCHLOGNATHUS, B. & G	
	Cochlognathus ornatus, B. & G	181
	Brownsville, Texas, Captain Vau Vliet.	
	Hybognathus, Agass	
	Hybognathus argiritis, n. s	182
	Milk River, Dr. Suckley; Arkansas River, near Fort Smith, Dr. Shumard. Hybognathus Evansi, n. s.	100
	Fort Pierre, Nebraska, D. J. Evans.	104
	Hybognathus placitus, n. s.	182
	Arkansas River, near Fort Makee. Lieutenant Beckwith.	102
	ORTHODON, n. g.	
	Orthodon microlepidotus, G	182
	San Francisco, California, Dr. Newberry.	
	ALGANSEA, n. g	182
	Algansea tincella, G	183
	City of Mexico, Major Rich.	
	Algansea bicolor, n. s	183
	Klamath Lake, Oregon, Dr. John S. Newberry.	
	Algansea obesa, n. s	183
	Humboldt River, J. S. Bowman, Lieutenant Beckwith.	
	Algansea formosa, n s.	183
	Merced and Mohave Rivers, Dr. Heermann.	104
	LAVINIA, B. & G.	
	Lavinia exilicauda, B. & G	104
	Lavinia alutacea, G	184
	Willamette Falls and Walla Walla Rivers, Dr. Ch. Pickering.	101
	Lavinia harengus, n. s.	184
	Monterey, California, A. S. Taylor.	
	Pogonichthi	184
	Argyreus, Heck	185
	Argyreus atronasus, Heck	
	Argyreus nasutus, Grd	185
	Argyreus marmoratus, G	185
	Sault Ste. Mary, Agassiz.	
	Argyreus obtusus, G	185
	Tennessee River.	• • •
	Argyreus meleagris, G	185

1856.	GIRARD, CHARLES-Continued.	
	Argyreus dulcis, n. s	18
	Sweetwater, a tributary of Platte River, J. S. Bowman.	
	Argyreus nubilus, n. s	18
	Argyreus osculus, n. s	18
	Babocomori, tributary of Rio San Pedro (Gila basin) J. H. Clark.	
	Argyreus notabilis, n. s.	18
	Rio Santa Cruz, Sonora, John H. Clark. Agosia, n. g	12
	Agosia chrysogaster, n. s.	
	Rio Santa Cruz, Sonora, John H. Clark.	
	Agoria metallica, n. s	18
	Rio San Pedro, affluent of the Gila, John H. Clark.	
	Pogonichthys, B. & G.	
	Pogonichthys inæquilobus, B. & G. San Joaquin River, California, Dr. Heermann; Petaluma, California, E. Samuels.	
	Pogonichthys symmetricus, B. & G	
	Fort Miller, Sau Joaquin Valley, Dr. Heermann.	
	Pogonichthys argyreiosus, G	188
	Presidio, near San Francisco, California, Lieutenant Trowbridge.	100
	Pogonichthys communis, n. s Fort Pierre, Nebraska, Dr. John Evans, F. V. Hayden, and others.	100
	Gobio, Cuv	188
	Gobio gelidus, n. s.	188
	Milk River, Upper Missouri, Dr. Suckley.	
	Gobio æstivalis, n. s Rio San Juan, near Cadeeirta, New Leon, Lieutenant Couch.	189
	Gobio vernalis, n. 8	189
	Arkansas River, near Fort Smith, Dr. Shumard.	
	Leucosomus, Heck	
	Leucosomus pulchellus, G	189
	New England. Leucosomus plumbeus, G	189
	Lake Huron and Lake Superior, L. Agassiz.	104
	Leucosomus dissimilis, n. s	189
	Milk and Little Muddy Rivers, Upper Missouri, Dr. Suckley.	
	Leucosomus incrassatus, n. s	190
	West of Choctaw Agency, Möllhausen. Leucosomus pallidus, n. s	190
	Antelope Creek, Arkansas, Dr. Kennerly.	
	Nocomis, n. g	
	Nocomis Nebrascensis, n. s.	190
	Sweetwater, a tributary of Platte or Nebraska River, J. S. Bowman.	
	ALBURNI EXOGLOSSUM, Rafin	
	Exoglossum maxillingua, Hald	
	Exoglossum mirabile, n. s	
	Arkansas River, near Fort Smith, Dr. Shumard.	
	MEDA, n. g	
	Meda fulgida, n. s	192
	CLIOLA, n. g	192
	Cliola vigilax, G	192
	Otter Creek, Red River, Arkansas.	• • •
	Cliola velox, n. s San Pedro Creek, a tributary of Rio San Autonio, Texas, Dr. Kennerly.	192
	Cliola vivax, n. s.	192
	Leon River, tributary of Rio San Antonio, Texas, Dr. Kennerly.	
	ALBURNUS, Rond	
	Alburnus dilectus, n. s	193
	Arkansas River, near Fort Smith, Dr. Shumard. Alburnus umbratilis, n. s	193
	Sugarloaf Creek, a tributary of Poteau River, Arkansas, Möllhausen.	
	Alburnus amabilis, n. s	193
	Rio Leona affluent of Rio Nueces, John H. Clark	

1856.	GIRARD, CHARLES—Continued.	
	Alburnus megalops, n. s	
	Alburnus socius, n. s. Live Oak Creek, Texas, J. H. Clark.	
	Alburnops, n. g	
	Alburnops Shumardi, n. s	
	Alburnops üleubrosus, n. s	194
	CODOMA, n. g	
	Codoma ornata, n. s. Chihuahua River and its tributaries, John Potts.	
	Codoma vittata, n. s	
	PLARGYRUS, Rafin	
	Plargyrus cornutus, G	
	Plargyrus gibbosus, G	
	Plargyrus frontalis, G	
	Plargyrus gracilis, G	
	Plargyrus Boromani, n. s. Sweetwater, tributary of Platte or Nebraska River, J. S. Bowman. CYPBINELLA, n. g.	196
	Otter Creek, Arkansas.	197
	Cyprinella umbrosa, n. s	197
	Möllhausen. Cyprinella Gunnisoni, n.s	197
	Cyprinella Beckwithi. Sluices of Arkansas River, near Fort Makee, Lieut. E. G. Beckwith.	197
	Cyprinella suavis, n. s.	197
	San Antonio, Texas, Dr. Kennerly. Cyprinella lepida, n. s	197
	Rio Frio, a tributary of Rio Nueces, Texas, Dr. Kennerly. Cyprinella notata, n. s	198
	Rio Seco, a tributary of Rio Nucces, Texas, Dr. Kennerly. Cyprinella Whipplii, n. s	198
	Cyprinella macrostoma, n. s. Devil's River, Texas, J. H. Clark; China, New Leon, Lieutenant Couch.	198
	Oyprinella venusta, n. s	
	Cyprinella Texana, n. s	
	Cyprinella luxiloides, n. s San Pedro Creek, Texas, Dr. Kennerly.	
	Cyprinella lugubris, n. s	
	Cyprenella ludibunda, n. s	
	Moniana, n. g	
	Moniana lutreneis, G. Otter Creek, Arkansas.	
	Moniana Leonina, n. s	188
	Moniana deliciosa, n. s	199
	Loop Divon a tributant of Dia San Antonia Da Kannauly	

1856. Girard, Charles Continued.	
Moniana proverpina, n. n	200
Devils River, Texas, John H. Clark. Moniana aurata, n.s	900
Piedra Painte, New Mexico, John H. Clark.	200
Moniana complanata, u. s	200
Brownsville, Texas, Capt. Van Vliet.	
Moniana lactabilis, n. s	200
Hurrah Creek, tributary of Rio Pecos, Möllhausen.	
Moniana pulchella, n. s	200
Moniana frigida, n. s	200
Rio Salado, Rio Sabinal, and Rio Medina, tributaries of Rio San Antonio, Tex John H. Clark; also in Rio Frio, tributaries of Rio Nueces, Dr. Kennerly,	
Moniana Couchi, n. s.	201
Vicinity of China, New Leon, Mexico, Lieutenant Couch.	
Moniana rutila, n. s	201
Moniana nitida, n. s	201
Cadereita, New Leon, Mexico, Lieutenant Couch.	201
Moniana formosa, n. s	201
Rio Mimbres, Mexico.	
Moniana gracilis, n. s	201
Near Monterey, New Leon, Lieutenant Couch.	
Moniana gibbosa, n. s	201
Brownsville, Texas, Capt. Van Vliet. Moniana tristis, n. s	901
Lieutenant Beckwith.	201
RICHARDSONIUS, n. g	201
Richardsonius balteatus, G	202
Fort Vancouver and Fort Dalles, Columbia River, Dr. Suckley.	
Richardsonius lateralis, n. s	202
Luxilus, Rafin	202
Luxilus Americanus, G	
Inixilus compressus, G	
	203
Inixilus obesus, G	203.
Luxilus obesus, G Luxilus occidentalis, G	203. 203
Luxilus obesus, G Luxilus occidentalis, G Luxilus leptosomus, n. s	203. 203
Luxilus obesus, G Luxilus occidentalis, G Luxilus leptosomus, n. s Dry Creek, Texas, Dr. Kennerly.	203, 203 203
Luxilus obesus, G Luxilus occidentalis, G Luxilus leptosomus, n. s Dry Creek, Texas, Dr. Kennerly. Luxilus Seco, n. s	203, 203 203
Luxilus obesus, G Luxilus occidentalis, G Luxilus leptosomus, n. s Dry Creek, Texas, Dr. Kennerly. Luxilus Seco, n. s Rio Seco, tributary of Rio Nueces, Dr. Kennerly.	203, 203 203
Luxilus obesus, G Luxilus occidentalis, G Luxilus leptosomus, n. s Dry Creek, Texas, Dr. Kennerly. Luxilus Seco, n. s	203, 203 203
Luxilus obesus, G Luxilus occidentalis, G Luxilus leptosomus, n. s Dry Creek, Texas, Dr. Kennerly. Luxilus Seco, n. s Rio Seco, tributary of Rio Nueces, Dr. Kennerly. Luxilus lucidus, n. s	203, 203 203 203
Luxilus obesus, G Luxilus occidentalis, G Luxilus leptosomus, n. s Dry Creek, Texas, Dr. Kennerly. Luxilus Seco, n. s Rio Seco, tributary of Rio Nueces, Dr. Kennerly. Luxilus lucidus, n. s Coal Creek, tributary of South Fork of Canadian River, Möllhausen.	203. 203 203 203 203
Luxilus obesus, G Luxilus occidentalis, G Luxilus leptosomus, n. s Dry Creck, Texas, Dr. Kennerly. Luxilus Seco, n. s Rio Seco, tributary of Rio Nueces, Dr. Kennerly. Luxilus lucidus, n. s Coal Creck, tributary of South Fork of Canadian River, Möllhausen. Semotilus, Rafin. Semotilus macrocephalus, n. s	203 203 203 203 203 204
Luxilus obesus, G Luxilus occidentalis, G Luxilus leptosomus, n. s Dry Creck, Texas, Dr. Kennerly. Luxilus Seco, n. s Rio Seco, tributary of Rio Nueces, Dr. Kennerly. Luxilus lucidus, n. s Coal Creck, tributary of South Fork of Canadian River, Möllhausen. Semotilus, Rafin. Semotilus atromaculatus, G Semotilus macrocephalus, n. s Fort Platte, Nebraska, Dr. Evans.	203. 203 203 203 203 204 204
Luxilus obesus, G Luxilus occidentalis, G Luxilus leptosomus, n. s Dry Creck, Texas, Dr. Kennerly. Luxilus Seco, n. s Rio Seco, tributary of Rio Nueces, Dr. Kennerly. Luxilus lucidus, n. s Coal Creck, tributary of South Fork of Canadian River, Möllhausen. Semotilus, Rafin. Semotilus atromaculatus, G Semotilus macrocephalus, n. s Fort Platte, Nebraska, Dr. Evans. Semotilus speciosus, n. s	203. 203 203 203 203 204 204
Luxilus obesus, G Luxilus occidentalis, G Luxilus leptosomus, n. s Dry Creck, Texas, Dr. Kennerly. Luxilus Seco, n. s Rio Seco, tributary of Rio Nueces, Dr. Kennerly. Luxilus lucidus, n. s Coal Creck, tributary of South Fork of Canadian River, Möllhausen. Semotilus, Rafin. Semotilus atromaculatus, G Semotilus macrocephalus, n. s Fort Platte, Nebraska, Dr. Evans. Semotilus speciosus, n. s Semotilus speciosus, n. s Sweetwater, a tributary of Platte River, J. S. Bowman.	203. 203 203 203 203 204 204
Luxilus obesus, G Luxilus occidentalis, G Luxilus leptosomus, n. s Dry Creek, Texas, Dr. Kennerly. Luxilus Seco, n. s Rio Seco, tributary of Rio Nueces, Dr. Kennerly. Luxilus lucidus, n. s Coal Creek, tributary of South Fork of Canadian River, Möllhausen. Semotilus, Rafin. Semotilus atromaculatus, G Semotilus macrocephalus, n. s Fort Platte, Nebraska, Dr. Evans. Semotilus speciosus, n. s Semotilus speciosus, n. s Sweetwater, a tributary of Platte River, J. S. Bowman. Tiaroga, n. g	203. 203 203 203 203 204 204
Luxilus obesus, G Luxilus occidentalis, G Luxilus leptosomus, n. s Dry Creck, Texas, Dr. Kennerly. Luxilus Seco, n. s Rio Seco, tributary of Rio Nueces, Dr. Kennerly. Luxilus lucidus, n. s Coal Creck, tributary of South Fork of Canadian River, Möllhausen. Semotilus, Rafin. Semotilus atromaculatus, G Semotilus macrocephalus, n. s Fort Platte, Nebraska, Dr. Evans. Semotilus speciosus, n. s Semotilus receiosus, n. s Semotilus que de l'attentation	203. 203 203 203 203 204 204
Luxilus obesus, G Luxilus occidentalis, G Luxilus leptosomus, n. s Dry Creck, Texas, Dr. Kennerly. Luxilus Seco, n. s Rio Seco, tributary of Rio Nueces, Dr. Kennerly. Luxilus lucidus, n. s Coal Creck, tributary of South Fork of Canadian River, Möllhausen. Semotilus, Rafin. Semotilus atromaculatus, G Semotilus macrocephalus, n. s Fort Platte, Nebraska, Dr. Evans. Semotilus speciosus, n. s Semotilus speciosus, n. s Sweetwater, a tributary of Platte River, J. S. Bowman. Tiaroga, n. g Tiaroga cobitis, n. s Rio San Pedro, a tributary of Rio Gila, John H. Clark.	203 203 203 203 203 204 204 204 204
Luxilus obesus, G Luxilus occidentalis, G Luxilus leptosomus, n. s Dry Creck, Texas, Dr. Kennerly. Luxilus Seco, n. s. Rio Seco, tributary of Rio Nueces, Dr. Kennerly. Luxilus lucidus, n. s Coal Creck, tributary of South Fork of Canadian River, Möllhausen. Semotilus, Rafin. Semotilus atromaculatus, G Semotilus macrocephalus, n. s Fort Platte, Nebraska, Dr. Evans. Semotilus speciosus, n. s Sweetwater, a tributary of Platte River, J. S. Bowman. Tiaroga cobitis, n. s Rio San Pedro, a tributary of Rio Gila, John H. Clark. Gila, B. & G.	203 203 203 203 204 204 204 204 204 205
Luxilus obesus, G Luxilus leptosomus, n. s. Dry Creck, Texas, Dr. Kennerly. Luxilus Seco, n. s. Rio Seco, tributary of Rio Nueces, Dr. Kennerly. Luxilus lucidus, n. s. Coal Creck, tributary of South Fork of Canadian River, Möllhausen. SEMOTILUS, Rafin. Semotilus atromaculatus, G. Semotilus atromaculatus, G. Semotilus macrocephalus, n. s. Fort Platte, Nebraska, Dr. Evans. Semotilus speciosus, n. s. Sweetwater, a tributary of Platte River, J. S. Bowman. Tiaroga, n. g. Tiaroga cobitis, n. s. Rio San Pedro, a tributary of Rio Gila, John H. Clark. Gila, B. & G. Gila robusta, B. & G.	203 203 203 203 204 204 204 204 204 205
Luxilus obesus, G Luxilus occidentalis, G Luxilus leptosomus, n. s Dry Creck, Texas, Dr. Kennerly. Luxilus Seco, n. s. Rio Seco, tributary of Rio Nueces, Dr. Kennerly. Luxilus lucidus, n. s Coal Creck, tributary of South Fork of Canadian River, Möllhausen. Semotilus, Rafin. Semotilus atromaculatus, G Semotilus macrocephalus, n. s Fort Platte, Nebraska, Dr. Evans. Semotilus speciosus, n. s Sweetwater, a tributary of Platte River, J. S. Bowman. Tiaroga cobitis, n. s Rio San Pedro, a tributary of Rio Gila, John H. Clark. Gila, B. & G.	203 203 203 203 203 204 204 204 204 204 205 205
Luxilus obesus, G Luxilus leptosomus, n. s Dry Creck, Texas, Dr. Kennerly. Luxilus Seco, n. s Rio Seco, tributary of Rio Nueces, Dr. Kennerly. Luxilus lucidus, n. s Coal Creck, tributary of South Fork of Canadian River, Möllhausen. Semotilus, Rafin. Semotilus atromaculatus, G Semotilus macrocephalus, n. s Fort Platte, Nebraska, Dr. Evans. Semotilus speciosus, n. s Sweetwater, a tributary of Platte River, J. S. Bowman. Tiaroga, n. g Tiaroga cobitis, n. s Rio San Pedro, a tributary of Rio Gila, John H. Clark. Gila, B. & G. Güla robusta, B. & G. Zuñi River, Dr. Woodhouse.	203 203 203 203 204 204 204 204 205 205 205
Luxilus occidentalis, G Luxilus leptosomus, n. s Dry Creck, Texas, Dr. Kennerly. Luxilus Seco, n. s Rio Seco, tributary of Rio Nueces, Dr. Kennerly. Luxilus lucidus, n. s Coal Creek, tributary of South Fork of Canadian River, Möllhausen. Semotilus, Rafin. Semotilus atromaculatus, G Semotilus macrocephalus, n. s Fort Platte, Nebraska, Dr. Evans. Semotilus speciosus, n. s Sweetwater, a tributary of Platte River, J. S. Bowman. Tlaroga, n. g. Tiaroga cobitis, n. s Rio San Pedro, a tributary of Rio Gila, John H. Clark. GILA, B. & G. Gila robusta, B. & G. Zuñi River, Dr. Woodhouse. Gila elegans, B. & G. Zuñi River, Dr. Woodhouse; Colorado River, A. Schott; Gila River, Dr. H mann.	203 203 203 203 203 204 204 204 205 205 er-
Luxilus obesus, G Luxilus leptosomus, n. s. Dry Creck, Texas, Dr. Kennerly. Luxilus Seco, n. s. Rio Seco, tributary of Rio Nueces, Dr. Kennerly. Luxilus lucidus, n. s. Coal Creck, tributary of South Fork of Canadian River, Möllhausen. Semotilus, Rafin. Semotilus atromaculatus, G. Semotilus atromaculatus, G. Semotilus macrocephalus, n. s. Fort Platte, Nebraska, Dr. Evans. Semotilus speciosus, n. s. Sweetwater, a tributary of Platte River, J. S. Bowman. Tiaroga, n. g. Tiaroga cobitis, n. s. Rio San Pedro, a tributary of Rio Gila, John H. Clark. Gila, B. & G. Zuñi River, Dr. Woodhouse. Gila elegans, B. & G. Zuñi River, Dr. Woodhouse; Colorado River, A. Schott; Gila River, Dr. H mann. Gila gracilis, B. & G.	203 203 203 203 203 204 204 204 205 205 er-
Luxilus occidentalis, G Luxilus leptosomus, n. s Dry Creck, Texas, Dr. Kennerly. Luxilus Seco, n. s Rio Seco, tributary of Rio Nueces, Dr. Kennerly. Luxilus lucidus, n. s Coal Creck, tributary of South Fork of Canadian River, Möllhausen. Semotilus, Rafin. Semotilus atromaculatus, G Semotilus macrocephalus, n. s Fort Platte, Nebraska, Dr. Evans. Semotilus speciosus, n. s Sweetwater, a tributary of Platte River, J. S. Bowman. Tiaroga, n. g Tiaroga cobitis, n. s Rio San Pedro, a tributary of Rio Gila, John H. Clark. GILA, B. & G. Zuñi River, Dr. Woodhouse. Gila elegans, B. & G. Zuñi River, Dr. Woodhouse; Colorado River, A. Schott; Gila River, Dr. H mann. Gila gracilis, B. & G. Zuñi River, Dr. Woodhouse.	203 203 203 203 203 204 204 204 205 205 er 205
Luxilus occidentalis, G Luxilus occidentalis, G Luxilus Seco, In. 8 Dry Creck, Texas, Dr. Kennerly. Luxilus Seco, In. 8 Rio Seco, tributary of Rio Nueces, Dr. Kennerly. Luxilus lucidus, In. 8 Coal Creck, tributary of South Fork of Canadian River, Möllhausen. Semotilus, Rafin. Semotilus atromaculatus, G Semotilus macrocephalus, In. 8 Fort Platte, Nebraska, Dr. Evans. Semotilus speciosus, In. 8 Sweetwater, a tributary of Platte River, J. S. Bowman. Tiaroga cobitis, In. 8 Rio San Pedro, a tributary of Rio Gila, John H. Clark. Gila, B. & G Zuñi River, Dr. Woodhouse. Gila elegans, B. & G Zuñi River, Dr. Woodhouse; Colorado River, A. Schott; Gila River, Dr. H mann. Gila gracilis, B. & G Zuñi River, Dr. Woodhouse. Gila Gracilis, B. & G Zuñi River, Dr. Woodhouse. Gila Gracilis, B. & G	203 203 203 203 203 204 204 204 205 205 er 205
Luxilus occidentalis, G Luxilus leptosomus, n. s Dry Creck, Texas, Dr. Kennerly. Luxilus Seco, n. s Rio Seco, tributary of Rio Nueces, Dr. Kennerly. Luxilus lucidus, n. s Coal Creck, tributary of South Fork of Canadian River, Möllhausen. Semotilus, Rafin. Semotilus atromaculatus, G Semotilus macrocephalus, n. s Fort Platte, Nebraska, Dr. Evans. Semotilus speciosus, n. s Sweetwater, a tributary of Platte River, J. S. Bowman. Tiaroga, n. g Tiaroga cobitis, n. s Rio San Pedro, a tributary of Rio Gila, John H. Clark. GILA, B. & G. Zuñi River, Dr. Woodhouse. Gila elegans, B. & G. Zuñi River, Dr. Woodhouse; Colorado River, A. Schott; Gila River, Dr. H mann. Gila gracilis, B. & G. Zuñi River, Dr. Woodhouse.	203 203 203 203 203 204 204 204 205 205 205 205

	,	-
1856.	GIRARD, CHARLES—Continued.	
	TIGOMA, n. g	
	Tigoma pulchella, G	
	Tigoma conformis, G	206
	Tigoma bicolor, n. s	206
	Klamath Lake, Oregon, John S. Newberry.	
	Tigoma purpurea, n. s	
	Tigoma intermedia, n. s	206
	Tigoma obesa, n. s	206
	Salt Lake Valley, J. S. Bowman.	
	Tigoma Humboldti, n. s	
	Tigoma lineata, n. s.	206
	Lieut. E. G. Beckwith. Tigoma gracilis, n. s	900
	Lieut. E. G. Beckwith.	200
	Tigoma gibbosa, G	207
	Santa Cruz, John H. Clark; Tucson, Sonora, Dr. Heermann.	201
	Tigoma nigrescens, n. s	207
	Boca Grande and Janos Rivers, Dr. Kennerly.	
	Tigoma pulchra, n. s	207
	Chihuahua River and tributaries, John Potts.	
	Tigoma crassa, n. s	207
	Sacramento River, Dr. Newberry.	
	CHEONDA, n. g	
	Cheonda Cooperi, n. s.	207
	Fort Vancouver, Columbia River, Dr. John G. Cooper.	
	Cheonda cærulea, n. s	207
	Lost River, Oregon, Dr. Newberry.	000
	SiBoma, n. g	
	San Joaquin, Mercede, and Mohave Rivers, California, Dr. Heermann.	
	Siboma atraria, n. s.	208
	Spring in Utah District, near the Desert, Lieutenant Beckwith.	000
	Prychocheilus, Agass	
	Ptychocheilus grandis, G	209
٠,	Ptychocheilus Oregonensis, G	900
	Fort Vancouver and Fort Steilacoom, Dr. Suckley; Astoria, Lieutenant Trow- bridge; Willamette River, Dr. Newberry.	
	Ptychocheilus rapax, n. s	209
	Monterey, California, Lieutenant Trowbridge.	
	Ptychocheilus lucius, n. s	209
	Rio Colorado, A. Schott.	
	Ptychocheilus vorax, n. s	209
	APPENDIX.	
	AFFENDIA.	
	Hybognathus regius, n. s	209
	Potomac River, Dr. Girard.	
	Hybognathus nitidus, G	
	Lake Champlain, S. F. Baird	
	Hudsonius, n.g	
		210
	Chicago Harbor, Lake Michigan, and Root River, Wisconsin, S. F. Baird. Hudsonius amarus, n. s	914
	Chesapeake Bay and up the Potomac River.	210
	Нуворяя, Адаяя	210
	Hybopsis Storerianus, G	
	Marietta, Ohio, Professor Andrews; Russellville, Kentucky, Dr. Shumard.	
	Hybopsis Winchelli, n. s	211
	Black Warrior River, Alabama, Professor Wtachell.	

46 BULLETIN 41, UNITED STATES NATIONAL MUSEUM.

1856.	GIRARD, CHARLES—Continued.
	CLINOSTOMUS, n. g
	Clinostomus elongatus, G
	Ohio River and tributaries. Clinostomus funduloides, 11. 8
	Creek and inlets of Potomac River, Dr. Girard.
	Clinostomus affinis, n. s
	James River, S. F. Baird.
	Clinostomus Carolinus, n.s
	Salem, North Carolina, J. T. Lineback. Alburnus lepidulus, n. s
	Black Warrior River, Alabama, Professor Winchell.
	Plargyrus argentatus, n. s
	James River, S. F. Baird.
	CERATICHTHYS, Baird
	Ceratichthys biguttatus, G
	Yellow Creek, a tributary of Mahoning, J. P. Kirtland. Ceratichthys amblops, G
	Ohio, Rafinesque.
	Ceratichthys leptocephalus, n. s
	Salem. North Carolina, J. T. Lineback.
	Nocomis bellicus, n. s
	Black Warrior River, Alabama, Professor Winchell.
	87 .
1857.	GIRARD, CHARLES. Descriptions of New Species of Reptiles collected by the U.
	S. Exploring Expedition under the command of Capt. Charles Wilkes, U. S.
	N. Third Part. Including the species of Ophidians exotic to North America.
	Proceedings Academy Natural Sciences Philadelphia, ix, 1857, 181-2.
•	Sabrina, n. g.
	Sabrina terrellata, (ird
	Coast of Peru.
	Rabdion occipitale, n. s
	New Holland. Dendrophis prasinus, n. 8
	New Holland.
	Callirhinus, n. g
	Callirhinus Patagoniensis, n. s
	Coast of Patagonia.
	Cantonia delega Cod
	Cantoria violacea, Grd
	Xenodon ancorus, n. s
	DOLIOPHIS, n. g.
•	Doliophis flaviceps, Grd 18
	Singapore.
	88.
1857.	GIRARD, CHARLES. A list of the Fishes collected in California by Mr. E. Samuels
	with descriptions of the New Species.
	Boston Journal of Natural Sciences, vi, 533-4. 1857.
	Oligocottus maculosus, Grd., pl. xxiv, fig. 7
	Tomales Bay, California.
	Artedius notospilotus, Grd., pl. xxiv, figs. 5-6
	Tomales Bay, California. Atherinopsis Californiensis, Grd., pl. xxiv, figs. 1-4
	Tomales Bay, California.
	Gobius Newberrii, Grd., pl. xxvi, figs. 5-8
	Tomales Bay, California.
	Pleuronichthys guttulatus, Grd., pl. xxv, 1-4
	Tomales Bay, California. / Rhinoptera vespertilio, Grd., pl. xxvi, figs. 1-3
	Tomales Bay, California.

33 .	
1857. GIRARD, CHARLES. Descriptions of New Species of Reptiles collected by t S. Exploring Expedition under command of Capt. Charles Wilkes, U. Fourth part. Including the species of Saurians exotic to North Ame Proceedings Academy Natural Sciences Philadelphia, ix, 1857, 195-99.	s. n.
Scincidæ.	
Cryptoblepharus eximius, n. s	195
Feejee Islands.	• • •
Euprepis venustus, n. s	195
Cape de Verde Islands.	
CYCLODINA, n. g	
Cyclodina ænea, n. s	196
New Zealand. Hombronia, n. g	100
Hombronia undosa, n. s	
New Zealand.	180
Hombronia fasciolaris, n. s	106
New Zealand.	190
OLIGOSOMA, n. g	106
Oligosoma Zelandica, Grd	198
New Zealand.	100
Lipinia vulcania, n. s	196
Caldeva on Mindanso.	100
LYGOSOMELLA, n. g	198
Lygosomella æstuosa, n. s	
New Zealand.	200
EMOA, n. g	197
Emoa nigrita, n. s.	
Navigator Islands.	
Gekkotidæ	197
Gehyra vorax, n. s	
Feejee Islands.	
Peropus neglectus, n. s	197
Rio de Janeiro.	
Dactyloperus insulensis, n. s	197
Sandwich Islands.	
Doryura vulpecula, n. s.	197
Sandwich Islands.	
Hoplodactylus pomari, n. s	197
New Zealand.	
Heteronota pelagica, n. s	197
Feejee and Navigator Islands.	
IGUANIDÆ	
SACCODEIRA, n. g	
Saccodeira ornatissima, n. s.	198
Obrajillo and Yanga, Peru.	
Proctotretus splendidus, n. s	198
Patagonia.	
RHYTIDODEIRA, n. g	
Rhytidodeira Kingi, Grd.	
Rhytidodeira magellanicus, Grd	
Rhytidodeira Wiegmanni, Grd.	
Rhytidodeira nigromaculata, Grd	
Rhytidodeira oxycephala, Grd	
Eulæmus, n. g.	
Eulæmus tenuis, Grd	
Eulæmus Darwini, Grd	
Eulæmus pictus, Grd	
Eulæmus fitzingeri, Grd.	
Eulæmus signifer, Grd	
Eulæmus affinis, Grd	

1857. GIRAI	RD, CHARLES—Continued.	
	ortholomus multimaculatus, Grd	199
	rtholæmus Fitzroi, Grd	
0	Ortholæmus Beagli, n. s	199
A	mphibolurus maculiferus, n. s. New South Wales,	199
0	REODEIRA, n. g	199
	Preodeira gracilipes, n. s.	
	Now South Wales.	
	90 .	
1857. GIRAI	RD, CHARLES, Notes upon New Genera and New Species of Marine a	nd
Fre	eshwater Fishes from western North America.	
Pre	occedings Academy Natural Siences of Philadelphia, ix, 1857, 200–202.	
P	omoxis nitidus, n. s	200
	Houston River, Kentucky.	
C	'alliurus melanops, n. s	200
	Texas. 'alliurus diaphanus, n. s	200
U	Rio Blanco, Texas.	200
C	'alliurus formosus, n. 8	200
	Arkansas.	
c	'alliurus microps, n. s	200
	Rio Brazos, Texas.	
C	'alliurus murinus, n. 8	20 0
	Texas.	
В	Sryttus albulus, n. s	200
10	Rio Blanco, Texas. Bryttus signifer, n. s	901
,	Rio Medina, Texas.	201
В	Bryttus numilis, n. s	201
	Arkansas.	
P	Pomotis luna, n. s	201
	Fort Snelling, Minnesota.	
L	acioperca borea, n. s	201
41	Fort Sarpi, Nebraska. Hiropsis, n. g	001
	Thiropsis pictus, Grd.	
	Thiropsis guttatus, Grd	
	Thiropsis constellatus, Grd	
	Nigocottus analis, n. s	
	Monterey, California.	
o	Nigocottus globiceps, n. s	202
	South Farallones, California.	
	ANIOLEPIS, n. g	
Z	aniolepis latipinnis n. s	202
14	Rort Stenacoom, Fuget Sound.	วกจ
	Fort Steilacoom, Puget Sound.	202
	= ··· · · · · · · · · · · · · · · · · ·	
	91.	
1858. (41R4	RD, CHARLES. Notes upon various New Genera and New Species of Fish	100
	the Museum of the Smithsonian Institution, and collected in connects	
	th the United States and Mexican Boundary Survey, Maj. William Emor	
	th the United States and Mexican Boundary Survey, Maj. William Emol mmissioner.	у,
	occeedings Academy Natural Sciences of Philadelphia, x, 1858, p. 167-171.	
A	Imblodon neglectus, n. s	167
7	Tamaulipas. Imbrina phalena, n. s	107
ı	Indianola, Brazos, Texas.	101
O	PRTHOPRISTIS, II. g	167
	Orthopristis duplex, n. s.	
·	Indianola, Brazos, Texas.	
	•	

1858.	GIRARD, CHARLES—Continued.	
	NEOMÆNIS, n. g	
	Neomænis emarginatus, Grd	
	Polynemus octonemus, n. s	6
	Mugil Berlandieri, n. s	6
	Indianola, Brazos, Texas.	
	Chorinemus lanceolatus, n. s	6
	St. Joseph's Island.	
	CHLOROSCOMBRUS, n. g	
	Chloroscombrus Caribbœus, n. s	.6
	St. Joseph's Island.	_
	Dollodon, n. g	
	Doliodon Carolinus, Grd	
	Doliodon spinosus, Grd	
	CARANGUS, n. g	
	Carangus escutencus, Grd 1	
	Carangus fallax, Grd	
	Carangus pisquetus, Grd 1	
	Carangus Bartholomæi, Grd	
	Carangus defensor, Grd	
	Carangus falcatus, Grd	
	Carangus Richardi, Grd	
	GOBIONELLUS, n. g	
	Gobionellus lanceolatus, Grd	
	Gobionellus bacalaus, Grd	
	Gobionellus smaragdus, Grd	
	Gobionellus brasiliensis, Grd	
	Gobionellus hastatus, n. s	
	St. Joseph's Island.	
	Gobius lyricus, n. s	6
•	Brazos Santiago, Texas.	
	Gobius Wurdemanni, n. s 1	6
	Brazos Santiago, Texas.	
	Gobius catulus, n. s 1	6
	St. Joseph's Island.	
	Gobius gulosus, n. s	6
	Indianola, Texas,	
	GOBIOSOMA, n. g 1	6
	Gobiosoma alepidota, Grd	6
	Gobiosoma virideo-pallidus, Grd 1	6
	Gobiosoma bosci, Grd	6
	Gobiosoma molestum, n. s 1	6
	Indianola, Texas.	
	Blennius multifilis, n. s	6
	St. Joseph's Island.	
	Eleotris sumnulentus, n. s	.6
	Mouth of Rio Grande del Norte.	_
	Ophidion Josephi, n. s	.7
	St. Joseph's Island. Belone scrutator, n. s	_
	Brazos, Texas.	. 6
	Pimelodus vulpes, n. s	-
		•
	Texas. Pæcilia lineolata, n. s	7
	Brownsville, Texas.	•
	Limia pæciloides, n. s	7
	Indianola. Texas.	•
	Limia venusta, n. s	7
	Indianola, Texas.	•
	Anguilla tyrannus, n. s	7
	Mouth of Rio Grande del Norte.	
	NEOMURÆNA, II. g	7
	Neomuræna nigromarginata, n. s	
	Neoconger, n. g	
	Neoconger mucronatus, n. s	
	Pull 41 N M 4	

1858. Girard, Charles, with Spencer F. Baird. United States | Exploring Expedition. | During the years | 1838, 1839, 1840, 1841, 1842. | Under the command of Charles Wilkes, U. S. N. Vol. XX. | — | Herpetology. | Prepared under the superintendency of | S. F. Baird. | With a folio Atlas. | — | Philadelphia: | Printed by C. Sherman & Son. | 1858. 4to. pp. (4), v-ix, 492.

This book was not written by Professor Baird, who assures me that he did not touch pen to it. The book was done entirely by Dr. Charles Girard, but through some technicality his name was not allowed to appear on the title page by the naval authorities having the matter in charge, who insisted in publishing the book under the name of Professor Baird, to whom the original contract was given out. The matter is explained fully in the introduction, which is quoted entire:

"Introduction.—The Joint Committee of the Library of Congress entered into an engagement with the undersigned, in 1857, to prepare the Report upon the Herpetological collections made by the United States Exploring Expedition. Finding that other duties would interfere with the proper performance of the work, he was permitted to associate Dr. Girard with him in its execution, by whom the determinations and descriptions have been made, the drawings overlooked, and the work carried through the press. S. F. Baird. Washington, May, 1858. (p. vii.)"

As is well known, only 100 copies of these reports were published by the Government, while the authors of the separate volumes were allowed to have 150 more printed at their own individual expense. In accordance with this ruling a special edition of this report was published by Girard with the following title:

1858. GIRARD, CHARLES. United States | Exploring Expedition. | During the years | 1838, 1839, 1840, 1841, 1842. | Under the command of | Charles Wilkes, U. S. N. | Vol. XX. | Herpetology. | By Charles Girard, | Doctor in Medicine and Surgery, | Corresponding Member of the Boston | Society of Natural History; the Academy of Natural Sciences of Philadelphia; | the Lyccumof Natural History of New York; the Elliot Society of | Natural History of Charleston, South Carolina; | the California Academy | of Natural Sciences, San Francisco; the "Societé Helvetique | des Sciences Naturelles;" the "Naturforschende Gesell- | schaftin Zurich; and the "Societé des Sciences | Naturelles de Neuchatel (Switzerland)," etc., | with a folio atlas. | Philadelphia: | J. B. Lippincott & Co. | 1858. | 4to. pp. i-xvii, 1-496, pll, i-xxxii.

Several additional plates were included in the atlas to this edition.

Order I. BATRACHIA.

Tribus I. Batrachia urodela	2
a. Trematodeira	3
β. Atretodeira	3
Family Salamandridæ	4
TARICHA, Gray.	
Taricha torosa, Gray, pl. i, figs. 1-8	5
Puget Sound, Oregon; San Francisco, California.	
Family Plethodontidæ	7
Anaides, Baird.	
Anaides, Lugubris, Baird, pl. i, figs. 26–33	8
, , , , , , , , , , , , , , , , , , ,	10
Heredia oregonensis, Girard, pl. i, figs. 18-28.	
Discovery Harbor, Puget Sound (Oregon).	
XIPHONURA, Tsch	13
Xiphonura tenebrosa, Grd., pl. i, figs. 9-17	14
Oregon.	
Tribus II. Batrachia Anura	16
Family Ranidæ.	
Australia.	
RANA, Linn	17
Rana aurora, B. & G., pl. ii, figs. 1-6	18
Columbia River, Oregon.	
Rana pretiosa, B. & G., pl. ii, figs. 13-18	20
Puget Sound, Oregon.	
Rana Draytoni, B. & G., pl. ii, figs. 19-24.	23
Rana maritima, Risso, pl. ii, figs. 7-12	25

GIRARD, CHARLES, with SPENCER F. BAIRD—Continued.	
Leptodactylus, Fitz	
Leptodactylus ocellatus, Grd., pl. iii, figs. 1-6	29
Rio de Janeiro, Brazil.	21
Leptodactylus caliginosus, Grd	
Cystignathus, Wagl	33
Valparaiso, Chile.	
Cystignathus parvulus, Grd., pl. iii, figs. 34–38.	35
Rio de Janeiro, Brazil.	
PLEURODEMA, Tsch	37
Pleurodema bibroni, Tsch., pl. iv, figs. 33-38	38
Valparaiso, Chile.	
Pleurodema elegans, Bell, pl. iv, fig. 28-32.	40
Valparaiso, Chile.	40
WAGLERIA, Girard	42
Southeastern Australia.	
Ranidella, Girard	44
Ranidella signifera, Grd., pl. iii, figs. 39-43.	
Australia.	
Family Hylidæ	47
RANOIDEA, Tsch.	
Ranoidea resplendens, Grd., pl. iii, figs. 7-12	48
Ranoidea flavo-viridis, Grd	50
Woollongong, Illawara, New South Wales.	•
Hylarana, Tsch	52
Hylarana mindanensis, Grd.	
Caldera, Mindanao.	
Halophila, Girard	
Feejee Islands.	99
Halophila vitiensis, Grd., pl. iv. figs. 7-11	57
Sebukea, Feejee Islands.	
Halophila dorsualis, Grd., pl. iv, figs. 12-16	58
Feejee Islands.	
Hyla regilla, B. & G., pl. iii, figs. 13-18.	59
Puget Sound.	00
Hyla cyanea, Schleg	62
Hylodes, Fitz.	
Hylodes parvus, Grd., pl. iii, figs. 24-28.	63
Rio de Janeiro, Brazil.	
ELOSIA, Tech	
Elosia nasuta, Tsch., pl. iv, figs. 39–43	69
Elosia bufonium, Grd., pl. iv, figs. 23-27	66
Rio de Janeiro, Brazil.	•
Elosia vomerina, Grd., pl. iv, figs. 17-22	69
Rio de Janeiro, Brazil.	
Family Bufonidæ	71
Rhinoderma signifera, Grd	72
Rio de Janeiro, Brazil.	
Bufo, Laur	. 74
Bufo boreas, B. & G., pl. vi, figs. 4-9.	
Puget Sound, Oregon.	_
Bufo Columbiensis, B. & G., pl. v, figs. 4-9	. 77
Bufo marinus, Schu., pl. vi, figs. 1-3	gn
Rio de Janeiro, Brazil.	- 50
Bufo gracilis, Grd., pl. vi, figs. 16-21	83
Rio de Janeiro, Brazil.	
Rufo lugubrosus, Grd., pl. vi, figs. 10-15	85

1858. GIRARD, (CHARLES, with Spencer F. Baird—Continued.	
	Bufo thaul. Less., pl. v, figs. 15-19	8
	Bufo pæppigit Tsch Coast of Peru,	9
	Singapore. Singapore.	9:
	Bufonella, Girard	9.
	Bufonella crucifera, Grd. Australia.	
	METÆUS, Girard	9
	Metœus timidus, Grd Valparaiso, Chile.	
	Brachycephalus, Fitz	
	Brachycephalus aurantiacus, Grd., pl. v, figs. 20-24	100
Order II	. Ophidia	10
	Sabrina tessellata, Grd., pl. xv, figs. 7-9. Coast of Peru.	10
	CYLINDROPHIS, Wagl	10
	Cylindrophis rufa, Gray Siugapore.	
	WENONA, B. & G.	11
	Wenona plumbea, B. & G., pl. vii, figs. 1-7	11:
	Puget Sound, Washington.	
	Wenona Isabella, B. & G., pl. vii, figs. 8-14. Puget Sound, Washington.	113
	MORELIA, Gray	11
	Morelia argus, Dum. & Bibr. Near Sydney, Australia.	
	ENYGRUS, Wagl	11'
	Enygrus bibroni, Dum. & Bibr., pl. viii. figs. 8-11. Navigator and Feejee Islands.	
	RABDION, Dum	119
	Rabdion occipitale, Grd	12
	LODIA, B. & G	12
	Lodia tenuis, B. & G., pl. ix, figs. 8-11. Puget Sound, Washington.	
	CONTIA, B. & G	
	Contia mitis, B. & G., pl. x, figs. 6-12	12
	Bascanion, B. & G	120
	Bascanion vetustus, B. & G., pl. viii, figs. 12-19	
	Dendrophis, Boie	129
	Singapore. Dendrophis prasinus, Grd., pl. xii, figs. 7-10	13
	Sydney, Australia.	
	Pituophis, Holbr	
	Pituophis catenifer, B. & G., pl. viii, figs. 1-7 San Francisco, California.	13
	Pituophis Wilkesi, B. & G., pl. ix, figs. 1-7 Washington.	
	CALLIRHINUS, Girard	139
	Callirhinus Patagoniensis, Grd., pl. xii, figs. 1-6. Patagonia, near mouth of Rio Negro.	
	Sibynon, Fitz	142
	Sibynon nebulatus, Fitz., pl. xi, figs. 11-16. Amancaes Valley, near Lima, Peru.	
	Tropidonotus junceus, Cantor, pl. xiii. figs. 1-6.	143

,	
1858. GIRARD, CHARLES, with Spencer F. Baird—Continued.	
Eutænia, B. & G	
Eutenia infernalis, B. & G., pl. xiv, figs. 11-16	148
Sacramento River, California.	
Eutænia Pickeringi, B. & G., pl. xiii, figs. 14-20	15
Puget Sound, Oregon. Eutænia leptocephala, B. & G., pl. xiii, figs. 7-13	15
Puget Sound, Oregon.	15
Eutænia ordinoides, B. & G., pl. xiv, figs. 1-4	15
California.	
Eutænia vagrans, B. & G., pl. xiv, figs. 5-10	15
Puget Sound, Oregon.	
Cantoria, Girard	150
Cantoria violacea, Grd., pl. xi, figs. 7-10.	
Singapore.	15
Lygophis merremi, Wagl., pl. xi, figs. 1-6	10
Dromicus Temminckii, Dum. & Bibr	16
Valparaiso, Chile.	10.
Lygophis elegans, Tsch	16
San Lorenzo, Peru.	
Amphiesma rhodomelas, Dum. & Bibr	16
Singapore.	
Henodon ancorus, Grd	167
Manilla.	100
Erythrolamprus venutissimus, Boie	108
Cerberus, Cuv	170
Cerberus boæformis, Dum. & Bibr., pl. viii, figs. 8-11.	110
Ryan's Hill, near Singapore.	
TACHYMENIS, Wiegm	173
Tachymenis chilensis, Grd.	
Valparaiso, Chili.	
DOLIOPHIS, Girard	
Doliophis flaviceps, Grd., pl. x, figs. 1-5	170
Singapore.	170
Pseudelaps psammophis, Grd	178
PLATURUS, Latr	. 180
Platurus laticaudatus, Wagl.	
Fiji Islands.	
Platurus colubrinus, Wagl	183
Feejee and Tonga Islands.	
Pelamys, Dand	
Pelamys bicolor, Dand	18
Pomotu or Society Islands. Crotalus, Linn	105
Crotalus lucifer, B. & G., pl. xv, figs. 1-6.	10
Western coast of United States.	
Order III. Sauria	193
Family Varanidæ	194
Hydrosaurus, Wagl	195
Hydrosaurus varius, Gray	196
Near Sydney, Australia.	
Family LACERTIDÆ Subfamily CŒLODONTES.	
LACERTA, Linn.	198
Lacerta maderensis, Fitz., pl. xxiv, figs. 1-8	200
Island of Madeira.	200
Subfamily PLEODONTES	201
Teins, Merr.	
Teins teguixin, Schinz., pl. xviii, figs. 1-7	202
Rio de Janeiro, Brazil.	
Family ZONURIDÆ	
Elgaria formana P. f. C. pl. reviii figa 10.15	
Elgaria formosa, B. & G., pl. xxiii, figs. 10-17 Upper California.	200
opportonnomia.	

1858. GIRARD, CHARLES, with SPENCER F. BAIRD—Continued. Elgaria scincicauda, B. & G., pl. xxiii, figs. 1-9	210
Upper California.	
Elgaria grandis, B. & G., pl. xxii, figs. 1-9 Oregon.	212
Elyaria principis, B. & (i., pl. xxii, figs. 9-16	214
Family Amphisbænidæ	215
('ephalopeltis, Müll	
Cephalopeltis scutigera Gray	
Family Scincidæ. Subfamily Ophiophthalmi	
CRYPTOBLEPHARUS, Wiegm. Cryptoblepharus plagiocephalus, Grd., pl. xxvi, figs. 17-24	220
Otaheiti and Sandwich Islands.	
Cryptoblepharus eximius, Grd., pl. xxvi, figs. 25-32 Feejee Archipelago.	222
Subfamily Saurophthalmi	
OPHIODES, Wagl	
Ophiodes striatus, Wagl	
TILIQUA, Gray	227
Tiliqua rufescens, Gray. Mangsi Island, Philippine group.	
Euprepis, Wagl	229
Euprepis venustus, Grd., pl. xxvi, figs. 1–8. San Jago, Cape de Verde Islands.	
Cyclodus, Wagl	232
Cyclodus gigas, Gray Sydney, Australia.	233
Cyclodina, Girard	
Cyclodina ænea, Grd., pl. xxvi, figs. 9-16	
HOMBRONIA, Girard	
Hombronia undosa, Grd., pl. xxvii, figs. 17-24 Bay of Islands, New Zealand.	
Hombronia fasciolaris, Grd., pl. xxvii, figs. 25–32	243
Oligosoma, Girard	
Oligosoma Zelandicum, Grd., pl. xxvii, figs. 9-16	
Oligosoma noctuum, Grd	249
Lygosomella, Girard	251
Lygosomella æstuosa, Grd., pl. xxvii, figs. 1-8. Bay of Islands, New Zealand.	
Lipinia, Gray	254
Lipinia vulcania, Grd. Caldera, on Mindanao, Philippine Archipelago.	
Hinulia, Gray. Hinulia teniolata, Gray.	
Pewen Bewen, Southeast Australia.	000
Mabuya. Fitz	261
Rio de Janeiro, Brazil.	000
Emoa, Girard	
Feejee Archipelago.	
Emoa Samoensis, Grd	265
Navigator and Fiji groups of islands. Emoa nigrita, Grd	982
Samoa, Navigator group.	
Emoa cyanura, Grd	270

	,
1959 Cynaph Cyaping with Spences V Daine Co.	tinnal
1858. GIRARD, CHARLES, with SPENCER F. BAIRD—Con	
Family GEKKOTIDÆGEHYRA, Gray	
Gehyra Oceanica, Gray	
Navigator Islands and Taheiti.	
Gehyra vorax, Grd	274
Feejee and Raruka.	
Peropus, Wiegm	
Peropus mutilatus, Wiegm.	
Balabac Passage, Philippine Archipelia	go.
Peropus neglectus, Grd	
Rio de Janeiro, Brazil.	
DACTYLOPERUS, Fitz	
Dactyloperus insulensis, Grd	
Oahu and Kanai, Sandwich Islands.	
CROSSURUS, Wagl	
Crossurus platyurus, Grd.	
East Indies.	
Hemidactylus, Cuv	
Hemidactylus mabuia, Cuv., pl. xxv,tigs.	9–16
Rio de Janeiro, Brazil.	0 45 04
Hemidactylus cyanodactylus, Grd., pl. xxv	
Port Praya, San Jago, Cape Verde Islan	
Doryura, Gray	
Sandwich Islands.	-24
ASCALABOTES, Cuv	990
Ascalabotes Delalandii, Fitz., pl. xxv, figs	
San Jago, Cape de Verde Islands.	
Gekko, Laur	
Gekko Indicus, Grd., pl. xvi, figs. 9-16.	
Island in Balabac Strait, near China Ser	ıs.
Gekko monarchus, Gray	292
Singapore.	
HOPLODACTYLUS, Fitz	
Hoplodactylus pomarri, Grd., pl. xviii, fig	s. 10–16
Bay of Islands, Brazil.	
DIPLODACTYLUS, Gray	
Diplodactylus vittatus, Gray, pl. xxiv, fig	3. 9-16 297
Southeastern Australia.	904
Diplodactylus, Fitz	
Diplodactylus phacophorus, Tsch., pl. xxv Amancaes Mountains, Peru.	, ngs. 25-32 300
PHYLLURUS, Cuv	204
Phyllurus platurus, Cuv	
Southeast Australia.	
GONIODACTYLUS, Kuhl	304
Goniodactylus marmoratus, Kuhl.	
Mangsi Island, Philippine group.	
HETERONOTA, Gray	
Heteronota pelagica, Grd., pl. xxiv, figs. 2	
Feejee and Navigator Islands.	
NAULTINUS, Gray	
Naultinus punctatus, Gray, pl. xvi, figs. 1	7-26 309
Bay of Islands, New Zealand.	
Family IGUANIDÆ	
Subfamily Pleurodontes	
MICROLOPHUS, Dum. & Bibr.	
Microlophus Peruvianus, Gray	314
Peru.	
TARAGUIRA, Gray	
Taraguira torquata, Gray	
Rio de Janeiro, Brazil.	
SACCODEIRA, Girard	
Saccodeira ornatissima, Girard, pl. xxviii,	
LOWER COROLLEGE DELOW CINTALLO DAG	r runga Kennancat Pern

1858.	GIRARD, CHARLES, with SPENCER F. BAIRD—Continued.	
	PROCTOTRETUS, Dum. & Bibr	
	PROCTOTRETUS (Dum. & Bibr.), Grd	326
	Proctotretus splendidus, Grd., pl. xvii, figs. 1-7. Banks of Rio Negro, in Patagonia.	
	Proctotretus pectinatus, Dum, & Bibr	333
	Liolamus, Wiegm	334
	Liolamus nitidus, Gravenh., pl. xxvii, figs. 17-24.	
	Valparaiso, Chile	oor
	LIODEIRA (Dum. & Bibr.), Fitz	
	Liodeira chilensis (Dum. & Bibr.), Grd	.>±u
	PTYCHODEIRA (Dum. & Bibr.), Fitz.	
	Ptychodeira gracilis, Grd., pl. xvii, figs. 22-28	341
	Ptychodeira femorata, Grd	344
	Valparaiso, Chile.	
	Ptychodeira Stantoni, GrdSantiago, Chile.	347
	Ptychodeira cyanogaster, Grd.	
	Chile.	
	Ptychodeira intermedia, Grd	348
	Republic of Chile.	
	Ptychodeira mosaica, Grd	349
	Republic of Chile.	
	RHYTIDODEIRA, Girard.	
	Rhytidodeira Kingi, Grd	350
	Port Desiré, Patagonia.	
	Rhytidodeira Magellanica, Grd	351
	Port Desiré, Patagonia; Pecket Harbor, Strait of Magellan.	
	Rhytidodeira bibroni, Grd	352
	Port Desiré, Patagonia.	
	Rhytidodeira Wiegmanni, Grd	352
	Republic of Chile.	
	Rhytidodeira nigromaculata, Grd	353
	Republic of Chile.	
	Rhytidodeira oxycephala, Grd., pl. xxviii, figs. 26-33.	
	Cordilleras, altitude of 8,000 feet.	
	EULÆMUS, Girard	357
	Eulæmus tenuis, Grd., pl. xxviii, figs. 9-16	358
	Valparaiso, Chile.	
	Eulæmus Darwini, Grd., pl. xvii, figs. 8-14	361
	Coast of Patagonia.	
	Eulæmus pictus, Grd	364
	Republic of Chile.	
	Eulæmus fitzingeri, Grd	365
	Republic of Chile.	
	Eulæmus afinis, Grd	366
	Port Desiré and Santa Cruz, Patagonia.	
	Eulæmus signifer, Grd	360
	Eulæmus maculatus, Grd	207
	Republic of Peru.	307
	•	
	ORTHOLÆMUS, Girard	
	Ortholæmus Beaglii, Grd., pl. xvii, figs. 15-21	369
	On coast of Patagonia. Ortholæmus multimaculatus, Grd	970
	· · · · · · · · · · · · · · · · · · ·	372
	Republic of Chile. Ortholæmus Fitzroii, Grd	970
	Bahia Blanca and Rio Negro, Patagonia; Maldonado, near mouth of Rio	
	La Plata.	
	Brachylophus, Cuv.	0.57
	Brachylophus fasciatus, Cuv., pl. xviii, figs. 8-9.	374
	Tongataboo and Feejee Islands.	

1858. Girard, Charles, with Spencer F. Baird—Continued.	
Sceloporus, Wiegm	
Sceloporus undulatus, Wiegm, pl. xix, figs. 15-21	
Sceloporus occidentalis, B. & G., pl. xix, figs. 8-14	383
Sceloporus frontalis, B. & G., pl. xix, figs. 1-7	384
Sceloporus gracilis, B. & G., pl. xx, figs. 1-9 Oregon.	386
Phrynosoma, Wiegm	389
TAPAYA, Cuv	
Tapaya orbicularis, Cuv. Valley of Mexico.	
Tapaya Hernandesi, Grd	395
Tapaya ornatissima, Grd	396
Mountain region of New Mexico.	
Tapaya brevirostris, Grd	397
Plains of Kansas and Nebraska.	
Tapaya Douglassi, Grd., pl. xxi, figs. 1-5.	
Mountain region of Oregon.	
Batrachosoma, Fitz	400
Batrachosoma coronatum, Fitz., pl. xx, figs. 10-13. Upper California.	
Phrynosoma (Wiegm.), Grd	402
Phrynosoma cornutum, Gray, pl. xxi, figs. 6-9	
Southwestern States of the Union.	
Phrynosoma regale, Grd	406
Valleys of Zuñi and Colorado Rivers.	
Doliosaurus, Grd	407
Doliosaurus McCalli, Grd	
Deserts of Gila and Colorado Rivers.	
Doliosaurus platyrhinos, Grd	409
Valley of Great Salt Lake of Utah.	
Doliosaurus modestus, Grd	409
Valley of Rio Grande del Norte.	
Subfamily ACRODONTES	410
Bronchocela, Kaup	411
Bronchocela cristatella, Kaup.	
Singapore.	
Amphibolurus, Wagl	413
Amphibolurus muricatus, Wagl	414
New South Wales, Australia.	
Amphibolurus maculiferus, Grd	417
New South Wales, Australia.	
Orbodeira, Girard	
Oreodeira gracilipes, Grd	420
New South Wales, Australia.	
Order IV. Chelonia	
Suborder I. Chelonii	
Family Chelonidæ, Bonap	429
Thalassochelys, Fitz.	
Thalassochelys corticata, Grd., pl. xxix	431
Lepidochelys, Fitz	434
Lepidochelys olivacea, Fitz	435
Lepidochelys Dussumieri, Grd	437
Coast of Malabar.	
Remarks on Chelonia vergata, Schn.	
CARETTA, Merr	438
Caretta imbricata, Merr	
Atlantic Ocean, West Indies especially.	
Caretta squamosa, Grd., pl. xxx, figs. 1-7	442
Sooloo Seas and Indian Ocean.	

1858. GIR	ARD, CHARLES, with Spencer F. Baird—Continued.	
	Caretta rostrata, Grd., pl. xxx, figs. 8-13 4	4
	Feejee Islands.	
	EUCHELYS, Girard4	
	Euchelys macropus, Grd., pl. xxxi, figs. 9-11	4
	Mangsi Islands, Philippine Archipelago.	
	Remarks on the genus Halichelys of Fitzinger.	
	Christonia, Brougn	
	West Indies.	
	Chelonia maculosa, Cuv	54
	Coast of Malaban.	
	Chelonia marmorata, Dum. & Bibr., pl. xxxi, figs. 5-7	5
	Chelonia formosa, Grd., pl. xxxi, figs. 1-4	54
	Feejee Islands.	_
	Chelonia tenuis, Grd., pl. xxxi, fig. 8	54
	Honden Island, Paumotu Group; Tahiti and Eimeo; Rosa Island.	
	Suborder II. Testudinata 4	
	Family Hydraspides	
	Family EMYDIDÆ	
	Subfamily Clemmydidæ 44 Actinemys, Agass.	04
	Actinemys marmorata (Ag.), (ird., pl. xxxii	ß.
	Puget Sound (Oregon): Sacramento River (California).	•
	amily Testudinidæ	70
	Testudo, Linn.	
	Testudo Australis, Grd.	
	Bay of Islands, New Zeland.	
	94. RD, CHARLES. United States and Mexican Boundary Survey under the large of this state of the state of	
oi C		68
OI C R	RD, CHARLES. United States and Mexican Boundary Survey under the der of Lieut. Col. W. H. Emory, Major First Cavalry, and United State ommissioner. Ichthyology of the Boundary, By Charles Girard, M. I port of the United States and Mexican Boundary Survey, ii, 1-77. 1858.	eŧ
OI C R	RD, CHARLES. United States and Mexican Boundary Survey under the der of Lieut. Col. W. H. Emory, Major First Cavalry, and United States ommissioner. Ichthyology of the Boundary, By Charles Girard, M. Isport of the United States and Mexican Boundary Survey, ii, 1-77. 1858. ICHTHYOLOGY.	ea D
or C R	RD, CHARLES. United States and Mexican Boundary Survey under the der of Lieut. Col. W. H. Emory, Major First Cavalry, and United States ommissioner. Ichthyology of the Boundary, By Charles Girard, M. Isport of the United States and Mexican Boundary Survey, ii, 1-77. 1858. ICHTHYOLOGY. PERCIDÆ. Dioplites nuecensis, Grd., pl. i	ea D
OI C R	RD, CHARLES. United States and Mexican Boundary Survey under the der of Lieut. Col. W. H. Emory, Major First Cavalry, and United States ammissioner. Ichthyology of the Boundary, By Charles Girard, M. Isport of the United States and Mexican Boundary Survey, ii, 1-77. 1858. ICHTHYOLOGY. PERCIDÆ. Dioplites nuccensis, Grd., pl. i Calliurus longulus, Grd., pl. iv, figs. 1-4.	ea D
or C R	RD, CHARLES. United States and Mexican Boundary Survey under the der of Lieut. Col. W. H. Emory, Major First Cavalry, and United States ammissioner. Ichthyology of the Boundary, By Charles Girard, M. I port of the United States and Mexican Boundary Survey, ii, 1-77. 1858. PERCIDÆ. Dioplites nuccensis, Grd., pl. i. Zalliurus longulus. Grd., pl. iv, figs. 1-4. Pomotis speciosus, B. & G., pl. iv, figs. 5-8	ea D
or C R	RD, CHARLES. United States and Mexican Boundary Survey under the der of Lieut. Col. W. H. Emory, Major First Cavalry, and United States ammissioner. Ichthyology of the Boundary, By Charles Girard, M. Isport of the United States and Mexican Boundary Survey, ii, 1-77. 1858. ICHTHYOLOGY. PERCIDÆ. Dioplites nuccensis, Grd., pl. i Calliurus longulus, Grd., pl. iv, figs. 1-4.	ea D
oi C R	RD, CHARLES. United States and Mexican Boundary Survey under the der of Lieut. Col. W. H. Emory, Major First Cavalry, and United States of the Boundary, By Charles Girard, M. Isport of the United States and Mexican Boundary Survey, ii, 1-77. 1858. PERCIDE. Dioplites nuccensis, Grd., pl. i. Calliurus longulus, Grd., pl. iv, figs. 1-4. Pomotis speciosus, B. & G., pl. iv, figs. 5-8. Pomotis deros, B. & G., pl. ii, figs. 1-4. Pomotis aquilensis, B. & G., pl. iii, figs. 1-8. Pomotis fallax, B. & G., pl. iii, figs. 1-8.	ea D.
or C R	CRD, CHARLES. United States and Mexican Boundary Survey under the der of Lieut. Col. W. H. Emory, Major First Cavalry, and United State of the United States and Mexican Boundary, By Charles Girard, M. In sport of the United States and Mexican Boundary Surrey, ii, 1-77. 1858. CERCIDE. Complites nuccensis, Grd., pl. i. Calliurus longulus, Grd., pl. iv, figs. 1-4. Comotis speciosus, B. & G., pl. ii, figs. 1-4. Comotis aquilensis, B. & G., pl. iii, figs. 1-8. Comotis fallax, B. & G., pl. ii, figs. 1-8. Comotis fallax, B. & G., pl. ii, figs. 5-8; pl. iii, figs. 9-12. CETHEOSTOMIDE	ea D. 7 4 10
or C R	RD, CHARLES. United States and Mexican Boundary Survey under the der of Lieut. Col. W. H. Emory, Major First Cavalry, and United States ammissioner. Ichthyology of the Boundary, By Charles Girard, M. Isport of the United States and Mexican Boundary Survey, ii, 1-77. 1858. **PERCIDE.** **Dioplites nuccensis, Grd., pl. i. **Palliurus longulus. Grd., pl. iv, figs. 1-4. **Pomotis speciosus, B. & G., pl. ii, figs. 5-8. **Pomotis aquilensis, B. & G., pl. iii, figs. 1-8. **Pomotis fallax, B. & G., pl. ii, figs. 5-8; pl. iii, figs. 9-12. **ETHEOSTOMIDE.** *Pileoma carbonaria, B. & G., pl. viii, figs. 10-13.	es D
oi C R	RD, CHARLES. United States and Mexican Boundary Survey under the der of Lieut. Col. W. H. Emory, Major First Cavalry, and United States and missioner. Ichthyology of the Boundary, By Charles Girard, M. I port of the United States and Mexican Boundary Survey, ii, 1-77. 1858. Charles Girard, M. I Propert of the United States and Mexican Boundary Survey, ii, 1-77. 1858. Charles Girard, M. I Charles Girard, M.	es D
oi C R	RD, CHARLES. United States and Mexican Boundary Survey under the der of Lieut. Col. W. H. Emory, Major First Cavalry, and United States of Lieut. Col. W. H. Emory, Major First Cavalry, and United States of the Boundary, By Charles Girard, M. I port of the United States and Mexican Boundary Survey, ii, 1-77. 1858. PERCIDE. PERCIDE. Pomotites nuccensis, Grd., pl. iv, figs. 1-4 Pomotis speciosus, B. & G., pl. iv, figs. 5-8 Pomotis speciosus, B. & G., pl. ii, figs. 1-4 Pomotis aquilensis, B. & G., pl. iii, figs. 1-8 Pomotis fallax, B. & G., pl. ii, figs. 5-8; pl. iii, figs. 9-12 ETHEOSTOMIDE Poleoma carbonaria, B. & G., pl. viii, figs. 10-13 Pocilichthys lepidus, Grd., pl. viii, figs. 14-17 BATBACHIDE.	64 D
or C R	RD, CHARLES. United States and Mexican Boundary Survey under the der of Lieut. Col. W. H. Emory, Major First Cavalry, and United States and missioner. Ichthyology of the Boundary, By Charles Girard, M. I port of the United States and Mexican Boundary Survey, ii, 1-77. 1858. Charles Girard, M. I Propert of the United States and Mexican Boundary Survey, ii, 1-77. 1858. Charles Girard, M. I Charles Girard, M.	64 D
or C R	RD, CHARLES. United States and Mexican Boundary Survey under the der of Lieut. Col. W. H. Emory, Major First Cavalry, and United States ammissioner. Ichthyology of the Boundary, By Charles Girard, M. I port of the United States and Mexican Boundary Survey, ii, 1-77. 1858. PERCIDE. PERCIDE. Pomoties nuccensis, Grd., pl. iv., figs. 1-4. Pomoties speciosus, B. & G., pl. iv, figs. 5-8. Pomotis speciosus, B. & G., pl. ii, figs. 1-4. Pomotis aquilensis, B. & G., pl. iii, figs. 1-8. Pomotis fallax, B. & G., pl. ii, figs. 5-8; pl. iii, figs. 9-12. ETHEOSTOMIDE. Pulcoma carbonaria, B. & G., pl. viii, figs. 10-13. Poecilichthys lepidus, Grd., pl. viii, figs. 14-17. BATRACHIDE. Batrachus tau, Cuv. & Val.	2
or C R	RD, CHARLES. United States and Mexican Boundary Survey under the der of Lieut. Col. W. H. Emory, Major First Cavalry, and United States on Inmissioner. Ichthyology of the Boundary, By Charles Girard, M. I port of the United States and Mexican Boundary Survey, ii, 1-77. 1858. Charles of the United States and Mexican Boundary Survey, ii, 1-77. 1858.	ea D
oi C R	RD, CHARLES. United States and Mexican Boundary Survey under the der of Lieut. Col. W. H. Emory, Major First Cavalry, and United States of Lieut. Col. W. H. Emory, Major First Cavalry, and United States of the Boundary, By Charles Girard, M. I port of the United States and Mexican Boundary Survey, ii, 1-77. 1858. Charles Girard, M. I Charles Gi	66 D
or C R	RD, CHARLES. United States and Mexican Boundary Survey under the der of Lieut. Col. W. H. Emory, Major First Cavalry, and United State of the Inited States and Mexican Boundary, By Charles Girard, M. In port of the United States and Mexican Boundary Surrey, ii, 1-77. 1858. CHTHYOLOGY. Percentage Computer of the United States and Mexican Boundary Surrey, ii, 1-77. 1858. CHTHYOLOGY. COMPUTER OF THE STATES OF THE	66 D. 2 3 4 10 10 11 11 11 11
or C R	RD, CHARLES. United States and Mexican Boundary Survey under the der of Lieut. Col. W. H. Emory, Major First Cavalry, and United States ammissioner. Ichthyology of the Boundary, By Charles Girard, M. I port of the United States and Mexican Boundary Survey, ii, 1-77. 1858. CHTHYOLOGY.	11 11 11 11 11 11 11 11 11 11 11 11 11
oi C R	RD, CHARLES. United States and Mexican Boundary Survey under the der of Lieut. Col. W. H. Emory, Major First Cavalry, and United States and minissioner. Ichthyology of the Boundary, By Charles Girard, M. Isport of the United States and Mexican Boundary Survey, ii, 1-77. 1858. **PERCIDE.** **Dioplites nuccensis, Grd., pl. i. **Palliurus longulus. Grd., pl. iv, figs. 1-4. **Pomotis speciosus, B. & G., pl. ii, figs. 5-8. **Pomotis quidensis, B. & G., pl. iii, figs. 1-4. **Pomotis quidensis, B. & G., pl. iii, figs. 1-8. **Pomotis fallax, B. & G., pl. iii, figs. 1-8. **Pomotis fallax, B. & G., pl. iii, figs. 1-8. **Pomotis fallax, B. & G., pl. viii, figs. 1-18. **Pomotis fallax, B. & G., pl. viii, figs. 1-13. **Percilichthys lepidus, Grd., pl. viii, figs. 14-17. **BATBACHIDE.** **Batrachus tau, Cuv. & Val. **Clentius Drummondi, Richards, pl. vi. **Diolithus Drummondi, Richards, pl. vi. **Diolithus nothus, Holbr.** **Chonoprion lanceolatus, Holbr.** **Homoprion zanthurus, Holbr.** **Conodon antillanus, Cuv. & Val. **Conodon antillanus, Cuv. & Val.	D
or C R	RD, CHARLES. United States and Mexican Boundary Survey under the der of Lieut. Col. W. H. Emory, Major First Cavalry, and United State of Lieut. Col. W. H. Emory, Major First Cavalry, and United State of Interest of the United States and Mexican Boundary, By Charles Girard, M. I port of the United States and Mexican Boundary Survey, ii, 1-77. 1858. Charles of the United States and Mexican Boundary Survey, ii, 1-77. 1858.	D
or C R	RD, CHARLES. United States and Mexican Boundary Survey under the der of Lieut. Col. W. H. Emory, Major First Cavalry, and United States on Inmissioner. Ichthyology of the Boundary, By Charles Girard, M. I port of the United States and Mexican Boundary Survey, ii, 1-77. 1858. ICHTHYOLOGY. PERCIDÆ. Proposities nuccensis, Grd., pl. iv., figs. 1-4. Pomotis specionus, B. & G., pl. iv, figs. 1-4. Pomotis specionus, B. & G., pl. iii, figs. 1-8. Pomotis aquilensis, B. & G., pl. iii, figs. 1-8. Pomotis fallax, B. & G., pl. iii, figs. 1-8. Pomotis fallax, B. & G., pl. viii, figs. 10-13. Peccilichthys lepidus, Grd., pl. viii, figs. 10-13. Paccilichthys lepidus, Grd., pl. viii, figs. 14-17. BATRACHIDÆ. BATRACHIDÆ. BATRACHIDÆ. BOINTHUS Drummondi, Richards, pl. vi. Molithus Drummondi, Richards, pl. vi. Molithus nothus, Holbr. Leiostomus obliquus, DeKay. Homoprion lanceolatus, Holbr. Homoprion xanthurus, Holbr. Pomonias fasciatus, Lucép. Sargus ovis, Cuv. & Val.	D
or C R	RD, CHARLES. United States and Mexican Boundary Survey under the der of Lieut. Col. W. H. Emory, Major First Cavalry, and United State of Lieut. Col. W. H. Emory, Major First Cavalry, and United State of the Boundary By Charles Girard, M. I port of the United States and Mexican Boundary Surrey, ii, 1-77. 1858. CHTHYOLOGY.	11 11 11 11 11 11 11 11 11 11 11 11 11
or C R	RD, CHARLES. United States and Mexican Boundary Survey under the der of Lieut. Col. W. H. Emory, Major First Cavalry, and United State summissioner. Ichthyology of the Boundary, By Charles Girard, M. I port of the United States and Mexican Boundary Survey, ii, 1-77. 1858. ICHTHYOLOGY.	11
or C	RD, CHARLES. United States and Mexican Boundary Survey under the der of Lieut. Col. W. H. Emory, Major First Cavalry, and United States and minimissioner. Ichthyology of the Boundary, By Charles Girard, M. I port of the United States and Mexican Boundary Survey, ii, 1-77. 1858. ICHTHYOLOGY.	11

Lagodon rhomboides, Holbr., pl. ix, figs. 15-16.

GIRARD, CHARLES—Continued.	
Mænidæ	17
EUCINOSTOMUS, B. & G.	
Eucinostomus argenteus, B. & G., pl. ix, figs. 9-12.	
NEOMÆNIS, Girard	18 18
Neomænis emarginatus, Grd., pl. ix, flgs. 5-8 Polynemidæ.	
Polynemus octonemus, Grd., pl. x, figs. 5-9.	
ATHERINIDÆ.	
Atherinopsis, sp.	19
Indianola, Texas.	
Atherinopsis, sp	19
Mugilidæ	19
Mugil Berlandieri, Grd., pl. x, figs. 1-4	20
Scombridæ	
CHORINEMUS, Cuv. & Val	20
Chorinemus lanceolatus, Grd., pl. xi, fig. 5	21
Chloroscombrus, Grd	21
Chloroscombrus Caribbæus, Grd., pl. xi, fig. 6.	21
DOLIODON, Girard	22
Doliodon Carolinus, Grd., pl. xi, fig. 4	
Doliodon spinosus, Grd	
CARANGUS, Girard	
Carangus esculentus, Grd., pl. xi, figs. 1-3	
Carangus chrysos, Grd	
Carangus fallax, Grd	
Carangus pisquetus, Grd	
Carangus Bartholomæi, Grd	
• Carangus defensor, Grd	
Carangus falcatus, Grd	23
Carangus Richardi, Grd.	
Argyreiosus capillaris, DeKay, pl. xi, fig. 7	
Vomer setapinnis, n. s., pl. xi, fig. 8.	
Tænioidæ	
Trichiurus lepturus, Linn.	
GOBIDÆ	
GOBIONELLUS, Grd	
Gobionellus hastatus, Grd., pl. xii, fig. 7-8.	
Gobionellus lanceolatus, Grd	24 24
Gobionellus bacalaus, Grd	
Gobionellus smaragdus, Grd.	
Gobine luvieus Cod na vii flag 4 5	
Gobius lyricus, Grd., pl. xii, figs. 4-5.	
Gobius Würdemanni, Grd	
Gobius catulus, Grd., pl. xii, figs. 9–10	
GOBIOSOMA, Girard.	20 27
Gobiosoma molestum, Grd., pl. xii, fig. 14.	
Gobiosoma alepidota, Grd	
Blennidæ	
Blennius multifillis, Grd., pl. xii, fig. 6	
Electris sumnulentus, Grd., pl. xii, figs. 1-3	
Electris gyrinus, Cuv. & Val., pl. xii, figs. 11-12.	
Philipnus dormitator, Cuv. & Val., pl. xii, fig. 13	20
PLEURONECTIDÆ	20
Four species belonging to several genera	29
ECHENEIDÆ	
Echeneis, sp.	
St. Joseph's Island.	40
Орнідідж	29
Ophidion Josephi, Grd	
Scomberesocidæ	
Belone scrutator, Grd., pl. xiii.	
Labridæ	
HERICHTHYS, B. & G	
Herichthys cyano-guttatus, B. & G., pl. iv, figs. 9-12	

858, G	irard, Charles Continued.	
	SILURID.E	3
	Allurichthys, B. & G	
	Allurichthys marinus, B. & G., pl. xiv	
	Adurichthys gronovi, Grd	
	Addrichthys eydouxi, Grd	
	Ailurichthys blochi, Grd	
	Arius equestris, n. s., pl. xv	
	Pimelodus affinis, B. & G., pls. xvi, xvii	
	Pimelodus vulpes, Grd., pl. xviii	3:
	CYPRINID.E	3
	Ictiobus tumidus, Grd., pl. xix, figs. 1-4	3
	Mozostoma Kennerli, Grd., pl. xx, figs. 7-9	3
	Mozortoma Victoriæ, Grd., pl. xx, figs. 1-3	
•		
	Ptychostomus congestus, Grd., pl. xxi, figs. 5-8.	
	Ptychostomus albidus, Grd., pl. xix, figs. 5-8.	
		3.
		37
	Minomus plebeius, Grd., pl. xxii, figs. 1-4.	
		38
	Acomus latipinnis, Grd., pl. xxii, figs. 1-6	
	Catostomus Bernardini, Grd., pl. xxiii, figs. 1-5	4
	Campostoma, Agass	4
	Campostoma ornatum, Grd., pl. xxv, figs. 1-4.	4
	Campostoma formosulum, Grd., pl. xxv, figs. 5-8	4
	Campostoma nasutum, Grd., pl. xxv, figs. 9-12	4
	Dionda serena, Grd., pl. xxvi, figs. 9-12	
	Dionda Texensis, Grd., pl. xxvi, figs. 21-24.	
	Dionda argentosa, Grd., pl. xxvi, figs. 5-8.	
	Dionda chrysitis, Grd., pl. xxvi, figs. 13-16	
	Dionda melanops, Grd., pl. xxvi, figs. 17-20.	
	Dionda Couchi, Grd., pl. xxvi, fig. 1-4.	
	ALGOMA, Girard	
	Algoma amara, Grd., pl. xxvii, fig. 17-20	
	Algoma fluviatilis, Grd., pl. xxvii, 13-16	
	Cochlognathus, B. & G	
	Cochlognathus ornatus, B. & G., pl. xxxv, figs. 12-17.	4
	Algansea tincella, Grd., pl. xxvii, figs. 1-4	4
	Argyreus osculus, Grd., pl. xxvii, figs. 9-12	4
	Argyreus notabilis, Grd., pl. xxvii, figs. 5-8.	4
	Agosia, Girard.	
	Agosia chrysogaster, Grd., pl. xxviii, figs. 5-8	4
	Agosia metallica, Grd., pl. xxviii, figs. 1-4	
	Gobio æstivalis, Grd., pl. lvii, figs. 17-29	
	MEDA, Girard	
	Meda fulgida, Grd., pl. xxviii, figs. 9, 10	
	Chiola velox, Grd., pl. xxxi, figs. 21-24	
	Alburnellus amabilis, Grd., pl. xxix, figs. 10-13	5
	Alburnellus megalops, Grd., pl. xxix, figs. 1-4.	
	Alburnellus socius, pl. xxix, figs. 14-17	
	CODOMA, Girard	5
	Codoma ornata, Grd., pl. xxix, figs. 22-25.	5
	Codoma vittata, Grd., pl. xxix, figs. 18-21.	5
	Cyprinella macrostoma, Grd., pl. xxxi, figs. 5-8.	5
	Cyprinella venusta, Grd., pl, xxxi, figs. 1-4	
	Cyprinella Texana, Grd., pl. xxxi, figs. 9-12	
	Cyprinella luxiloides, Grd., pl. xxxi, figs. 13-16	5
	Moniana aurata, Grd., pl. xxx, figs. 13-16	5
	Moniana complanata, Grd., pl. xxxi, figs. 17-20	5
	Moniana frigida, Grd., pl. xxx, figs. 17-20	5
	Moniana Couchi, Grd., pl. xxx, figs. 21-24.	5
	Moniana rutila, Grd., pl. xxx, figs. 1-4.	5
	Moniana nitida, Grd	5
	Moniana formosa, Grd., pl. xxx, figs. 5-8.	5

1858.	GIRARD, CHARLES—Continued.	
	Moniana gibbosa, Grd., pl. xxx, figs. 9-12.	59
	Moniana proserpina, Grd	59
	Luxilus leptosomus, Grd., pl. xix, figs, 9-12	60
	TIAROGA, Girard	60
	Tiaroga cobitis, Grd., pl. xxvii, figs. 11-14	60
	Gila elegans, B. & G	61
	Gila Grahami, B. & G., pl. xxiv. figs. 7-12	61
	Gila Emori, B. & G., pl. xxxiii, figs. 5-10	62
	Tigoma pulchella, Grd., pl. xxxiv, figs. 5-8.	62
	Tigoma purpurea, Grd	63
	Tigoma intermedia, Grd	63
	Tigoma gibbosa, Grd., pl. xxxiii, figs. 1-4	64
	Tigoma nigrescens, Grd., pl. xxxii, figs. 1-4.	
	Tigoma pulchra, Grd., pl. xxxii, figs. 5-8.	65
	Ptychotheilus lucius, Grd., pl. xxxiv, figs. 1-4.	65
	Cyprinodontidæ	66
	Cyprinodon, Lacér	66
	Cyprinodon elegans, B. & G., pl. xxxvii, figs. 1-7.	66
	Cyprinodon gibbosus, B. & G., pl. xxxviii, figs. 1-7	67
	Cyprinodon bovinus, B. & G., pl. xxxvii, figs. 12-18	67
	Cyprinodon macularius, B. & G., pl. xxxvii, figs. 8-11.	68
	Hydrargyra similis, B. & G., pl. xxxv, figs. 1-8	
	Fundulus grandis, B. & G., pl. xxxvi.	69
	Pœcilia, Schn	69
	Pæcilia lineolata, Grd., pl. xxxv. figs. 9-11	70
	Limia, Poey	70
	Limia pæciloides, Grd., pl. xxxviii, figs. 8-14	70
	Limia venusta, Grd., pl. xxxiv, figs. 20-23.	71
	Gambusia nobilis, Grd., pl. xxxix, figs. 8-11	71
	Gambusia affinis, Grd., pl. xxxix, figs. 12-15	72
	Gambusia patruelis, Grd., pl. xxxix, figs. 1-7	72
	Girardinus occidentalis, Grd., pl. xxxix, figs. 16-19	73
	CHARACINIDÆ	73
	ASTYANAX, B. & G.	74
	Astyanax argentatus, B. & G., pl. viii, figs. 5-9.	74
	Scopelidæ.	75
	Saurus Mexicanus	75
	Clupeidæ.	75
	Engraulis sp.	75
	Gulf of Mexico.	13
	Melletta, spec	75
	Gulf of Mexico.	13
	Chataesus, sp	75
	Gulf of Mexico.	13
	Clupeonia, sp.	75
	Gulf of Mexico.	13
	Murænidæ.	
	MURÆNDÆ. Anguilla tyrannus, Grd., pl. xl	~-
	Neomurana piramaninata Cad al ali	
	Neonuræna nigromarginata, Grd., pl. xli	
	Neoconger, Girard	
	Neoconger mucronatus, (ird	11

1859. GIRARD, CHARLES. Reports of Explorations and Surveys to ascertain the Most Practical and Economical Route for a Railroad from the Mississippi River to the Pacific Ocean. Made under the direction of the Secretary of War in 1853-'56, according to acts of Cougress of March 3, 1853, May 31, 1854, and August 5, 1854. Vol. x, Fishes, 1858. By Charles Girard, M. D., Washington, 1859. With 76 plates. 4°.

The fishes of western North America are as yet too little known, and the amount of new materials for further investigations too great, also, to warrant anything like an attempt on the present occasion to establish a natural series.—After treating of the various groups in a

series of monographs, as already begun (see No. 26), we shall be better prepared to dojustice to that part of this subject.

We have dwelt at some length upon two groups—the Cataphræti, or mailed cheeks, and the Embiotocoids, or vivaparous family, both of them having numerous representatives along the Pacific coast. They constitute the most prominent feature of the ichthyic fauna of that region of the North American continent, together with the Trachinids and the Heterolepids, which seemingly bring into closer relationships the Percoids and the Cottoids, properly so called. The true Percoids themselves appear isolated west of the Rocky Mountain range.

The Sphyrænid family is represented by one species of the genus Sphyræna.

The Scienoids, so far as observed, are few in numbers, and remind us of the Atlantic types.

Not a single species of Sparoids has, as yet, come to our knowledge from the coasts of Oregon and California.

As to the Atherinoid family, we find in California a rather large species designated by the settlers under the name of "Smelt." possibly on account of its delicacy, and which is, truly speaking, an ally of the "Silverside" or "Silver-fish" of our Atlantic coast, and the "Pesce del Rey" or "Pescadilla del Rey" of Central and South America. The "Silver-fish" being of a diminutive size, even when full grown, its esculent qualities have remained unnoticed by either fishermen or gastronomers. The "Pesce del Rey" tells its own story.

The scarcity of Scomberoids is a curious feature in the fauna of our western coast; a Mackerel (Scomber), a Bonito (Pelamys) and two (Caranz), constitute thus far the entire known list. But we venture to say that further researches will bring to light many more of them.

The only species of Chetodonts we are acquainted with from the western coast was obtained in the southern part of the State of California.

The Blennioid family is seemingly more numerous than the preceeding ones, new generic types (Neoclinus, Xiphidion, Apodichthys, Cebidichthys, and Anarrichthys) having been found, along with species of known genera (Blennius, Gunnellus, and Lumpenus).

The Gobiolds, properly so called, are comparatively scarce, two species of the genus Gobius constituting the entire known list.

The Cyclopterids, or Discoboli, are represented by two species also, one of which is a Lepadogaster, the other a Cyclogaster.

The Batrachoid or toad fish family has furnished one species to the fauna, exhibiting the characters of a new genus, which we have called *Porichthys*.

The Labroids proper are anything but numerous, the Embiotocoids being considered as a separate family. We believe, nevertheless, that many more will be discovered along the southern coast of California.

The Pomacentrid family, or marine Labroids, with pectinated scales, has yielded one species, which we place in the genus Glyphicodon, not having the means of determining more accurately its generical position.

The Chromids, or fresh-water Labroids with pectinated scales also, have not yet been met with along the Pacific range of North America. We have evidences of their presence in the basin of the Rio Grande del Norte (Rio Bravo), one species being figured and described in the "Ichthyology" of the United States and Mexican Boundary Survey.

The Scomberesocids, or "garfishes," on the other hand, are represented, thus far, by a species of billfish (Belone).

The Gadoid family has given us a Cod, a Whiting (Merlangus), and a Cusk (Brosmius); the latter we have not examined.

The Pleuronectids, or flatfishes, are tolerably well represented, though we observe, as yet, no turbots (Rhombus) proper. The halibut (Hippoglossus) is spoken of as occurring along the coast, but we have not had it in our hands.

The Ophidioid family is represented by two known genera, Ophidion and Ammodytes, whilst the true eels have not yet been heard of.

The Salmonoids are abundant, especially in species of the Linnean genus Salmo, to which may be added a white fish (Coregonus) and two smelts, one belonging to the genus Osmerus, the other to that of Thaleichthus of recent creation.

No Characinids are known north of the valley of the Rio Grande del Norte (Rio Brayo), in which one species was collected by the Mexican Boundary Commission, in whose report it is figured and described.

The Scopelids have furnished us, so far, with one species of the genus Saurus from the Pacific coast.

The fresh waters teem with Cyprinoids and Percoids, the former east and west of the Rocky Mountains, the latter almost solely eastwardly, in the shape of sunfishes (Pomotis) and bass (Ambloptites and Centrarchus), a single species of bass having been noticed in California.

Of the Cyprinodont family, we mention but one species, an inhabitant of the fresh waters of California. Those collected in the interior of the continent we propose to investigate at some future time.

The Etheostomoids are likewise left aside for the present.

A few pickerels, or Esocids, have been observed in the hydrographic basin of the Arkansas.

Some catfishes, or Pimelodi, were secured at the initial point of exploration of the thirty-fifth and forty-seventh parallels, none having been noticed west of the Rocky Mountains.

Of the Clupeidæ or herring family we meet with two herrings proper, one belonging to the genus Clupea, the other to the genus Meletta, and several anchovies (Engraulis), but thus far no shad (Alosa) have been seen in the collections, which have been made and submitted to our examination.

Three Plectognaths have been noticed, a "Moon-fish" (Orthagoriseus), a "Balloon-fish" (Tetraodon), and a "Trigger" (Balistes).

Five "Pipe-fishes" (Syngnathus) and one "Sea-horse" (Hippocampus) represent the Lophobranch family.

The Ganoids of the western coast consist in three species of sturgeons (Acipenser), and in the interior of the continent in a "Paddle-fish" (Polyodon), a "Shovel-nose" (Scaphirhynchus), two species of "Mud-fishes" (Amia), and three species of "Gar-pikes" (Lepidosteus).

The cartilaginous fishes, as observed, are anything but numerous; five species of Sharks belonging to the genera *Triakis*, *Mustelus*, *Cestracion*, *Heptanchus*, and *Acanthias*; five species of Skates belonging to the genera *Rhinobatus*, *Narcine*, *Raja*, *Uraptera*, and *Rhinoptera*, and nine species of Lampreys belonging to the genera *Petromyzon*, *Ichthyomyzon*, *Ammocætes*, and *Scolecosoma*.

The "Elephant-fish" (Chimæra) was observed as far up as Puget Sound.

Order Acanthopteri.... Family Percidæ, Bonap DIOPLITES, Rafin Dioplites nuecensis, G..... Pomoxis. Rafin..... Pomoxis sparoides, G..... Pomoxis nigro maculatus, G..... Pomoxis annularis, Rafin Pomoxis nitidus, G., pl. ii, figs. 5-8. Ambloplites, Rafin Ambloplites æneus, Agass., pl. i Ambloplites interruptus, G., pl. ii, figs. 1-4.... CALLIURUS, Rafin Calliurus diaphanus, G., pl. iv., figs. 1-5 13 Calliurus formosus, G., pl. v. figs. 1-4 Calliurus longulus, G., pl. v, figs. 5-8 16 Bryttus, Cuv. & Val Bryttus albulus, G., pl. vi, figs. 1-4.... Bryttus signifer, G., pl. vii, figs. 5-8.... Bryttus humilis, G., pl. vii, figs. 9-24 21 Pomotis, Rafin Pomotis luna, G., pl. viii, figs. 1-4 22 Pomotis speciosus, B. & G., pl. viii, figs. 5-8.... Pomotis heros, B. & G., pl. ix, figs. 13-16 Pomotis aquilensis, B. & G., pl. ix, figs. 1-4; pl. x, figs. 8-11.... Pomotis popii, n. s Pomotis fallax, B. & G., pl. viii, figs. 1-10; pl. ix, figs. 5-12; pl. x, figs. 1-7.... Pomotis breviceps, B. & G..... Labrax chrysops, G., pl. xi. figs. 1-4 Paralabrax, Girard..... 33 Paralabrax nebulifer, G., pl. xii, figs. 1-4

 Paralabraz clathratus, G., pl. xii, figs. 5-8.
 34

 Family Trachinidæ, Bonap
 35

 Heterostichus, Girard
 36

1859. GIRARD, CHARLES—Continued.	
Heterostichus rostratus, G., pl. xiii	36
Family SPHYRÆNIDÆ, Bonap	38
Sphyræna, Artédi	
Sphyræna argentea, (i., pl. xiv	. 39
Tribe of Cataphracti	40
Family Heterolepidæ, Girard	40
Chirus, Steller	41
Chiropsis, Girard	41
Chiropsis constellatus, G., pl. xix	42
Chiropsis pictus, (i., pl. xx, figs. 1-4	43
Chiropsis guttatus, G., pl. xx, figs. 5–8	. 44
Chiropsis nebulosus, n. n	45
Oplopoma, Girard	46
Oplopoma pantherina, G., pl. xviii, figs. 1-3	46
Ophiodon, Girard	48
Ophiodon elongatus, G., pl. xviii, figs. 4-7	
Family COTTIDÆ, Girard	
COTTOPSIS, Girard	
Cottopris asper, G	
Cottopris gulorus, G	
Cottopsis parrus, G	
Oligocottus, Girard	
Oligocottus maculosus, G	
Oligocottus analis, G	
Oligocottus globiceps, n. s	
LEPTOCOTTUS, Girard	
Leptocottus armatus, G., pl. xv, fig. 2	
LEIOCOTTUS, Girard.	
Leiocottus hirundo, G., pl. xvi, figs. 2 and 3	
SCORPÆNICHTHYS, Girard.	
Scorpænichthys marmoratus, G., pl. xvi, fig. 1	
Aspicottus, Girard.	
Aspicottus bison, G., pl. xv, fig. 1.	
HEMILEPIDOTUS, Cuv.	
Hemilepidotus spinosus, Ayres.	
ARTEDIUS, Girard	
Artedius lateralis, G., pl. xxii*, fig. 5 and 6	
Artedius notospilotus, G., pl. xxii, figs. 5 and 6	
ZANIOLEPIS, Girard	
Zaniolepis latipinnis, G., pl. xvii, figs. 5 and 6	
Nautichthys, n. g	
Family Scorpænidæ, Swains	
Scorpæna guttata, G., pl. xvii, figs. 1-4	
Sebastes, Cuv. Sebastes rosaceus, G., pl. xxi.	
the state of the s	
Sebastes fasciatus, G., pl. xxii Sebastes auriculatus, G.	
·	
Sebastes melanops, (†	
Sebastes paucispinis, Ayres, pl. xxii*, figs. 1-4.	
Family Gasterosteidæ, Bonap.	
Gasterosteus, Artédi	
Gasterosteus plebeius, G	. 86
Gasterosteus serratus, Ayres.	
Gasterosteus intermedius, G	
Gasterosteus inopinatus, G	
Gasterosteus microcephalus, G	
Gasterosteus Pugetti, G.	
Gasterosteus Williamsoni, G.	
Family Scianidæ, Bonap	
Ambionon, Rafin	
Amblodon grunniens, Rafin., pl. xxiii	
Amblodon saturnus, n. s.	. 98

1859.	GIRARD, CHARLES—Continued.	
	Leiostomus lineatus, Ayres, pl. xxii', figs. 1-4	
	Umbrina, Cuv	
	Umbrina undulata, G Family Atherinidæ, Bonap	
	Atherinopsis, Girard	
	Atherinopsis californiensis, G	
	Family Scombridæ, Bonap	
	Scomber diego, Ayres	
	Pelamys, Cuv. & Val	
	Pelamys lineolata, n. s	
	Trachurus, Rafin	
	Trachurus symmetricus, G	
	Trachurus boops, n. s	
	Family SQUAMIPINNES, Müll	
	EPHIPPUS, Cuv	
	Ephippus zonatus, n. s.	
	Family Blennidæ, Bonap	
	Blennius, Artédi	
	Neoclinus, n. g.	
	Neoclinus Blanchardi, n.s.	
	Gunnellus, Cuv	
	Gunnellus ornatus, G	
	APODICHTHYS, Girard	
	Apodichthys flavidus, G	
	Apodichthys virescens, Ayres	
	XIPHIDION, n. g	
	Xiphidion mucosum, n. s	
	CRBIDICHTHYS, Ayres	
	Cebidichthys violaceus, G., pl. xxvb, figs. 4, 5	12
	LUMPENUS, Reinh	
	Lumpenus anguillaris, G., pl. xxvb, figs. 1-3	12
	ANABRHICHTHYS, Ayres	12
	Anarrhichthys felis, G., pl. xxva, figs. 1-3	12
	Family Gobide, Bonap	
	Gobius, Artédi	
	Gobius lepidus, G., pl. xxva, figs. 5, 6	
	Gobius Newberri, G	
	Family Cyclopteridæ, Bonap	
	LEPADOGASTER, Gouan	
	Lepadogaster meandricus, G	
	Cyclogaster, Gronov	
	Cyclogaster pulchellus, G	
	Family Batrachide, Swains	
	Porichthys, Girard.	
	Porichthys notatus, G., pl. xxv	
	Order ANACANTHINI	
	Suborder APODES	
	Family Ophididæ, Bonap	
	Ophidion, Artédi	
	Ophidion Taylori, n. s	
	Ammodytes, Artédi	
	Ammodytes personatus, G	13
	Suborder Thoracici	14
	Family Gadidæ, Bonap	
	Brosmius marginatus, Ayres	
	Merlangus productus, Ayres	
	MORRHUA, Cuv	
	Morrhua proxima, G., pl. xl*, figs. 5-8	
	HOMALOPOMUS, Girard	
	Homalopomus Trowbridgi, pl. xla, figs. 1-4	
	Family Pleuronectidæ, Bonap	
	PARALICHTHYS, n. g	
	Paralichthys maculosus, G	
	PLATICHTHYS, Girard	14
	Bull. 41, N. M.——5	

1859.	GIRARD, CHARLES—Continued.	
	Platichthys rugosus, G	148
	Platichthys umbrosus, G	
	PLEURONICHTHYS, Girard	150
	Pleuronichthys cænosus, G	
	Pleuronichthys guttulatus, G	
	Parophrys, Girard	
	Parophrys vetulus, G	
	PSETTICHTHYS, Girard	
,	Prettichthys melanostictus, G	154
	Prettichthys sordidus, G., pl. xl	155
	Order PHARYNGOGNATHI	
	Suborder MALACOPTERYGII	
	Family Scomberesocide, Owen	
	Belone, Cuv	
	Suborder Acanthopterygii.	
	Family Pomacentride, Agass	
	GLYPHISODON, Lacép.	
	Glyphisodon rubicundus, G., pl. xxiv.	
	Family Labridæ, Bonap.	
	Julis, Cuv	
	Julis modestus, G	
	Family Embiotocoid & or Holconoti, Agass.	
	Емвютоса, Адавя	
	Embiotoca, Agassoni, Ag., pl. xxvi, figs. 3, 4; pl. xxvii and pl. xxviii	
	Embiotoca Cassidi, G., pl. xxvi, fig. 12; pl. xxix	
	Embiotoca Webbi, G., pl. xxx	
	Embiotoca lineata, G., pl. xxvi. figs. 5, 6; pl. xxxi	174
	Embiotoca ornata, G., pl. xxvi, fig. 11	
	Embiotoca perspicabilis, G., pl. xxvi, figs. 1, 2; pl. xxxii	
	Embiotoca argyrosoma, G	
	DAMALICHTHYS, Girard	
	Damalichthys vacca, G., pl. xxxiii	
	Phanerodon, Girard	
	Phanerodon furcatus, G., pl. xxxiv, figs. 1-5	
	ABEONA, Girard	
	Abeona Trowbridgi, G., pl. xxxiv, figs. 6-10	186
	RHACOCHEILUS, Agass	188
	Rhacocheilus toxotes, Agass, pl. xl	188
	Hysterocarpus, Gibbons	190
	Hysterocarpus traski, Gibbons, pl. xxvi, fig. 14	190
	Holconotus, Agass	193
	Holconotus rhodoterus, Ag., pl. xxvi, figs. 7, 8; pl. xxxv, xxxvi, figs. 1-4	
	Ennichthys, Girard	
	Ennichthys megalops, G., pl. xxvi, fig. 10, and pl. xxxvii	
	Ennichthys Heermanni, G., pl. xxvi, fig. 9, and pl. xxxviii	
	Amphistichus, Agass	201
	Amphistichus argenteus, Ag., pl. xxxix	
	Amphietichus similis, G., pl. xxxvi, figs. 5-9	
	Order PHYSOSTOMI or MALACOPTERI	
	Suborder APODES	
	Suborder Abdominales	
	Family Siluridæ, Bonap	
	Pimelodus catulus, n. s., pl. xli, figs. 4-6.	207
	Timel due felieus m. s., pl. XII, figs. 4-0	201
	Pimelodus felinus, n. s. Pimelodus Antoniensis, n. s.	
	Pimelodus ailurus, n. s., pl. xliv	210
	Pimelodus lupus, n. s., pt. xtiv	211
	Pimelodus olivaceus, n. s., pl. xli, figs. 1-3; pl. xlii	
	Family Cyprinide, Girard.	
	Tribe of Cyprina, Girard	
	Mylocheilus, Agass	
	Mylocheilus caurinus, G., pl. xlvi, figs. 1-4	
	Mylocheilus lateralis, Ag. & Pick., pl. xlv., figs. 5-8	214
	Milocheilus fraterculus, G., pl. xlv, figs. 1-4	215

	The state of the s	•
1859.	GIRARD, CHARLES—Continued.	
2000.	MYLOPHARODON, Ayres	915
	Mylopharodon conocephalus, G., pl. xlvi, figs. 5-8.	
	Mylopharodon robustus, Ayres, pl. xlvii	
	Tribe of CATOSTOMI, Girard	
	Carpiodes, Rafin	218
	Carpiodes damalis, G., pl. xlviii, figs. 1-4	
	Moxostoma, Rafin	
	Mozostoma claviformis, G., pl. xlviii, figs. 5-8	
	PTYCHOSTOMUS, Agass	
	Ptychostomus Haydeni, G., pl. xlix, figs. 1-4	
	Acomus, Girard	
	Acomus generosus, G	
	Acomus lactarius, G., pl. l.	
	Catostomus, Lesueur.	
	Catostomus occidentalis, Ayres	
	Catostomus labiatus, Ayres	
	Catostomus macrocheilus G	
	Catostomus sucklii, G., pl. li	
	Tribe of Chondrostomi, Girard	226
	DIONDA, Girard	227
	Dionda episcopa, G	227
	Dionda papalis, G	
	Dionda plumbea, G., pl. lii, figs. 21-25	
	Dionda spadicea, G., pl. lii, figs. 26-30	
	Dionda grisea, G., pl. lii, figs. 6-8	
	Hyborhynchus, Agass	
	Hyborhynchus perspiculus, G., pl. lii, figs. 16-20	
	Hyborhynchus tenellus, G	
	Hyborhynchus puniceus, G., pl. lii, figs. 1-5, 11-15	
	PIMEPHALES, Rafin	
	Pimephales maculosus, G.	
	Pimephales fasciatus, G	
	Hybognathus, Agass	
	Hybognathus argyritis, G., pl. liii, figs. 5-8	
	Hybognathus Evansi, G	
	Hybognathus placitus, G	
	ORTHODON, Girard	
	Orthodon microlepidotus, G., pl. liii, figs. 1-4.	
	ALGANSEA, Girard	
	Algansea bicolor, G	
	Algansea obesa, G	
	Algansea formosa, GLAVINIA, Girard	
	Lavinia exilicauda, pl. liv, figs. 1-4	
	Lavinia harengus, G	
	Tribe Pogonichthi, Girard	
	Argyreus, Heck	
	Argyreus dulcis, G., pl. liv, figs. 6-8	
	Argyreus nubilus, G	244
	Pogonichthys, Girard	245
	Pogonichthys inæquilobus, pl. lvi, fig. 14	
	Pogonichthys symmetricus	
	Pogonichthys argyreiosus	
	Pogonichthys communis, pl. lv	
	Gobio, Cuv	
	Gobio gelidus, G	
	Leucosomus, Heck	
	Leucosomus, Heck Leucosomus dissimilis, G.	
	Leucosomus pallidus, G., pl. lxi, figs. 6-10.	
	Leucosomus incrassatus, G., pl. lxi, figs. 1-6	
	Leucosomus macrocephalus, G	
	CERATICHTHYS (Baird), Girard	
	Ceratichthys leptocephalus, G	

1859.	GIRARD,	CHARLES—Continued.	
		Nocomis, Girard	254
		Nocomis nebrascensis, G	254
		Hybopsis, Agass	
	Tri	ibe of Alburni	
		Exoglossum, Rafin	
		Exoglosrum mirabile, G., pl. lvi, figs. 5-8.	
		CLIOLA, Girard	
		Cliola vigilax, G	
		Cliola velox, G Cliola vivax, G	
		Alburnellus, Girard	
		Alburnellus dilectus, G., pl. lvii, figs. 9-12	
		Alburnellus umbratilis, G	
		ALBURNOPS, Girard	
		Alburnops blennius, G., pl. lvii, figs. 13-16.	
		Alburnops Shumardi, G., pl. lvii, figs. 1-4	26
		Alburnops illecebrorus, G., pl. lvii, figs. 5-8.	
		PLARGYRUS, Rafin	
		Plargyrus Bowmani, G., pl. lix, figs. 1-5	26
		CYPRINELLA, Girard	26
		Cyprinella bubalina, G	
		Cyprinella umbrosa, G., pl. lviii, figs. 1-5	
		Cyprinella Gunnisoni, G	
		Cyprinella Beckwithi, G	
		Cyprinella suavis, G	
		Cyprinella lepida, G., pl. lviii, figs. 21-25.	
		Cyprinella notata, G., pl. lviii, figs. 16-20	
		Cyprinella Whipplii, G., pl. lviii, figs. 6-10	
		Cyprinella lugubris, G	
		Cyprinella ludibunda, G	
		Moniana, Girard	
		Moniana lutrensis, G.	
		Moniana leonina, G., pl. lix, figs. 6-10 Moniana deliciosa, G	
		Moniana lætabilis, G	
		Moniana pulchella, G., pl. lviii, figs. 11-15.	
		Moniana frigida, G., pl. lix, figs. 16-20.	
		Moniana tristis, G	
		RICHARDSONIUS, Girard	
		Richardsonius balteatus, G., pl. lx, figs. 1-4	
		Richardsonius lateralis, G., pl. lx. figs. 5-8	
		Luxilus, Rafin	
		Laxilus occidentalis, G	
		Luxilus veco, G	28
		Luxilus lucidus, G., pl. lx, figs. 9-12	283
		SEMOTILUS, Rafin	28
		Semotilus speciosus, G., pl. lxi, figs. 11-25	
		Hudsonius, Girard	
		GILA, B. & G	
		Gila robusta, B. & G	
		Gila elegans, B. & G	
		Gila gracilis, B. & G	
		TIGOMA, Girard Tigoma conformis, G	
			289
		Tigoma bicolor, G	
		Tigoma Humboldti, G	
		Tigoma egregia, G	
		Tigoma lineata, G.	
		Tigoma crassa, G., pl. lxii	
		Tigoma gracilis, G	
		CHEONDA, Girard	
		Cheonda Cooperi, G., pl. lxiii, figs. 1-5	
		Cheonda cærulea, G., pl. lxiii, figs. 6-9	
		Sibona, Girard	290
		Siboma crassicauda, G., pl. lxiv, figs. 1-4	290

1859.	GIRARD, CHARLES—Continued.	
	Ptychocheilus, Agass	29 8
	Ptychocheilus Oregonensis, G., pl. lxiv, figs. 5-9	
	Ptychocheilus grandis, G	299
	Ptychocheilus rapax, G., pl. lxv	300
	Ptychocheilus vorax, G	301
	Clinostomus, Girard	302
	Family Cyprinodontidæ, Owen	302
	Fundulus, Lacép	303
	Fundulus parvipinnis, G	303
	Family Esocidæ, Bonap	304
	Family Salmonidæ, Bonap	304
	Salmo (Artédi), Valenciennes	305
	Salmo scouleri, Richards	
	Salmo quinnat, Richards, pl. lxvii	
	Salmo spectabilis, G	
	Fario, Valenc	
	Fario aurora, G., pl. lxviii	
	Fario tsuppitch, G., pl. lxix, figs. 1-4.	
	Fario argyreus, G., pl. lxx	
	Fario Gairdneri, G., pl. lxxi, figs. 1-4.	
	Fario Clarki, G., pl. lxxi, figs. 5-8	
	Fario stellatus, G., pl. lxix, figs. 5-8	
	SALAR, Valenc	
	Salar Lewisi, G., pl. lxxii	
	Salar virginalis, G	
	· ·	
	Salar iridea, G., pl. lxxiii, fig. 5 and pl. lxxiv	
	Osmerus, Artédi	
	Osmerus pretiosus, G., pl. lxxv, fig. 5	
	THALEICHTHYS, Girard	
	Thaleichthys Stevensi, G., pl. lxxv, figs. 1-4	
	Coregonus, Artédi	
	Coregonus Williamsoni, G., pl. lxvi.	
	Family Scopelidæ, Owen	
	Saurus (Laurida) lucioceps, Ayres	
	Family CLUPEIDÆ, Bonap	
	CLUPEA, Artédi	
	Clupea mirabilis, G	329
	MELETTA, Valenc	330
	Meletta cærulea, G., pl. lxxv, figs. 5-7	
	Hyodon, Lesueur	332
	Hyodon tergisus, Lesu., pl. lxxv, figs. 1-4	332
	Engraulis, Cuv	333
	Engraulis mordax, G	334
	Engraulis nanus, n. s	
	Engraulis delicatissimus, G	
	Engraulis compressus, 11. 8	
	Order Plectognathi	
	Family Balistidæ, Bonap	338
	Family GYMNODONTIDÆ, Yarrell	
	Tetraodon, Linu	
	Tetraodon politus, n. s.	
	Order Lophobranchii.	
	Family Hippocampidæ. Owen	
	Hypocampus, Cuv	
	Hipocampus ingens, n. s	
	Family Syngnathidæ, Bonap	
	Syngnathus, Artédi	
	Syngnathus Californiensis, Storer	
	Syngnathus brevirostris, G	
	Syngnathus leptorhynchus, G	
	Syngnathus Abboti, n. s	
	Syngnathus arundinaceus, n. s	
	Order GANOÏDEI	
	Family Amiadæ, Baird Amia, Linn	
	Amia ocellicauda, Richards	
	Amia occidentalis, De Kay	

59. GIRARD, CHARLES—Continued.	
Family Sauridæ, De Kay	350
Lephosteus, Lacép	
Lepidosteus leptorhynchus, n. s	35
Lepidosteus (('ylindrosteus) latirostris, n. s	
Lepidosteus (Atractosteus) Berlandieri, n. s	
Family Sturionidæ, Swains	
ACIPENSER, Artédi	
Acipenser brachyrhynchus, Ayres	
Acipenser transmontanus, Richards	
Acipenser acutirostris, Ayres	35
Acipenser medirostris, Ayres	
SCAPHIRHYNCHUS, Heck.	
Scaphirhynchus platyrhynchus, Bd	25
Polyodon, Lacép	25
Polyodon folium, Lacép.	
Order Holocephali.	
Family CHIMERIDE, Bonap.	
• CHIMÆRA, Linn	
Chimæra colliæ, Benn	
Order Plagiostomi	
Suborder SQUALI	
Family SCYLLIODONTIDÆ, Girard	
TRIAKIS, Mull. & Henle	
Triakis semifasciatus, G	
Family Mustelidæ. Girard	
Mustelus felis, Ayres	
Family Cestraciontidæ, Owen	
Cestracion, Cuv	
Cestracion francisci, G	
Family Notipanidæ, Owen	36
Heptanchus maculatus, G	36
Family Spinacidæ, Owen	36
Acanthias, Risso	
Acanthias sucklii, G	36
Suborder Rajæ	
Family Rhynobatidæ, Owen	
RHYNOBATUS, Bl. Schn	
Rhynobatus productus, Ayres	
Family Torpedinidæ, Owen	
Narcine californica, G	
Family Rajidæ, Owen	
Raja, Artédi	
Raja Cooperi, n. s	37
Uraptera, Mull. & Henle	37
Uraptera binoculata, G	373
Family Myliobatidæ, Owen	37
RHINOPTERA, Kuhl	374
Rhinoptera vespertilio, G	37
Order Dermopteri	370
Suborder Marsipobranchii, s. Cyclostomi	376
Family Petromyzontidæ, Owen	
PETROMYZON, Linn	
Petromyzon tridentatus, Gairdn	37
Petromyzon ciliatus, Ayres	
Petromyzon lividus, n. s	
Petromyzon plumbeus, G	
Petromyzon Astori, n. s.	
ICHTHYOMYZON, 11. g	
Ichthyomyzon castaneus, n. s.	
Ichthyomyzon hirudo, n. s.	
Ammocetes, Dum	
Ammocætes cibarius, n. s.	
Scolecosoma, n. g	
Scolecosoma concolor = Ammocætes concolor, Kirk.	00
Scolecosoma unicolor = Amm. unicolor, De Kay.	
Scolecosoma borealis = Amm. borealis, Agass.	
Secretaria ou care Ann. Ou cate, Agass.	

1 859.	GIRARD, CHARLES. Report on Fishes collected on the Survey of route near	ar
	the thirty-eighth and thirty-ninth parallels, explored by Capt. F. W. Gur	n-
	nison, and near the forty-first parallel, explored by Lieut. E. G. Beckwith	
	Pacific Railroad Expl. and Surv., vol. x, Part iii, No. iv.	
		21
		21
		21
		21
	Acomus griseus, Grd., pl, xlix, figs. 5-9	22
		22
	Hybognathus placitus, Grd	22
		22
	Algansea obesa, Grd	22
		23
		23
		23
		23
	, ,,	23
		24 24
		24
	The state of the s	24
		24
	·	25
	- · · · · · · · · · · · · · · · · · · ·	25
		25
	Tigoma Humboldti, Grd	25
	Tigoma egregia, Grd	25
		26
		26
		26
		26
		26
		27 27
	Hyodon tergisus, Grd., pl. xxv, figs. 1-4.	27
	2. your ary was, cites, pr. xx1, nga 1-1	
	97.	
1950	GIRARD, CHARLES. Report upon Fishes Collected on the Survey of route ne	
1000.		
	the thirty-fifth parallel, explored by Lieut. A. W. Whipple, and near thirty-many large and heart large and the control of the	
	thirty-second parallel, explored by Lieut. J. G. Parke and Capt. John Pop	e.
	Pacific Rail Road Expl. and Surv., vol. x, Part vi, No. 5.	
	Diopletes nuecensis, Grd.	47
	Ambloplites interruptus, Grd., pl. ii, figs. 1-4	47
	Calliurus melanops, Grd., pl. iii Calliurus diaphanus, Grd., pl. iv, figs, 1-4	47 47
	Calliurus formosus, Grd., pl. v, figs. 1-4.	47
	Calliurus longulus, Grd., pl. v, figs. 5–8; pl. vi, figs. 5–8.	48
	Calliurus microps, Grd., pl. iv, figs. 5-8.	48
	Bryttus albulus, Grd., pl. vi. figs. 1-4	48
	Bryttus signifer, Grd., pl. vii, figs. 5-8	48
	Bryttus humilis, Grd., pl. vii, figs. 9-24	48
	Pomotis speciosus, B. & G., pl. viii, figs. 5-8.	49
	Pomotis heros, B. & G., pl. ix, figs. 13-16	49
-	Pomotis aquilensis, B. & G., pl. ix, figs. 1-4; pl. x, figs. 8-11	49
	Pomotis fallax, B. & G., pl. viii. figs. 9-12; pl. ix, figs. 5-12; pl. x, figs. 1-7	49
	Chiropsis constellatus, Grd., pl. xix	49
	Sebastes rosaceus, Grd., pl. xxi	50
	Amblodon grunniens, Rafin., pl. xxiii	50
	Atherinopsis Californiensis, Grd., pl. xxii ^c	50 50
	Porichthys notatus, Grd., pl. xxv	50 50
	Morrhua proxima, Grd., pl. xla, figs. 5-8	~

1859.	GIRARD, CHARLES—Continued.	
	- w. · · · · · · · · · · · · · · · · · ·	50
	Psettichthys sordidus, Grd., pl. xls	51
	Glyphisodon rubicundus, Grd., pl. xxiv	
	Embiotoco lineata, Grd., pl. xxxi; pl. xxvi. figs. 5-6.	51
	Holconotus rhodoterus, Ag., pl. xxxv; pl. xxxvi, figs. 1-4; pl. xxvi, figs. 7, 8.	51
	Amphistichus argenteus, Ag., pl. xxxix	51 52
	Pimelodus catulus, Grd., pl. xli, figs. 5, 6	5:
	Pimelodus felinus, Grd.	55
	Mozostoma claviformis, Grd., pl. xlviii, figs. 5, 9	5:
	Dionda plumbea, Grd., pl. lii, figs. 21-25	
	Dionda spadicea, Grd., pl. lii, figs. 26-30	5
	Dionda grisea, Grd., pl. lii, fign. 6-10.	5
	Hyborhynchus perspicuus, Grd., pl. lii, figs. 16-20	5
	Hyborhynchus puniceus, Grd., pl. lii, figs. 1-5; figs. 11-15	5
	Hyborhynchus tenellus, Grd	5
	Hyborhyneus confertus, Grd., pl. lix, figs. 11-15	5
	Hybognathus argyritis, Grd., pl. liii, figs. 5-8	
	Gobio vernalis, Grd	
	Leucosomus pallidus, Grd., pl. lxi, figs. 6-10	
•	Leucosomus incrassatus, Grd., pl. lxi, figs. 1-6.	
	Exoglossum mirabile, Grd., pl. lvi, figs. 5-8.	
	Chiola vivax, Grd	
	Alburnellus umbratilis, Grd	
	Alburnops blennius, Grd., pl. lvii, figs. 13-16.	
	Alburnops Shumardi, Grd., pl. lvii, figs. 1-4	
	Alburnops illecebrosus, Grd., pl. lvii, figs. 5-8	
	Cyprinella umbrosa, Grd., pl. lviii, figs. 1-5	
	Cyprinella suavis, Grd	
	Cyprinella lepida, Grd., pl. lviii, figs. 21-25	5
	Cyprinella notata, Grd., pl. lviii, figs. 16-20	5
	Cyprinella Whipplii, Grd., pl. lviii, figs. 6-10.	5
	Moniana lutrensis, Grd	
	Moniana Leonina, Grd., pl. lix, figs. 6-10.	
	Moniana deliciosa, Grd	
	Moniana lætabilis, Grd	
	Moniana pulchella, Grd., pl. lviii, figs. 11-15.	
	Moniana frigida, Grd., pl. lix, figs. 16-20	
	Luxilus lucidus, Grd., pl. lx, figs. 9-12	
	Meletta cœrulea, Grd., pl. lxxv, figs. 5-7.	
	Scaphirhynchus platyrhynchus, Bd	
	98.	
1859.	GIRARD, CHARLES. Report on Fishes Collected on the Survey of routes in C	al
	ifornia to connect with the routes near the thirty-fifth and thirty-seco	n
	parallels, explored by Lieut. R. S. Williamson. Pacific Rail Road Expl. a	an
	Surv., vol. x, Part iv, No. 4.	
	Pomoxie nitidue, Grd., pl. ii, figs. 5-8	۰
	Ambloplites interruptus, Grd., pl. ii, figs. 1-4.	
	Paralabrax nebulifer, Grd., pl. xii, figs. 1-4	
	Paralabrax clathratus, Grd., pl. xii, figs. 5-8	8
	Chiropsis constellatus, Grd., pl. xix	
	Chiropsis pictus, Grd., pl. xx, figs. 1-4	
	Chiropsis guttatus, Grd., pl. xx, figs. 5-8	
	Ophiodon elongatus, Grd., pl. xviii, figs. 4-7	
	Cottopeis gulosus, Grd	
	Leptocottus armatus, Grd., pl. xv, fig. 2	
	Seorpænichthys marmoratus, Grd., pl. xvi, fig. 1	
	Hemilepidotus spinosus, Ayres	
	Sebastes fasciatus, Grd., pl. xxii	
		•

1859.	GIRARD, CHARLES—Continued.	
	Gasterosteus microcephalus, Grd	85
		86
		86
	Gobius lepidus, Grd., pl. xxxv*, figs. 5, 6 Morrhua proxima, Grd., pl. xl*, figs. 5–8	
		86
	Pleuronichthys cœnosus, Grd	86
	Parophrys vetulus, Grd	87
		87
		87
	Embiotoca lineata, Grd., pl. xxxi; pl. xxvi, figs. 5-6.	
	Holconotus rhodoterus, Ag., pl. xxxv; xxxvi, figs. 1-4; xxvi, figs. 7-8 Ennichthys Hermanni, Grd., pl. xxxviii, xxvi, fig. 9	87 88
	Amphistechus argenteus, Ag., pl. xxxix	88
	Amphistechus similis, Grd., pl. xxxvi, figs. 5-9	
	Mylopharodon robustus, Ayres., pl. xlvii	
		88
		88
	Lavinia exilicauda, B. & G., pl. liv, figs. 1-4	89
	Pogonichthys inæquilobus, B. & G., pl. lvi, figs. 1-4.	89
	Pogonichthys symmetricus, B. & G. Luxilus occidentalis, Grd.	
	Tigoma crassa, Grd., pl. lxii	
	· · · · ·	90
	Clupea mirabilis, Grd	90
	Meletta cœrulea, Grd., pl. lxxv, figs. 5-7.	
	Engraulis nanus, Grd	91
	99.	
1050	·	
	Contain Contains Depart were Districted as the Common of souther	•
1809.	GIRARD, CHARLES. Report upon Fishes Collected on the Survey of routes	
1899.	California and Oregon, explored by Lieut. R. S. Williamson and Lieut. Hen	ry
1899.	California and Oregon, explored by Lieut. R. S. Williamson and Lieut. Hen L. Abbot. Pacific Rail Road Expl. and Surv., vol vi. [Also referred to	ry
1899.	California and Oregon, explored by Lieut. R. S. Williamson and Lieut. Hen L. Abbot. Pacific Rail Road Expl. and Surv., vol vi. [Also referred to Part iv, vol. x.]	ry in
1999.	California and Oregon, explored by Lieut. R. S. Williamson and Lieut. Hen L. Abbot. Pacific Rail Road Expl. and Surv., vol vi. [Also referred to Part iv, vol. x.] Sebastes pauciepinis, Grd., pl. xxii*, figs. 1-4	ry in 34
1999.	California and Oregon, explored by Lieut. R. S. Williamson and Lieut. Hen L. Abbot. Pacific Rail Road Expl. and Surv., vol vi. [Also referred to Part iv, vol. x.] Sebastes paucispinis, Grd., pl. xxii*, figs. 1-4	ry in 34 34
1999.	California and Oregon, explored by Lieut. R. S. Williamson and Lieut. Hen L. Abbot. Pacific Rail Road Expl. and Surv., vol vi. [Also referred to Part iv, vol. x.] Sebastes paucispinis, Grd., pl. xxii*, figs. 1-4. Artedius lateralis, Grd., pl. xxii*, figs. 5, 6	ry in 34 34 34
1999.	California and Oregon, explored by Lieut. R. S. Williamson and Lieut. Hen L. Abbot. Pacific Rail Road Expl. and Surv., vol vi. [Also referred to Part iv, vol. x.] Sebastes paucispinis, Grd., pl. xxii*, figs. 1-4	ry in 34 34 34 34
1809.	California and Oregon, explored by Lieut. R. S. Williamson and Lieut. Hen L. Abbot. Pacific Rail Road Expl. and Surv., vol vi. [Also referred to Part iv, vol. x.] Sebastes paucispinis, Grd., pl. xxii*, figs. 1-4 Artedius lateralis, Grd., pl. xxii*, figs. 5, 6 Artedius notospilotus, Grd., pl. xxii*, figs. 5, 6 Leiostomus lineatus, pl. xxii*, figs. 1-5 Anarrhichthys felis, pl. xxv*, figs. 1-3	ry in 34 34 34 34 34
1809.	California and Oregon, explored by Lieut. R. S. Williamson and Lieut. Hen L. Abbot. Pacific Rail Road Expl. and Surv., vol vi. [Also referred to Part iv, vol. x.] Sebastes paucispinis, Grd., pl. xxii*, figs. 1-4 Artedius lateralis, Grd., pl. xxii*, figs. 5, 6 Artedius notospilotus, Grd., pl. xxii*, figs. 5, 6 Leiostomus lineatus, pl. xxii*, figs. 1-5 Anarrhichthys felis, pl. xxv*, figs. 1-3 Blennius gentilis, Grd., pl. xxv*, fig. 4	ry in 34 34 34 34 34
1809.	California and Oregon, explored by Lieut. R. S. Williamson and Lieut. Hen L. Abbot. Pacific Rail Road Expl. and Surv., vol vi. [Also referred to Part iv, vol. x.] Sebastes paucispinis, Grd., pl. xxii*, figs. 1-4 Artedius lateralis, Grd., pl. xxii*, figs. 5, 6 Artedius notospilotus, Grd., pl. xxii*, figs. 5, 6 Leiostomus lineatus, pl. xxii*, figs. 1-5 Anarrhichthys felis, pl. xxv*, figs. 1-3	ry in 34 34 34 34 34 34
1809.	California and Oregon, explored by Lieut. R. S. Williamson and Lieut. Hen L. Abbot. Pacific Rail Road Expl. and Surv., vol vi. [Also referred to Part iv, vol. x.] Sebastes paucispinis, Grd., pl. xxii*, figs. 1-4. Artedius lateralis, Grd., pl. xxii*, figs. 5, 6 Artedius notospilotus, Grd., pl. xxii*, figs. 5, 6 Leiostomus lineatus, pl. xxii*, figs. 1-5 Anarrhichtys felis, pl. xxv*, figs. 1-3 Blennius gentilis, Grd., pl. xxv*, fig. 4. Gobius lepidus, Grd., pl. xxv*, figs. 5, 6. Lumpenus anguillaris, pl. xxv*, figs. 1-3 Cebidichthys violaceus, pl. xxv*, figs. 4, 5	ry in 34 34 34 34 34 34 34 34
1809.	California and Oregon, explored by Lieut. R. S. Williamson and Lieut. Hen L. Abbot. Pacific Rail Road Expl. and Surv., vol vi. [Also referred to Part iv, vol. x.] Sebastes paucispinis, Grd., pl. xxii*, figs. 1-4. Artedius lateralis, Grd., pl. xxii*, figs. 5, 6 Artedius notospilotus, Grd., pl. xxii*, figs. 5, 6 Leiostomus lineatus, pl. xxii*, figs. 1-5. Anarrhichthys felis, pl. xxv*, figs. 1-3. Blennius gentilis, Grd., pl. xxv*, figs. 4. Gobius lepidus, Grd., pl. xxv*, figs. 5, 6. Lumpenus anguillaris, pl. xxv*, figs. 1-3. Cebidichthys violaceus, pl. xxv*, figs. 4.5 Gunnellus ornatus, pl. xxv*, figs. 6, 7.	ry in 34 34 34 34 34 34 34 34
1809.	California and Oregon, explored by Lieut. R. S. Williamson and Lieut. Hen L. Abbot. Pacific Rail Road Expl. and Surv., vol vi. [Also referred to Part iv, vol. x.] Sebastes paucispinis, Grd., pl. xxii*, figs. 1-4. Artedius lateralis, Grd., pl. xxii*, figs. 5, 6 Artedius notospilotus, Grd., pl. xxii*, figs. 5, 6 Leiostomus lineatus, pl. xxii*, figs. 1-5 Anarrhichthys felis, pl. xxv*, figs. 1-3 Blennius gentilis, Grd., pl. xxv*, fig. 4 Gobius lepidus, Grd., pl. xxv*, figs. 5, 6 Lumpenus anguillaris, pl. xxv*, figs. 1-3 Cebidichthys violaceus, pl. xxv*, figs. 4, 5 Gunnellus ornatus, pl. xxv*, figs. 6, 7 Homalopomus Trowbridgi, Grd., pl. xl*, figs. 1-4	ry in 34 34 34 34 34 34 34 34 34 34
	California and Oregon, explored by Lieut. R. S. Williamson and Lieut. Hen L. Abbot. Pacific Rail Road Expl. and Surv., vol vi. [Also referred to Part iv, vol. x.] Sebastes paucispinis, Grd., pl. xxii*, figs. 1-4. Artedius lateralis, Grd., pl. xxii*, figs. 5, 6 Artedius notospilotus, Grd., pl. xxii*, figs. 5, 6 Leiostomus lineatus, pl. xxii*, figs. 1-5 Anarrhichthys felis, pl. xxv*, figs. 1-3 Blennius gentilis, Grd., pl. xxv*, fig. 4 Gobius lepidus, Grd., pl. xxv*, figs. 5, 6. Lumpenus anguillaris, pl. xxv*, figs. 1-3 Cebidichthys violaceus, pl. xxv*, figs. 6, 7 Homalopomus Troubridgi, Grd., pl. xl*, figs. 1-4 Morrhua proxima, pl. xl*, figs. 5-8	ry in 34 34 34 34 34 34 34 34 34 34 34
٠.	California and Oregon, explored by Lieut. R. S. Williamson and Lieut. Hen L. Abbot. Pacific Rail Road Expl. and Surv., vol vi. [Also referred to Part iv, vol. x.] Sebastes paucispinis, Grd., pl. xxii*, figs. 1-4. Artedius lateralis, Grd., pl. xxii*, figs. 5, 6 Artedius notospilotus, Grd., pl. xxii*, figs. 5, 6 Leiostomus lineatus, pl. xxii*, figs. 1-5. Anarrhichthys felis, pl. xxv*, figs. 1-3. Blennius gentilis, Grd., pl. xxv*, figs. 5, 6 Lumpenus anguillaris, pl. xxv*, figs. 5, 6 Lumpenus anguillaris, pl. xxv*, figs. 5, 6 Cebidichthys violaceus, pl. xxv*, figs. 4, 5. Gunnellus ornatus, pl. xxv*, figs. 6, 7. Homalopomus Trowbridgi, Grd., pl. xl*, figs. 1-4. Morrhua proxima, pl. xl*, figs. 5-8. Mylocheilus caurinus, pl. xl*, figs. 1-4.	ry in 34 34 34 34 34 34 34 34 34 34 34
	California and Oregon, explored by Lieut. R. S. Williamson and Lieut. Hen L. Abbot. Pacific Rail Road Expl. and Surv., vol vi. [Also referred to Part iv, vol. x.] Sebastes paucispinis, Grd., pl. xxii*, figs. 1-4. Artedius lateralis, Grd., pl. xxii*, figs. 5, 6 Artedius notospilotus, Grd., pl. xxii*, figs. 5, 6 Leiostomus lineatus, pl. xxii*, figs. 1-5 Anarrhichthys felis, pl. xxv*, figs. 1-3 Blennius gentilis, Grd., pl. xxv*, figs. 5, 6 Lumpenus anguillaris, pl. xxv*, figs. 5, 6 Lumpenus anguillaris, pl. xxv*, figs. 4, 5 Gunnellus ornatus, pl. xxv*, figs. 6, 7 Homalopomus Troubridgi, Grd., pl. xi*, figs. 1-4 Mylocheilus caurinus, pl. xlv, figs. 1-4 Mylocheilus caurinus, pl. xlv, figs. 1-4 Mylocheilus caurinus, pl. xlv, figs. 1-4 Mylopharodon conocephalus, pl. xlv, figs. 5-8	ry in 34 34 34 34 34 34 34 34 34 34 34 34 34
٠.	California and Oregon, explored by Lieut. R. S. Williamson and Lieut. Hen L. Abbot. Pacific Rail Road Expl. and Surv., vol vi. [Also referred to Part iv, vol. x.] Sebastes paucispinis, Grd., pl. xxii*, figs. 1-4. Artedius lateralis, Grd., pl. xxii*, figs. 5, 6 Artedius notospilotus, Grd., pl. xxii*, figs. 5, 6 Leiostomus lineatus, pl. xxii*, figs. 1-5. Anarrhichthys felis, pl. xxv*, figs. 1-3. Blennius gentilis, Grd., pl. xxv*, figs. 5, 6 Lumpenus anguillaris, pl. xxv*, figs. 5, 6 Lumpenus anguillaris, pl. xxv*, figs. 5, 6 Cebidichthys violaceus, pl. xxv*, figs. 4, 5. Gunnellus ornatus, pl. xxv*, figs. 6, 7. Homalopomus Trowbridgi, Grd., pl. xl*, figs. 1-4. Morrhua proxima, pl. xl*, figs. 5-8. Mylocheilus caurinus, pl. xl*, figs. 1-4.	ry in 34 34 34 34 34 34 34 34 34 34 34 34 34
٠.	California and Oregon, explored by Lieut. R. S. Williamson and Lieut. Hen L. Abbot. Pacific Rail Road Expl. and Surv., vol vi. [Also referred to Part iv, vol. x.] Sebastes paucispinis, Grd., pl. xxii*, figs. 1-4. Artedius lateralis, Grd., pl. xxii*, figs. 5, 6 Artedius notospilotus, Grd., pl. xxii*, figs. 5, 6 Leiostomus lineatus, pl. xxii*, figs. 1-5. Anarrhichthys felis, pl. xxv*, figs. 1-3. Blennius gentilis, Grd., pl. xxv*, figs. 4. Gobius lepidus, Grd., pl. xxv*, figs. 5, 6 Lumpenus anguillaris, pl. xxv*, figs. 1-3. Cebidichthys violaceus, pl. xxv*, figs. 4.5. Gunnellus ornatus, pl. xxv*, figs. 6, 7. Homalopomus Trowbridgi, Grd., pl. xl*, figs. 1-4. Morrhua prozima, pl. xl*, figs. 5-8. Mylopharodon conocephalus, pl. xlv, figs. 5-8. Tyoma crassa, Grd., pl. lxii.	ry in 34 34 34 34 34 34 34 34 34 34 34 34 34
٠.	California and Oregon, explored by Lieut. R. S. Williamson and Lieut. Hen L. Abbot. Pacific Rail Road Expl. and Surv., vol vi. [Also referred to Part iv, vol. x.] Sebastes paucispinis, Grd., pl. xxii*, figs. 1-4. Artedius lateralis, Grd., pl. xxii*, figs. 5, 6 Artedius notospilotus, Grd., pl. xxii*, figs. 5, 6 Leiostomus lineatus, pl. xxii*, figs. 1-5 Anarrhichthys felis, pl. xxv*, figs. 1-3 Blennius gentilis, Grd., pl. xxv*, figs. 4.6 Gobius lepidus, Grd., pl. xxv*, figs. 5, 6 Lumpenus anguillaris, pl. xxv*, figs. 4, 5 Gunnellus ornatus, pl. xxv*, figs. 6, 7 Homalopomus Troubridgi, Grd., pl. xi*, figs. 1-4 Mylocheilus caurinus, pl. xl*, figs. 5-8 Mylocheilus caurinus, pl. xl*, figs. 1-4 Mylocheilus caurinus, pl. xl*, figs. 5-8 Tigoma crassa, Grd., pl. lxii Coregonus Williamsoni, Grd., pl. lxvi Fario aurora, Grd., pl. lxviii Fario argyreus, Grd., pl. lxviii	ry in 34 34 34 34 34 34 34 34 34 34 34 34 34
٠.	California and Oregon, explored by Lieut. R. S. Williamson and Lieut. Hen L. Abbot. Pacific Rail Road Expl. and Surv., vol vi. [Also referred to Part iv, vol. x.] Sebastes paucispinis, Grd., pl. xxii*, figs. 1-4. Artedius lateralis, Grd., pl. xxii*, figs. 5, 6 Artedius notospilotus, Grd., pl. xxii*, figs. 5, 6 Leiostomus lineatus, pl. xxii*, figs. 1-5. Anarrhichthys felis, pl. xxv*, figs. 1-3. Blennius gentilis, Grd., pl. xxv*, figs. 4 Gobius lepidus, Grd., pl. xxv*, figs. 5, 6 Lumpenus anguillaris, pl. xxv*, figs. 5, 6 Lumpenus anguillaris, pl. xxv*, figs. 4, 5 Gunnellus ornatus, pl. xxv*, figs. 6, 7. Homalopomus Trowbridgi, Grd., pl. xi*, figs. 1-4. Mylocheilus caurinus, pl. xl*, figs. 5-8. Mylocheilus caurinus, pl. xlv, figs. 1-4. Mylopharodon conocephalus, pl. xlv, figs. 5-8. Tigoma crassa, Grd., pl. lxiii Coregonus Williamsoni, Grd., pl. lxviii Fario aurora, Grd., pl. lxviii Fario argyreus, Grd., pl. lxviii	ry in 34 34 34 34 34 34 34 34 34 34 34 34 34
٠.	California and Oregon, explored by Lieut. R. S. Williamson and Lieut. Hen L. Abbot. Pacific Rail Road Expl. and Surv., vol vi. [Also referred to Part iv, vol. x.] Sebastes paucispinis, Grd., pl. xxii*, figs. 1-4. Artedius lateralis, Grd., pl. xxii*, figs. 5, 6 Artedius notospilotus, Grd., pl. xxii*, figs. 5, 6 Leiostomus lineatus, pl. xxii*, figs. 1-5 Anarrhichthys felis, pl. xxv*, figs. 1-3 Blennius gentilis, Grd., pl. xxv*, figs. 4.6 Gobius lepidus, Grd., pl. xxv*, figs. 5, 6 Lumpenus anguillaris, pl. xxv*, figs. 4, 5 Gunnellus ornatus, pl. xxv*, figs. 6, 7 Homalopomus Troubridgi, Grd., pl. xi*, figs. 1-4 Mylocheilus caurinus, pl. xl*, figs. 5-8 Mylocheilus caurinus, pl. xl*, figs. 1-4 Mylocheilus caurinus, pl. xl*, figs. 5-8 Tigoma crassa, Grd., pl. lxii Coregonus Williamsoni, Grd., pl. lxvi Fario aurora, Grd., pl. lxviii Fario argyreus, Grd., pl. lxviii	ry in 34 34 34 34 34 34 34 34 34 34 34 34 34
አ	California and Oregon, explored by Lieut. R. S. Williamson and Lieut. Hen L. Abbot. Pacific Rail Road Expl. and Surv., vol vi. [Also referred to Part iv, vol. x.] Sebastes paucispinis, Grd., pl. xxii*, figs. 1-4. Artedius lateralis, Grd., pl. xxii*, figs. 5.6	ry in 34 34 34 34 34 34 34 34 34 34 34 34 34
አ	California and Oregon, explored by Lieut. R. S. Williamson and Lieut. Hen L. Abbot. Pacific Rail Road Expl. and Surv., vol vi. [Also referred to Part iv, vol. x.] Sebastes paucispinis, Grd., pl. xxii*, figs. 1-4. Artedius lateralis, Grd., pl. xxii*, figs. 5.6	ry in 34 34 34 34 34 34 34 34 34 34 34 34 34
አ	California and Oregon, explored by Lieut. R. S. Williamson and Lieut. Hen L. Abbot. Pacific Rail Road Expl. and Surv., vol vi. [Also referred to Part iv, vol. x.] Sebastes paucispinis, Grd., pl. xxii*, figs. 1-4. Artedius lateralis, Grd., pl. xxii*, figs. 5.6	ry in 34 34 34 34 34 34 34 34 34 34 34 34 34
አ	California and Oregon, explored by Lieut. R. S. Williamson and Lieut. Hen L. Abbot. Pacific Rail Road Expl. and Surv., vol vi. [Also referred to Part iv, vol. x.] Sebastes paucispinis, Grd., pl. xxii*, figs. 1-4 Artedius lateralis, Grd., pl. xxii*, figs. 5, 6 Artedius notospilotus, Grd., pl. xxii*, figs. 5, 6 Leiostomus lineatus, pl. xxii*, figs. 1-5 Anarrhichthys felis, pl. xxv*, figs. 1-3 Blennius gentilis, Grd., pl. xxv*, figs. 1-3 Blennius gentilis, Grd., pl. xxv*, figs. 4, 6 Gobius lepidus, Grd., pl. xxv*, figs. 5, 6 Lumpenus anguillaris, pl. xxv*, figs. 4, 5 Gunnellus ornatus, pl. xxv*, figs. 4, 5 Gunnellus ornatus, pl. xxv*, figs. 6, 7 Homalopomus Trowbridgi, Grd., pl. xx*, figs. 1-4 Morrhua proxima, pl. xl*, figs. 5-8 Tigoma crassa, Grd., pl. lxii. Ooregonus Williamsoni, Grd., pl. lxvi Fario aurora, Grd., pl. lxviii Fario aurora, Grd., pl. lxviii Fario aurora, Grd., pl. lxviii Fario aurora, Grd., pl. lxxiii Ooregonus Williamsoni, Grd., pl. lxvi Fario aurora, Grd., pl. lxviii Fario aurora, Grd., pl. lxxiii Ooregonus Williamsoni, Grd., pl. lxvi Fario aurora, Grd., pl. lxxiii Fario aurora, Grd., pl. lxxiii	ry in 34 34 34 34 34 34 34 34 34 34 34 36 of

A "general report" upon the reptiles collected by the various explorations and surveys for the Pacific Railroad was contemplated by Spencer F. Baird and Charles Girard. Plates for

Baird. Washington, 1859. 4°.

that purpose were prepared at the Smithsonian Institution under their supervision and care, including those accompanying the reports of Drs. Cooper and Hallowell, as shown by the unique scrial numeration. In the mean time the characteristics of the new genera and species appeared in the *Proceedings of the Academy of Natural Sciences of Philadelphia*. (See above, Nos. 34, 35, 36, 37, 39, and 63.) Professor Baird being personally in charge of the reports upon "mammals" and "birds," and Dr. Girard of the report upon "fishes," there was not sufficient time to do justice to the report upon "reptiles." Dr. Girard being called abroad, the entire task fell upon Professor Baird, who prepared all the data upon the subject, describing such new species as had not been characterized before. It is much to be regretted that plates xxiv to xxxvi appeared with a merely nominal explanation, when a comparative discussion of all the genera and species figured was contemplated by both of the herpetologists named.

The following list enumerates the species which have been studied by Dr. Girard, under whose direction the plates were prepared.

CRELONIA.

Actinemys marmorata, Agass.

Emy nigra, Hollow.

SAURIA.

Callisaurus ventralis, Baird.

Crotaphytus collaris, Holbr, pl. xxiv, fig. 1.

Crotaphytus Wislizeni, B. & G.

Cnemidophorus tesselatus.

Dipsosaurus dorsalis, Hallow.

Doliosaurus platyrhinos, Grd.

Elgaria grandis, B & G.

Elgaria principis, B. & G.

Heloderma horridum, Wiegm.

Holbrookia maculata, Grd.

Holbrookia texana, B. & G.

Lygosoma lateralis, Dum. & Bibr.

Phrynosoma cornutum, Gray.

Plestiodon skiltonianum, B. & G. Plestiodon septentrionalis, B. & G., pl. xxiv, fig. 2.

Plestiodon fasciatus, B. & G.

Plestiodon obsoletum, B. & G.

Sceloporus graciosus, B. & G.

Sceloporus occidentalis, B. & G.

Sceloporus undulatus, Wiegm.

Sceloporus consobrinus, B. & G.

Sceloporus Thayeri, B. & G.

Tapaya brevirostris, Grd.

Tapaya Douglasi, Grd.

Tapaya Hernandesi, Grd.

Tapaya ornatissima, Grd.

Urosaurus graciosus, Hallow.

Uta Stansburiana, B. & G.

OPHIDIA.

 $A\,ncistrodon\,\,contortrix,\,\,B.\,\,\&\,\,G.,\,pl.\,\,xxv,\,fig.\,12.$

Abastor erythrogrammus, Gray, pl. xxxiii, fig. 83.

Bascanion constrictor, B. & G., pl. xxxi, fig. 67. Bascanion Fremonti, B. & G., pl. xxxi, fig. 68.

Bascanion Foxi, B. & G., pl. xxxi, 69.

Bascanion flaviventris, B. & G., pl. xxxi, fig. 70.

Bascanion vetustus, B. & G., pl. xx, fig. 1, and pl. xxxvi, fig. 6.

Celuta amæna, B. & G., pl. xix, fig. 2, and pl. xxxiii, fig. 95.

Chlorosoma vernalis, B. & G., pl. xxxii, fig. 81.

Contia mitis, B. & G., pl. xxxvi, fig. 7.

Crotalus lucifer, B. & G., pl. xi and pl. xxxvi, fig. 1.

Crotalus durissus, L., pl. xxiv, fig. 1.

Crotalus atrox, B. & G., pl. xxiv, fig. 3.

Crotalus confluentus, Say, pl. xii and pl. xxiv, fig. 4.

Crotalus adamanteus, Beauv., pl. xxiv, fig. 2.

Crotalus molossus, B. & G., pl. xxiv, fig. 5.

Crotalus Oregonus, Holbr., pl. xxiv, fig. 6.

Crotalus cevastes, Holbr., pl. xxxv, figs. 4-5.

Crotalus tigris. Kenn., pl. xxxv, fig. 1. Crotalophorus miliarius, Holbr., pl. xxiv, fig. 7.

Digitized by Google

```
1859. GIRARD, CHARLES-Continued.
```

Crotalophorus consors, B. & G., pl. xxiv, fig. 8. Crotalophorus tergeminus, Holbr., pl. xxv, fig. 9. Crotalophorus Edwarsi, B. & G., pl. xxv, fig. 10. Crotalophorus Kirtlandi, Holbr., pl. xxv, fig. 11. Diadophis punctatus, B. & G., pl. xxxiii, fig. 82. Diadophis amabilis, B. & G., pl. xxxiii, fig. 83. Diadophis docilis, B. & G., pl. xxxii, fig. 1, and pl. xxxiii, fig. 84. Diadophis pulchellus, B. & G., pl. xxxii, fig. 85. Diadophis regalis, B. & G., pl. xxx, fig. 86. Dipsas septentrionalis, Kenn., pl. xxv, fig. 18. Elaps fulvius, Cuv., pl. xxv, fig. 15. Elaps tener, B. & G., pl. xxv, fig. 16. Elaps tristis, B. & G., pl. xxv, fig. 17. Eutænia saurita, B. & G., pl. xxvi, fig. 19. Eutænia faireyi, B. and G., pl. xiii and xvi, and pl. xxvi, fig. 20. Eutænia proxima, B. & G., pl. xxvi, fig. 21. Eutænia ornata, B. & G., pl. xxvi, fig. 23. Eutænia sirtalis, B. & G., pl. xxvi, fig. 23. Eutænia ordinata, B. & G., pl. xxvi, fig. 24. Eutænia radix, B. & G., pl. xxvi, fig. 25 and pl. xxxiv, fig. 5. Eutænia marciana, B. & G., pl. xxvi, fig. 26. Eutænia ordinoïdes, B. & G., pl. xxvi, fig. 3. Eutænia dorsalis, B. & G., pl. xxvi, fig. 2. Eutænia vagrans, B. & G., pl. xvii. Eutænia infernalis, B. & G. Eutænia concinna, B. & G., pl. xv, fig. 2. Eutænia elegans, B. & G. Eutænia Cooperi, Kenn., pl. xv, fig. 1. Eutænia Pickeringi, B. & G., pl. xxxvi, fig. 3. Eutænia leptocephala, B. & G., pl. xxxvi, fig. 2. Eutænia Haydeni, Kenn., pl. xiv. Farancia obscura, B. & G., pl. xxxiii, fig. 82. Georgia obsoleta, B. & G., pl. xxxi, fig. 66. Georgia Cooperi, B. & G., pl. xxxiv, fig. 1. Haldea striatula, B. & G., pl. xxxiii, fig. 81. Herpetodryas flavigularis, Hallow. Heterodon platyrhinos, Latr., pl. xxviii, fig. 38. Heterodon cognatus, B. & G., pl. xxviii, fig. 39. Heterodon niger, Troost., pl. xxviii, fig. 40. Heterodon atmodes, B. & G., pl. xxviii, fig. 40. Heterodon simus, Holb., pl. xxviii, figs. 42 and 42 bis. Heterodon nasicus, B. & G., pl. xxviii, fig. 43. Lamprosoma occipitale, Hallow., pl. xxxv, figs. 6, 7. Leptophis æstivus, Bell, pl. xxxii, fig. 79. Leptophis majalis, B. & G., pl. xxxii, fig. 80. Lodia tenuis, B. & G., pl. xxxvi, fig. 8. Masticophis flagelliformis, B. & G., pl. xxxi, fig. 71, and pl. xxxii, fig. 72. Masticophis flavigularis, B. & G., pl. xxxii, fig. 73. Masticophis mormon, B. & G., pl. xxxii, fig. 74. Masticophis ornatus, B. & G., pl. xxxiii, fig. 75. Masticophis tæniatus, B. & G., pl. xxiii, and pl. xxxii, fig. 76. Masticophis Schotti, B. & G., pl. xxxii, fig. 77. Masticophis testaceus, B. & G. Nerodia transversa, B. & G., pl. xxvi, fig. 1. Nerodia fasciata, B. & G., pl. xxxiv, fig. 4. Nerodia sipedon, B. & G., pl. xxvii, fig. 27. Nerodia erythrogaster, B. & G., pl. xxiii, and pl. xxvii, fig. 28. Nerodia taxispilota, B. & G., pl. xxvii, fig. 29. Nerodia Holbrooki, B. & G., pl. xxvii, fig. 30. Nerodia nigra, B. & G., pl. xxvii, fig. 31. Nerodia rhombifer, B. & G., pl. xxxiv, fig. 2. Nerodia Woodhousi, B. & G., pl. xxxiv, fig. 3.

Ninia diademata, B. & G., pl. xxvii, fig. 37.
Ophibolus Boyli, B. & G., pl. xxx, fig. 57.
Ophibolus splendidus, B. & G., pl. xxx, fig. 58.
Ophibolus Sayi, B. & G., pl. xxx, fig. 59.

Ophibolus rhombomamlatus, B. & G., pl. xxx, fig. 60. Ophibolus eximius, B. & G., pl. xxx, fig. 61. Ophibolus clericus, B. & G., pl. xxx, fig. 62. Ophibolus doliatus, B. & G., pl. xxx, fig. 63. Ophibolus gentilis, B. & G., pl. xxx, fig. 64. Ophibolus getulus, B. & G., pl. xxxi, fig. 65. Osceola elapsoïdes, B. & G., pl. xxxiii, fig. 97. Pityophis bellona, B. & G., pl. xxix, fig. 46. Pityophis melanoleucus, Holbr., pl. xxix, fig. 44. Pityophis, Sayi, B. & G., pl. xxii, and pl. xxix, fig. 45. Pityophis, McClellani, B. & G., pl. xxix, fig. 47. Pityophis, annectens, B. & G., pl. xxix, fig. 48. Pityophis, catenifer, B. & G., pl. xxxvi, fig. 4. Pityopphis, Wilkesi, B. & G., pl. xxxvi, fig. 5. Regina leberis, B. & G., pl. xxvii, flg. 32. Regina rigida, B. & G., pl. xxvii, fig. 33. Regina Grahami, B. & G., pl. xix, fig. 1, and pl. xxvii, fig. 34. Regina Clarki, B. & G., pl. xxvii, fig. 35. Regina Kirtlandi, Kenn., pl. xx, fig. 2; pl, xxvii, fig. 36. Rena dulcis, B. & G., pl. xxxiii, fig. 100. Rhinocheilus Leconti, B. & G., pl. xxxiii, fig. 90. Rhinostoma coccinea, Holbr., pl. xxxiii, fig. 89. Salvadora Grahamiæ, B. & G., pl. xix, fig. 1. Scotophis Alleghaniensis, B. & G., pl. xxix, fig. 49. Scotophis Lindheimeri, B. & G., pl. xxix, fig. 50. Scotophis vulpinus, B. & G., pl. xxii; pl. xix, fig. 51. Scotophis confinis, B. & G., pl. xxx, fig. 52. Scotophis lætus, B. & G., pl. xxx, fig. 53. Scotophis guttatus, B. & G., pl. xxx, fig. 54. Scotophis 4-vittatus, B. & G., pl. xxx, fig. 55. Scotophis Emoryi, B. & G., pl. xxx, fig. 56. Sonora semi-annulata, B. & G., pl. xxxiii, fig. 88. Storeria Dekayi, B. & G., pl. xxxiii, fig. 98. Storeria occipitomaculata, B. & G., pl. xxxiii, fig. 99. Tæniophis imperialis, B. & G., pl. xxxiii, fig. 87. Tantilla coronata, B. & G., pl. xxxiii, fig. 96. Toluca lineata, Kenn., pl. xxxv, fig. 8. Toxicophis piscivorus, B. & G., pl. xxv, fig. 13. Toxicophis pugnax, B. & G., pl. xxv, fig. 14. Virginia valeria, B. & G., pl. xxxiii, fig. 84. Wenona plumbea, B. & G., ? pl. xxxii, fig. 3. BATRACHIA.

Amblystoma mavortium, Baird.

Amblystoma Californiense, Gray, pl. xxx, fig. 1-3.

Anaïdes lugubris, Baird, pl. xxx, fig. 4.

Bufo Columbiensis, B. & G.

Bufo Americanus, Leconte, pl. xxxv, fig. 2.

Bufo nebulifer, Girard.

Bufo Woodhousi, Girard, pl. xxxv, fig. 1.

Bufo cognatus, Say, pl. xxxvi.

Bufo boreas, B. & G.

Hyla regilla, B. & G., pl. xxviii, fig. 3.

Rana catesbiana, Shaw.

Rana clamitans, Daud. Rana halecina, Kalm., pl. xxix, fig. 7.

Rana pretiosa, B. & G.

Scaphiopus Hammondi, Baird, pl. xxviii, fig. 2.

Siredon lichenodes, Baird.

Siredon gracilis, Baird, pl. xliv, fig. 2.

Taricha torosa, Gray.

101.

1859. GIRARD, CHARLES, with SPENCER F. BAIRD. United States and Mexican | Boundary Survey, | under the order of | Lieut. Col. W. H. Emory, | Major First Cavalry, and United States Commissioner. | - | Reptiles | of the

1859. GIRARD, CHARLES, with SPENCER F. BAIRD.—Continued.

Boundary, | by | Spencer F. Baird, | Assistant Secretary of the Smithsonian Institution. | With notes by the Naturalists of the Survey. | = | 4to. pp. (2) 3-35, pl. xli (for title of volume see under 80 and 81).

The remarks above under No. 94 apply equally here.

CHELONIA.

1.	Aspidonectes Emoryi, Agassiz	3
2.	Gypochelys lacertina, Agassiz.	
3.	Ozotheca tristycha, Agassiz.	
	Thyrosternum sonoriense, Agassiz.	
	Platythyra flavescens, Agassiz.	
	Ptychemys mobilensis, Agassiz.	
	Trachemys elegans, Agassiz.	
	Chrysemys Oregonensis, Agassiz.	4
	Xerobates Berlandieri, Agassiz.	•
	Activates Deliminaters, Agassiz.	
	SAURIA.	
10.	Alligator lucius, Cuv	5
	Sceloporus Clarki, B. & G.	
	Sceloporus spinosus, Wieg, pl. xxix, figs. 4-6.	
	Sceloporus consobrinus, B. & G.	
	Sceloporus torquatus, Weigm.	
	Sceloporus Poinsetti, B. & G., pl. xxix, figs. 1-3.	
	Sceloporus ornatus, Baird.	
		_
	Sceloporus Thayeri, B. & G.	6
	Sceloporus scalaris, Wiegmann.	
	Sceloporus marmoratus, Hallow.	
	Sceloporus Couchi, Baird.	
	Euphryne obesa, Baird., pl. xxvii.	
	Crotaphytus collaris, Holbrook.	
23.	Crotaphytus reticulatus, Baird.	
24.	Crotaphytus Wislizeni, B. & G., pl. xxxi	7
25.	Uta Stansburiana, B. & G.	
26.	Uta ornata, B. & G.	
27.	Uta ornata var. linearis, Baird.	
	Uta symmetrica, Baird.	
	Uta Schotti, Baird.	
	Uta graciosa, Baird.	
	Dipsosaurus dorsalis, Hallowell, pl, xxxii, figs. 7-13	Ω
	Callisaurus ventralis, Baird.	٠
	Holbrookia maculata, Girard.	
	Holbrookia propinqua, B. & G.	
	Holbrookia approximans, Baird.	
	Holbrookia texana, B. & G., pl. xxx.	
	Holbrookia affinis, B. & G.	
	Tapaya Hernandezi, Girard.	
	Tapaya ornatissima, Girard	a
	Phrynosoma cornutum, Gray.	
	Phrynosoma regale, Girard, pl. xxviii, figs. 1-3.	
	Doliosaurus McCalli, Girard, pl. xxviii, figs. 4-6.	
	Doliosaurus modestus, Girard	10
	Cnemidophorus Grahami, B. & G., pl. xxxii, figs. 1-6.	
45.	Cnemidophorus inornatus, Baird.	
46.	Cnemidophorus octolineatus, Baird.	
47.	Cnemidophorus perplexus, B. & G.	
4 8.	Cnemidophorus tigris, B. & G., pl. xxxiii.	
49.	Cnemidophorus gracilis, B. & G., pl. xxxiv, fig. 7-14.	
	Cnemidophorus gularis, B. & G	11
50.	Heloderma horridum, Wiegm., pl. xxvi.	
	Gerrhonotus Webbi, Baird, pl. xxiv, figs. 1-10.	
	Gerrhonotus nobilis, B. & G., pl. xxv, figs. 1-8.	
	Gerrhonotus infernalis, Baird.	
	Gerrhonotus olivaceous, Baird.	
	Plestiodon guttulatus, Hallow	12
	Anolis Carolinensis, Cuv.	-4
٠٠.	ALIEVAND CHI CANADO (CUT.	

1859.	GIRAR	D, CHARLES, with Spencer F. Baird—Continued.	
	57.	Phyllodactylus tuberculosus, Wiegm., pl. xxiii, figs. 1-8.	
		Sphaeriodactylus notatus, Baird, pl. xxiv, figs. 29-37.	
		Stenodactylus variegatus, Baird. pl. xxiii. figs. 9-27; pl. xxiv, figs. 11-19.	
		Plestiodon obsoletus, B. & G., pl. xxv. figs. 9-16.	
		Plestiodon tetragrammus, Baird.	
		Lygosoma laterale, Dum. Bib	13
	02.	OPHIDIA.	
	en	Crotalus atrox, B. & G., pl. i	14
		Crotalus confluentus, Say.	12
		Crotalus molossus, B. & G., pl. ii.	
		Crotalus tigris, Kennicott, pl. iv.	
		Crotalus cerastes, Hallowell, pl. iii.	
	6 8.	Crotalophorus consors, B. & G	15
	69.	Crotalophorus Edwardsi, B. & G., pl. v, fig. 1.	
	70.	Toxicophis pugnax, B. & G., pl. vi.	
		Ancistrodon contortrix, B. & G.	
		Elaps tener, B. & G., pl. vii, fig. 1.	
		Dipsas septentrionalis, Kennicott, pl. viii, fig. 1	16
		Eutænia proxima, B. & G.	
		Eutænia ornata, B. & G., pl. ix.	
			17
		Nerodia Woodhousi, B. & G.	
		Regina Grahami, B. & G., pl. vii, fig. 2.	
		Regina Clarki, B. & G., pl. x, adult; pl. xi, fig. 2, young. Heterodon cognatus, B. & G.	
		Heterodon nasicus, B. & G., pl. xi, fig. 1.	18
		Pityophis bellona, B. & G.	20
		Arizona elegans, Kennicott, pl. xiii.	
		Scotophis Lindheimeri, B. & G	19
		Scotophis Emoryi, B. & G., pl. xii.	
		Ophibolus Boyli, B. & G	20
		Ophibolus splendidus, B. & G., pl. xiv.	
	88.	Ophibolus Sayi, B. & G.	
	89.	Georgia obsoleta, B. & G., pl. xv.	
	90.	Bascanion flaviventris, B. & G.	
		Masticophis Schotti, B. & G., pl. xviii.	
		Masticophis ornatus, B. & G., pl. xvii.	
		Masticophis testaceus, B. & G., pl. xvi.	
		Salvadora Grahamiæ, B. & G., pl. v, fig. 2.	21
		Leptophis majalis, B. & G.	
		Sonora semiannulata, B. & G., pl. xix, fig. 3.	
		Rhinochilus Leconti, B. & G., pl. xx. Lamprosoma occipitale, Hallowell, pl. xxi, fig. 1.	
		Lamprosoma episcopum, Kennicott, pl. viii, fig. 2	22
		Diadophis regalis. B. & G.	22
		Diadophis docilis, B. & G., pl. xxi. fig. 3.	
		Tacniophis imperialis, B. & G., pl. xix, fig. 1	23
		Tantilla gracilis, B. & G.	
		Toluca lineata, Kennicott, pl. xxi, fig. 2.	
		Rena dulcis, B. & G.	24
		BATRACHIA.	
		BAIMCHA.	
		Bufo Americanus, Le Conte, pl. xxxix, figs. 1-4.	25
		Bufo punctatus, B. & G., pl. xxxix, figs. 5-7.	
		Bufo nebulifer, Grd., pl. xl, figs. 1-4.	
		Bufo speciosus, Grd., pl. xl, figs. 5-10	26
		Bufo alvarius, Grd., pl. xli, figs. 1-6. Bufo halophila, B. & G., pl. xli, figs. 7-12.	
		Bufo insidior, Grd., pl. xli, figs. 7-12. Bufo insidior, Grd., pl. xli, figs. 13-18.	
		Bufo Woodhousi, Girard	27
		Bufo cognatus, Say.	
		Bufo debilis. Girard.	
		Rana catesbiana, Shaw.	

1859. GIRARD, CHARLES, with SPENCER F. BAIRD—Continued. 116. Rana Montezumae, Baird, pl. xxxvi, figs. 1-6. 117. Rana Berlandieri, Baird, pl. xxxvi, figs. 7-10. 119. Scaphiopus Couchi, Baird, pl. xxxv, figs. 1-6. 120. Acris crepitans, Baird, pl. xxxvii, figs. 14-17. 121. Heloecetes Clarki, Baird, pl. xxxvii, figs. 4-9. 122. Hyla semifasciata, Hallow. 124. Hyla Vanvlieti, Baird, pl. xxxviii, figs. 1-3. 125. Hyla affinis, Baird, pl. xxxviii, figs. 4-7. 126. Amblystoma proserpina, B. & G., pl. xxxv, figs. 7-14. 127. Amblystoma Texanum, Baird, pl. xxxv, fig. 15. 128. Siren lacertina, L. 102. 1858. GIRARD, CHARLES. "A Representative of the Myxinoid Family on the northeastern Coast." Proceedings Academy of Natural Sciences Philadelphia, x, 223-4. 1858. Ichthyological Notices, i. Myxine limosa, n. s. Bay of Fundy, Dr. W. Stimpson. 103. 1858. GIRARD, CHARLES. "A Giant Herring caught off Long Island." Proceedings Academy of Natural Sciences Philadelphia, x, 224. 1858. Ichthyological Notices, ii. Megalops elongatus, n. s. Off Long Island, W. H. Dougal. Probable habitat, Gulf of Mexico. 104. 1858. GIRARD, CHARLES. "New facts relating to the History of the Salmons of Columbia River." Proceedings Academyof Natural Sciences Philadelphia, x, 224-5. 1858. Ichthyological Notices, iii. Salmo Newberri, n. s. Columbia River. 105. 1858. GIRARD, CHARLES. "The Genus Thaleichthys." Proceedings Academy of Natural Sciences Philadelphia, x, 225. 1858. Ichthyological Notices, iv. Thaleichthys Pacificus, Grd., identical with T. Stevensi, Grd.* 106 1859. GIRARD, CHARLES. "Curious traits of Organization amongst the Fishes of California and Oregon." Proceedings Academy of Natural Sciences Philadelphia, xi, 56-8. 1859. Ichthyological Notices, v. Neoclinus satiricus, n. s. Bay of Monterey, California, A. S. Taylor. 107. 1859. GIRARD, CHARLES. "A Representative of the Family Ophisuride, from the Pacific coast." Proceedings Academy of Natural Sciences Philadelphia, xi, 58. 1859. Ichthyological Notices, vi. MYRICHTHYS, n. g.

Myrichthys tigrinus, n. s.

Adair Bay, Oregon, Capt. C. P. Stone.

^{*}Report upon the Fishes of the U. S. P. R. R. Explorations and Surveys.

1859. GIRARD, CHARLES. "A Cyprinella from the waters of Rock Creek." Proceedings Academy of Natural Sciences Philadelphia, xi, 58-9. 1859.

Ichthyological Notices, vii. *Cyprinella analostana*, n. s.

Rock Creek, Potomac River.

109.

1859. GIRARD, CHARLES. "A Fundulus from Palatka, East Florida." Proceedings Academy of Natural Sciences Philadelphia, xi, 59-60. 1859. Ichthyological Notices, viii.

Fundulus seminolis, n. s.

East Florida, Townsend, Glover.

110.

1859. GIRARD, CHARLES. "Fundulus tenellus."

Proceedings Academy of Natural Sciences Philadelphia, xi, 60. 1859. Ichthyological Notices, ix.

Zygonectes tenellus.

Prairie Mer Rouge, Louisiana; Russellville, Kentucky.

111.

1859. GIRARD, CHARLES. "Hydrargyra, collected between Fort Defiance and Fort Union, New Mexico."

Proceedings Academy of Natural Sciences Philadelphia, xi, 60-1. 1859.

Ichthyological Notices, x.

Hydrargyra zebra, n. s.

Rio Bravo, tributary Rio Grande del Norte, Ives' Party.

112.

1859. GIRARD, CHARLES. "The Genus Gambusia."

Proceedings Academy of Natural Sciences Philadelphia, xi, 61-2, 1859.

Ichthyological Notices, xi.

Gambusia Holbrooki, n. s.

South Carolina, Florida, Ch. Girard; T. Glover.

Note by Professor Poey of Cuba.

113.

1859. GIRARD, CHARLES. "On Girardinus formosus."

Proceedings Academy of Natural Sciences Philadelphia, xi, 62-3, 1859.

Ichthyological Notices, xii.

Girardinus formosus, Grd.

South Carolina, Mr. Glover.

Noticed by Agassiz, as Heterandria formosa, Ag. (M. S.)

114.

1859. GIRARD, CHARLES. "A Blind Fish, taken from a well, near Bowling Green, Kentucky."

Proceedings Academy of Natural Sciences Philadelphia, xi, 63-4, 1859.

Ichthyological Notices, xiii.

TYPHLICHTHYS, n. g.

Typlichthys subterraneus, n. s.

Bowling Green, Kentucky, J. E. Younglove.

115.

1859. GIRARD, CHARLES. "On Promotis obesus."

Proceedings Academy of Natural Sciences Philadelphia, xi, 64, 1859.

Ichthyological Notices, xiv.

Refers to Pomotis obesus, Grd., and genus Bryttus; Bryttus obesus, Grd.

1859. GIRARD, CHARLES. "A Megalops from the Tortugas, Garden Key, Florida." Proceedings Academy of Natural Sciences Philadelphia, xi, 64, 1859. Ichthyological Notices, xv. Refers to Megalops elongatus, Girard.

117.

1859. GIRARD, CHARLES. "The genus Arlina."

Proceedings Academy of Natural Sciences Philadelphia, xi, 64-5, 1859.
Ichthyological Notices, xvi.

Arlina, n. g.

Arlina effulgens, n. s.

Potomac River and tributaries.

118.

- 1859. GIRARD, CHARLES. "Another Representative of the Etheostomid family, from the Potomac River."
 - Proceedings Academy of Natural Sciences Philadelphia, xi, 65-6. 1859.
 Ichthyological Notices, xvii.

ESTRELLA, n. g.

Estrella atromaculata, n. s.

Potomac River.

119.

1859. GIRARD, CHARLES. "Percina nebulosa, in the waters of the Potomac River." Proceedings Academy of Natural Sciences Philadelphia, xi, 66. 1859. Ichthyological Notices, xviii. Described by Professor Haldeman; captured in the Susquehanna River.

120.

1859. GIRARD, CHARLES. "Etheostoma caprodes of Rafinesque."
 Proceedings Academy of Natural Sciences Philadelphia, xi, 66.
 1859.
 Ichthyological Notices, xix.
 Refers to genus Percina, Haldeman; Percina caprodes, Grd.

121.

1859. GIRARD, CHARLES. "Are Pileoma semifasciatum and Percina nebulosa identical?"

Proceedings Academy of Natural Sciences Philadelphia, xi, 66. 1859.
Ichthyological Notices, xx.

Reference to the third species of the genus Percina; Percina semifasciata, Grd.

122.

1859. GIRARD, CHARLES. "Pileoma Zebra." Proceedings Academy of Natural Sciences Philadelphia, xi, 66. 1859. Ichthyological Notices, xxi. Reference to the fourth species of Percina, appellation, Percina zebra, Grd.

123.

1859. GIRARD, CHARLES. "Pileoma carbonaria."
 Proceedings Academy of Natural Sciences Philadelphia, xi, 66. 1859.
 Ichthyological Notices, xxii.
 Reference to the fifth species of Percina, appellation, Percina carbonaria, Grd.
 Bull. 41, N. M.——6

1859. GIRARD, CHARLES. "A new genus of Etheostomid."

Proceedings Academy of Natural Sciences Philadelphia, xi, 67. 1859. Ichthyological Notices, xxiii.

OLIGOCEPHALUS, n. g.

Oligocephalus lepidus, n. s.

Described under the name of Pacilichthys lepidus, Grd., in the report of the United States and Mexican Boundary Commission.

125.

1859. GIRARD, CHARLES. "Oligocephalus from James River, Virginia.

Proceedings Academy of Natural Sciences Philadelphia, xi, 67. 1859. Ichthyological Notices, xxiv.

Oligocephalus humeralis, n. s. James River, Virginia.

126.

1859. GIRARD, CHARLES. "Oligocephalus Linslii from Wolcott, Wayne Courty, New York."

Proceedings Academy of Natural Sciences Philadelphia, xi. 67, 1859. Ichthyological Notices, xxv.

Oligocephalus Linsli, Grd.

Wolcott, Wayne County. New York.

Described by Dr. H. R. Storer under the appellation of Etheostoma Linsleyi.

127.

1859. GIRARD, CHARLES. "A Species of Etheostoma collected at Fort Gratiot, Lake Huron."

Proceedings Academy of Natural Sciences Philadelphia, xi, 67-8, 1859. Ichthyological Notices, xxvi.

ALVORDIUS, n. g.

Alvordius maculatus, n. s

Lake Huron, Maj. B. Alvord.

128.

1859. GIRARD, CHARLES. "Catonotus fasciatus."

Proceedings Academy of Natural Sciences Philadelphia, xi, 68, 1859. Ichthyological Notices, xxvii.

Catonotus fasciatus, n. s.

E. S. Dayton.

129.

1859. GIRARD, CHARLES. "Hadropterus in the Waters of the Potomac River."

Proceedings Academy of Natural Sciences Philadelphia, xi, 100, 1859.

Ichthyological Notices, xxviii.

Hadropterus maculatus, n. s.

Tributary of the Potomac River, in Anne Arundel County, Maryland.

130.

1859. GIRARD, CHARLES. "Hadropterus in the Arkansas River."

Proceedings Academy of Natural Sciences Philadelphia, xi, 100, 1859. Ichthyological Notices, xxix.

Hadropterus Shumardi, n. s.

Arkansas River, Dr. George G. Shumard.

1859. GIRARD, CHARLES. "A Representative of the Etheostoma family procured by the U. S. and Mexican Boundary Commission."

Proceedings Academy of Natural Sciences Philadelphia, xi, 101, 1859.

Ichthyological Notices, xxx.

ALVARIUS, n. g.

Alvarius lateralis, n. s.

Rio Bravo of the Rio Grande del Norte.

132.

1859. GIRARD, CHARLES. "Diplesion in the Waters of Chihuahua River."

Proceedings Academy of Natural Sciences Philadelphia, xi, 101-2, 1859.
Ichthyological Notices, xxxi.

Diplesion fasciatus, n. s.

Chihuahua River, John Potts.

133.

1859. GIRARD, CHARLES. "Aplesion in Chihuahua River." Proceedings Academy of Natural Sciences Philadelphia, xi, 102, 1859. Ichthyological Notices, xxxii.

Aplesion Pottsi, n. s.

Chihuahua River, John Potts.

134.

1859. GIRARD, CHARLES. "Oligocephalus in Devil's River, Texas." Proceedings Academy of Natural Sciences Philadelphia, xi, 102, 1859. Ichthyological Notices, xxxiii.

Oligocephalus Grahamii, n. s.

Devil's River, Texas, John H. Clark.

135.

1859. GIRARD, CHARLES. "Oligocephalus in the Rio Leona, Texas." Proceedings Academy of Natural Sciences Philadelphia, xi, 102, 1859. Ichthyological Notices, xxxiv.

Oligocephalus Leonensis, n. s.

Rio Leona, Texas, John H. Clark.

136.

1859. GIRARD, CHARLES. "Oligocephalus in a Tributary of Gypsum Creek." Proceedings Academy of Natural Sciences Philadelphia, xi, 102-3, 1859. Ichthyological Notices, xxxv.

Oligocephalus pulchellus, n. s.

Gypsum Creek, Whipple party.

137.

1859. GIRARD, CHARLES. "Boleosoma in the Rio Seco., Texas." Proceedings Academy of Natural Sciences Philadelphia, xi, 103, 1859. Ichthyological Notices, xxxvi.

Boleosoma gracile, n. s.

Rio Seco and Rio Leona, Texas, Dr. C. B. Kennerly.

1859. GIRARD, CHARLES. "The Genus Boleichthys."

Proceedings Academy of Natural Sciences Philadelphia, xi, 103-4, 1859.

Ichthyological Notices, xxxvii.

Boleichthys, n. g.

Boleichthys exilis, n. s.

Little Muddy River, Upper Missouri, Dr. George Suckley.

139.

1859. GIRARD, CHARLES. "Boleichthys in Coal Creek, Arkansas."

Proceedings Academy of Natural Sciences Philadelphia, xi, 103, 1859. Ichthyological Notices, xxxviii.

Boleichthys Whippli, n. s.

Coal Creek, Arkansas, Whipple party.

140.

1859. GIRARD, CHARLES. "Boleichthys at Piedrapainte, Texas."

Proceedings Academy of Natural Sciences Philadelphia, xi, 104, 1859.

Ichthyological Notices, xxxix.

Boleichthys elegans, n. s.

Piedrapainte, Texas, John H. Clark.

141.

1859. GIRARD, CHARLES. "Boleichthys in Cannon Ball River."

Proceedings Academy of Natural Sciences Philadelphia, xi, 104, 1889.

Ichthvological Notices, xl.

Boleichthys Warreni, n. s.

Upper Missouri and Yellowstone Rivers, Lieut. G. K. Warren.

142.

1859. GIRARD, CHARLES. "The Genus Zygonectes."

Proceeding Academy of Natural Sciences Philadelphia, xi, 113, 1859.

Ichthyological Notices, xli.

Zygonectes pulchellus, n. s.

Sugar Loaf Creek, Arkansas, Whipple party.

143.

1859. GIRARD, CHARLES. "Limia Along Our Own Shores and in the Mexican Provinces."

Proceedings Academy of Natural Sciences Philadelphia, xi, 114, 1859.

Ichthyological Notices, xlii.

Comparison between the genus Limia and Pacilia. Professor Poey quoted.

Mollinesia latipinna were collected at Galveston, Texas, by Dr. Kennedy, and Pacilia multilineata collected at Palatka. East Florida, by Mr. Glover.

144.

1859. GIRARD, CHARLES. "Pacilia lineolata from Brownsville."

Proceedings Academy of Natural Sciences Philadelphia, xi, 114-15, 1859.

Ichthyological Notices, xliii.

Pœcilia lineolata, Grd.

Rio Bravo of the Rio Grande del Norte.

1859. GIRARD, CHARLES. "The Species Limia paciloides."

Proceedings Academy of Natural Sciences Philadelphia, xi, 115, 1859.

Ichthyological Notices, xliv.

Limia pæciloides, n. s.

Indianola, Texas, John H. Clark.

1859. GIRARD, CHARLES. "Limia formosa in a Lagoon at Paolo Alto." Proceedings Academy of Natural Sciences Philadelphia, xi, 115, 1859. Ichthyological Notices, xlv.

Limia formosa, n. s.

Paolo Alto, Mexico, John H. Clark.

1859. GIRARD, CHARLES. "Limia in the Province of New Leon." Proceeding Academy of Natural Sciences Philadelphia, xi, 116, 1859. Ichthyological Notices, xlvi.

Limia Couchiana, n. s.

Rio San Juan, Lieut. D. N. Couch.

1859. GIRARD, CHARLES. "A Species of Limia Common about Matamoros." Proceedings Academy of Natural Sciences Philadelphia, xi, 116-17, 1859. Ichthyological Notices, xlvii.

Limia Matamorensis, n. s.

Matamoros, L. Berlandier.

149.

1859. GIRARD, CHARLES. "The genus Adinia."

Proceedings Academy of Natural Sciences Philadelphia, xi, 117. 1859. Ichthyological Notices, xlviii.

ADINIA, n. g.

Adinia multifasciata, n. s.

Galveston, Texas, Dr. C. B. K. Kennerly.

150. ·

1859. GIRARD, CHARLES. "The genus Lucania."

Proceedings Academy of Natural Sciences Philadelphia, xi, 118. 1859. Ichthyological Notices, xlix.

LUCANIA, n. g.

Lucania venusta, Grd.

Indianola, Texas, John H. Clark.

This is Limia venusta, Grd., described and figured in the Ichthyology of the United States and Mexican Boundary.

151.

1859. GIRARD, CHARLES. "Lucania, collected in the Neighborhood of Matamoras." Proceedings Academy of Natural Sciences Philadelphia, xi, 118. 1859. Ichthyological Notices, 1.

Lucania affinis, n. s.

Matamoras, L. Berlandier.

152.

1859. GIRARD, CHARLES. "Lucania collected in the Vicinity of the City of Mexico." Proceedings Academy of Natural Sciences Philadelphia, xi, 118-19. 1859. Ichthyological Notices, li.

A cyprinodant of peculiar shape, collected in the vicinity of the City of Mexico in 1853 by Maj. W. Rich. The specific name originally selected was L. Richi, but by a singular oversight it disappeared from the text while going through the press.

1859. GIRARD, CHARLES. "The Characters to be assigned to Girardinus." Proceedings Academy of Natural Sciences Philadelphia, xi, 119. 1859. Ichthyological Notices, lii.

Girardinus occidentalis, Grd.

Rio Santa Cruz, John H. Clark; Tucson, Dr Heermann.

154.

1859. GIRARD, CHARLES. "Girardinus sonoriensis collected in San Bernardino Creek, Mexico."

Proceedings Academy of Natural Sciences Philadelphia, xi, 120. 1859 Ichthyological Notices, liii.

Girardinus sonoriensis, n. s.

San Bernardino Creek, Dr. C. B. R. Kennerly.

155.

1859. GIRARD, CHARLES. "The Affinities between Gambusia and Zygonectes."

Proceedings Academy of Natural Sciences Philadelphia, xi, 120. 1859.

Ichthyological Notices, liv.

Gambusia nobilis, Grd.

Specimens collected by Lieut. J. G. Parke in Comanche Spring, Mexico.

156.

1859. GIRARD, CHARLES. "Gambusia affinis collected in Texas.

Proceedings Academy of Natural Sciences Philadelphia, xi, 120. 1859.

Ichthyological Notices, lv.

Specimens collected in San Pedro Creek and in Dry Creek, Texas, by Dr. C. B. R. Kennerly.

157.

1859. GIRARD, CHARLES. "As to Gambusia patruelis."

Proceedings Academy of Natural Sciences Philadelphia, xi, 121. 1859.

Ichthyological Notices, lvi.

Collected by Dr. C. B. R. Kennerly in the Rio Nueces; also, in the Rio Leona, Rio Blanco, and Rio Seco.

158.

1859. GIRARD, CHARLES. "Gambusia from the Hydrographic Basin of the Rio San Juan."

Proceedings Academy of Natural Sciences Philadelphia, xi, 121. 1859.

Ichthyological Notices, lvii.

Gambusia speciosa, n. s,

Rio San Diego, New Leon, D. N. Couch.

159.

1859. GIRARD, CHARLES. "Gambusia in the Collection of the late Louis Berlandier, of Matamoras."

Proceedings Academy of Natural Sciences Philadelphia, xi, 121. 1859.

Ichthyological Notices, lviii.

Gambusia gracilis, n. s.

160.

1859. GIRARD, CHARLES. "A species of Gambusia in Chihuahua River." Proceedings Academy of Natural Sciences Philadelphia, xi, 121-22. 1859. Ichthyological Notices, lix.

Gambusia senilis, n. s. Chihuahua, John Potts.

1859. GIRARD, CHARLES. "Fundulus in Charlotte Bay, Florida."

Proceedings Academy of Natural Sciences Philadelphia. xi, 157. 1859.

Ichthyological Notices. lx.

Fundulus Floridensis, n. s.

Charlotte Bay, Florida.

162.

1859. GIRARD, CHARLES. "A Cyprinodon collected in the Neighborhood of San Diego, California."

Proceedings Academy of Natural Sciences Philadelphia, xi, 157. 1859.

Ichthyologieal Notices, lxi.

Cyprinodon Californiensis, n. s.

San Diego, California, Dr. Thomas Webb.

163.

1859. GIRARD, CHARLES. "A Cyprinodon collected in Chihuahua River."

Proceedings Academy of Natural Sciences Philadelphia, xi, 158. 1859.

Ichthyological Notices, lxii.

Cyprinodon eximius, n. s.

Chihuahua River, John Potts.

164

1859. GIRARD, CHARLES. "Pomotis chatodon."

Proceedings Academy of Natural Sciences Philadelphia, xi, 158. 1859.

Ichthyological Notices, lxiii.

Bryttus cheetodon, Grd.

Pomotis cheetodon, Baird. ix. Ann. Rep. Smiths. Inst., 1855, 324.

165.

1859. GIRARD, CHARLES. "Clupea teres."

Proceedings Academy of Natural Sciences Philadelphia, xi, 158. 1859.

Ichthyological Notices, lxiv.

Refers that species to genus Harengula, of Valenciennes, under the name of H, teres. Baird and DeKay quoted.

166.

1859. GIRARD, CHARLES. "Pimelodus lemniscatus."

Proceedings Academy of Natural Sciences Philadelphia, xi, 158. 1859.

Ichthyological Notices, lxv.

This is the same as Noturus lemniscatus, Grd.

Pennsylvania. Lesueur.

167.

1859. GIRARD, CHARLES. "Pimelodus gracilis."

Proceedings Academy of Natural Sciences Philadelphia, xi, 158-9. 1859.

Ichthyological Notices, Ixvi.

This is the same as Pimelodus Houghi, Grd.

Sommerville, New York, F. B. Hough: Foxburgh and Ogdenburg, Pennsylvania, Baird.

168.

1859. GIRARD, CHARLES. "A Species of *Pimelodus* collected in the Neighborhood of Racine, Wisconsin."

Proceedings Academy of Natural Sciences Philadelphia, xi, 159. 1859.

Ichthyological Notices, Ixvii.

Pimelodus Hoyi, n. s.

Racine, Wisconsin, Dr. Hoy.

1859. GIRARD, CHARLES. "Specimens of a Species of Pimelodus caught in Root River, near Racine, Wisconsin."

Proceedings Academy of Natural Sciences Philadelphia, xi, 159. 1859.

Ichthyological Notices, lxviii.

Pimelodus confinis, n. s.

Root River, Wisconsin, S. F. Baird.

170.

1859. GIRARD, CHARLES. "A Species of Pimelodus collected by Robert Kennicott, Aux Plaines, Illinois."

Proceedings Academy of Natural Sciences Philadelphia, xi, 159. 1859.

Ichthyological Notices, lxix.

Pimelodus cupreoides, n. s.

Aux Plaines, Illinois, Robert Kennicott.

171

1859. GIRARD, CHARLES. "Pimolodus catus," DeKay (not Cuv. and Val.). Proceedings Academy of Natural Sciences Philadelphia, xi, 160. 1859. Ichthyological Notices, lxx.

Pimelodus DeKayi, n. s.

Lake Ontario, S. F. Baird.

172.

1859. GIRARD, CHARLES. "The true Pimolodus catus" (not DeKay). Proceedings Academy of Natural Sciences Philadelphia, xi, 160. 1859. Ichthyological Notices, lxxi.

Pimelodus catus, Cuv. and Val., 1.

Southern States.

173.

1859. GIRARD, CHARLES. "The 'Channel Cat,' or 'Mud Cat,' of the Chesapeake."

Proceedings Academy of Natural Sciences Philadelphia, xi, 160, 1859.

Ichthyological Notices, lxxii.

Pimelodus lynx, n. s.

Potomac River and Deep Run, and at Carlisle, Pennsylvania.

174

1859. GIRARD, CHARLES. "Pimelodus puma collected in Charleston, South Carolina."

Proceedings Academy of Natural Sciences Philadelphia, xi, 160, 1859.

Ichthyological Notices, lxxiii.

Pimelodus puma, n. s.

Charleston, South Carolina, Charles Girard.

175.

1859. GIRARD, CHARLES. "Pimelodus vulpeculus, collected in Charleston, South Carolina."

Proceedings Academy of Natural Sciences Philadelphia, xi, 160, 1859.

Ichthyological Notices, lxxiv.

Pimelodus vulpeculus, n. s.

Charleston, South Carolina, Charles Girard.

176.

1859. GIRARD, CHARLES. "Pimelodus platycephalus collected in the Neighborhood of Anderson, South Carolina."

Proceedings Academy of Natural Sciences Philadelphia, xi, 161, 1859.

Ichthyological Notices, lxxv.

Pimelodus platycephalus, n. s.

Anderson, South Carolina, Mrs. Daniel.

1859. GIRARD, CHARLES. "A Catfish collected in the Black Warrior and Bigsby Rivers, Alabama.

Proceedings Academy of Natural Sciences Philadelphia, xi, 161, 1859.

Ichthyological Notices, lxxvi.

Pimelodus megalops, n. s.

Black Warrior and Bigsby Rivers, Alabama, Prof. A. Winchell.

178.

1859. GIRARD, CHARLES. "A Catfish collected at Prairie Mer Rouge, Louisiana." Proceedings Academy of Natural Sciences Philadelphia, xi, 161, 1859. Ichthyological Notices, lxxvii.

Pimelodus graciosus, n. s.

Prairie Mer Rouge, Louisiana, James Fairie.

Alphabetical list of the species as discussed supra:

179.

1858-'59. GIRARD, CHARLES. Ichthyological Notices, a reprint from the *Proceedings*of the Academy of Natural Sciences of Philadelphia, December 14, 1858; March,
April, and May, 1859. A pamphlet of 36 pages, 8vo.

Aunu muujuseuta, G	23
Alvarius lateralis, G	17
Alvordius maculatus, G	14
Aplesion Pottsi, G	18
Arlina effulgens, G	12
Boleichthys elegans, G	20
Boleichthys exilis, G	20
Boleichthys Warreni, G	20
Boleichthys Whippli, G	20
Boleosoma gracile, G	19
Bryttus chætodon, G	32
Bryttus obesus, G	11
Catonotus fasciatus, G	15
Cyprinella analostana, G	G
Cyprinodon Californiensis, G	32
Cyprinodon eximius, G	32
Diplesion blennioïdes, Rafin	17
Diplesion fasciatus, G	17
Estrella atromaculata, G	13
Fario Newberri, G	3
Fundulus Floridensis, G	31
Fundulus seminolis, G	G
Gambusia affinis, G	28
Gambusia formosa, G	9
Gambusia gracilis, G	29
Gambusia Holbrooki, G	8
Gambusia nobilis, G	28
Gambusia patruelis, G	28
Gambusia senilis, G	30
Gambusia speciosa, G	29
Girardinus occidentalis, G	27
Girardinus sonoriensis, G	28
Hadropterus maculatus, G	16
Hadropterus Shumardi, G	16
Harenula teres, G	33
Hydrargyra zebra, G	7
Limia Couchiana, G	24
Limia formosa, G	23
Limia matamorensis, G	
Limia pæciloides, G	22
Leagning offinia C	26

1858-'59. GIRARD, CHARLES-Continued.

Lucania venusta, G	26
Lucania [spec. innom.]	
Megalops elongatus, G	, 11
Molliensia latipinna, Lesqeur	22
Myrichthys tigrinus, G	5
Myxine limosa, G	2
Neoclinus Blanchardi, G	4
Neoclinus satyricus, G	4
Noturus lemniscatus, G	33
Oligocephalus Grahami, G	19
Oligocephalus humeralis, G	14
Oligocephalus Linsli, G	14
Oligocephalus Leonensis, G	19
Oligocephalus lepidus, G	14
Oligocephalus pulchellus, G	19
Percina caprodes, G	13
Percina carbonaria, G	13
Percina nebulosa, Hald	13
Percina semifasciata, G	13
Percina zebra, G	13
Pimelodus catus, Cuv. & Val	34
Pimelodus confinis, G	33
Pimelodus cupreoïdes, G	34
Pimelodus Dekayi, G	34
Pimelodus gracilis, G	33
Pimelodus graciosus, G	36
Pimelodus Hoyi, G	33
Pimelodus lynx, G	34
Pimelodus megalops, G	35
Pimelodus platycephalus, G	35
Pimlodus puma, G	35
Pimelodus vulpeculus, G	35
Thaleichthys Pacificus, G	3
Typhlichthys subterraneus, G	9
Zygonectes pulchellus, G	21
Zygonectes tenellus, G	•

180.

1859. GIRARD, CHARLES. Herpetological Notices.

Proceedings Academy of Natural Sciences Philadelphia, xi, 169-70, 1859.

Bufo lamentor, n. s.

Fort Bridger, Utah, Mr. Drexler.

Egystoma Texense, n. s.

Texas, Capt. John Pope.

181.

1860. GIRARD, CHARLES. La vie | au point de vue Physique | ou | Physiogénie Philosophique | par | Charles Girard | Docteur en Médicine et en Chirugie, | membres de plusieurs sociétés Savantes. | Paris | J. B. Bailliere et Fils. | Libraries de l'Académie Impérial de Médicine, | 19, Rue Hautefeuille. | J. B. Baillière et Fils, Paris, 1-73, 1860.

A French edition of "Life in its Physical Aspect," published at Washington in the "Proceedings of the National Institute" and subsequently in a separate pamphlet printed by R. A. Waters, 1855. (See No. 81.)

182.

1863. GIRARD, CHARLES. Les États Confedérés d'Amérique. Paris, 1863. 8vo. Pamphlet.

A trip through both Carolinas and Virginia during the months of July and August. 1863-

1872. GIRARD, CHARLES. Principes de Biologie appliqués à la Médicine. Paris. 18. 1872.

A second and revised edition of "La vie au point de vue physique."

184.

1872. GIRARD, CHARLES. Contribution à l'Histoire médico-chirurgicale du Siége de Paris. L'ambulance militaire de la rue Violet, No. 57. Succursale de l'Hôtel des Invalides. Paris. 1872. Pp. 100. 8vo.

As chief physician of one of the military ambulances during the memorable siege of Paris, in 1870-'71, Dr. Girard was afforded an opportunity for writing an elaborate chapter on the diseases originating in the alimentary canal, with special reference to the etiology of typhoid fever, of which the various stages have been carefully described.

185.

1888. GIRARD, CHARLES. Systematic Catalogue | of the | Scientific Labors | of | Dr. Charles Girard. Poissy. 8°. Pp. 3-13. 1888.

A limited number of copies were printed for private circulation.

186.

1888. GIRARD, CHARLES. Les Poissons Aveugles des Cavernes Américaines. Le Naturaliste, Paris, 107-8. 1888.

Typhlicthys subterraneus, Grd., is figured from an original drawing graciously furnished by Professor Baird, Secretary Smithsonian Institution.

187.

1888. GIRARD, CHARLES. Les Poissons souterrains du Nouveau Monde.

Le Naturaliste, Paris, 222. 1888.

Animal life exists in the underground waters and is only seen incidentally. Thus the volcanos of the equator throw up periodically large quantities of fishes of which but little is known. The mud volcanos of Guatemala likewise emit fishes yet undescribed. We are aware by the inspection of the so-called "Cénotés" of Yucatan that in the sheets of subterranean water of that region are to be found fishes of various kinds. In California the artesian wells furnish fishes, of whose character, however, we know but little.

Explorers of those regions ought to devote some of their time to the investigation of these matters.

188.

1889. GIRARD, CHARLES. Les Poissons Musiciens.

Le Naturaliste, Paris, 57-8. 1889. (fig.)

The fact that certain fishes possess the singular faculty of emitting given sounds within the element in which they live is well known. The names of Gurnards, Grunters, Croakers Drums, and similar appellations by which they are usually designated have been named with reference to the sounds they emit.

Extraordinary sounds attributed to a fish are reported upon by Lieutenant Gilliss, U.S. Navy, as follows:

"During the following summer of 1852—a submarine phenomenon attracted no little attention among the residents and visitors at Caldera, of which more than one account reached Santiago. One correspondent wrote me: 'The night I stopped at Caldera I went at half past 11 o'clock to hear the submarine music, and I confess it has astonishedme. Though the position is neither graceful nor comfortable, on lying down in the boat and placing your ear upon the bottom you hear it in its perfection. I stuck to it for a long time and was charmed indeed. It has now been pretty well ascertained that it comes from fish, which gather in great number on a quiet and retired spot on the bay, and as each one produces a single note, the most soft and charming harmony results, resembling the Æolian harp nearer than anything to which I can compare it. If we suppose the sounds to be produced by fish, that will also account for the different localities where they are heard. On my return to Caldera I will endeavor to obtain the name by which the fish is known there, if

I should not succeed in obtaining a specimen for you.' Another friend, to whom I wrote on receiving the above, tells me: 'The idea of the music heard here being produced by fish never entered my brain until you wrote me about Mr. H. I am not fully prepared to oppose the señoritas who pronounce it a siren, and among whom it has caused no little sensation. It is always near one place, and is never heard during the day. You must come down for a personal examination, because, though I shall send you a box containing some of the small fish caught in the bay, I have no intention to assert that a or the musical fish shall be among them.' My friend sent fish according to promise, of which an account is given in the report from Mr. Charles Girard. One of them he has named Alosa musica from this circumstance. When I wrote again, only four months later, these charming aquatic serenaders had shut up their orchestra, or gone elsewhere."—[Gilliss's Exp. to South Hemisphere, vol. 1, p. 270, 271.]

According to all probabilities, says Dr. Girard, those musicians have taken a northerly direction, having been heard near the equator by the engineer Ouffroy de Thoron, who speaks of them as follows:

"It was in the Bay of Paillon, surrounded with virgin forests, that I heard for the first time the song of the fish musician. Already, while at Campana, much about it was told me. There were many of those fishes in the Matajé; they were heard at certain hours in the evening and in certain quarters pointed out to me. But I attached no great importance to the subject at that moment, my conviction being that this animal was well known to naturalists, so that as a mere satisfaction of curiosity I awaited a favorable opportunity in going to hear them. But as it sometimes happens that these fishes do not await obscurity for uttering their music, a chance served me admirably on my return from Paillon to Campana.

"On proceeding along a seacoast at sunset, a strange song, extremely grave and prolonged, was suddenly heard about me. I first thought it to be a gnat or a bumblebee of an extraordinary size, but perceiving nothing above or around me. I asked the oarsman of my pirogue whence this noise came. 'Sir,' he answered, 'it is a fish which thus sings; some call these fishes siren, and others musicians.' On progressing a little further I heard a multitude of divers voices, harmonizing amongst themselves, imitating to perfection the sound of a church organ.

"The Bay of Paillon is not the sole locality where one may enjoy this phenomenon. It occurs in several places, and even with greater power and evidence in the river Matajé, especially at the foot of a promontory called Campanilla. This river has two outlets upon the Pacific Ocean and a third one into the bay already named. By ascending it beyond Campana one reaches Campanilla, where the same phenomenon occurs. I was told that in the River del Molino, an affluent of the Matajé, the song of these fishes had likewise been heard. It may not be uninteresting to know that these animals live in waters of different qualities, since that of Paillon is salted, whilst that of the river does not mingle with the preceding except at tide times. The fishes musicians execute their music without being troubled by your presence, and this for several hours consecutively without exhibiting themselves near the surface of the water, and the continuous vibration of their song produces an aerial sound. One feels amazed that such a noise could proceed from an animal no more than 10 inches in length. It is a fish, the exterior configuration of which presents nothing peculiar; its color is white with some cluish spots along the back. Such is the fish which is taken by the hook on the very places where the song is uttered. It is towards sunset when these fishes begin to make themselves heard, continuing their song during the night, imitating the grave and medial sounds of an organ, [Ouffroy de Thoron, l'Amérique équatoriale, 1866, 137-140.]

The origin of the harmonious sounds heard in the bays of Caldera and Paillon deserve the attention of the future explorers of the Pacific coast of South America. The magnitude of the scene on which the phenomenon is displayed, the mystery which surrounds its manifestation, are such as to awaken general curiosity.

189.

1889. GIRARD, CHARLES. Les Poissons Souterraines du Nord de l'Afrique. Le Naturaliste, Paris, 103-6, 1889.

The Desert of Sahara contains many wells of considerable magnitude Surrounding these wells rich oases have sprung up, sustaining a native population of some importance. But what is most remarkable about the wells is the fact that they bring forth from great depths living fishes, which, instead of being blind, as one would be led to suppose a priori, are provided with eyes as perfect as those of fishes living in the rivers. The prevailing opinion is that the fishes from the artesian wells are native of the water courses over the surface of the soil and have penetrated subsequently into the ground, whence they are brought up by the wells.

This question, however, has not been definitely settled. The objections to this theory are given in the above paper.

The following species have been observed and figured:

Cyprinodon calaritanus, Val.

Zab occidental and all the wells of Oued Rix.

Chromis Desfontainii, Sauv.

Hot Springs of Gaffa. 30° R.

Chromis zillii, Sauv.

Oued Rix from Melrix Chott to Tougourt.

Hemichromis Saharæ, Sauv.

Wells from the vicinities of Tougourt.

Hemichromis Rolandii, Sauv.

Zab occidental (Zibans).

Similar, though different species of the Chromid family, live in the depths of the Lake of Tiberias, with the curious habits of hatching their own eggs and bringing up their progeny sheltered in their buccal cavity. It remains to be seen whether the Chromids of Africa exhibit the same traits in their habits.

190.

1889. GIRARD, CHARLES. Les Andes et la Cordillère équatoriennes. Le Naturaliste, Paris, 37-38, 159-161, 1889.

The committee for the organization of the first international congress of zoology have endeavored to point out a certain number of questions upon which a discussion might be usefully raised by its future members. Among those questions was the "Determination of the regions of the globe the fauna of which was insufficiently known."

The above paper tends to show that the Republic of the Equator throughout, with the surrounding headwaters of the Rio del Cauca, the Rio Magdalena, the Amazon River, the Rio Parana, and the Rio La Plata, with special references to the subterranean faunas, were included in that category.

191.

1889. GIRARD, CHARLES. Les Andes, la Cordillère d'l'Amazonie: Précédé d'une lettre à Mr. Raph. Blanchard.

Congrès international de Zoölogie, Paris, 1889, 101.

Revised edition of the foregoing paper, together with special reference to the fishes ejected by the volcanos of the equator, and to the lack of scientific information as to their natural history. A letter to R. Blanchard enumerates the species actually living in open waters surrounding those volcanos, and which have been too hastily identified from Humboldt's time to our days by ichthyologists.

192.

1889. GIRARD, CHARLES. La Faune Souterraine des Andes et de la Cordillère.

Congrès international de Zoölogie, Paris, 1889, 110.

A complement of the foregoing "Paper," and entering into fuller details respecting our actual knowledge upon the subterranean fauna of the regions previously mentioned.

193.

1890. GIRARD, CHARLES. Les Poissons vivipares de la côte Américaine de l'océan Pacifique.

Le Naturaliste, No. 69, 24-25; No. 70, 39; No. 72, 61-62 (figs.). Paris, 1890.

A French translation from the "Report on the Fishes in the Explorations and Surveys of the Pacific Railroad." [No. 93.]

194.

1890. GIRARD, CHARLES. De la Phosphorescence en général et celle des mers en particulier.

Le Naturaliste Paris, 1890, pp. 210-212.



ABSTRACT.

There are naturalists who still believe that phosphorescence is the "result of a peculiar secretion of a viscous or slimy liquid." Others think that the same phenomenon "does not depend upon the will of the animal and manifests itself through anomalous circumstances."

To show the inanity of such conceptions Dr. Girard relates a curious and quite decisive observation made in Boston harbor in 1847, in company with Agassiz, Desor, and Pourtalès.

"The house we inhabited on the clift of East Boston, faced the harbor, Birds Island, and

Governors Island on the left hand, and the city of Boston on the right.

"Towards the end of summer, during a calm night lighted by a full moon, Pourtalès called our attention to an unusual brightness of a silvery blue over the surface of the water. It looked like a sheet of liquid silver. Agassiz and Desor thought it to be a reflection of the satellite. We were, however, soon convinced that such was not the case, inasmuch as the brightness continued, even with a greater intensity, when the moon happened to be momentarily hidden behind packs of heavy clouds driven by upper currents of the atmosphere.

"To leave no room for any possible doubt, Pourtales and myself went on a little skiff gathering in a pail a sample of water from the center of the phenomenon. Nothing particular attracted our attention except that as we were progressing, the brightness which we still perceived at a given distance, disappeared from our immediate surroundings, the surface of the water showing its usual aspect, and the thought occurred whether we were not laboring under an optical delusion. Nevertheless we filled our pail to examine its contents at home. By the light of our lamps, the water appeared perfectly limpid and contained no living beings visible to the naked eye. But in the obscurity and calmness one could see a myriad of sparks darting to and fro-genuine aquatic fireworks in miniature. The least agitation or a simple shock against the pail would cause these sparks to vanish, and to reappear after quietness was restored. In a transparent glass jar, little animalculæ could be distinguished like so many, whitish dots disseminated throughout the liquid. The microscope showed a small crustacea of the genus calanus, bearing a strong resemblance to l'arietes of Templeton. The luminous emission, of a celestial blue, could be seen proceeding from the nervous system of the little animal whose transparency enabled us to see its entire organization. The point initial was the cephalic ganglion above the esophagus, subject to isochronal contractions, and whence the luminous flashing passed rapidly through all the nervous strings to the other ganglia, which themselves were motionless."

Dr. Girard considers the phenomenon of phosphorescence as manifesting itself under two distinct aspects. First, an active state, and second, a passive state, The active state proceeds, during life, from the nervous system of the animals in which the phenomenon occurs and under the immediate control of their will, intermittent therefore in its aspect, whilst the passive state resides latent among diffused or disaggregated organic substances without vital impulse, and showing some activity under agitation of various sorts and under the action too. of luminous rays like those of the moon.

195.

. 1890. GIRARD, CHARLES. La maladie du Barbeau (Barbus fluviatilis L.) Le Naturaliste, Paris, p. 254, 1890.

ABSTRACT.

A very strange and serious disease, characterized by an accumulation, between skin and flesh, all along the lateral line, of an apparently fatty substance made of sarcosproids, affected the common barbel of the river Seine in its windings about Paris. That disease assumes the character of an epidemic, already observed years ago among the same fish in the rivers Meuse and Moselle. It terminates fatally and the dead fishes may be seen floating on the surface of the water. Death is brought about by asphyxia in the following manner: The bulky and fatty substance affecting but one side of the body, the fish loses both equilibrium and specific gravity. Unable to maintain itself any longer swimming in full water, it rises thus forcibly to the surface, where the access of the air to the gills impedes respiration and brings about death. The flesh as well as the organs in the abdominal cavity exhibit at first no signs of alteration. By and by suppuration may set in and the swollen region then bursts open like an abscess.

196.

1891. GIRARD, CHARLES. Une tortue bicéphale.

Le Naturaliste, Paris, p. 1, 1891, (fig.).

A very young specimen of *Chrysemys pieta* from the United States, exhibits two well-formed heads emerging from under a carapax seemingly normal in its exterior aspect. Four limbs.

two to the right and two to the left, and a single tail are well developed, the limbs on the right side probably belonging to one fetus and those of the left side to the other fetus. Dissection, however, was not made, the author having had but one sketch of the animal at his command.

197.

1891. GIRARD, CHARLES. Deux espèces nouvelles de planairés américaines. Le Naturaliste, Paris, 1891.

Hydrolimase brunneus, n. s.

Rivulet from Fairmount Park, Jos. Leidy.

Phagocata coronata, n. s.

Near Fort Bridger, Wyoming, Jos. Leidy.

198.

1891. GIRARD, CHARLES. Récherches sur les planaires et les némertiens de l'Amérique du Nord.

Annales Sciences Naturelles, Paris, 1891.

A systematic record of notes and cursory observations, viewing a general treatise on the subject (see No. 59), and which circumstances prevented from carrying out fully.

TERRESTRIAL PLANARIANS:

RHYNCHODEMUS, Leidy.

Rhynchodemus sylvestris, Leidy.

FRESH-WATER PLANARIANS:

HYDROLIMAX, Hald.

Hydrolimax griseus, Hald.

Hydrolimax brunneus, Grd.

PROCOTYLA, Leidy.

Procotyla fluviatilis, Leidy.

PHAGOCATA, Leidy.

Phagocata gracilis, Leidy.

Phagocata coronata, Grd.

DUGESIA, Girard.

Dugesia gonocephaloides, Grd.

Dugesia Foremani, Grd.

Dugesia maculata, Grd.

Dugesia truncata, Grd.

DENDROCCELUM, Oerst.

Dendrocælum superbum, Grd.

Dendrocælum pulcherrimum, Grd.

MARINE PLANARIANS:

PLANOCERA, Blainv.

Planocera elliptica, Grd.

Planocera nebulosa, Grd.

LEPTOPLANA.

Leptoplana ellipsoides, Grd.

IMOGINE, Girard.

Imogine oculifera, Grd.

THYSANOZOON, Grube.

Thysanozoon nigrum, Grd.

PROCERODES, Girard.

Procerodes Wheatlandi, Grd.

Niobe, Girard.

Niobe zonata, Grd.

TYPHLOLEPTA, Oerst.

Typhlolepta acuta, Grd.

Typhlolepta fuliginosa, Leidy.

POLYCELIS, Ehr.

Polycelis variabilis, Grd.

Polycelis tigrinus, Grd.

PROSTHIOSTOMUM, Quatref.

Prosthiostomum gracile, Grd.

BDELLOURA, Leidy.

Bdelloura candida, Grd.

Bdelloura rustica, Leidy.

RHABDOCCELA:

DEBOSTOMA, Dugis.

Derostoma marginatum, Grd.

FOVIA, Girard.

Fovia Warreni, Grd.

MONOCELIS, Ehr.

Monocelis spatulicauda, Grd.

MACROSTOMA, Ed. v. Ben.

Macrostoma hystrix, Oerst.

Macrostoma sensitivum, Sillim.

MICROSTOMA, O. Sch.

Microstoma lineare, Oerst.

Microstoma caudatum, Leidy.

Microstoma Philadelphicum, Leidy.

Microstoma variabile, Leidy.

STENOSTOMA, O. Sch.

Stenostoma leucops, O. Sch.

Stenostoma agile, Sillim.

PRORHYNCHUS, M. Schultze.

Prorhynchus fluviatilis, Leydig.

MESOSTOMA, Dugis.

Mesostoma gonocephalum, Sillim.

Mesostoma cæcum, Sillim.

Mesostoma Pattersoni, Sillim.

Mesostoma viviparum, Sillim.

GYRATOR.

Gyrator albus, Sillim.

VORTEX, Ehr.

Vortex armiger, S. Sch.

Vortex Pinguis, Sillim.

Vortex Blodgetti, Sillim.

PLAGIOSTOMA.

Plagiostoma planum, Sillim.

FRESH-WATER NEMERTEANS:

EMEA, Leidy.

Emea rubra, Leidy.

Emea Sillimani, Grd.

MARINE NEMERTEANS:

TETRASTEMMA, Ehr.

Tetrastemma serpentina, Grd.

HECATE, Girard.

Hecate elegans, Grd.

Poseidon, Girard.

Poseidon colei, Grd.

Poseidon affinis, Grd.

roseram aginis, Gr

NAREDA, Girard.

Nareda superba, Grd.

BORLASIA, Oken.

Borlasia Kürtzi, Grd. LEODES, Girard.

Leodes striolenta, Grd.

RENIERIA, Girard.

Renieria rubra. Grd.

AMPHIPORUS, Ehr.

Amphiporus sanguineus, Grd

Polia, Dellelhiaje.

Polia gracilis, Grd.

MECKELIA, Leuck.

Meckelia fragilis, Grd.

Meckelia atra, Grd.

Meckelia pocahontas, Grd.

Meckelia lizziæ, Grd.

Meckelia lætea, Leidy.

Meckelia rosea, Leidy.

OMMATOPLEA, Ehr.

Ommatoplea Stimpsoni, Grd.

STIMPSONIA, Girard.

Stimpsonia aurantiaca, Grd.

II. SYSTEMATIC CATALOGUE.

ANALYSIS.

	Page.
BibliographyBibliography	
Embryology, physiology, and medicine	97
Natural history	97
Mammals	
Reptiles and batrachians	
Fishes	
Insects	
Arachnids and myriopods	
Crustacea	
Entomostracans	
Worms	
Planarians and Nemerteans	
Mollusks	
Echinoderms	

BIBLIOGRAPHY.

- 27. American Zoölogical, Botanical, and Geological Bibliography for the year 1851. Prepared at the request of Prof. Spencer F. Baird, Assistant Secretary Smithsonian Institution, by Charles Girard. Sill. Amer. Jour. Sc. and Arts, second series, xiii, 1852.
- 28. Bibliographia Americana Historico-Naturalis, A. D. 1851. Smiths. Contr. to Knowledge. Washington, 1852. 8vo.
- 54. Publications of Learned Societies and Periodicals in the Library of the Smithsonian Institution. Part I: In Smiths. Contr. to Knowl., vii, 1853. Part II: Ibid., xiii, 1856.
- 185. Systematic Catalogue of the Scientific Labors of Dr. Charles Girard. Paris, 1888. 8vo.

EMBRYOLOGY, PHYSIOLOGY, AND MEDICINE.

- 2. On the so-called Biogen Liquid. Proc. Bost. Soc. Nat. Hist., iii, 1850, 236. Sill. Amer. Journ. Sc. and Arts, second series, ix, 1850, 399.
- 7. On the Development of Planocera elliptica. Proc. Bost. Soc. Nat. Hist., iii, 1850, 348.
- 8. On the Embryology of Planaria. Proc. Amer. Ass. Adv. Sc., ii, 1850, 398.
- 9. Sur l'embryologie des Planaires. Bull Soc. Sc. Nat. Neuch., ii, 1850, 300.
- 58. Embryology of Planocera elliptica. Journ. Acad. Nat. Sc. Phila., second series, ii, 1854, 307.
- 59. Researches upon Nemerteans and Planarians. I. Embryonic Development of Planocera elliptica. Phila., 1853. 4to.
- 17. On the Organs of Vision and Nervous System in the Embryo of Ascidia. Proc. Bost. Soc. Nat. Hist., iv, 1851, 30.
- 81. Life in its Physical Aspect. Washington, 1855. 8vo.
- 181. La vie au point de vue physìque ou Physiogénie philosophique. Paris, 1860. 18mo.
- 183. Principes de Biologie appliqués à la Médicine. Paris, 1872, in 18mo.
- 184. Contribution à l'histoire médico-chirurgicale du Siège de Paris. L'ambulance militaire de la rue Violet, No. 57. Succursale de l'Hôtel des Invalides. Paris, 1872. 8vo.

GENERAL NATURAL HISTORY.

- Contributions to the Fauna of Chile. Reprint from Gilliss's U. S. N., Astronomical Expedition, to the Southern Hemisphere during the years 1849, '50, '51, and '52. Vol. ii, 1856, 230. 4to.
- 190. Les Andes et la Cordillère équatoriennes. Le Naturaliste, 1889, pp. 37-8 and 159-161. Paris. 4to., 191. Les Andes, la Cordillère et l'Amazonie. Précédé d'une lettre à M. Raphael Blanchard. Sur la faune souterraine de l'equateur. Congrès international de Zoölogie. Paris, 1889, 101.
- 192. La faune souterraine des Andes et de la Cordillère. Congrès international de Zoölogie. Paris, 1889, 110.
- 194. De la phosphorescence en générale et celle des mers en particulier. Le Naturaliste, 1890, 210-212.

Bull. 41, N. M.——7

MAMMALS.

- MAMMALIA in the Iconographic Encyclopædia of Science, Literature, and Arts. New York, 1852, 8 vo.
- 24. On the Classification of Mammalia. Proc. Amer. Ass. Adv. Sc., vi, 1852, 312.
- 25. Outlines of General Zoölogy. Mammals, by Charles Girard; Birds, by John Cassin; Reptiles, by Spencer F. Baird; Fishes, by Spencer F. Baird; Invertebrates, by S. S. Haldeman. Reprinted from the Iconographic Encyclopædia of Science, Literature, and Arts. New York, Rudolphe Garrigue, publisher, Barclay street, Astor House, 1851. 8vo. 502.

REPTILES AND BATRACHIANS.

- 14. On a New American Saurian Reptile. Proc. Amer. Ass. Adv. Sc., iv, 1851, 200.
- Descriptions of New Species of Reptiles collected by the U. S. Exploring Expedition under the command of Capt. Charles Wilkes, U. S. Navy.
 - First part. Including the species from the Western coast of America. By Spencer F. Baird and Charles Girard. Proc. Acad. Nat. Sc. Phila., vi, 1852, 174.
- Second part. Including the species of Batrachians exotic to North America. Proc. Acad. Nat. Sc-Phila., vi, 1853, 420.
- Third part. Including the species of Ophidians exotic to North America. Proc. Acad. Nat. Sc. Phila., ix, 1857, 181.
- Fourth part. Including the species of Saurians exotic to North America. Proc. Acad. Nat. Sc. Phila., ix, 1857, 195.
- 50. A communication on a species of Frog, and another of Toad, recently described from specimens in the herpetological collections of the U. S. Exploring Expedition, by Spencer F. Baird and Charles Girard. Proc. Acad. Nat. Sc. Phila., vi, 1853, 378.
- Characteristics of some new Reptiles in the Museum of the Smithsonian Institution. By Spencer
 F. Baird and Charles Girard. Proc. Acad. Nat. Sc. Phila., vi, 1852, 68. (First part.)
- 35. Second part. Containing the species of the Saurian Order, collected by John H. Clark, under Col. J. D. Graham, head of Scientific Corps United States and Mexican Boundary Commission, and a few others from the same or adjoining territories, obtained from other sources, and mentioned under their special headings. By Spencer F. Baird and Charles Girard. Proc. Acad. Nat. Sc. Phila., vi, 1852, 125.
- 36. Third part. Containing the Batrachians in the collection made by John H. Clark, under Col. J. D. Graham, on the United States and Mexican Boundary. Proc. Acad. Nat. Sc. Phila., vi, 1852, 173.
- Catalogue of the North American Reptiles in the Museum of the Smithsonian Institution. Part
 Serpents. By S. F. Baird and Charles Girard. Washington, 1853.
 8vo.
- Reptiles in Stansbury's Exploration and Survey of the Valley of Great Salt Lake of Utah. By Spencer F. Baird and Charles Girard. Washington, 1853.
 8vo.
- A Monographic Essay on the Genus Phrynosoma. In Stansbury's Exploration and Survey of the Valley of Great Salt Lake of Utah. Washington, 1853.
 8vo.
- Reptiles in Marcy and McClellan's Explorations of the Red River of Louisiana in the year 1852.
 By Spencer F. Baird and Charles Girard. Washington, 1853, 217.
- List of Reptiles collected in California by John L. Leconte, with descriptions of New Species.
 By S. F. Baird and Charles Girard. Proc. Acad. Nat. Sc. Philad., v, 1853, 300.
- A List of the North American Bufonids, with diagnoses of New Species. Proc. Acad. Nat. Sc. Philad., vii, 1854, 86.
- On a specimen of Storeria DeKayi from the vicinity of Cambridge, Massachusetts. Proc. Bost. Soc. Nat. Hist., v, 1854, 89.
- Abstract of a Report to Lieut. James M. Gilliss, U. S. N., upon the Reptiles collected during the U. S. Naval Astronomical Expedition to Chili. Proc. Acad. Nat. Sc. Philad., vii, 1854, 226.
- 77. Report to Lieut. James M. Gilliss, U. S. N., upon the Reptiles collected during the U.S. Naval Astronomical Expedition to Chili. Report of the U. S. Naval Astronomical Expedition to the Southern Hemisphere, ii, 207, 1855. Washington. 4to.
- 84. On a New Species of Urodela, from the collection of the U. S. Exploring Expedition under the command of Capt. Charles Wilkes, U. S. N. Proc. Acad. Nat. Sc. Philad., viii, 1856, 140.
- United States Exploring Expedition during the years 1838, 1839, 1840, 1841, 1842, under the command of Charles Wilkes, U. S. N. Vol. xx. Herpetology. Philadelphia, 1858. 4to. With a folio atlas.
- 101. United States and Mexican Boundary Survey, under the order of Lieut. Col. W. H. Emory. Reptiles of the Boundary. By Spencer F. Baird. With notes by the naturalists of the Survey. Vol. ii. 4to. 1859.
- 180. Herpetological Notices. Proc. Acad. Nat. Sc. Philad., xi, 1859, 169.
- 100. Reports of Explorations and Surveys to ascertain the Most Practical and Economical Route for a Railroad from the Mississippi River to the Pacific Ocean. Made under the direction of the Secretary of War in 1855-'56, according to acts of Congress of March 3, 1853, May 31, 1854, and August 5, 1854. Vol. x. Reptiles. By Spencer F. Baird. Washington, 1859. 4to.
- 196. Une tortue bicéphale. Le Naturaliste, 1891, 19.



FISHES.

- 1. On the genus Cottus Auct. Proc. Bost. Soc. Nat. Hist., iii, 1850, 183.
- Additional observations on the nomenclature and classification of the Fishes of the genus Cottus. Proc. Bost. Soc. Nat. Hist., iii, 1850, 302.
- 4. A monograph of the fresh-water Cotti. Proc. Amer. Ass. Adv. Sc., ii, 1850, 409.
- 5. On "Acanthocotti" in Storer's Fishes of Nova Scotia. Bost. Journ. Nat. Hist., vi, 1850, 247-250.
- 6. On "Gasterostei" in Storer's Fishes of Nova Scotia. Bost. Jour. Nat. Hist., vi, 1850, 254-260.
- 19. On a new genus of American Cottoids. Proc. Bost. Soc. Nat. Hist., iv, 1851, 18.
- 26a. On Salmo oquassa, a New Species of Lake Trout. Proc. Bost. Soc. Nat. Hist., iv, 1852, 362.
- 30. Révision du genre Cottus des auteurs. Nouv. Mém. Soc. Helv. Sc. Nat., xii, 1852, 28.
- Contributions to the Natural History of the Fresh-water Fishes of North America. I, Monograph of Cottoids. Smiths. Contr. to Knowl., iii, 1852. 4to. 3 plates.
- 42. Descriptions of some New Fishes from the River Zuñi. Proc. Acad. Nat. Sc. Philad., vi, 1853, 368.
- 43. Description of New Species of Fishes collected by Capts. R. B. Marcy and Geo. B. McClellan in Arkansas. Proc. Acad. Nat. Sc. Philad., vi, 1853, 390.
- Fishes in Sitgreaves' Report of an Expedition down the Zuñi and Colorado Rivers. Washington, 1853.
 8vo.
- 46. Fishes in Marcy and McClellan's Exploration of the Red River of Louisiana in the year 1852. Washington, 1853. 8vo.
- 51. On a New Species of the genus Salmo. Proc. Acad. Nat. Sc. Philad., vi, 1853, 380.
- Observations upon the American Species of the genus Esox. Proc. Bost. Soc. Nat. Hist., vi, 1853, 386.
- 53. Note upon a nest constructed by Catfish. Proc. Acad. Nat. Sc. Philad., vi, 1853, 387.
- 56. Descriptions of New Species of Fishes collected by Mr. John H. Clark, on the United States and Mexican Boundary Survey, under Col. J. D. Graham. Proc. Acad. Nat. Sc. Philad., vi., 1853, 387 (first part).
- 60. Descriptions of New Species of Fishes collected in Texas, New Mexico, and Sonora, by John H. Clark, on the United States and Mexican Boundary Survey, and in Texas, by Capt. Stewart Van Vliet, U. S. A. Proc. Acad. Nat. Sc. Philad., vii, 1854, 24 (second part).
- Description of New Species of Fishes from the State of Massachusetts. Proc. Bost. Soc. Nat. Hist., v, 1854, 40.
- 63. Notice of a New Species of Salmonidæ from the Northeastern Waters of the United States. Proc. Acad. Nat. Sc. Philad., vii, 1854, 85.
- Characteristics of some Cartilaginous Fishes of the Pacific Coast of North America. Proc. Acad. Nat. Sc. Philad., vii, 1854, 196.
- On the Family of Embiotoicidæ and its mode of Development. Proc. Bost. Soc. Nat. Hist., v, 1854, 81.
- 66. Descriptions of New Fishes collected by A. L. Heermann, naturalist attached to the survey of the Pacific Railroad, under Lieut. R. S. Williams, U. S. A. Proc. Acad. Nat. Sc. Philad., vii, 1854, 129.
- 67. Notice of a New Genus of Cyprinide. Proc. Acad. Nat. Sc. Philad., vii, 1854, 155.
- 73. Enumeration of the Species of Marine Fishes collected at San Francisco, California, by Dr. C. B. R. Kennerly, naturalist attached to the survey of the Pacific Railroad route under Lieut. A. W. Whipple. Proc. Acad. Nat. Sc. Philad., vii, 1854, 141.
- Observations upon a Collection of Fishes made on the Pacific Coast of the United States, by Lieut.
 W. P. Trowbridge, U. S. A., for the Museum of the Smithsonian Institution. Proc. Acad.
 Nat. Sc. Philad., vii, 1854, 142.
- Abstract of a Report to Lieut. James M. Gilliss, U. S. N., upon the Fishes collected during the U. S. Naval Astronomical Expedition to Chili. Proc. Acad. Nat. Sc. Philad., vii, 1854, 197.
- Report to Lieut. James M. Gilliss, U. S. N., upon the Fishes collected by the U. S. Naval Astronomical Expedition to the Southern Hemisphere during the years 1849-50-51-52, vol. ii, 1856, p. 230.
- Notice upon the Viviparous Fishes inhabiting the Pacific Coast of North America, with an enumeration of the Species observed. Proc. Acad. Nat. Sc. Philad., vii, 1855, 318.
- Notice upon the Species of the Genus Salmo of authors, observed chiefly in Oregon and California. Proc. Acad. Nat. Sc. Philad., viii, 1856, 217.
- 85. Contributions to the Ichthyology of the Western Coast of the United States, from specimens in the Museum of the Smithsonian Institution. Proc. Acad. Nat. Sc. Philad., viii, 1856, 131.
- 86. Researches upon the Cyprinoid Fishes inhabiting the fresh waters of the United States west of the Mississippi Valley, from specimens in the Museum of the Smithsonian Institution. Proc. Acad. Nat. Nat. Sc. Philad., viii, 1856, 165.
- 87. Researches upon the Cyprinoid Fishes inhabiting the fresh waters of the United States west of the Mississippi Valley, from specimens in the Museum of the Smithsonian Institution. Reprint from the Proceedings of the Academy of Natural Sciences of Philadelphia. Pamphlet of 54 pages, 8°. 1856.



- A list of the Fishes collected in California by M. E. Samuels, with descriptions of the New Species. Bost. Journ. Nat. Hist., vi, 1857, 533.
- Notice upon New Genera and New Species of marine and fresh-water Fishes from western North America. Proc. Acad. Nat. Sc. Philad., ix, 1857, 200.
- 92. Notes upon various New Genera and New Species of Fishes in the Museum of the Smithsonian Institution, and collected in connection with the United States and Mexican Boundary Survey, Maj. William Emory, Commissioner. Proc. Acad. Nat. Sc. Philad., x, 1858, 167.
- United States and Mexican Boundary Survey, under the order of Lieut. Col. W. H. Emory, Major
 First Cavalry and United States Commissioner. Vol. ii. Ichthyology. 1858. Washington.
- 95. Reports of Explorations and Surveys to ascertain the most practical and economical route for a railroad from the Mississippi River to the Pacific Ocean. Made under the direction of the Secretary of War in 1853-56, under the acts of Congress of March 3, 1853, May 31, 1854, and August 5, 1854. Vol. x. Fishes, Washington, 1859 (with 76 plates, 4°).
- 96. Report on Fishes collected on the Survey of Routes near the Thirty-eighth and Thirty-ninth Parallels, explored by Capt. J. W. Gunnison, and near the Forty-first Parallel, explored by Lieut. E. G. Beckwith. P. R. E. Expl. and Surveys, vol. x.
- 97. Report upon Fishes collected on the Survey of Route near the Thirty-fifth Parallel, explored by Lieut. A. W. Whipple, and near the Thirty-second Parallel, explored by Lieut. E. G. Parke and Capt. John Pope. P. R. R. Expl. and Surveys, vol. x.
- 98. Report on Fishes collected on the Survey of Routes in California to connect with the Routes near the Thirty-fifth and Thirty-second Parallels, explored by Lieut. R. S. Williamson. P. R. R. Expl. and Surveys, vol. x.
- Report upon Fishes collected on the Survey of Routes in California and Oregon, explored by Lieut.
 R. S. Williamson. P. R. Expl. and Surveys, vol. x.
- 179. Ichthyological Notices. Proc. Acad. Nat. Sc. Philad., x, 1858, pp. 323-325; vol. xi, 1859, pp. 54-186-
- 186. Les Poissons aveugles des cavernes américaines. Le Naturaliste. Paris, 1888.
- 187. Les Poissons souterrains du Nouveau Monde. Le Naturaliste. Paris, 1888.
- 188. Les Poissons musiciens. Le Naturaliste. Paris, 1889.
- 189. Les Poissons souterrains du Nord de l'Afrique. Le Naturaliste. Paris, 1889.
- 193. Les Poissons vivipares de la côte Américaine de l'Océan Pacifique. Le Naturaliste. Paris, 1890.
- 195. La Maladie du Barbeau (Barbus fluviatilis). Le Naturaliste. Paris, 1890.

INSECTS.

- 21. The Seventeen year Locust (Cicada septendecim). Bost. Even. Traveller, Sept. 3, 1851.
- Orthopterous Insects in Marcy and McClellan's Exploration of the Red River of Louisiana in 1852.
 Washington, 1853.
 8vo. (figs.)

ARACHNIDIANS AND MYRIAPODS.

- Arachnidians in Marcy and McClellan's Exploration of the Red River of Louisiana, in 1852.
 Washington, 1853. 8vo. (figs.)
- Myriapods in Marcy and McClellan's Exploration of the Red River of Louisiana, in 1852. Washington, 1853.
 8vo. (figs.)

CRUSTACEA.

- A revision of the North American Astaci, with observations on their habits and geographical distribution. Proc. Acad. Nat. Sc. Philad, vi, 1852, 87, and vii, 1853, 380.
- Report to Lieut. James M. Gilliss upon the Crustacea collected during the U. S. N. Astronomical Expedition to Chili. 1856. 4to.

ENTOMOSTRACANS.

 On a new Entomostracan of the Family Limnadidæ, inhabiting the western waters. Proc. Acad. Nat. Sc. Philad., vii, 1854, 13.

WORMS.

- 15. A New Generic Type in the Class of Worms. Proc. Amer. Ass. Adv. Sc., iv, 1851, 124.
- 20. Historical Sketch of Gordiana. Proc. Acad. Nat. Sc. Phila., v, 1851, 279.
- 70. On Arenicola natalis. Proc. Bos. Soc. Nat. Hist., v, 1854, 88.



PLANARIANS AND NEMERTEANS.

- Descriptions of Several New Species of Marine Planarize of the Coast of Massachusetts. Proc. Bost. Soc. Nat. Hist., iii, 1852, 251 and 264.
- Brief account of the Fresh-water Planariæ so far known in the United States. Proc. Bos. Soc. Nat. Hist., iii, 1850, 264.
- 12. Observations upon Planarian Worms. Proc. Bost. Soc. Nat. Hist., iii, 1850, 363.
- 16. Essay on the classification of Nemertes and Planariæ, preceded by some general considerations on the Primary Divisions of the Animal Kingdom. Sill. Amer. Journ. of Sc. and Arts, second series, xi, 1851, 41, and revised edition in the Proc. Amer. Ass. Adv. Sc. iv, 1851, 258.
- Die Planarien und Nemertinen Nordamerikas. Kell. u. Tied. Nordam. Monatsch., ii, 1851, p. 1.
 Philadelphia. 8vo.
- Description of a New Planarian and a New Nemertean from the Coast of Florida. Proc. Soc. Nat. Hist., iv. 1851, 137.
- Description of Two New Genera and Two Species of Nemerteans. Proc. Bost. Soc. Nat. Hist., iv, 1852, 185.
- Description of two New Genera and two New Species of Planarians. Bos. Soc. Nat. Hist., iv, 1852
 210.
- 55. Descriptions of New Nemerteans and Planarians from the Coast of the Carolinas. Proc. Acad. Nat. Sc. Phila., vi, 1853, 385.
- Dendrocœla (Planaridæ and Nemertidæ, in Stimps. Synops. Marine Invert. of Grand Manan. Smith's Contrib. to Knowl., vi, 1854, 27.
- 197. Deux espèces nouvelles de planaires américaines. Le Naturaliste, 1891.
- 198. Recherches sur les Planaires and les Némertes de l'Amérique du Nord. Ann. Sc. Naturelles, 1891.

MOLLUSKS.

9. On Placobranchus simplex. Proc. Bost. Soc. Nat. Hist., v, 1854, 89.

ECHINODERMS.

- 13. Description of several New Species of Echinoderms. Proc. Bost. Soc. Nat. Hist., iii, 1850, 363,
- 33. An account of a New Species of Spatangidæ. Proc. Bost. Soc. Nat. Hist., iv, 1852, 210.

III. LIST OF GENERA AND SPECIES DISCUSSED AND ILLUSTRATED.

ANALYSIS.

Reptiles	102
Batrachians	
Fishes	
Insects	
Arachnidians	137
Myriapods	
Crustacea	
Entomostracans	
Worms	138
Planarians	138
Nemerteans	
Mollusks	
Echinoderms	

REPTILES.

ABASTOR.

Cat. N. A. Reptiles, 1853, part i, p. 125.

ABASTOR ERYTHROGRAMMUS.

Cat. N. A. Reptiles, 1853, part i, p. 125; P. R. R. Surv, x, 1859, pl. xxxiii, fig. 83.

ACTINEMYS.

U. S. Expl. Exped., 1858, p. 464.

ACTINEMYS MARMORATA

U. S. Expl. Exped., 1858, p. 465, pl. xxxii; P. R. R. Surv., x, 1859.

ALLIGATOR LUCIUS.

Mex. Bound. Surv., ii, 1859, p. 5.

AMPHIBOLURUS.

U. S. Expl. Exped., 1858, p. 413.

AMPHIBOLUBUS MACULIFERUS.

Pr. Acad. Nat. Sci. Phila., ix, 1857, p. 198; U. S. Expl. Exped., 1858, p. 417.

AMPHIBOLURUS MURICATUS.

U. S. Expl. Exped., 1858, p. 414.

Amphiuma rhodomelas.

U. S. Expl. Exped., 1858, p. 165.

ANCISTRODON.

Cat. N. A. Reptiles, 1853, part i, p. 17.

ANCISTRODON CONTORTRIX.

Cat. N. A. Reptiles, 1853, part i, p. 17; Mex. Bound. Surv., vol. ii, 1859, p. 15; P. R. R. Surv., vol. x, 1859, pl. xxv, fig. 12.

Anniella pulchra.

Pr. Acad. Nat. Sci. Phila., vi, 1853, p. 301; Mex. Bound. Surv., vol. ii, 1859, p. 13.

Anolis carolinensis.

Mex. Bound. Surv., vol. ii, 1859, p. 12.

Aporomera.

Gilliss's Rep. Exped. S. Hemisph, ii, 1855, p. 19. APOROMERA ORNATA.

Gilliss's Rep. Exped. S. Hemisph., vol. ii, 1855, p. 19, pl. xxxix, figs. 1-4.

ARIZONA ELEGANS.

Mex. Bound. Surv., vol. ii, 1859, p. 18, pl. xiii; P. R. R. Surv., vol. x, p. 42.

ASCALABOTES.

U. S. Expl. Exped., 1858, p. 288.

ASCALABOTES DELALANDII.

U. S. Expl. Exped., 1858, p. 289, pl. xxv, figs. 1-8. Aspidonutes Emoryi.

Mex. Bound. Surv., vol. ii, 1859, p. 3.

BASCANION.

Cat. N. A. Reptiles, 1853, part i, p. 93; U.S. Expl. Exped., 1858, p. 126.

BASCANION CONSTRICTOR.

Cat. N. A. Reptiles, 1853, part i, p. 93; P. R. R. Surv., vol. x, pl. xxxi, fig. 67.

BASCANION FLAVIVENTRIS.

Cat. N. A. Reptiles, 1853, part i, p. 96; Mex. Bound. Surv., vol. ii, p. 20; P. R. R. Surv., vol. x, pl. xxxi, fig. 70.

BASCANION FOXI.

Cat. N. A. Reptiles, 1853, part i, p. 96; P. R. R. Surv., vol. x, 1859, pl. xxxi, fig. 69.

BASCANION FREMONTI.

Cat. N. A. Reptiles, 1853, part i, p. 95; P. R. R. Surv., vol. x, 1859, pl. xxxi, fig. 68.

Bascanion vetustus.

Pr. Acad. Nat. Sci. Phila., vi, 1853, p. 300; Cat.
 N. A. Reptiles, 1853, part i, p. 97; U. S.
 Expl. Exped., 1858, p. 127, pl. viii, figs.
 12-19; P. R. R. Surv., vol. x, 1859, pl. xxxvi, fig. 6.

BATRACHOSOMA.

U. S. Expl. Exped., 1858, p. 400.

BATRACHOSOMA CORONATUM.

U. S. Expl. Exped., 1858, p. 400, pl. xx, figs. 10-13.

BOLTALIA.

U. S. Expl. Exped., 1858, p. 279.

BRACHYLOPHUS.

U. S. Expl. Exped., 1858, p. 373.

BRACHYLOPHUS FASCIATUS.

U. S. Expl. Exped., 1858, p. 374, pl. xviii, figs. 8 and 9.

BRONCHOCCELA.

U. S. Expl. Exped., 1853, p. 411.

BRONCHOCŒLA IRISTATELLA

U. S. Expl. Exped., 1858, p. 411.

CALAMARIA TENUIS.

Pr. Acad. Nat. Sci. Phila., vi, 1852, p. 176.
CALLIRHINUS.
Pr. Acad. Nat. Sci. Phila. iz 1857, p. 189.

Pr. Acad. Nat. Sci. Phila., ix, 1857, p. 182; U. S. Expl. Exped., 1858, p. 139.
CALLIBHINUS PATAGONIENSIS.

Pr. Acad. Nat. Sci. Phila., ix, 1857, p. 182; U.S.

Expl. Exped., 1858, p. 139, pl. xii, figs. 1-6. CALLISAURUS VENTRALIS.

Mex. Bound. Surv., vol. ii, p. 8; P. R. R. Surv., vol. x, p. 17.

CALOTES.

U. S. Expl. Exped., 1858, p. 411.

CANTORIA.

Pr. Acad. Nat. Sci. Phil., ix, 1857, p. 182; U. S. Expl. Exped., 1858, p. 156.

CANTORIA VIOLACEA.

Pr. Acad. Nat. Sci. Phila., ix, 1857, p. 182; U. S. Expl. Exped., 1858, p. 156, pl. xi, figs. 7-10. CARETTA.

U. S. Expl. Exped., 1858, p. 438.

CARETTA IMBRICATA.

U. S. Expl. Exped., 1858, p. 440.

CARETTA ROSTRATA.

U. S. Expl. Exped., 1858, p. 446, pl. xxx, figs. 8-13.

CARETTA SQUAMOSA.

U. S. Expl. Exped., 1858, p. 442, pl. xxx, figs. 1-7.

CELUTA.

Cat. N. A. Reptiles, 1853, part i, p. 129.

CELUTA AMŒNA.

Cat. N. A. Reptiles, 1853, part 1, p. 129; P. R. R. Surv., vol. x, pl. xxxiii, fig. 95.

CEPHALOPELTIS.

U. S. Expl. Exped., 1858, p. 216.

CEPHALOPELTIS SCUTIGERA.

U. S. Expl. Exped., 1858, p. 217.

CERBERUS.

U. S. Expl. Exped., 1858, p. 170.

CHARINA.

U. S. Expl. Exped., 1858, p. 111.

CHELONIA

U. S. Expl. Exped., 1858, p. 452.

CHELONIA BICABINATA.

U. S. Expl. Exped., 1858, p. 441.

CHELONIA FORMOSA.

U. S. Expl. Exped., 1858, p. 456, pl. xxxi, figs. 1-4.

CHELONIA MAMLOSA.

U. S. Expl. Exped., 1858, p. 444.

CHELONIA MARMORATA.

U. S. Expl. Exped., 1858, p. 455, pl. xxxi, figs. 5-7.

CHELONIA PSEUDOCARETTA,

U. S. Expl. Exped., 1858, p. 441.

CHELONIA PSEUDOMYDAS.

U. S. Expl. Exped., 1858, p. 454.

CHELONIA VIRGATA.

U. S. Expl. Exped., 1858, p. 437.

CHELONIA VIRIDIS.

U. S. Expl. Exped., 1858, p. 453.

CHELONIA TENUIS.

U. S. Expl. Exped., 1858, p. 459, pl. xxxi, fig. 8. CHELYMYS.

U. S. Expl. Exped., 1858, p. 462.

CHIONIA.

U. S. Expl. Exped., 1858, p. 230.

CHIONIA VENUSTA.

U. S. Expl. Exped., 1858, p. 230.

CHLOROSOMA.

Cat. N. A. Reptiles, 1853, part i, p. 108.

CHLOROSOMA VERNALIS.

Cat. N. A. Reptiles, 1853, part i, p. 108; P. R. R. Surv., vol. x, pl. xxxii, fig. 81.

CHRYSEMYS OREGONENSIS.

Mex. Bound. Surv., vol. ii, p. 4.

CHURCHILLIA.

Pr. Acad. Nat. Sci. Phila., vi, 1852, p. 70; Stansbury Surv. Salt Lake, 1853, p. 350.

CHURCHILLIA BELONA.

Pr. Acad. Nat. Sci. Phila., vi, 1852, p. 70; Stansbury's Surv. of Salt Lake, 1853, p. 350.

CNEMIDOPHORUS.

Marcy and McClellan's Rep. Expl. Red River La., 1853, p. 239; Gilliss's Rep. Exp. S. Hemisph., ii, 1855, p. 22.

CNEMIDOPHORUS GRACILIS.

Pr. Acad. Nat. Sci. Phila., vi, 1852, p. 128; Pr. Acad. Nat. Sci. Phila., vi, 1853, p. 301; Mex. Bound. Surv., vol. ii, p. 10, pl. xxxiv, figs. 7-14.

CNEMIDOPHORUS GRAHAMI.

Pr. Acad. Nat. Sci. Phila., vi, 1852, p. 128; Mex. Bound. Surv., vol. ii, p. 10, pl. xxxii, figs. 1-6.

CNEMIDOPHORUS GULARIS.

Pr. Acad. Nat. Sci. Phila., vi, 1852, p. 128;
 Marcy and McClellan's Expl. Red River,
 La., 1853, p. 239, pl. x, figs. 1-4;
 Mex. Bound. Surv., vol. ii, p. 11;
 P. R. R. Survey, vol. x, p. 38.

CNEMIDOPHORUS INORNATUS.

Pr. Acad. Nat. Sci. Phila., 1858, p. 255; Mex. Bound. Surv., vol. ii, p. 10. CNEMIDOPHORUS MARMORATUS.

Pr. Acad. Nat. Sci. Phila., vi. 1852, p. 128,

CNEMIDOPHORUS OCTOLINEATUS.

Pr. Acad. Nat. Sci. Phila., 1858, p. 255; Mex. Bound. Surv., vol. ii, p. 10.

CNEMIDOPHORUS PERPLEXUS.

Pr. Acad. Nat. Sci. Phila., vi, 1852, p. 128; Mex. Bound. Surv., vol. ii, p. 10.

CNEMIDOPHORUS PRÆSIGNIS.

Pr. Acad. Nat. Sci. Phila., vi, 1852, p. 128; Gilliss's Rep. Exp. S. Hemisph., vol. ii, 1855, p. 23, pl. xxxviii, figs. 1-5.

CNEMIDOPHORUS SEXLINEATUS.

P. R. R. Surv., vol. x, p. 38.

CNEMIDOPHORUS TESSELLATUS.

P. R. R. Surv., vol. x, p. 18.

CNEMIDOPHORUS TIGRIS.

Pr. Acad. Nat. Sci. Phila., vi, 1852, p. 69; Stansbury's Surv. Salt Lake, 1853, p. 338, pl. ii,
Mex. Bound. Surv., vol. ii, p. 10, pl. xxxiii.
COLUBER MORMON.

Pr. Acad. Nat. Sci. Phila., vi, 1852, p. 70; Stansbury's Surv. Salt Lake, 1853, p. 351.

bury's Surv. Salt Lake, 1853, p. 351. CONTIA.

Cat. N. A. Reptiles, 1853, part i, p. 110; U. S. Expl. Exp., 1858, p. 124.

CONTIA MITIS.

Cat. N. A. Reptiles, 1853, part i, p. 110; Pr.
Acad. Nat. Sci. Phila., 1853, p. 300; U. S.
Expl. Exp., 1858, p. 125, pl. x, figs. 6-10;
P. R. R. Surv., vol. x, pl. xxxvi, fig. 7.

CROSSURUS.

U. S. Expl. Exp., 1858, p. 281.

CROSSURUS PLATYURUS.

U. S. Expl. Exp., 1858, p. 281.

CROTALOPHORUS.

Cat. N. A. Reptiles, 1853, part —, p. 11.

CROTALOPHORUS CONSORS.

Cat. N. A. Reptiles, 1853, part i, p. 12; Mex. Bound. Surv., vol. ii, p. 15; P. R. R. Surv., vol. x, pl. xxvi, flg. 8.

CROTALOPHORUS EDWARDSI.

Cat. N. A. Reptiles, 1853, part i, p. 15; Mex. Bound. Surv., vol. ii, p. 15, pl. v, fig. 1; P. R. R. Surv., vol. x, pl. xxv, fig. 10.

CROTALOPHORUS KIRTLANDI.

Cat. N. A. Reptiles, 1853, part i, p. 16; P. R. R. Surv., vol. x, pl. xxv, fig. 11.

CROTALOPHORUS MILIARIS.

Cat. N. A. Reptiles, 1853, part i, p. 11; P. R. R. Surv., vol. x, p. 40, pl. xxiv, fig. 7.

CROTALOPHORUS TERGEMINUS.

Cat. N. A. Reptiles, 1853, part i, p. 14; P. R. R. Surv., vol. x, pl. xxv, fig. 9.

CROTALUS.

Cat. N. A. Reptiles, 1853, p. 1; Marcy and McClellan's Rep. Expl. Red River, La., 1853, p. 217; U. S. Expl. Exp., 1858, p. 187.

CROTALUS ADAMANTEUS.

Cat. N. A. Reptiles, 1853, part i, p. 3; P. R. R. Surv., vol. x, pl. xxiv, fig. 2.

CROTALUS ATROX.

Cat. N. A. Reptiles, 1853, part i, p. 5; Mex. Bound. Surv., ii, p. 14, pl. 1; P. R. R. Surv., vol. x, p. 39, pl. xxiv, fig. 3.

CROTALUS CERASTES.

Mex. Bound. Surv., vol. ii, p. 14, fig. 3; P. R. R. Surv., vol. x, pl. xxxv, fig. 4.

CROTALUS CONFLUENTUS.

Cat. N. A. Reptiles, 1853, part i, p. 8; Marcy and McClellan's Expl. Red River, La., 1853, p. 217, pl. i; Mex. Bound. Surv., vol. ii, p. 14; P. R. R. Surv., vol. x, p. 40, pl. xxiv, fig. 4.

CROTALUS DURISSUS.

Cat. N. A. Reptiles, 1853, part i, p. 1; P. R. R. Surv., vol. x, p. 39, pl. xxiv, fig. 1.

CROTALUS LUCIFER.

Pr. Acad. Nat. Sci. Phila., vi, 1852, p. 176; Cat.
N. A. Reptiles, 1853, part i, p. 6; Pr. Acad.
Nat. Sci. Phila., 1853, p. 300; U. S. Expl.
Exp., 1858, p. 187, pl. xv, figs. 1-6; P. R.
R. Surv., vol. x, pl. xxxvi, fig. 1.

CROTALUS MOLOSSUS.

Cat. N. A. Reptiles, 1853, part i, p. 10; Mex. Bound. Surv., vol. ii, p. 14, pl. ii; P. R. R. Surv., vol. x, pl. xxiv, fig. 5.

CROTALUS OREGONUS.

Cat. N. A. Reptiles, 1853, part i, p. 145; P. R.R. Surv., vol. x, pl. xxiv, fig. 6.

CROTALUS TIGRIS.

Mex. Bound. Surv., vol. ii, p. 14, pl. iv; P. R. R. Surv., vol. x, pl. xxv, fig. 1.

CROTAPHYTUS.

Stansbury's Surv. Salt Lake, 1853, p. 339; Marcy and McClellan's Rep. Expl. Red River, La., 1853, p. 234.

CROTAPHYTUS COLLARIS.

Marcy and McClellan's Expl. Red River, La., 1853, p. 235; Mex. Bound. Surv., vol. ii, p. 6; P. R. R. Surv., vol. x. p. 17 and 37, pl. xxiv, fig. 1.

CROTAPHYTUS DORSALIS.

Pr. Acad. Nat. Sci. Phila., vi, 1852, p. 126; Pr. Acad. Nat. Sci. Phila., vi, 1853, p. 301.

CROTAPHYTUS GAMBELI.

Pr. Acad. Nat. Sci. Phila., vi, 1852, p. 126. Crotaphytus reticulatus.

Pr. Acad. Nat. Sci. Phila., 1858, p. 253; Mex. Bound. Surv., vol. ii, p. 6.

CROTAPHYTUS WISLEZENI.

Pr. Acad. Nat. Sci. Phila., vl, 1852, p. 69; Stansbury's Surv. Salt Lake, p. 340, pl. iii; Mex. Bound. Surv., vol. ii, p. 7, pl. xxxi; P. R. R. Surv., vol. x, pp. 17 and 37.

CRYPTOBLEPHARUS.

U. S. Expl. Exped., 1858, p. 219.

CRYPTOBLEPHARUS EXIMIUS.

U. S. Expl. Exped., 1858, p. 222, pl. xxvi, figs. 25–32; Pr. Acad. Nat. Sci., Phila., ix, 1857, p. 195.

CRYPTOBLEPHARUS PLAGIOCEPHALUS.

U. S. Expl. Exped., 1858, p. 222, pl. xxvi, figs. 17-24.

CYCLODINA.

Pr. Acad. Nat. Sci. Phila., ix, 1857, p. 195; U.S. Expl. Exped., 1858, p. 235.

CYCLODINA ÆNEA.

Pr. Acad. Nat. Sci. Phila., ix, 1857, p. 195; U.
S. Expl. Exped., 1858, p. 236, pl. xxvi, figs. 9-16.

CYCLODINA TEMMINCKI.

U. S. Expl. Exped., 1858, p. 236.
Cyclodus.

U. S. Expl. Exped., 1858, p. 232.

CYCLODUS GIGAS.

U. S. Expl. Exped., 1858, p. 233.

CYLINDROPHIS.

U. S. Expl. Exped., 1858, p. 108.

CYLINDROPHIS RUFA

U. S. Expl. Exped., 1858, p. 109.

DACTYLOPERUS.

U. S. Expl. Exped., 1858, p. 279.

DACTYLOPERUS INSULENSIS.

Pr. Acad. Nat. Sci. Phila., ix, 1857, p. 197; U.S. Expl. Exped., 1858, p. 280.

DENDROPHIS.

U. S. Expl. Exped., 1858, p. 129.

DENDROPHIS PICTA.

U. S. Expl. Exped., 1858, p. 129.

DENDROPHIS PRASINUS.

U. S. Expl. Exped., 1858, p. 131, pl. xii, figs. 7-10; Pr. Acad. Nat. Sci. Phila., ix, 1857, p. 181.

DIADOPHIS.

Cat. N. A. Reptiles, 1853, part i, p. 112.

DIADOPHIS AMABILIS.

Cat. N. A. Reptiles, 1853, part i, p. 113; Pr.
 Acad. Nat. Sci. Phila., vi, 1853, p. 300; P.
 R. R. Serv., vol. x, pl. xxxiii, fig. 83.

IADOPHIS DOCILIS.

Cat. N. A. Reptiles, 1853, part i, p. 114; Mex. Bound. Surv., vol. ii, p. 22, pl. xxi, fig. 3; P. R. R. Surv., vol. x, p. 43, pl. xxxii, fig. 1, and pl. xxxiii, fig. 84. DIADOPHIS PULCHELLUS.

Cot N A Pontilos

Cat. N. A. Reptiles, 1853, part i, p. 115; P. R. R. Surv., vol. x, pl. xxxiii, fig. 85. Diadophis punctatus.

Cat. N. A. Reptiles, 1853, part i, p. 112; P. R.

R. Surv., vol. x, pl. xxxiii, fig. 82.
Diadophis regalis.

DIADOPHIS REGALIS.

Cat. N. A. Reptiles, 1853, part i, p. 115; Mex. Bound. Surv., vol. ii, p. 22; P. R. R. Surv., vol. x, pl. xxxiii, fig. 86.

DIPSAS SEPTENTRIONALIS.

Mex. Bound. Surv., vol. ii, p. 16, pl. viii, fig. 1; P. R. R. Surv., vol. x, pl. xxv, fig. 18. Dipsosaurus dorsalis.

Mex. Bound. Surv., vol. ii, p. 8; pl. xxxii, figs. 7-13; P. R. R. Surv., x, 1859.

DIPLODACTYLUS.

U. S. Expl. Exped., 1858, p. 296.

DIPLODACTYLUS VITTATUS.

U. S. Expl. Exped., 1858, p. 297, pl. xxiv, figs. 9-16.

DISCODACTYLUS.

U. S. Expl. Exped., 1858, p. 299.

DISCODACTYLUS PHACOPHOBUS.

U. S. Expl. Exped., 1858, p. 300, pl. xxv, figs. 25-32.

DOLIOPHIS.

Pr. Acad. Nat. Sci. Phila., ix, 1857, p. 182; U. S. Expl. Exped., 1858, p. 175.

DOLIOPHIS FLAVICEPS.

Pr. Acad. Nat. Sci. Phila., ix, 1857, p. 182; U.
S. Expl. Éxped., 1858, p. 176, pl. x, figs. 1-5.

DOLIOSAURUS.

U. S. Expl. Exped., 1858, p. 407.

DOLIOSAURUS MCCALLI.

U. S. Expl. Exp., 1858, p. 408; Mex. Bound. Surv., vol. ii, p. 9, pl. xxviii, figs. 4-6.

DOLIOSAURUS MODESTUS.

U. S. Expl. Exp., 1858, p. 409; Mex. Bound. Surv., vol. ii, p. 10; P. R. R. Surv., vol. x, p. 38.

DOLIOSAURUS PLATYRHINOS.

U. S. Expl. Exp., 1858, p. 409; P. R. R. Surv., vol. x, p. 18.

DORYURA.

U. S. Expl. Exped., 1858, p. 285.

DORYURA VULPECULA.

U. S. Expl. Exp., 1858, p. 286, pl. xxiv, figs. 17-24; Pr. Acad. Nat. Sci. Phila., 1857.

DROMICUS TEMMINCKI.

U. S. Expl. Exp., 1858, p. 161.

DRYOPHIS.

Gilliss' Rep. Exp. S. Hemisph., ii, 1855, p. 7. Dryophis vittatus.

Pr. Acad. Nat. Sci. Phila., 1854, p. 226; Gilliss'
 Rep. Exped. S. Hemisph., vol. ii, 1855, p. 7, pl. xxxvi, figs. 1-6.

ELAPS.

Cat. N. A. Reptiles, 1853, part. i, p. 21; Gilliss' Rep. Exp. S. Hemisph., ii, 1855, p. 5.

ELAPS FULVIUS.

Cat. N. A. Reptiles, part i, 1853, p. 21; P. R.
 R. Surv., vol. x, pl. xxv, fig. 15.

ELAPS NIGROCINCTUS.

Pr. Acad. Nat. Sci. Phila, vii, 1854, p. 226;
 Gilliss' Rep. Exp. S. Hemisph., vol. ii, 1855, p. 6, pl. xxxv, figs. 1-6.

ELAPS TENER

Cat. N. A. Reptiles, 1853, part i, p. 22; Mex. Bound. Surv., vol. ii, p. 15, pl. vii, fig. 1; P. R. R. Surv., vol. x, pl. xxv, fig. 16.

ELAPS TRISTIS.

Cat. N. A. Reptiles, 1853, p. 23; P. R. R. Surv., vol. x, pl. xxv. fig. 17.

ELGARIA.

U. S. Expl. Exped., 1858, p. 205.

ELGARIA FORMOSA.

Pr. Acad. Nat. Sci. Phila., vi., 1852, 175; U. S. Expl. Exp., 1858, p. 206, pl. xxiii, figs. 10-17.

ELGARIA GRANDIS.

Pr. Acad. Nat. Sci. Phila., vi, 1852, p. 176;
U. S. Expl. Exp., 1858, p. 212, pl. xxii,
fig. 1-9.

ELGARIA NOBILIS.

Pr. Acad. Nat. Sci. Phila., vi, 1852, p. 128. ELGARIA. PRINCIPIS.

Pr. Acad. Nat. Sci. Phila., vi, 1852, p. 175; U. S. Expl. Exp., 1858, p. 214, pl. xxii, figs.

ELGARIA SCINCICAUDA.

Pr. Acad. Nat. Sci. Phila., vi, 1852, p. 69; Stansbury Surv. Salt Lake, 1853, p. 348,

ELGARIA SCINCICAUDA—continued.

pl. iv, figs. 1-4; Pr. Acad. Nat. Sci. Phila., vi, 1853, 301; U. S. Expl. Exp., 1858, p. 210, pl. xxiii, figs. 1-9.

EMOA.

Pr. Acad. Nat. Sci. Phila., ix, 1857, p. 197; U. S. Expl. Exped., 1858, p. 261.

EMOA ATROCOSTATA.

U. S. Expl. Exp., 1858, p. 264.

EMOA BAUDINI.

U. S. Expl. Exp., 1858, p. 263.

EMOA CARTERETI.

U. S. Expl. Exp., 1858, p. 263.

EMOA CYANURA.

U. S. Expl. Exp., 1858, p. 270.

EMOA HIEROGLYPHICA.

U. S. Expl. Exp., 1858, p. 263.

EMOA NIGRITA.

Pr. Acad. Nat. Sci. Phila., ix, 1857, p. 197; U. S. Expl. Exp., 1858, p. 268.

EMOA SAMŒNSIS.

Pr. Acad. Nat. Sci. Phila., ix, 1857, p. 197; U. S. Expl. Exp., 1858, p. 265.

EMYS MARMORATA.

Pr. Acad. Nat. Sci. Phila., vi, 1852, p. 176.

EMYS NIGRA.

P. R. R. Surv., x, 1859, pl. i.

ENYGRUS.

U. S. Expl. Exped., 1858, p. 117.

ENYGRUS BIBRONI.

U.S. Expl. Exped.,1858, p. 117, pl.viii, figs. 8-11. ERETMOCHELYS.

U. S. Expl. Exped., 1858, p. 439. EBYTHROLAMPRIUS VENUTISSIMUS.

U. S. Expl. Exped., 1858, p. 169.

EUCHELYS.

U. S. Expl. Exped., 1858, p. 447. EUCHELYS MÆROPUS.

U. S. Expl. Exp., 1858, p. 448.

EULÆMUS.

Pr. Acad. Nat. Sci. Phila., ix, 1857, p. 198; U. S. Expl. Exped., 1858, p. 357.

Eulæmus affinis.

Pr. Acad. Nat. Sci. Phila., ix, 1857, p. 198; U. S. Expl. Exp., 1858, p. 366.

EULÆMUS DARWINI.

Pr. Acad. Nat. Sci. Phila., ix, 1857, p. 198; U. S. Expl. Exped., 1858, p. 361, pl. xvii, figs. 8-14.
EULEMUS FITZINGERI.

Pr. Acad. Nat. Sci. Phila., ix, 1857, p. 198; U. S. Expl. Exp., 1858, p. 365.

EULÆMUS MAMLATUS.

Pr. Acad. Nat. Sci. Phila., ix, 1857, p. 198; U. S. Expl. Exp., 1858, p. 367.

EULÆMUS PICTUS.

Pr. Acad. Nat. Sci. Phila., ix, 1857, p. 198; U. S. Expl. Exped., 1858, p. 364.

EULÆMUS SIGNIFER.

Pr. Acad. Nat. Sci. Phila., ix, 1857, p. 198; U. S. Expl. Exp., 1858, p. 366.

EULÆMUS TENUIS.

Pr. Acad. Nat. Sci. Phila., ix, 1857, p. 198; U. S. Expl. Exp., 1858, p. 358, pl.xxviii, figs. 9-16. EUPHRYNE OBESA.

Mex. Bound. Surv., vol. ii, p. 6, pl. 27.

EUPREPIS.

U.S. Expl. Exped., 1858, p. 229.

EUPREPIS VENUSTUS.

Pr. Acad. Nat. Sci. Phila., ix, 1857, p. 195; U. S. Expl. Exp., 1858, p. 229, pl. xxvi, figs. 1-8. EUTÆNIA.

Cat.N.A. Reptiles, 1853, part i, p, 24; Marcy and McClellan Rep. Expl. Salt Lake, 1853, p. 209; U. S. Expl. Exped., 1858, p, 147.

EUTÆNIA CONCINNA.

Cat. N. A. Reptiles, 1853, part i, p. 46; P. R. R. Surv., vol. x, 1859, pl. xv, fig. 2.

EUTÆNIA COOPERI.

P. R. R. Surv., vol. x, 1859, pl. xv, fig. 1. EUTÆNIA DORSALIS.

Cat. N. A. Reptiles, 1853, part i, p. 31; P. R. R. Surv., vol. x, p. 40, pl. xxvi, fig. 2.

EUTÆNIA ELEGANS.

Cat. N. A. Reptiles, 1853, part i, p. 34; P. R. R. Surv., x, 1859.

EUTÆNIA FAIREYI.

Cat. N. A. Reptiles, 1853, part i, p. 25; P. R. R. Surv., vol. x, pl. xxvi, fig. 20.

EUTÆNIA HAYDENI.

P. R. R. Surv., vol. x, 1859, pl. xiv.

EUTÆNIA INFERNALIS.

Cat. N. A. Reptiles, 1853, part i, p. 26; U. S. Expl. Exp., 1858, p. 148, pl. xvi, figs. 11-16; P. R. R. Surv., vol. x, 1859.

EUTÆNIA LEPTOCEPHALA.

Cat. N. A. Reptiles, 1853, part i, p. 29; U. S. Expl. Exp., 1858, p. 151, pl. xiii, figs. 7-13; P. R.R. Surv., vol. x, 1859, pl. xxxvi, fig. 2.

EUTÆNIA MARCIANA.

Cat. N. A. Reptiles, 1853, part i, p. 36; Marcy and McClellan Expl. Red River, La., 1853, p. 221, pl. iii; Mex. Bound. Surv., vol. ii, p. 17; P. R. R. Surv., vol. x, p. 41, pl. xxxvi, fig. 26.

EUTÆNIA ORDINATA.

Cat. N. A. Reptiles, 1853, part i, p. 32; P. R. R. Surv., vol. x, pl. xxvi, fig. 24.

EUTÆNIA ORDINOIDES.

Cat. N. A. Reptiles, 1853, parti, p. 33; Pr. Acad. Nat. Sci. Phila., 1853, p. 300; U.S. Expl. Exp., 1858, p. 153, pl. xix, figs. 1-4; P. R. R. Surv., vol. x, p. 19, pl. xxvi, fig. 3.

EUTÆNIA ORNATA.

Mex. Bound. Surv., vol. ii, p. 16, pl. ix; P. R. R. Surv., vol. x, pl. xxvi, fig. 22.

EUTÆNIA PARIETALIS.

Cat. N. A. Reptiles, 1853, part i, p. 28.

EUTÆNIA PICKERINGI.

Cat. N. A. Reptiles, 1853, part i, p. 27; U. S. Expl. Exp., 1857, p. 150, pl. xiii, figs. 14-20; P. R. R. Surv., vol. x, pl. xxxvi, fig. 3.

EUTÆNIA PROXIMA.

Cat. N. A. Reptiles, 1853, part i, p. 25; Marcy and McClellan's Expl. Red River, La., 1853, p. 220, pl. ii; Mex. Bound. Surv., vol. ii, p. 16; P. R. R. Surv., vol. x, p. 40, pl. xxvi, fig. 21.

EUTÆNIA RADIX.

Cat. N. A. Reptiles, 1853, part i, p. 34; P. R. R. Surv., vol. x, pl. xxxiv, fig. 5, and pl. xxvi, fig. 25.

EUTÆNIA SAURITA.

Cat. N. A. Reptiles, 1853, part i, p. 24; P. R. R. Surv., vol. x, pl. xxvi, fig. 19.

EUTÆNIA SIRTALIS.

Cat. N. A. Reptiles, 1853, part i, p. 30; P. R. R. Surv., vol. x, pl. xxvi, fig. 23. EUTÆNIA VAGRANS.

Cat. N. A. Reptiles, 1853, part i, p. 35; U. S. Expl. Exp., 1858, p. 154, pl. xiv, figs. 5-10; P. R. R. Surv., vol. x, pp. 19 and 41, pl. xvii.

FARANCIA.

Cat. N. A. Reptiles, 1853, part i, p. 123.

FARANCIA ABACURA.

Cat. N. A. Reptiles, 1853, part i, p. 123; P. R. R. Surv., vol. x, pl. xxiii, fig. 92.

GEKKO. U. S. Expl. Exped., 1858, p. 290. GEKKO INDICUS.

U.S. Expl. Exped., 1858, p. 290.

GERKO MONARCHUS.

U. S. Expl. Exped., 1858, p. 292.

GEHYRA.

U. S. Expl. Exped., 1858, p. 272.

GEHYRA OCEANICA.

U. S. Expl. Exp., 1858, p. 273.

GEHYRA VORAX.

Pr. Acad. Nat. Sci. Phila., ix, 1857, p. 197; U.S. Expl. Exp., 1858, p. 274, pl, xvi, figs. 1-8. GEORGIA.

Cat. N. A. Reptiles, 1853, part i, p. 92.

GEORGIA COOPERI.

Cat. N. A. Reptiles, 1853, part i, p. 92; P. R. R. Surv., vol. x, pl. xxxiv, fig. 1.

GEORGIA OBSOLETA.

Cat. N. A. Reptiles, 1853, part i, p. 158; Mex. Bound. Surv., vol. ii, p. 20, pl. xv; P. R. R. Surv., vol. x, pl. xxxi, fig. 66.

GERRHONOTUS INFERNALIS.

Pr. Acad. Nat. Sci. Phila., 1858, p. 255; Mex. Bound. Surv., vol. ii, p. 71.

GERRHONOTUS NOBILIS.

Mex. Bound. Surv., vol. ii, p. 11, pl. xxv, figs. 1-8.

GERRHONOTUS OLIVACEUS.

Pr. Acad. Nat. Sci. Phila., 1858, p. 255; Mex. Bound. Surv., vol. ii, p. 11.

GERRHONOTUS WEBBI.

Pr. Acad. Nat. Sci. Phila., 1858, p. 255; Mex. Bound. Surv., vol. ii, p. 11, pl. xxiv, figs. 1-10.

GONIODACTYLUS.

U. S. Expl. Exped., 1858, p. 304. GONIODACTYLUS MARMORATUS.

U. S. Expl. Exped., 1858, p. 304.

GYPOCHELYS LACERTINA,

Mex. Bound. Surv., vol. ii, p. 3.

HALDEA.

Cat. N. A. Reptiles, 1853, part i, p. 122. HALDEA STRIATULA.

Cat. N. A. Reptiles, 1853, part i, p. 122; P. R. R. Surv., vol. x, pl. xxxiii, fig. 91.

HALICHELYS ATRA.

U. S. Expl. Exped., 1858, p. 452.

HELODERMA HORRIDUM.

Mex. Bound. Surv., vol. ii, p. 11, pl. xxvi; P. R. R. Surv., vol. x, p. 38.

HEMIDACTYLES.

U. S. Expl. Exped., 1856, p. 282. HEMIDACTYLES CYANODACTYLES.

U. S. Expl. Exp., 1858, p. 284, pl. xxv. figs. 17-24. HEMIDACTYLUS MARUIA.

U. S. Expl. Exp., 185c, p. 283.

HERPETODRYAS PLAVIGULARIS.

P. R. R. Surv., x. 1859.

HETERODON.

Cat. N. A. Reptiles, 1853, part i. p. 51; Marcy and McClellan Rep. Expl. Red Riv. La., 1853, p. 222.

HETERODON ATMODES.

Cat. N. A. Reptiles. 1853, part i. p. 57: P. R. R. Surv., vol. x. pl. xxxviii. fig. 41.

HETERODON COGNATUS.

Cat. N. A. Reptiles, 1853, part i. p. 54; Mex. Bound, Surv., ii. p. 17; P. R. R. Sarv., vol. x, pl. xxviii. 6g. 39.

HETERODON NASICUS.

Pr. Acad. Nat. Sci. Phila., vi. 1852, p. 79; Stansbury Surv. Salt Lake, 1853, p. 252 - Cat. N. A. Reptiles, 1853, part i. p. 61; Marry and McClellan Expl. Red River La. p. 222 pl. iv; Mex. Bound. Surv., vol. ii. p. 18. pl. xi. fig.1; P. R.R. Surv., vol. x. pp. 19 and 41. pl. xxviii. ng. 43.

HETERODON NIGER.

Cat. N. A. Reptiles, 1853, part i. p. 55; P. R. R. Surv., vol. x. pl. xxviii. iig. 44.

HETERODON PLATTERINGS.

Cat. N. A. Reptiles, 1853 part i. p. 51; P. R. R. Surv., vol. x. pl. xxviii. fig. 3.

HETERODON SIMUS.

Cat. N. A. Reptiles. 1852 part i. p. 50 P. R. R. Surv., vol. x. pl. xxviri. fig. 42.

HETERONOTA.

U.S. Expl. Exped., 1856 p. 365

HETERONOTA PELAGICA

Pr. Acad. Nat. Sci. Phila. ix. 1857 p. 197; U.S. Expl. Exp., 145e, p. 306, pl. xxiv 624, 25-32. HINCLIA.

U. S. Expl. Exped. 1 55. p. 257.

HINULIA TANIOLATA.

U.S. Expl. Exp. 1856 p. 250.

HOLBROOKIA.

Pr. Amer. Am. Adv. Sc., iv 1851, p. 200; Stansbury Surv. Salt Lake, 1852, p. 241; Marey and McClellan Rep. Expl. Red Riv., La., 1853. p. 235.

HOLEBOOKIA APPINE.

Pr. Acad. Nat. Sci. Phila. vi. 1852 p. 125 Mex. Bound, Surv., vol. fi. p. 4.

HOLBROOKIA APPROXIMANS.

Mex. Bound., vol. ii. p. 4.

HOLBBOOKIA MACKLATA.

Pr. Amer. Am. Adv. Seill it 1871, p. 201 Stansbury Surv. Salt Lake, 1858, p. 342, pl. 71. fign. 1-3: Marry and McCellan Expl. Red River, La. 1853 p. 205 Mex. Bound. Surv., vol. ii. p. & P. K. R. Surv., vol. x. p. 18.

HOLEBOOKIA PROPINÇEA.

Pr. Acad. Nat. Sci. Ph.la., vi. 1892 p. 128 - Mex. Bound. Surv., vol. 2. p. 3.

' Holbbookia texaxa.

Pr. Acad. Nat. Sci. Phila., 1852, p. 125; Mex. Bound. Surv., vol. ii. p. s. pl. xxx: P. R. R. Sarv., vol. x. p. 38.

HOMBRONIA.

Pr. Acad. Nat. Sci. Phila., ix. 187, p. 116; U. S. Expl. Exped., 1850, p. 239.

HOMBRONIA CRASSICAUDA

U. S. Expl. Exped., 1856, p. 249.

HOMBBONIA PASCIOLARIS.

Pr. Acad. Nat. Sci. Phila., ix. 1857, p. 196; U. S. Expl. Exp., 158, p. 243, pl. xxvii, figs, 25-32. HOMBRONIA UNDESA.

Pr. Acad. Nat. Sci., Phila., ix, 1857, p. 196; U. S. Expl. Exp., 1856, p. 240, pl. xx vii, figs. 17-24. HOPLODACTYLES.

U. S. Expl. Exp., 1856, p. 193.

HOPLODACTYLUS BREVIDACTYLUS.

U.S. Expl. Exped., 1856, p. 294.

HOPLODACTILES DEVAUCELL

U. S. Expl. Exped., 1856, p. 294. HOPLODACTYLES GRANTLATES.

U.S. Expl. Exped., 1856, p. 394.

HOPLODACTILES MACULAIUS.

U. S. Expl. Exped., 1856, p. 234.

HOPLODACTYLUS POMARIL Pr. Acad. Nat. Sci. Phila., iv. 1857 p. 197; U. S. Expl. Exped. 1866, p. 304, pl. xvizi, figs. 16-16.

HYDROGAURUS.

U.S. Expl. Exped., 1856, p. 186.

HYDROGAURUS VARIUS.

U. S. Expl. Exped., 1856, p. 198.

LACERYA.

U.S. Expl. Exped., 1856, p. 199.

LACERTA MADEREN-IS.

U.S. Expl. Exped. 1856, p. 300 pl. xxiv. figs. هـ [

LAMPHORONA EPISCOPUL.

Mex. Bound. Serv., vol. ii. p. 22 pl. vii. áz. 2. LANDROSOMA OFFITTALE

Mex. Board. Sarv., vol. ii p 21. pl. xxi fig. 1: P.R.R. Sarv . vol. x. pi. xxv dgs. 4.7.

LEPTOCEELTS.

U.S. Expl. Exped. 1856, p. 434.

LEMINORELYS OLIVACEAL

U.S. Expl. Exp. 1886, p. 435.

LEPTH/CHELTS IN SECURED.

U. S. Expl. Expl. 1856 p. 437.

LEPTOPHS

Cat. N. A. Reptiles. 1852, part i. p. 146 Marey and McClellan Rep Expl. Red Riv., La. 1853 p. 232.

LEPTOPHIS ESTIVUS.

Cat. N. A. Reptiles, 1852, part i. p. 186 P. R. R. Sarv., vol. x. pl. xxxx. dz 🤼

LEPTOPHIS MAJALIS

Cat. N. A. Rept.les 1873 particip 1871 Marry and Mediculan Expl. Rock Europ. Lat. 1974. p. 202 pietr. Mer Bonnet werr, nie nip 21: P. R. R. Sarrey Thank y G. ye sessen.

LUARTRA

U. S. Expl. Exped., 1ste., 229

LUMERA CHILESES.

U. 8 Erp., Erp., 1854 p. 341

LIOLEMUS.

U. S. Expl. Exped., 1858, p. 334.

LIOLARMUS NITIDUS,

U. S. Expl. Exp., 1858, p. 334, pl. xxviii, figs. 17-24.

LIOPHIS MEREMI.

U. S. Expl. Exp., 1858, p. 159, pl. xi, fig. 1-6. LIPINIA.

U. S. Expl. Exped., 1858, p. 254.

LIPINIA VULCUNIA.

Pr. Acad. Nat. Sci. Phila., ix, 1857, p. 196; U.
 S. Expl. Exp., 1858, p. 254.

Cat. N. A. Reptiles, 1853, part i, p. 116; U. S. Expl. Exped., 1858, p. 122.

LODIA TENUIS.

Cat. N. A. Reptiles, 1853, part. i, p. 116; U. S. Expl. Exped., 1858, p. 122, pl. ix, figs. 8-11; P. R. R. Surv., vol. x, pl. xxxvi, fig. 8. LYGOPHIS ELEGANS.

U. S. Expl. Exp., 1858, p. 163.

LYGOSOMA.

Marcy and McClellan Rep. Expl. Red Riv., La., 1853, p. 240.

LYGOSOMA LATERALIS.

Marcy and McClellan Expl. Red River, La., p. 241; Mex. Bound. Surv., vol. ii, p. 13; P. R. R. Surv., vol. x, p. 39.

LYGOSOMELLA.

Pr. Acad. Nat. Sci. Phila., ix, 1857, p. 196; U.S. Expl. Exped., 1858, p. 251.

LYGOSOMELLA ÆSTUOSA.

Pr. Acad. Nat. Sci. Phila., ix, 1857, p. 196; U. S. Expl. Exp., 1858, p. 251, pl. xxvii, fig. 1-8.

MABUYA.

U. S. Expl. Exped., 1858, p. 260.

MABUYA AGILIS.

U. S. Expl. Exp., 1858, p. 261.

MASTICOPHIS.

Cat. N. A. Reptiles, 1853, part i, 98; Marcy and McClellan Rep. Expl. Red Riv., La., 1853, p. 230.

MASTICOPHIS FLAVIGULARIS.

Cat. N. A. Reptiles, 1853, part i, p. 99; Marcy and McClellan Expl. Red River, La., 1853, p. 230; P. R. R. Surv., vol. x, pl. xxxii, p. 73.

MASTICOPHIS FLAGELLIFORMIS.

Cat. N. A. Reptiles, 1853, part i, pp. 98 and 149; P. R. R. Surv., vol. x, pl. xxxi, fig. 71; pl. xxxii, fig. 72.

MASTICOPHIS MORMON.

Cat. N. A. Reptiles, 1853, part i, p. 101; P. R. R. Surv., vol. x, pl. xxxii, fig. 74.

MASTICOPHIS ORNATUS.

Cat. N. A. Reptiles, 1853, part i, p. 102; Mex. Bound Surv., vol. ii, p. 20, pl. xvii; P. R. R. Surv., vol. x, pl. xxxiii, fig. 75.

Masticophis Schotti.

Cat. N. A. Reptiles, 1853, part i, p. 160; Mex. Bound. Surv., vol. ii, p. 20, pl. xviii; P. R. R. Surv., vol. x, pl. xxxii, fig. 77.

MASTICOPHIS TÆNIATUS.

Cat. N. A. Reptiles, 1853, part i, p. 103; P. R. R. Surv., vol. x, p. 20, pl. xxiii and xxxii, fig. 76.

MASTICOPHIS TESTACEUS.

Mex. Bouud. Surv., vol. ii, p. 20, pl. xvi; P. R. R. Surv., vol. x, p. 43.

MICROLOPHUS.

U. S. Expl. Exped., 1858, p 313.

MICROLOPHUS PERUVIANUS.

U. S. Expl. Exp., 1858, p. 314.

MICROPS LINEATUS.

P. R. R. Surv., vol. x, pl. xxxiv, fig. 6. MORELIA.

U. S. Expl. Exped., 1858, p. 115. MORELIA ARGUS.

U. S. Expl. Exp., 1858, p. 115. NAULTINUS.

U. S. Expl. Exped., 1858, p. 308.

NAULTINUS PUNDATUS.

U. S. Expl. Exp., 1858, p. 309, pl. xvi, figs. 17-26.

NERODIA.

Cat. N. A. Reptiles, 1853, part i, p. 38.

NERODIA AGASSIZI.

Cat. N. A. Reptiles, 1853, part i, p. 41.

NERODIA ERYTHROGASTER.

Cat. N. A. Reptiles, 1853, part i, p. 40; P. R. R. Surv., vol. x, p. 19 and 41, pl. xxvi, fig. 28; pl. xviii.

NERODIA FASCIATA.

Cat. N. A. Reptiles, 1853, part i, p. 39; P. R. Surv., vol. x, pl. xxxiv, fig. 4.

NERODIA HOLBROOKI.

Cat. N. A. Reptiles, 1853, part i, p. 43; P. R. R. Surv., vol. x, pl. xxvii, fig. 30.

NERODIA NIGRA.

Cat. N. A. Reptiles, 1853, part i, p. 147; P. R. R. Surv., vol. x, pl. xxvii, fig. 31.

NERODIA RHOMBIFER.

Cat. N. A. Reptiles, 1853, part i, p. 147; P. R. R. Surv., vol. x, pl. xxxiv, fig. 2.

NERODIA SIPEDON.

Cat. N. A. Reptiles, 1853, part i, p. 38; P. R. R. Surv., vol. x, pl. xxxiv, fig. 2.

NERODIA TAXISPILOTA.

Cat. N. A. Reptiles, 1853, part i, p. 43; P. R. R. Surv., vol. x, pl. xxvii, fig. 29.

NERODIA TRANSVERSA.

Cat. N. A. Reptiles, 1853, part i, p. 148; P. R. R. Surv., vol. x, pl. xxvi, fig. 1.
NERODIA WOODHOUSI.

Cat. N. A. Reptiles, 1853, part. i, p. 42; Mex. Bound. Surv., vol. ii, p. 17; P. R. R. Surv., vol. x, p. 41, pl. xxxiv, fig. 3.

NINIA.

Cat. N. A. Reptiles, 1853, part i, p. 45.

NINIA DIADEMATA.

Cat. N. A. Reptiles, 1853, part i, p. 49; P. R. R. Surv., vol. x, pl. xxvii, fig. 37.

Oligosoma.

Pr. Acad. Nat. Sci. Phila., 1857, U. S. Expl. Exped., 1858, p. 245.

OLIGOSOMA NOCTUUM.

Pr. Acad. Nat. Sci. Phila., ix, 1857, p. 196; U. S. Expl. Exp., 1858, p. 249.

OLIGOSOMA ZELANDICUM.

Pr. Acad. Nat. Sci. Phila., ix, 1857, p. 196, U.
S. Expl. Exp., 1858, p. 246, pl. xxvii, figs.
9-16.

OPHIBOLUS.

Cat. N. A. Reptiles, 1853, part i, p. 82; Marcy and McClellan Rep. Expl. Red Riv., La., 1853, p. 227.

OPHIBOLUS BOYLI.

Cat. N. A. Reptiles, 1853, part i, p. 82; Mex. Bound. Surv., vol. ii, p. 20; P. R. R. Surv., vol. x, pl. xxx, fig. 57.

OPHIBOLUS CLERICUS.

Cat. N. A. Reptiles, 1853, part i, p. 88; P. R. R. Surv., vol. x, pl. xxx, fig. 62.

OPHIBOLUS DOLIATUS.

Cat. N. A. Reptiles, 1853, part i, p. 89; P. R. R. Surv., vol. x, pl. xxx, fig. 63.

OPHIBOLUS EVANSI.

P. R. R. Surv., vol. x, p. 43.

OPHIBOLUS EXIMIUS.

Cat. N. A. Reptiles, 1853, part i, p. 87; P. R. R. Surv., vol. x, pl. xxx, fig. 61.

OPHIBOLUS GENTILIS.

Cat. N. A. Reptiles, 1853, part i, p. 90; Marcy and McClellan Expl. Red River, La., 1853, p. 229, pl. viii; P. R. R. Surv., vol. x, pl. xxx, fig. 64.

OPHIBOLUS GETULUS.

Cat. N. A. Reptiles, 1853, part i, p. 85; P. R. R. Surv., vol. x, pl. xxxi, fig. 65.

OPHIBOLUS RHOMBOMACULATUS.

Cat. N. A. Reptiles, 1853, part i, p. 86; P. R. R. Surv., vol. x, pl. xxx, fig. 60.

OPHIBOLUS SAYI.

Cat. N. A. Reptiles, 1853, part i, p. 84; Marcy and McClellan Expl. Red River, La., 1853, p. 228, pl. vii; Mex. Bound. Surv., vol. ii, p. 20; P. R. R. Surv., vol. x, pl. xxx, fig. 59.

OPHIBOLUS SPLENDIDUS.

Cat. N. A. Reptiles, 1853, part i, p. 83; Mex. Bound. Surv., vol. ii, p. 20; P. R. R. Surv., vol. x, p. 43, pl. xxx, fig. 58.

OPHIODES.

U. S. Expl. Exped., 1858, p. 224.

OPHIODES STRIATUS.

U. S. Expl. Exped., 1858, p. 225.

OREODEIRA

Pr. Acad. Nat. Sci. Phila., ix, 1857, p. 199; U.
 S. Expl. Exped., 1858, p. 419.

OREODEIRA GRACILIPES.

Pr. Acad. Nat. Sci. Phila., ix, 1857, p. 199; U.S. Expl. Exped., 1858, p. 420.

ORTHOLÆMUS.

Pr. Acad. Nat. Sci. Phila., ix, 1857, p. 198; U.
S. Expl. Exped., 1858, p. 369.

ORTHOLÆMUS BEAGLI.

Pr. Acad. Nat. Sci. Phila., ix, 1857, p. 198; U. S. Expl. Exp., 1858, p. 369, pl. xvii, figs. 15-21.

ORTHOLÆMUS FITZROI.

Pr. Acad. Nat. Sci. Phila., ix, 1857, p. 198; U.
 S. Expl. Exp., 1858, p. 373.

ORTHOLÆMUS MULTIMACULATUS.

Pr. Acad. Nat. Sci. Phila., ix, 1857, p. 198; U.S. Expl. Exp., 1858, p. 372.

OSCEOLA.

Cat. N. A. Reptiles, 1853, part i, p. 133.

OSCEOLA ELAPSOIDES.

Cat. N. A. Reptiles, 1853, part i, p. 133; P. R. R. Surv., vol. x, pl. xxxiii, fig. 97.

OZOTHECA TRISTYCHA.

Mex. Bound. Surv., vol. ii, 1859, p. 3.

PELAMYS.

U. S. Expl. Exped., 1858, p. 184.

PELAMYS BICOLOR.

U. S. Expl. Exped., 1858, p. 185.

PEROPUS.

U. S. Expl. Exped., 1858, p. 277.

PEROPUS MUTILATUS.

U. S. Expl. Exp., 1858, p. 277.

PEROPUS NEGLECTUS.

Pr. Acad. Nat. Sci. Phila., ix, 1857, p. 197; U. S. Expl. Exp., 1858, p. 278.

PHRYNOSOMA.

Stansbury Surv. Salt Lake, 1853; Marcy and McClellan Rep. Expl. Red Riv., La., 1853, p. 233; U. S. Expl. Exped., 1858, pp. 388, 402.

PHRYNOSOMA CREVIROSTRUM.

U. S. Expl. Exp., 1858, p. 392.

PHRYNOSOMA CORNUTUM.

Pr. Acad. Nat. Sci. Phila., 1852, p. 301; Stansbury Surv. Salt Lake, 1853, p. 360, pl. viii, figs. 1-6; Marcy and McClellan Expl. Red River, La., 1853, p. 233; U. S. Expl. Exp., 1858, p. 403, pl. xxi, figs. 6-9; Mex. Bound. Surv., vol. ii, p. 9; P. R. R. Surv., vol. x, p. 38.

PHRYNOSOMA CORONATUM.

Pr. Acad. Nat. Sci. Phila., vi, 1853, p. 301;
 Stansbury Surv. Salt Lake, p. 360, pl. viii,
 figs. 7-12; U. S. Expl. Exp., 1858, p. 392.

PHRYNOSOMA DOUGLASSI.

Stansbury Surv. Salt Lake, 1853, p. 362, pl. vii, figs. 6-10; U. S. Expl. Exp., 1858, p. 392.

PHRYNOSOMA HERNANDESI.

U. S. Expl. Exp., 1858, p. 392.

PHRYNOSOMA McCalli.

U. S. Expl. Exp., 1858, p. 392.

Phrynosom a modestum.

Pr. Acad. Nat. Sci. Phila., |vi, 1852, p. 69; Stansbury Surv. Salt Lake, p. 365, pl. vi, figs.
 4-8; U. S. Expl. Exp., 1858, p. 392.

PARYNOSOMA ORBICULARE.

Stansbury Surv. Salt Lake, 1853, p. 359; U. S. Expl. Exp., 1858, p. 392.

PHRYNOSOMA ORNATISSIMUM.

U. S. Expl. Exp., 1858, p. 392.

Phrynosoma platychinum.

Proc. Acad. Nat. Sci. Phila., vi, 1852, p. 69;
Stansbury Surv. Salt Lake, 1853, p. 363,
pl. vii, figs. 1-5; U. S. Expl. Exp., 1858,
p. 392.

PHRYNOSOMA REGALE.

U. S. Expl. Exp., 1858, pp. 392 and 400; Mex. Bound. Surv., vol. ii, p. 9, pl. xxviii, figs. 1-3.

PHYLLODACTYLUS TUBERCULOSUS.

Mex. Bound. Surv., vol. ii, p. 12, pl. xxiii, figs. 1-8.

PHYLLURUS.

U. S. Expl. Exped., 1858, p. 302.

PHYLLURUS PLATURUS.

U. S. Expl. Exped., 1858, p. 303.

Ритсории.

Cat. N. A. Reptiles, 1853, part i, p. 65; Marcy and McClellan's Rep. Expl. Red River, La., 1853, p. 225; U. S. Expl. Exped., 1858, p. 133.

PITUOPHIS ANNECTENS.

Cat. N. A. Reptiles, 1853, part i, p. 72; Pr. Acad. Nat. Sci. Phila., vi, 1853, p. 300; P. R. R. Surv., vol. x., pl. xxix, fig. 48.

PITUOPHIS BELLONA.

Cat. N. A. Reptiles, 1853, part i. p. 66; Mex. Bound. Surv., vol. ii, p. 18; P. R. R. Surv., vol. x, pp. 18 and 42, pl. xxix, fig. 46.

PITUOPHIS CATENIFER.

Cat. N. A. Reptiles, 1853, part i, p. 69; U.S. Expl. Exp., 1858, p. 135, pl. viii, figs. 1-7; P. R. R. Surv., vol. x, pl. xxxvi, fig. 4.

PITUOPHIS McCLELLANI.

Cat. N. A. Reptiles, 1853, part i, p. 68; Marcy and McClellan Expl. Red River, La., 1853, p. 225, pl. v; P. R. R. Surv., vol. x, pl. xxix, fig. 47.

PITUOPHIS MELANOLEUCUS.

Cat. N. A. Reptiles, 1853, part i, p. 65; P. R. R. Surv., vol. x, pl. xxix, fig. 44.

PITUOPHIS SAYI.

P. R. R. Surv., vol. x, pl. xxix, fig. 45.

PITUOPHIS WILKESI.

Cat. N. A. Reptiles, 1853, part i, p. 71; U. S. Expl. Exp., 1858, p. 137, pl. ix, figs. 1-7; P. R. R. Surv., vol. x, pl. xxxvi, fig. 5.

PLATEMYS MACQUARIA.

U. S. Expl. Exp., 1858, p. 462.

PLATURUS.

U. S. Expl. Exp., 1858, p. 180.

PLATURUS COLUBRINUS.

U. S. Expl. Exp., 1858, p. 183.

PLATURUS LATICAUDATUS.

U. S. Expl. Exp., 1858, p. 180.

PLATYTHYRA FLAVESCENS.

Mex. Bound. Surv., vol. ii, p. 3.

Plestiodon fasciatus.

P. R. R. Surv., vol. x, p. 39.
PLESTIODON GUTTULATUS.

Mex. Bound. Surv., vol. ii, p. 12; P. R. R. Surv., vol. x, p. 18.

PLESTIODON OBSOLETUM.

Pr. Acad. Nat. Sci. Phila., vi, 1852, p. 128; Mex. Bound. Surv., vol. ii, p. 12, pl.xxv, figs.9-16; P. R. R. Surv., vol. x, p. 39.

PLESTIODON SEPTENTRIONALIS.

Pr. Acad. Nat. Sci. Phila., 1858, p. 256; P. R. R. Surv., vol. x, p. 18, pl. xxiv, fig. 2.

PLESTIODON SKILTONIANUM.

Pr. Acad. Nat. Sci. Phila., vi, 1852, p. 69; Stansbury Surv. Salt Lake, 1853, p. 349, pl. iv, figs. 4–6; Proc. Acad. Nat. Sci. Phila., vi, 1853, p. 301; P. R. R. Surv., vol. x, p. 18.

PLESTIODON TETRAGRAMMUM.

Pr. Acad. Nat. Sci. Phila., 1858, p. 256; Mex. Bound. Surv., vol. ii, p. 19.

PROCTOTERTUS.

Gilliss Rep. Exp. S. Hemisph., ii, 1855, p. 13; U. S. Expl. Exp., 1858, p. 329.

PROCTOTRETUS FEMORATUS.

Pr. Acad. Nat. Sci. Phila., vii, 1854, p. 227; Gilliss' Rep. Exp. S. Hemisph., ii, 1855, p. 15. pl. xl, figs. 5-12.

PROCTOTRETUS PERTINATUS.

U. S. Expl. Exp., 1858, p. 333.

PROCTOTRETUS SPLENDIDUS.

Pr. Acad. Nat. Sci. Phila., ix, 1857, p. 198; U. S. Expl. Exp., 1858, p. 329, pl. xvii, figs. 1-7.

PROCTOTRETUS STANTONI.

Pr. Acad. Nat. Sci. Phila., vii, 1854, p. 227; Gilliss' Rep. Exp. S. Hemisph., ii, 1855, p. 17, pl. xl, figs. 13–20.

PROCTOTRETUS TENUIS.

Pr. Acad. Nat. Sci. Phila., vii, 1854, p. 227; Gilliss' Rep. Exp. S. Hemisph., ii, 1855, p. 217, pl. xl, figs. 1-4.

PSEUDELAPS PSAMMOPHIS.

U. S. Expl. Exp., 1858, p. 178.

PTYCHEMYS MOBILENSIS.

Mex. Bound. Surv., vol. ii, p. 3.

PTYCHODEIRA.

U. S. Expl. Exp., 1859, p. 340.

PTYCHODEIRA CYANOGASTER. U. S. Expl. Exp., 1858, p. 347.

PTYCHODEIRA FEMORATA.

U. S. Expl. Exp., 1858, p. 344.

PTYCHODEIRA GRACILIS.

U. S. Expl. Exp., 1858, p. 341, pl. xvii, figs. 22–28. PTYCHODEIRA INTERMEDIA.

U. S. Expl. Exp., 1858, p. 348.

PTYCHODEIRA MOSAICA.

U. S. Expl. Exp., 1858, p. 349.

Ptychodeira Stantoni.

U. S. Expl. Exp., 1858, p. 347.

RABDION.

U. S. Expl. Exp., 1858, p. 119.

RABDION OCCIPITALE.

Pr. Acad. Nat. Sci. Phila., ix, 1857, p. 181; U. S. Expl. Exp., 1858, p. 120.

RACHITES. U. S. I

U. S. Expl. Exped., 1858, p. 230.

REGINA.

Cat. N. A. Reptiles, 1853, part i, p. 45.

REGINA CLARKI.

Cat. N. A. Reptiles, 1853, part i, p. 48; Mex. Bound. Surv., pl. ii, p. 17, pl. x, pl. xi, fig. 2; P. R. R. Surv., vol. x, pl. xxvii, fig. 34.

REGINA GRAHAMI.

Cat. N. A. Reptiles, 1853, part i, p. 48; Mex. Bound. Surv., vol. ii, p. 17, pl. vii, fig. 2; P. R. R. Surv., vol. x, pl. xxvii, fig. 34.

REGINA KIRKLANDI.

P. R. R. Surv., vol. x, pl. xxvii, fig. 36.

REGINA LEBERIS.

Cat. N. A. Reptiles, 1853, part i, p. 45; P. R. R. Surv., vol. x, pl. xxvii, fig. 32.

REGINA RIGIDA.

Cat. N. A. Reptiles, 1853, part i, p. 46; P. R. R. Surv., vol. x, pl. xxvii, flg. 33.

RENA.

Cat. N. A. Reptiles, 1853, part i, p. 142.

RENA DULCIS.

Cat. N. A. Reptiles, 1853, part i, p. 142; Mex. Bound. Surv., vol. ii, p. 24; P. R. R. Surv., vol. x, pl. xxxiii, fig. 100. RENA HUMILIS.

Cat. N. A. Reptiles, 1853, part i, p. 143; Pr. Acad. Nat. Sci. Phila., vi, 1853, p. 300.

RHINOCHEILUS.

Cat. N. A. Reptiles, 1853, part i, p. 120.

RHINOCHEILUS LECONTI.

Cat. N. A. Reptiles, 1853, part i, p. 120; Pr. Acad. Nat. Sci. Phila., vi, 1853, p. 300; Mex. Bound. Surv., vol. ii, p. 21, pl. xx; P. R. R. Surv., vol. x, pl. xxxiii, fig. 90.

RHINOSTOMA.

Cat. N. A. Reptiles, 1853, part i, p. 118.

RHINOSTOMA COCCINEA.

Cat. N. A. Reptiles, 1853, part i, p. 118; P. R. R. Surv., vol. x, pl. xxxiii, fig. 89.

RHYTIDODEIRA.

Pr. Acad. Nat. Sci. Phila., ix, 1857, p. 198; U.S. Expl. Exped., 1858, p. 349.

Rhytidodeira bibroni.

Pr. Acad. Nat. Sci. Phila., ix, 1857, p. 198; U. S. Expl. Exp., 1858, p. 352.

RHYTIDODEIRA KINGI.

Pr. Acad. Nat. Sci. Phila., ix, 1857, p. 198; U. S. Expl. Exp., 1858, p. 350.

RHYTIDODEIRA MAGELLONICA.

Pr. Acad. Nat. Sci. Phila., ix, 1857, p. 198; U. S. Expl. Exp., 1858, p. 351.

RHYTIDODEIRA NIGROMACULATA.

Pr. Acad. Nat. Sci. Phila., ix, 1857, p. 198; U. S. Expl. Exp., 1851, p. 353.

RHYTIDODEIRA OXYCEPHALA.

Pr. Acad. Nat. Sci. Phila., ix, 1857, p. 198; U. S. Expl. Exp., 1858, p. 353, pl. xxviii, figs. 26-33.

RHYTIDODEIRA WIEGMANNI.

Pr. Acad. Nat. Sci. Phila., ix, 1857, p. 198; U. S. Expl. Exp., 1851, p. 352.

SABRINA.

Pr. Acad. Nat. Sci. Phila., ix, 1857, p. 181; U. S. Expl. Exp., 1858, p. 106.

SABRINA TESSELLATA.

Pr. Acad. Nat. Sci. Phila., ix, 1857, p. 181; U. S. Expl. Exp., 1858, p. 106, pl. xv, figs. 7_9.

SACCODEIRA.

Pr. Acad. Nat. Sci. Phila., ix, 1857, p. 198; U. S. Expl. Exp., 1858, p. 322.

SACCODEIRA ORNATISSIMA.

Pr. Acad. Nat. Sci. Phila., ix, 1857, p. 198; U. S. Expl. Exp., 1858, p. 323, pl. xxviii, figs. 1-8.

SALVADORA.

Cat. N. A. Reptiles, 1853, part i, p. 104.

SALVADORA GRAHAMIÆ.

Cat. N. A. Reptiles, 1853, part i, p. 104; Mex. Bound. Surv., vol. ii, p. 21, pl. v, fig. 2; P. R. R. Surv., vol. x, pl. xxxii, fig. 78.

SAURIDIS MODESTUS.

U. S. Expl. Exp., 1858, p. 328.

Marcy and McClellan's Rep. Expl. Red River, La., 1853, p. 236; U. S. Expl. Exp., 1858, p. 377.

SCELOPORUS CLARKI.

Pr. Acad. Nat. Sci. Phila., vi, 1852, p. 127; Mex. Bound. Surv., vol. ii, p. 5.

SCELOPORUS CONSOBRINUS.

Marcy and McClellan Rep. Expl. Red River, La., 1853, p. 237, pl. x, figs. 5-12; Mex. Bound. Surv., vol. ii, p. 5; P. R. R. Surv., vol. x, p. 37.

SCELOPORUS COUCHI.

Mex. Bound. Surv., vol. ii, p. 6.

SCELOPORUS DISPAR.

Pr. Acad. Nat. Sci. Phila., vi, 1852, p. 175. SCELOPORUS FRONTALIS.

Pr. Acad. Nat. Sci. Phila., vi, 1852, p. 175; U. S. Expl. Exp., 1858, p. 384, pl. xix, fig. 1-7. SCELOPORUS GRACILIS.

Pr. Acad. Nat. Sci. Phila., vi, 1852, p. 175; U. S. Expl. Exp., 1858, p. 386, pl. xx, figs. 1-9.

SCELOPORUS GRACIOSUS.

Pr. Acad. Nat. Sci. Phila., vi, 1852, p. 69; Stansbury Surv., Salt Lake, 1853, p. 346, pl. v, figs. 1-3; P. R. R. Surv., vol. x, p. 17. SCELOPORUS LONGIPES.

P. R. R. Surv., vol. x, p. 17.

SCELOPORUS MARMORATUS.

Mex. Bound. Surv., vol. ii, p. 6.

SCELOPORUS OCCIDENTALIS.

Pr. Acad. Nat. Sci. Phila., vi, 1852, p. 175, and 1853, p. 301; U. S. Expl. Exp., 1858, p. 383, pl. xix, figs. 8-14; Mex. Bound. Surv., vol. x, p. 17; P. R. R. Surv., vol. x, 1859. SCELOPORUS ORNATUS.

Mex. Bound. Surv., vol. ii, p. 5.

SCELOPORUS POINSETTI.

Pr. Acad. Nat. Sci. Phila., vi, 1852, p. 127; Mex. Bound. Surv., vol. ii, p. 5, pl. xxix, figs. 1-3.

SCELOPORUS SCALARIS.

Mex. Bound. Surv., vol. ii, p. 6.

SCELOPORUS SPINOSUS.

Mex. Bound. Surv., vol. ii, p. 5, pl. xxix, figs. 4-6; P. R. R. Surv., vol. x, p. 37.

SCELOPORUS THAYERI.

Pr. Acad. Nat. Sci. Phila., vi, 1852, p. 127; Mex. Bound. Surv., vol. ii, p. 6; P. R. R. Surv., vol. x, p. 37.

SCELOPORUS TORQUATUS.

Mex. Bound. Surv., vol., ii, p. 5.

SCELOPORUS UNDULATUS.

U. S. Expl. Exp., 1858, p. 379, pl. xix, figs. 15-21; P. R. R. Surv., vol. x, p. 37.

SCOTOPHIS.

Cat. N. A. Reptiles, 1853, part i, p. 73; Marcy and McClellan's Rep. Expl. Red River, La., 1853, p. 226.

SCOTOPHIS ALLEGHANIENSIS.

Cat. N. A. Reptiles, 1853, part i, p. 73; P. R. R. Surv., vol. x, p. 42, pl. xxix, fig. 49.

SCOTOPHIS CONFINIS.

Cat. N. A. Reptiles, 1853, part i, p. 76; P. R. R. Surv., vol. x, pl. xxx, fig. 52.

SCOTOPHIS EMORYI.

Cat. N. A. Reptiles, 1853, part i, p. 157; Mex. Bound. Surv., vol. ii, p. 19, pl. xii; P. R. R. Surv., vol. x, p. 43, pl. xxx, fig. 56.

SCOTOPHIS GUTTATUS.

Cat. N. A. Reptiles, 1853, part i, p. 78; P. R. R. Surv., vol. x, pl. xxx, fig. 54.

SCOTOPHIS LÆTUS.

Cat. N. A. Reptiles, 1853, part i, p. 77; Marcy and McClellan's Rep. Expl. Red River, La., 1853, p. 227, pl. vi; P. R. R. Surv., vol. x, pl. xxx, fig. 53.

SCOTOPHIS LINDHEIMERI.

Cat. N. A. Reptiles, 1853, part i, p. 74; Mex. Bound. Surv., vol. ii, p. 19; P. R. R. Surv., vol. x, pl. xix, fig. 50.

SCOTOPHIS QUADRIVITTATUS.

Cat. N. A. Reptiles, 1853, part i, p. 80; P. R. R. Surv., vol. x, pl. xxx, fig. 55.

SCOTOPHIS VULPINUS.

Cat. N. A. Reptiles, 1853, part i, p. 75; P. R. R. Surv., vol. x. pl. xix, fig. 51.

SIBYNON.

U. S. Expl. Exp., 1858, p. 142.

SIBYNON NEBULATUS.

U. S. Expl. Exp., 1858, p. 142, pl. xi, figs. 11-16.

Cat. N. A. Reptiles, 1853, part i, p. 117.

SONORA SEMIANNULATA.

Cat. N. A. Reptiles, 1853, part i, p. 117; Mex. Bound. Surv., vol. ii, p. 21, pl. xix, fig. 3; P. R. R. Surv., vol. x, pl. xxxiii, fig. 88.

SPHÆRIODACTYLUS NOTATUS.

Mex. Bound. Surv., vol. ii, p. 12, pl. xxiv, figs. 29-37.

SPHARGIS.

U. S. Expl. Exp., 1858, p. 429.

STEIROLEPIS QUADRIVITTATA.

U. S. Expl. Exp., 1858, p. 314.

STEIROLEPIS THORACICA.

U. S. Expl. Exp., 1858, p. 314.

STEIROLEPIS TIGRIS.

U. S. Expl. Exp., 1858, p. 314.

STEIROLEPIS XANTOSTIGMA.

U. S. Expl. Exp., 1858, p. 314. STENODACTYLUS VARIEGATUS.

Mex. Bound. Surv., ii, 1859, p. 12, pl. xxiii, figs. 9-27, and pl. xxiv, figs. 11-19.

STENOSTOMA.

U. S. Expl. Exp., 1858, p. 106.

STORERIA.

Cat. N. A. Reptiles, 1853, part i, p. 135. STORERIA DEKAYI.

Cat. N. A. Reptiles, 1853, part i, p. 135; P. R. R. Surv., vol. x, 1859, pl. xxxiii, fig. 98.

STORERIA OCCIPITO-MACULATA.

Cat. N. A. Reptiles, 1853, part i, p. 137; P. R. R. Surv., vol. x, 1859, pl. xxxiii, fig. 99. TACHYMENIS.

Gilliss' Rep. Exp. S. Hemisph., ii, 1855, p. 9; U. S. Expl. Exp., 1858, p. 173.

TACHYMENIS CHILENSIS.

Pr. Acad. Nat. Sci. Phila., vii, 1854, p. 226; Gilliss' Rep. Exp. S. Hemisph., ii, 1855, p. 9; pl. xxxvii, figs. 1-6; U. S. Expl. Exp., 1858, p. 173.

TÆNIOPHIS.

Pr. Acad. Nat. Sci. Phila., vii, 1854, p. 227; Gilliss' Rep. Exp. S. Hemisph., ii, 1855, p. 11.

TANIOPHIS IMPERIALIS.

Mex. Bound. Surv., ii, 1859, p. 23, pl. xix, fig. 1; P. R. R. Surv., vol. x, 1859, pl. xxxiii, fig. 87.

TÆNIOPHIS TANTILLUS.

Pr. Acad. Nat. Sci. Phila., vii, 1854, p. 227; Gilliss' Rep. Exp. S. Hemisph., ii, 1855, p. 11, pl. xxvii, figs. 7-12.

TANTILLA.

Cat. N. A. Reptiles, 1853, part i, p. 131. TANTILLA CORONATA.

Cat. N. A. Reptiles, 1853, part i, p. 131; P. R. R. Surv., vol. x, 1859, pl. xxxiii, fig. 96.

TANTILLA GRACILIS. Cat. N. A. Reptiles, 1853, part i, p. 132; Mex. Bound. Surv., ii, 1859, p. 23.

TAPAYA.

U. S. Expl. Exped., 1858, p. 394.

TAPAYA BREVIROSTRIS.

U. S. Expl. Exped., 1858, p. 397; P. R. R. Surv., x, 1859, p. 18.

TAPAYA DOUGLASSI.

U. S. Expl. Exped., 1858, p. 397; P. R. R. Surv., x, 1859, p. 18.

TAPAYA HERNANDESI.

U. S. Expl. Exped., 1858, p. 395; Mex., Bound. Surv., ii, 1859, p. 8; P. R. R. Surv., x, 1859, p. 38.

TAPAYA ORBICULARIS.

U. S. Expl. Exped., 1858, p. 394.

TAPAYA ORNATISSIMA.

U. S. Expl. Exped., 1858, p. 396; Mex. Bound. Surv., ii, 1859, p. 9; P. R. R. Surv., x 1859, p. 38.

TARAGUIRA.

U. S. Expl. Exped., 1858, p. 317.

TARAGUIRA TORQUATA.

U. S. Expl. Exped., 1858, p. 318.

U. S. Expl. Exped., 1858, p. 201. TEIUS TEGUIXIN.

U. S. Expl. Exped., 1858, p. 202, pl. xviii, figs. 1-7.

TESTUDO.

U. S. Expl. Exped., 1858, p. 470. TESTUDO AUSTRALIS.

U. S. Expl. Exped., 1858, p. 470.

TESTUDO TABULATA.

U. S. Expl. Exped., 1858, p. 465.

THALASSOCHELYS.

U. S. Expl. Exped., 1858, p. 429.

THALASSOCHELYS CAOUANA.

U. S. Expl. Exped., 1858, p. 432.

THALASSOCHELYS CORTICATA.

U. S. Expl. Exped., 1858, p. 431, pl. xxix. THYROSTERNUM SONORIENSE.

Mex. Bound. Surv., ii, 1859, p. 3.

U. S. Expl. Exped., 1858, p. 227. TILIQUA RUFESCENS.

U. S. Expl. Exped., 1858, p. 227.

TOLUCA LINEATA.

Mex. Bound. Surv., ii, 1859, p. 23, pl. xxi, fig. 2; P. R. R. Surv., x, 1859, pl. xxxv, fig. 8. TOXICOPHIS.

Cat. N. A. Reptiles, 1853, part i, p. 19.

TOXICOPHIS PISCIVORUS.

Cat. N. A. Reptiles, 1853, part 1, p. 19; P. R. R. Surv., x, 1859, p. 40, pl. xxv, fig. 13.

TOXICOPHIS PUGNAX.

Cat. N. A. Reptiles, 1853, part. i, p. 20; Mex. Bound. Surv., ii, 1859, p. 15, pl. vi; P. R. R. Surv., x, 1859, pl. xxv, fig. 14;

TRACHEMYS ELEGANS.

Mex. Bound. Surv., ii, 1859, p. 3.

TROPIDONOTUS JUNCEUS.

U. S. Expl. Exped., 1858, p. 145, pl. xiii, figs. 1-6.

TROPIDONOTUS ORDINOIDES.

Pr. Acad. Nat. Sci. Phila., vi, 1852, p. 176. UBOSAURUS GRACIOSUS.

P. R. R. Surv., x, 1859.

T. R. R. Surv., x, 1

Pr. Acad. Nat. Sci. Phila., vi, 1852, p. 69; Stansbury's Surv. Salt Lake, 1853, p. 344. UTA GRACIC

Mex. Bou. a. Surv., ii, 1859, p. 7.

UTA ORNATA.

Pr. Acad. Nat. Sci. Phila., vi, 1852, p. 126, and 1853, p. 301; Mex. Bound. Surv., ii. 1859, p. 7.

UTA ORNATA LINEARIS.

Mex. Bound. Surv., ii, 1859, p. 7.

UTA SCHOTTI.

Mex. Bound. Surv., ii, 1859, p. 7.

UTA STANSBURIANA.

Pr. Acad. Nat. Sci. Phila., vi, 1852, p. 69, and 1853, p. 301; Stansbury Surv. Salt Lake, UTA STANSBURIANA—continued.

1853, p. 345, pl. v, figs. 4-6; Mex. Bound. Surv., ii, 1859, p. 7; P. R.R. Surv., x, 1859, p. 37.

UTA SYMMETRICA.

Mex. Bound. Surv., ii, 1859, p. 7.

Virginia.

Cat. N. A. Reptiles, 1853, part i, p. 127.

VIRGINIA VALERIÆ

Cat. N. A. Reptiles, 1853, part i, p. 127; P. R.
 R. Surv. x, 1859, pl. xxxiii, fig. 94.

WENONA.

Pr. Acad. Nat. Sci. Phila., vi, 1852, p. 173; Cat.
 N. A. Reptiles, 1853, part i, p. 139; U.
 S. Expl. Exped., 1858, p. 111.

WENONA ISABELLA.

Pr. Acad. Nat. Sci. Phila., vi, 1852, p. 176;
Cat. N. A. Reptiles, 1853, part i, p. 140;
U. S. Expl. Exped., 1858, p. 113, pl. vii, figs. 8-14.

WENONA PLUMBEA.

Pr. Acad. Nat. Sci. Phila., vi, 1852, p. 176;
Cat. N. A., Reptiles, 1853, part i, p. 139;
U. S. Expl. Exped., 1858, p. 112, pl. vii, figs. 1-7.

XENODON ANCORUS.

U. S. Expl. Exped., 1858, p. 167.

XEROBATES.

U. S. Expl. Exped., 1858, p. 471.

XEROBATES CERLANDIERI.

Mex bound. Surv., ii, 1859, p. 4.

BATRACHIANS.

ÆRIS CREPITANS.

Mex. Bound. Surv., ii, 1859, p. 28, pl. xxxvii, figs. 14-17.

AMBLYSTOMA.

U. S. Expl. Exped., 1858, p. 13.

AMBLYSTOMA CALIFORNIENSE.

P. R. R. Surv., x, 1859, pl. xxx, figs. 1-3.

Amblystoma mavortium.

P. R. R. Surv., x, 1859, p. 20.

AMBLYSTOMA PROSERPINA.

Pr. Acad. Nat. Sci. Phila., vi, 1852, p. 173; Mex. Bound. Surv., ii, 1859, p. 29, pl. xxxv, figs. 7-14.

AMBLYSTOMA TENEBROSUM.

Pr. Acad. Nat. Sci. Phila., vi, 1852, p. 174.

Amblystoma texanum.

Mex. Bound. Surv., ii, 1859, p. 29, pl. xxxv, fig. 15.

ANAIDES.

U. S. Expl. Exped., 1858, p. 8.

ANAIDES LUGUBRIS.

Pr. Acad. Nat. Sci. Phila., vi, 1852, p. 302; U. S. Expl. Exped., 1858, p. 8, pl. i, figs. 26-33; P. R. R. Surv., x, 1859, pl. xxx, fig. 4.

BATRACHOSEPS ATTENUATA.

Pr. Acad. Nat. Sci. Phila., vi, 1853, p. 302. Brachycephalus.

U. S. Expl. Exped., 1858, p. 99.

BRACHYCEPHALUS AURANTIACUS.

U. S. Expl. Exped., 1858, p. 100, pl. v, figs. 20-24.

Bull. 41, N. M.——8

Buro.

U. S. Expl. Exped., 1858, p. 74.

Bufo alvarius.

Mex. Bound. Surv., ii, 1859, p. 26, pl. xii, figs. 1-6.

BUFO AMERICANUS.

Pr. Acad. Nat. Sci. Phila., vii, 1854, p. 86; Mex. Bound. Surv., ii, 1859, p. 25, pl. xxxix, figs. 1-4; P. R. B. Surv., x, 1859, pl. xxv, fig. 2.

BUFO BOREAS.

Pr. Acad. Nat. Sci. Phila., vi, 1852, p. 174; and 1854, p. 87; U. S. Expl. Exped., 1858, p. 74, pl. vi, figs. 4-9; P. R. R. Surv., x, 1859.

BUFO COGNATUS.

Pr. Acad. Nat. Sci. Phila., vii, 1854, p. 86;
Marcy and McClellan's Rep. Expl. Red
Riv., La., 1853, p. 242, pl. xi; Mex. Bound.
Surv., ii, 1859, p. 27; P. R. R. Surv., x,
1859, pl. xxxvi.

BUFO COLUMBIENSIS.

Pr. Acad. Nat. Sci. Phila., vi, 1853, p. 379; and 1854, p. 87, U. S. Expl. Exped., 1858, p. 77, pl. v, figs. 4-9.

BUFO DEBILIS.

Pr. Acad. Nat. Sci. Phila., vii, 1854, p. 87;
 Mex. Bound. Surv., vol. ii, 1859, p. 27;
 P. R. Surv., x, 1859.

BUFO GRACILIS.

Pr. Acad. Nat. Sci. Phila., vi, 1853, p. 424; U. S. Expl. Exped., 1858, p. 83, pl. vi, figs, 16-21.

BUFO GRANULOSUS.

Pr. Acad. Nat. Sci. Phila., vi, 1852, p. 173. Buro halophila.

Pr. Acad. Nat. Sci. Phila., vi, 1853, p. 301; and 1854, p. 87; Mex. Bound. Surv., ii, 1859, p. 26, pl. xii, figs. 7-9.

BUFO INSIDIOR.

Pr. Acad. Nat. Sci. Phila., vii, 1854, p. 88; Mex. Bound. Surv., ii, 1859, p. 26, pl. xii, figs. 13-16.

BUTO LAMENTOR.

Pr. Acad. Nat. Sci. Phila., xi, 1859, p. 169. Bufo Lentiginosus.

Pr. Acad. Nat. Sci. Phila., vii, 1854, p. 86.

BUFO LUGUBROSUS.

Pr. Acad. Nat. Sci. Phila., vi, 1853, p. 424; U. S. Expl. Exped., 1858, p. 85, pl. vi, figs. 10-15. Bufo marinus.

U. S. Expl. Exped., 1858, p. 8, pl. v, figs. 1–3, and pl. vi, figs. 1–3.

BUFO MELANOSTICTUS.

U. S. Expl. Exped., 1858, p. 92, pl. v, figs. 10-14. Bufo nebulifer.

Pr. Acad. Nat. Sci. Phila., vii, 1854, p. 87; Mex. Bound. Surv., ii, 1859, p. 25, pl. xi, figs. 1-4; P. R. R. Surv., x, 1859, p. 44.

BUFO PEPPIGI.

U. S. Expl. Exped., 1858, p. 90.

BUFO PUNCTATUS.

Pr. Acad. Nat. Sci. Phila., vi, 1853, p. 173, and vii, 1854, p. 87; Mex. Bound. Surv., ii, 1859, p. 25, pl. xxxix, figs. 5-7.

BUFO QUERCINUS.

Pr. Acad. Nat. Sci. Phila,, vii, 1854, 87.

Bufo speciosus.

Pr. Acad. Nat. Sci. Phila., vii, 1854, p. 86; Mex. Bound. Surv., ii, 1859, p. 26, pl. xi, figs. 5-10. BUFO THAUL.

U. S. Expl. Exped., 1858, p. 88, pl. v, figs. 15-19. Bufc Woodhousi.

Pr. Acad. Nat. Sci. Phila., vii, 1854, p. 86; Mex. Bound. Surv., ii, 1859, p. 27; P. R. R. Surv., vol. x, 1859, pp. 20 and 24, pl. xxv, fig. 1.

BUFONELLA.

Pr. Acad. Nat. Sci. Phila., vi, 1853, p. 424; U. S. Expl. Exped., 1858, p. 94.

BUFONELLA CRUCIFERA.

Pr. Acad. Nat. Sci. Phila., vi, 1853, p. 424; U. S. Expl. Exped., 1858, p. 95.

CRINIA

Pr. A'cad. Nat. Sci. Phila., vi, 1853, p. 420; U. S. Expl. Exped., 1858, p. 17.

CRINIA GEORGIANA.

Pr. Acad. Nat. Sci. Phila., vi, 1853, p. 420; U. S. Expl. Exped., 1858, p. 17.

CYSTIGNATHUS.

Pr. Acad. Nat. Sci. Phila., vi, 1853, p. 420; Gilliss' Rep. Exp. South. Hemisph., ii, 1855, p.
3; U. S. Expl. Exped., 1858, p. 33.

CYSTIGNATHUS GRACILIS.

Pr. Acad. Nat. Sci. Phila., vi, 1853, p. 420; U. S. Expl. Exped., 1858, p. 33.

CYSTIGNATHUS MACROGLOSSUS,

Pr. Acad. Nat. Sci. Phila., vi, 1853, p. 420; U. S. Expl. Exped., 1858, p. 33.

CYSTIGNATHUS NEBULOSUS.

Pr. Acad. Nat. Sci. Phila., vi, 1853, p. 422; U. S. Expl. Exped., 1858, p. 33, pl. iii, figs. 19-22. CYSTIONATHUS PARVULUS.

Pr. Acad. Nat. Sci. Phila., vi, 1853, p. 422; U.
 S. Expl. Exped., 1858, p. 35, pl. vii, figs. 34-38.

CYSTIGNATHUS ROSEUS.

Pr. Acad. Nat. Sci. Phila., vi, 1853, p. 420; U.S. Expl. Exped., 1858, p. 33.

CYSTIGNATHUS TÆNIATUS.

Pr. Acad. Nat. Sci. Phila., vii, 1854, p. 226; Gilliss' Rep. Exped. S. Hemisph., ii, 1855, p. 3, pl. xxxiv, figs, 8-11.

ELOSIA.

U. S. Expl. Exped. 1858, p. 64.

ELOSIA BUFONIUM.

Pr. Acad. Nat. Sci. Phila., vi, 1853, p. 423; U. S. Expl. Exped., 1858, p. 66, pl. iv, figs. 23-27.

ELOSIA NASUTA.

U. S. Expl. Exped., 1858, p. 65, pl. iv, figs. 39-43.

ELOSIA VOMERINA.

Pr. Acad. Nat. Sci. Phila., vi, 1853, p. 423; U.
 S. Expl. Exped., 1858, p. 69, pl. iv, figs.
 17.22

ENGYSTOMA CAROLINENSIS.

Pr. Acad. Nat. Sci. Phila., vii, 1854, p. 88. Engystoma rugosum.

Pr. Acad. Nat. Sci. Phila., vii, 1854, p. 88. Engystoma texense.

Pr. Acad. Nat. Sci. Phila., xi, 1859, p. 170. HALOPHILA.

Pr. Acad. Nat. Sci. Phila., vi, 1853, p. 423; U. S. Expl. Exped., 1858, p. 54.

HALOPHILA DORSUALIS.

U. S. Expl. Exped., 1858, p. 58, pl. iv, figs. 12-16.

HALOPHILA HEROS.

Pr. Acad. Nat. Sci. Phila., vi, 1853, p. 423; U. S. Expl. Exped., 1858, p. 55, pl. iv, figs. 1-6. HALOPHILA PAPUA.

U. S. Expl. Exped., 1858, p. 55.

HALOPHILA VITIENSIS.

Pr. Acad. Nat. Sci. Phila., vi, 1859, p. 423; U.
S. Expl. Exped., 1858, p. 57, pl. iv, figs. 7-11.

HELOCŒTES CLARKI.

Mex. Bound Surv., vol. ii, 1859, p. 28, pl. xxxvii, figs. 4-9.

HEREDIA.

Pr. Acad. Nat. Sci., Phila., viii, 1856, p. 149;
U. S. Expl. Exped., 1858, p. 11.

HEREDIA OREGONENSIS.

Pr. Acad. Nat. Sci. Phila., viii, 1856, p. 141; U. S. Expl. Exped., 1858, p. 11, pl. i, figs. 18-25.

HYLA.

U. S. Expl. Exped.,1858, p. 59.

HYLA AFFINIS.

Mex. Bound Surv., ii, 1859, p. 29, pl. xxxviii, figs. 4-7.

HYLA CYANEA.

U. S. Expl. Exped, 1858, p. 62.

HYLA EXIMIA.

Mex. Bound. Surv., ii, 1859, p. 29, pl. xxxviii, figs. 8-10.

HYLA REGILLA.

Pr. Acad. Nat. Sci. Phila., vi, 1852, p. 174, and 1853, p. 302; U. S. Expl. Exped., 1858, p. 60, pl. iii, figs. 13–18; P. R. R. Surv., x, 1859, pl. xxviii, fig. 3.

HYLA SEMIFASCIATA.

Mex. Bound Surv., ii, 1859, p. 28.

HYLA VANVLIETTI.

Mex. Bound. Surv., ii, 1859, p. 29, pl. xxxviii, figs. 1-3.

HYLARANA.

Pr. Acad. Nat. Sci. Phila., vi, 1853, p. 423; U.S. Expl. Exped., 1858, p. 52.

HYLARANA CHALCONOTA. Pr. Acad. Nat. Sci. Phila., vi, 1853, p. 423.

HYLARANA ERYTHRÆA. Pr. Acad. Nat. Sci. Phila., vi, 1853, p. 423.

Pr. Acad. Nat. Sci. Phila., VI, 1853, p. 423 HYLARANA MINDANENSIS.

Pr. Acad. Nat. Sci. Phila., vi, 1853, p. 423; U.S. Expl. Exped., 1858, p. 52.

HYLARANA WAIGIENSIS.

Pr. Acad. Nat. Sci. Phila., vi, 1853, p. 423. HYLODES.

U. S. Expl. Exped., 1858, p. 62.

HYLODES PARVUS.

Pr. Acad. Nat. Sci. Phila., vi, 1853, p. 423; U.
S. Expl. Exped., 1858, p. 63, pl. iii, figs. 24-28.

KASSINA.

Pr. Acad. Nat. Sci. Phila., vi, 1853, p. 420; U. S. Expl. Exped., 1858, p. 17.

Kassina senegalensis.

Pr. Acad. Nat. Sci. Phila., vi, 1853, p. 422. LEPTODACTYLUS.

Pr. Acad. Nat. Sci. Phila., vi, 1853, p. 420; U.S. Expl. Exped., 1858, p. 28.

LEPTODACTYLUS CALIGINOSUS.

Pr. Acad. Nat. Sci. Phila., vi, 1853, p. 422; U. S. Expl. Exped., 1858, p. 31.

LEPTODACLYUS LABYRINTHICUS.

Pr. Acad. Nat. Sci. Phila., vi, 1853, p. 420; U.S. Expl. Exped., 1858, p. 29.

LEPTODACTYLUS OCELLATUS.

Pr. Acad. Nat. Sci. Phila., vi, 1853, p. 420; U.
S. Expl. Exped., 1858, p. 29, pl. iii, figs. 1-6.

LEPTODACTYLUS SERIALIS.

Pr. Acad. Nat. Sci. Phila., vi, 1853, p. 421.

LEPTODACTYLUS TYPHONIUS.

Pr. Acad. Nat. Sci. Phila., vi, 1853, p. 420; U.S. Expl. Exped., 1858, p. 29.

LITORIA OCCIDENTALIS.

Pr. Acad. Nat. Sci. Phila., vi, 1853, p. 302.

Metæus.

Pr. Acad. Nat. Sci. Phila., vi, 1853, p. 424; U.S. Expl. Exped., 1858, p. 96.

METÆUS TIMIDUS.

Pr. Acad. Nat. Sci. Phila., vi, 1853, p. 424; U.S. Expl. Exped., 1858, p. 97.

NECTURUS LATERALIS.

P. R. R. Surv., x, 1859, p. 45.

PHYLLOBATES.

Gilliss' Rep. Exped. South. Hemish., ii, 1855, p. 4.

PHYLLOBATES AURATUS.

Pr. Acad. Nat. Sci. Phila., vii, 1854, p. 226; Gilliss' Rep. Exped. S. Hemisph., ii, 1855, p. 5, pl. xxxiv, figs. 12-15.

PLEURODEMA.

Pr. Acad. Nat. Sci. Phila., vi, 1853, p. 420; U.S. Expl. Exped., 1858, p. 37.

PLEURODEMA AVUNCO.

Pr. Acad. Nat. Sci. Phila., vi, 1853, p. 420. PLEURODEMA BIBRONI.

Pr. Acad. Nat. Sci. Phila., vi, 1853, p. 420; U.
S. Expl. Exped., 1858, p. 38, pl. iv, figs. 33-38.

PLEURODEMA BUFONIUM.

Pr. Acad. Nat. Sci. Phila., vi. 1853, p. 420; U. S. Expl. Exped., 1858, p. 38.

PLEURODEMA DARWINI.

Pr. Acad. Nat. Sci. Phila., vi, 1853, p. 420; U.S. Expl. Exped., 1858, p. 38.

PLEURODEMA ELEGANS.

 Pr. Acad. Nat. Sci. Phila., vi, 1853, p. 420; U.
 S. Expl. Exped., 1858, p. 40, pl. iv, figs. 28-32.

PLUERODEMA NODOSA.

Pr. Acad. Nat. Sci. Phila., vi, 1853, p. 420; U.S. Expl. Exped., 1858, p. 38.

RANA.

U. S. Expl. Exped., 1858, p. 17.

RANA AREOLATA.

Pr. Acad. Nat. Sci. Phila., vi, 1852, p. 173; Mex. Bound. Surv., 1859, p. 28, pl. xxxvi, figs. 11-12.

RANA AURORA.

Pr. Acad. Nat. Sci. Phila., vi, 1852, p. 174; U.
S. Expl. Exped., 1858, p. 18, pl. ii, figs. 1-6.

RANA BERLANDIERI.

Mex. Bound. Surv., ii, 1859, p. 27, pl. xxxvi, figs. 7-10; P. R. R. Surv., x, 1859, p. 45.

RANA CATESBIANA.

Mex. Bound. Surv., ii, 1859, p. 27; P. R. R. Surv., x, 1859, p. 45.

RANA CLAMITANS.

P. R. R. Surv., x, 1859, p. 45.

RANA DRAYTONI.

Pr. Acad. Nat. Sci. Phila., vii, 1852, p. 174; U. S. Expl. Exped., 1858, p. 23, pl. ii, figs. 19-24.

RANA HALECINAR.

P. R. R. Surv., x, 1859, p. 45, pl. xxix, fig. 7.

RANA LECONTI.

Pr. Acad. Nat. Sci. Phila., vi, 1853, p. 302.

RANA MARITIMA.

U. S. Expl. Exped., 1858, p. 25, pl. ii, figs. 7-12. RANA MONTEZUMÆ.

Pr. Acad. Nat. Sci. Phila., vii, 1854, p. 61; Mex.
Bound. Surv., ii, 1859, p. 27, pl. xxxvi, figs.
1-6.

RANA PIPIENS.

Marcy's and McClellan's Rep. Expl. Red Riv., La., 1853, p. 213. RANA PRETIOSA.

Pr. Acad. Nat. Sci. Phila., vi, 1853, p. 378, and vii, 1854, p. 62; U. S. Expl. Exped., 1858, p. 20, pl. ii, figs. 13-18; P. R. R. Surv., x, 1859. RANIDELLA.

Pr. Acad. Nat. Sci. Phila., vi, 1853, p. 421; U. S. Expl. Exped., 1858, p. 44.

RANIDELLA SIGNIFERA.

Pr. Acad. Nat. Sci. Pbila., vi, 1853, p. 422; U. S. Expl. Exped., 1858, p. 14, pl. iii, figs. 39-43. RANOIDEA.

Pr. Acad. Nat. Sci. Phila., vi, 1853, p. 422; U. S. Expl. Exped., 1858, p. 47.

RANOIDEA AURORA.

U. S. Expl. Exped., 1858, p. 48.

RANOIDEA FLAVOVIRIDIS.

Pr. Acad. Nat. Sci. Phila., vi, 1853, p. 422; U. S. Expl. Exped., 1858, p. 50.
RANOIDEA RESPLENDENS.

Day A and Mak Cai Di

Pr. Acad. Nat. Sci. Phila., vi, 1853, p. 422; U. S. Expl. Exped., 1858, p. 48, pl. iii, figs. 7-12. RHINODERMA.

U. S. Expl. Exped., 1858, p. 71.

RHINODERMA SIGNIFERA.

Pr. Acad. Nat. Sci. Phila., vi, 1853, p. 424; U. S. Expl. Exped., 1858, p. 72.

SCAPHIOPUS COUCHI.

Pr. Acad. Nat. Sci. Phila., 1854, p. 62; Mex. Bound. Surv., ii, 1859, p. 28, pl. xxxv figs. 1-7.

SCAPHIOPUS HAMMONDI.

P. R. R. Surv., x, 1859, pl. xxviii, fig. 2.

SIREN LACERTINA.

Mex. Bound. Surv., ii, 1859, p. 29. SIREDON GRACILIS.

P. R. R. Surv., x, 1859, pl. xliv, fig. 2. SIREDON LICHENOIDES.

Pr. Acad. Nat. Sci. Phila., vi, 1852, p. 68; Stans.
 bury's Surv. Salt Lake, 1853, p. 336, pl. i;
 P. R. R. Surv., x, 1859, p. 20.

TABICHA.

U. S. Expl. Exped., 1858, p. 4. TARICHA LÆVIS.

Pr. Acad. Nat. Sci. Phila., vi, 1853, p. 302; U. S. Expl. Exped., 1858, p. 5.

TARICHA TOROSA.

U. S. Expl. Exped., 1858, p. 5. pl. i, figs. 1-8; P. R. R. Surv., x, 1859.
WAGLEBIA.

Pr. Acad. Nat. Sci. Phila., vi, 1853, p. 422 · U. S. Expl. Exped., 1858, p. 42. WAGLERIA DORBALIS.

Pr. Acad. Nat. Sci. Phila., vi, 1853, p. 422; U. S. Expl. Exped., 1858, p. 42.

Waglebia peroni.

Pr. Acad. Nat. Sci. Phila., vi, 1853, p. 422; U. S. Expl. Exped., 1858, p. 42, pl. iii, figs. 29–33.

XIPHONURA.

U.S. Expl. Exped., 1858, p. 13.

XIPHONURA JEFFERSONIANA. U. S. Expl. Exped., 1858, p. 13.

XIPHONURA TENEBROSA.

U. S. Expl. Exped., 1858, p. 14, pl. i, figs. 9-17.

FISHES.

ABEONA.

Pr. Acad. Nat. Sci. Phila., vii, 1855, p. 322; P. R. R. Surv., vol. x, 1859, p. 186.

ABEONA TROWBRIDGI.

Pr. Acad. Nat. Sci. Phila., vii, 1855, p. 322; P. R. R. Surv., vol. x, 1859, p. 186, pl. xxxiv, figs. 6-10.

ACANTHIAS.

P. R. R. Surv., vol. x, 1859, p. 367.

ACANTHIAS SUCKLII.

Pr. Acad. Nat. Sci. Phila., vii, 1854, 196; P. R.R. Surv., vol. x, 1859, p. 368.

Acanthocottus.

Pr. Bost. Soc. Nat. Hist., iii, 1849; N. Mém. Soc. Helv. Sc. Nat., xii, 1852.

ACANTHOCOTTUS ÆNEUS.

Pr. Bost. Soc. Nat. Hist., iii, 1849, p. 186. ACANTHOCOTTUS ARIES.

N. Mém. Soc. Helv. Sc. Nat., xii, 1852, p. 28. ACANTHOCOTTUS BUBALIS.

N. Mém. Soc. Helv. Sc. Nat., xii, 1852, p. 6. ACANTHOCOTTUS CLAVIGER.

N. Mém. Soc. Helv. Sc. Nat., xii, 1852, p. 8. Acanthocottus diceraus.

N. M6m. Soc. Helv. Sc. Nat., xii, 1852, p. 7. ACANTHOCOTTUS GRŒNLANDICUS.

Pr. Bost. Soc. Nat. Hist., iii, 1849, p. 185; Bost. Journ. Nat. Hist., vi, 1850, p. 248.

ACANTHOCOTTUS HEXACORNIS.

Pr. Bost. Soc. Nat. Hist., iii, 1849, p. 186.

ACANTHOCOTTUS JAOK.

N. Mém. Soc. Helv. Sc. Nat., xii, 1852, p. 7. ACANTHOCOTTUS LABRADOBICUS.

Bost. Journ. Nat. Hist., vi, 1850, p. 248. ACANTHOCOTTUS MARMORATUS.

N. Mém. Soc. Helv. Sc. Nat., xii, 1852, p. 8. ACANTHOCOTTUS MERTENSI.

N. Mém. Soc. Helv. Sc. Nat., xii, 1852, p. 8. ACANTHOCOTTUS MITCHILLI.

Pr. Bost. Soc. Nat. Hist., iii, 1849, p. 186. ACANTHOCOTTUS PAPYRACEUS.

N. M6m. Soc. Helv. Sc. Nat., xii, 1852, p. 8. A CANTHOCOTTUS PLATYCEPHALUS.

N. Mém. Soc. Helv. Sc. Nat., xii, 1852, p. 7.

ACANTHOCOTTUS POLARIS.
Pr. Bost. Soc. Nat. Hist., iii, 1849, p. 186.
ACANTHOCOTTUS POLYACANTHOCEPHALES.

Pr. Bost. Soc. Nat. Hist., iii, 1849, p. 186. A CANTHOCOTTUS POROSUS.

Pr. Bost. Soc. Nat. Hist., iii, 1849, p. 186. ACANTHOCOTTUS PSETTILIGER.

Pr. Bos. Soc. Nat. Hist., iii. 1849, p. 186.

ACANTHOCOTTUS QUADRICORNIS.

N. Mém. Soc. Helv. Sc. Nat., xii, 1852, p. 7.

ACANTHOCOTTUS SCORPIOIDES.

Pr. Bos. Soc. Nat. Hist., iii. 1849, p. 185.
ACANTHOCOTTUS SCORPIUS.

N. Mém. Soc. Helv. Sc. Nat., xii, 1852, p. 6. ACANTHOCOTTUS VARIABILIS.

Bost. Journ. Nat. Hist., vi, 1850, p. 248.

ACANTHOCOTTUS VENTRALIS.

N. Mém. Soc. Helv. Sc. Nat., xii, 1852, p. 8. Acanthocottus Virginianus.

Pr. Bost. Soc. Nat. Hist., iii, 1849, p. 187.

P. R. R. Surv., vol. x, 1859, p. 354.

ACIPENSER ACUTIROSTRIS.

Pr. Acad. Nat. Sci. Phila., viii, 1856, p. 137; P. R. R. Surv., vol. x, 1859, p. 355.

ACIPENSER BRACHYRHYNCHUS.

P. R. R. Surv., vol. x, 1859, p. 355.

ACIPENSER MEDIROSTRIS.

Pr. Acad. Nat. Sci., Phila., viii, 1856, p. 137; P.
 R. R. Surv., vol. x, 1859, p. 356.

ACIPENSER TRANSMONTANUS.

P. R. R. Surv., vol. x, 1859, p. 355.

ACOMUS.

Pr. Acad. Nat. Sci. Phila., viii, 1856, p. 173; P. R. R., Surv., vol. x, 1859, p. 220.

ACOMUS AUBORA.

Pr. Acad. Nat. Sci. Phila., viii, 1856, p. 173. ACOMUS FORSTERIANUS.

Pr. Acad. Nat. Sci. Phila., viii, 1856, p. 173. Acomus generosus.

Pr. Acad. Nat. Sci. Phila., viii, 1856, p. 174; P. R. R. Surv., vol. x, 1859, p. 221.

ACOMUS GRISEUS.

Pr. Acad. Nat. Sci. Phila., viii, 1856, p. 174; P.
 R. R. Surv., vol. x, 1859, p. 222, pl. xlix, figs.
 5-9.

ACOMUS GUZMANIENSIS.

Pr. Acad. Nat. Sci. Phila., viii, 1856, p. 173; Mex. Bound. Surv., vol. ii, 1858, p. 39, pl. xxxiii, figs. 6-10.

ACOMUS LACTARIUS.

Pr. Acad. Nat. Sci. Phila., viii, 1856, p. 174;
 P. R. Surv., vol. x, 1859, p. 223, pl. 1.

R. R. Surv., v Acomus latipinnis.

Pr. Acad. Nat. Sci. Phila., viii, 1856, p. 173; Mex. Bound. Surv., vol. ii, 1858, p. 39, pl. xxiv, figs. 1-6.

ADINIA.

Pr. Acad. Nat. Sci. Phila., xi, 1859, p. 117.

Adinia multifasciata.

Pr. Acad. Nat. Sci. Phila., xi, 1859, p. 117. AGOSIA. Pr. Acad. Nat. Sci. Phila., viii, 1856, p. 186;

Mex. Bound. Surv., vol. ii, 1858. Agosia chrysogaster.

Pr. Acad. Nat. Sci. Phila., viii, 1856, p. 187; Mex. Bound. Surv., vol. ii, 1858, p. 48, pl. xxviii, figs. 5-8.

AGOSIA METALLICA.

Pr. Acad. Nat. Sci. Phila., viii, 1856, p. 187; Mex. Bound. Surv., vol. ii, 1858, p. 49, pl. xxvii, figs. 1-4.

AILURICHTHYS.

Pr. Acad. Nat. Sci. Phila., vii, 1854, p. 26; Mex. Bound. Surv., vol. ii, 1858, p. 31.

AILURICHTHYS BLOCHI.

Mex. Bound. Surv., vol. ii, 1858, p. 31.

AILURICHTHYS EYDOUXI.

Mex. Bound. Surv., vol. ii, 1858, p. 31.

AILURICHTHYS GRONOVI.

Mex. Bound. Surv., vol. ii, 1858, p. 31.

AILURICHTHYS MARINUS.

Pr. Acad. Nat. Sci. Phila., vii, 1854, p. 26; Mex. Bound. Surv., vol. ii, 1858, p. 31. pl. xiv.

ALBURNELLUS AMABILIS.

Mex. Bound. Surv., vol. ii, 1858, p. 51, pl. xxix, figs. 10-13.

ALBURNELLUS DILECTUS.

P. R. R. Surv., vol. x, 1859, p. 259, pl. lvii, figs. 9-12.

ALBURNELLUS MEGALOPS.

Mex. Bound. Surv., vol. ii, 1858, p. 52, pl. xxix, figs. 1-4.

ALBURNELLUE SOCIUS.

Mex. Bound. Surv., vol. ii, 1858, p. 52, pl. xxix, figs. 4-17.

ALBURNELLUS UMBRATILIS.

P. R. R. Surv., vol. x, 1859, p. 260.

ALBURNOPS.

Pr. Acad. Nat. Sci. Phila., viii, 1856, p. 194; P. R. R. Surv., vol. x, 1859, p. 260.

ALBURNOPS BLENNIUS.

Pr. Acad. Nat. Sci. Phila., viii, 1856, p. 194; P. R. R. Surv., vol. x, 1859, p. 261, pl. lvii, figs. 13-16.

ALBURNOPS ILLECEBROSUS.

Pr. Acad. Nat. Sci. Phila., viii, 1856, p. 194; P. R. R. Surv., vol. x, 1859, p. 262, pl. lvii, figs. 5–8.

ALBURNOPS SHUMARDI.

Pr. Acad. Nat. Sci. Phila., viii, 1856, p. 194; P. R. R. Surv., vol. x, 1859, p. 261, pl. lvii, figs. 1-4.

ALBURNUS.

Pr. Acad. Nat. Sci. Phila., viii, 1856, p. 193. Alburnus amabilis.

Pr. Acad. Nat. Sci. Phila., viii, 1856, p. 193. Alburnus dilectus.

Pr. Acad. Nat. Sci. Phila., viii, 1856, p. 193. ALBURNUS LEPIDULUS.

Pr. Acad. Nat. Sci. Phila., viii, 1856, p. 212. ALBURNUS MEGALOPS.

Pr. Acad. Nat. Sci. Phila., viii, 1856, p. 193. Alburnus socius.

Pr. Acad. Nat. Sci. Phila., viii, 1856, p. 193. ALBURNUS UMBRATILIS.

Pr. Acad. Nat. Sci. Phila., viii, 1856, p. 193. ALGANSEA.

Pr. Acad. Nat. Sci. Phila., viii, 1856, p. 183; P. R. R. Surv., vol. x, 1859, p. 239.

ALGANSEA BICOLOR.

Pr. Acad. Nat. Sci. Phila., viii, 1856, p. 183; P. R. R. Surv., vol. x, 1859, p. 238.

ALGANSEA FORMOSA.

Pr. Acad. Nat. Sci. Phila., viii, 1856, p. 183; P. R. R. Surv., vol. x, 1859, p. 239.

ALGANSEA OBESA.

Pr. Acad. Nat. Sci. Phila., viii, 1856, p. 183; P. R. R. Surv., vol. x, 1859, p. 239.

ALGANSEA TINCELLA.

Pr. Acad. Nat. Sci. Phila., viii, 1856, p. 183; Mex. Bound. Surv., ii, 1858, p. 46, pl. xxviii, figs. 1-4.

ALGOMA.

Pr. Acad. Nat. Sci. Phila., viii, 1856, p. 180; Mex. Bound. Surv., ii, 1858, p. 45.

ALGOMA AMARA.

Pr. Acad. Nat. Sci. Phila., viii, p. 181; Mex. Bound. Surv., ii, 1858, p. 45, pl. xxvii, figs.

ALGOMA PLUVIATILIS.

Pr. Acad. Nat. Sci. Phila., viii, p. 181; Mex. Bound. Surv., ii, 1858, p. 45, pl. xxvii, figs.

ALOSA.

Gilliss Rep. Exped. S. Hemisph., ii, 1855, p. 41. ALOSA MUSICA.

Pr. Acad. Nat. Sci. Phila., viii, 1854, p. 199; Gilliss Rep. Exped. S. Hemisph., ii, 1855, p. 42, pl. xxxi, figs. 1-4.

ALVARIUS.

Pr. Acad. Nat. Sci. Phila., xi, 1859, p. 101. ALVARIUS LATERALIS.

Pr. Acad. Nat. Sci. Phila., xi, 1859, p. 101. ALVORDIUS.

Pr. Acad. Nat. Sci. Phila., xi, 1859, p. 67.

ALVORDIUS MACULATUS.

Pr. Acad. Nat. Sci. Phila., xi, 1859, p. 67. AMBLODON.

P. R. R. Surv., x, 1859, p. 95.

AMBLODON CONCINNUS.

P. R. R. Surv., x, 1859, p. 96.

AMBLODON GRUNNIENS.

P. R. R. Surv., x, 1859, p. 96, pl. xxiii.

AMBLODON NEGLECTUS.

Pr. Acad. Nat. Sci. Phila., x, 1858, p. 167; Mex. Bound. Surv., ii, 1858, p. 12, pl. v, figs. 6-10. AMBLODON RICHARDSONI.

P. R. R. Surv., x, 1859, p. 96.

AMBLODON SATURNUS.

P. R. R. Surv., x, 1859, p. 98.

AMBLOPLITES.

P. R. R. Surv., ii, 1859, p. 8.

AMBLOPLITES ÆNEUS.

P. R. R. Surv., ii, 1859, p. 8, pl. ii.

AMBLOPLITES ICHTHELOIDES.

P. R. R. Surv., ii, 1859, p. 10.

AMBLOPLITES INTERRUPTUS.

P. R. R. Surv., ii, 1859, p. 10, pl. ii, figs. 1-4.

AMIA. P. R. R. Surv., ii, 1859, p. 349.

AMIA OCCIDENTALIS. P. R. R. Surv., ii, 1859, p. 350.

AMIA OCELLICAUDA.

P. R. R. Surv., ii, 1859, p. 349.

AMMOCRETES.

P. R. R. Surv., ii, 1859, p. 383.

AMMOCGETES CIBARIUS.

P. R. R. Surv., ii, 1859, x, 1859, p. 383. AMMODYTES.

P. R. R. Surv., vol. x, 1859, p. 138.

AMMODYTES HEXAPTERUS.

P. R. R. Surv., vol. x, 1859, p. 138.

AMMODYTES PERSONNATUS.

Pr. Acad. Nat. Sci. Phila., viii, 1856, p. 137; P. R. R. Surv., vol. x, 1859, p. 139.

AMPHISTICHUS.

Pr. Acad. Nat. Sci. Phila., vii, 1855, p. 323; P. R. R. Surv., vol. x, 1859, p. 201.

AMPHISTICHUS ABGENTATUS.

Pr. Acad. Nat. Sci. Phila., vii, 1854, pp. 141 and 153; and vii, 1855, p. 323; P. R. R. Surv., vol. x, 1859, p. 201, pl. xxxix.

AMPHISTICHUS HEERMANNI.

Pr. Acad. Nat. Sci. Phila., vii, 1855, p. 125, and vii, 1855, 323.

AMPHISTICHUS SIMILIS.

Pr. Acad. Nat. Sci. Phila., vii, 1854, p. 135, and vii, 1855, p. 323; P. R. R. Surv., vol. x, 1859, p. 203, pl. xxxvi, fig. 5-9.

Anarrichas felis.

Pr. Acad. Nat. Sci. Phila., vii, 1854, p. 150. Anabrhichthys.

P. R. R. Surv., vol. x, 1859, p. 124.

Anarrhichthys felis.

P. R. R. Surv., vol. x, 1859, p. 125, pl. xxva, figs. 1-3.

Anguilla tyrannus.

Pr. Acad. Nat. Sci. Phila., x, 1858, p. 171; Mex. Bound. Surv., ii, 1858, p. 75.

APLESION.

Pr. Acad. Nat. Sci. Phila., xi, 1859, p. 101. APLESION POTTSI.

Pr. Acad. Nat. Sci. Phila., xi, 1859, p. 102. APODICHTHYS.

Pr. Acad. Nat. Sci. Phila., vii, 1854, p. 150; P. R. R. Surv., vol. x, 1859, p. 117.

APODICHTHYS APOS.

P. R. R. Surv., vol. x, 1859, p. 117.

APODICHTHYS FLAVIDUS

Pr. Acad. Nat. Sci. Phila., vii, 1854, p. 150; P. R. R. Surv., vol. x, 1859, p. 117.

APODICHTHYS VIOLACEUS.

Pr. Acad. Nat. Sci. Phila., vii, 1854, p. 150.

APODICHTHYS VIRESCENS.

P. R. R. Surv., vol. x, 1859, p. 118. ARGENTINA LEIOGLOSSA.

P. R. R. Surv., vol. x, 1859, p. 325.

ARGENTINA PRETIOSA. Pr. Acad. Nat. Sci. Phila., vii, 1854, p. 155.

A RGYREIOSUS CAPILLARIS.

Mex. Bound. Surv., vol. ii, 1858, p. 23, pl. xi, fig. 7.

ARGYREUS.

Mem. Amer. Acad., v, 1855, p. 287; Pr. Acad. Nat. Sci. Phila., viii, 1856, p. 185; P. R. R. Surv., vol. x, 1859, p. 243.

ARGYREUS ATRONASUS.

Pr. Acad. Nat. Sci. Phila., viii, 1856, p. 185; P. R. R. Surv., vol. x, 1859, p. 243.

ARGYREUS DULCIS.

Pr. Acad. Nat. Sci. Phila., viii, 1856, p. 185; P. R. R. Surv., vol. x, 1859, p. 243, pl. liv, figs. 5-8.

ARGYREUS MARMORATUS.

Pr. Acad. Nat. Sci. Phila., viii, 1856, p. 185. ARGYREUS MELEAGRIS.

Pr. Acad. Nat. Sci. Phila., viii, 1856, p. 185.

ARGYREUS NASUTUS.

Mem. Amer. Acad., v, 1855, p. 289, pl. xxii, fig. 1; Pr. Acad. Nat. Sci. Phila., viii, 1856, p. 185.

ARGYREUS NOTABILIS.

Pr. Acad. Nat. Sci. Phila., viii, 1856, p. 186; Mex. Bound. Surv., vol. ii, 1850, p. 47, pl. xxvii, figs. 5-8.

ARGYREUS NUBILUS.

Pr. Acad. Nat. Sci. Phila., viii, 1856, p. 186; P. R. R. Surv., vol. x, 1859, p. 244.

ARGYREUS OBTUSUS.

Pr. Acad. Nat. Sci. Phila., viii, 1856, p. 185. ARGYREUS OSCULUS.

Pr. Acad. Nat. Sci. Phila., viii, 1856, p. 186; Mex. Bound. Surv., vol. ii, 1858, p. 47, pl. xxvii, figs. 9-12.

ARIUS.

Mex. Bound. Surv., vol. ii, 1858, p. 32. ARIUS EQUESTRIS.

Pr. Acad. Nat. Sci. Phila., vii, 1854, p. 26; Mex. Bound. Surv., vol. ii, 1858, p. 32, pl. xv.

ARLINA.

Pr. Acad. Nat. Sci. Phila., xi, 1859, p. 64. Arlina effulgens.

Pr. Acad. Nat. Sci. Phila., xi, 1859, p. 64. ARTEDIUS.

Pr. Acad. Nat. Sci. Phila., viii, 1856, 134; P. R. R. Surv., vol. x, 1859, p. 69.

ARTEDIUS LATERALIS.

Pr. Acad. Nat. Sci. Phila., viii, 1856, p. 134; P. R. R. Surv., vol. x, 1859, p. 70, pl. xxiia, figs.

ARTEDIUS NOTOSPILOTUS.

Pr. Acad. Nat. Sci. Phila., viii, 1856, p. 134; Bost. Journ. Nat. Hist., vi, 1857, p. 535, pl. xxiv, figs. 5, 6; P. R. R. Surv., vol. x, 1859, p. 71, pl. xxiib, figs. 5, 6.

ASPICOTTUS.

Pr. Acad. Nat. Sci. Phila., vii, 1854, p. 130, and viii, 1856, p. 133; P. R. R. Surv., vol. x, 1859, p. 65.

ASPICOTTUS BISON.

Pr. Acad. Nat. Sci. Phila., vii, 1854, p. 130, and viii, 1856, p. 133; P. R. R. Surv., vol. x, 1859, p. 66, pl. xv, fig. 1.

Pr. Acad. Nat. Sci. Phila., vii, 1854, p. 27; Mex. Bound. Surv., vol. ii, 1858, p. 74.

ASTYANAX ARGENTATUS.

Pr. Acad. Nat. Sci. Phila., vii, 1854, p. 27; Mex. Boun. d Surv., vol. ii, 1858, p. 74, pl. viii, figs. 5-9.

ATHERINOPSIS.

Pr. Acad. Nat. Sci. Phila., vii, 1854, p. 134; Gilliss' Rep. Expl. S. Hemisph., ii, 1855, 237; P. R. R. Surv., vol. x, 1859, p. 102.

ATHERINOPSIS CALIFORNIENSIS.

Pr. Acad. Nat. Sci. Phila., vii, 1854, pp. 134, 141, and 151; Bost. Jour. Nat. Hist., vi, 1857, p. 537, pl. xxiv, figs. 1-4; P. R. R. Surv., vol. x, 1859, p. 103, pl. xxiic.

ATHERINOPSIS NOTATUS.

9th An. Rep. Smiths. Inst., 1854, p. 338.

ATRACTOSTEUS.

P. R. R. Surv., vol. x, 1859, p. 351.

Atractosteus Berlandieri.

P. R. R. Surv., vol. x, 1859, p. 353.

ATRACTOSTEUS FEROX.

P. R. R. Surv., vol. x, 1859, p. 351.

BASILICHTHYS.

Pr. Acad. Nat. Sci. Phila., vii, 1854, p. 198; Gillis's Rep. Exped. S. Hemisph. ii, 1855, p. 34.

BASILICHTHYS MICROLEPIDOTUS.

Pr. Acad. Nat. Sci. Phila., vii, 1854, p. 198; Gillis's Rep. Exped. S. Hemisph., ii, 1855, p. 34, pl. xxv, figs. 6-9.

BATRACHUS TAU.

Mex. Bound. Surv., vol. ii, 1858, p. 11. BDELLOSTOMA.

Gilliss' Rep. Exped. S. Hemisph, ii, 1855, p. 47. BDELLOSTOMA POLYTREMA.

Pr. Acad. Nat. Sci. Phila., vii, 1854, p. 199; Gilliss' Rep. Exped. S. Hemisph., ii, 1855, p. 48, pl. xxxiii, figs. 1-5.

BELONE.

P. R. R. Surv., vol. x, 1859, p. 158.

BELONE EXILIS.

Pr. Acad. Nat. Sci. Phila., vii, 1854, 149; P. R. R. Surv., vol. x, 1859, p. 158.

BELONE SERULATOR.

Pr. Acad. Nat. Sci. Phila., x, 1858, p. 170; Mex. Bound. Surv., vol. ii, 1858, p. 30, pl. xiii.

BLENNIUS.

P. R. R. Surv., vol. x, 1859, p. 113.

BLENNIUS GENTILIS.

Pr. Acad. Nat. Sci. Phila., vii, 1854, 149; P. R. R. Surv., vol. x, 1859, p. 113, pl. xxva, fig. 4. BLENNIUS MULTIFILIS.

Pr. Acad. Nat. Sci. Phila., x, 1858, p. 169; Mex. Bound. Surv., vol. ii, 1858, p. 27.

BLEPSIAS OCULOFASCIATA.

Pr. Acad. Nat. Sci. Phila., ix, 1857, p. 202. BOLEICHTHYS.

Pr. Acad. Nat. Sci. Phila., xi, 1859, p. 103. BOLEICHTHYS ELEGANS.

Pr. Acad. Nat. Sci. Phila., xi, 1854, p. 104. BOLEICHTHYS EXILIS.

Pr. Acad. Nat. Sci. Phila., xi, 1859, p. 103. BOLEICHTHYS WARRENI.

Pr. Acad. Nat. Sci. Phila., xi, 1859, p. 104. BOLEICHTHYS WHIPPLI.

Pr. Acad. Nat. Sci. Phila., xi, 1859, p. 103. BOLEOSOMA FUSIFORME.

Pr. Bost. Soc. Nat. Hist., v, 1854, p. 41.

BOLEOSOMA GRACILE. Pr. Acad. Nat. Sci. Phila., xi, 1859, p. 103.

BOLEOSOMA LEPIDA. Pr. Acad. Nat. Sci. Phila., vi, 1853, p. 388.

BROSMIUS MARGINATUS.

P. R. R. Surv., vol. x, 1859, p. 141.

BRYTTUS.

P. R. R. Surv., vol. x, 1859, p. 19. BRYTTUS ALBULUS.

Pr. Acad. Nat. Sci. Phila., ix, 1857, p. 200; P. R. R. Surv., x, 1859, p. 19, pl. vi, figs. 1-4.

BRYTTUS CHAETODON.

Pr. Acad. Nat. Sci. Phila., xi, 1859, p. 158.

Pr. Acad. Nat. Sci. Phila., ix, 1857, p. 201; P. R. R. Surv., vol. x, 1859, p. 21, pl. vii, figs. 9-24.

BRYTTUS LONGULUS.

Pr. Acad. Nat. Sci. Phila., vii, 1854, p. 25.

BRYTTUS OBESUS.

Pr. Acad. Nat. Sci. Phila., xi, 1859, p. 64.

REVITUS SIGNIFER.

Pr. Acad. Nat. Sci. Phila., ix, 1857, p. 201; P. R. R. Surv., vol. x, 1859, p. 20, pl. vii, figs. 5-8.

BUBALICHTHYS.

P. R. R. Surv., vol. x, 1859, p. 218.

CALLIURUS.

P. R. R. Surv., vol. x, 1859, p. 11.

CALLIUBUS DIAPHANUS.

Pr. Acad. Nat. Sci. Phila., ix, 1857, p. 200; P. R. R. Surv., vol. x, 1859, p. 13, pl. iv, figs. 1-4. Calliurus formosus.

Pr. Acad. Nat. Sci. Phila., ix, 1857, p. 200; P. R. R. Surv., vol. x, 1859, p. 14, pl. v, figs. 1-4. Calliurus longulus.

Mex. Bouud. Surv., vol. ii, 1858, p. 5, pl. iv, figs. 1-4; P. R. R. Surv., vol. x, 1859, p. 16, pl. v, figs. 5-8, and pl. vi, figs, 5-8.

CALLIURUS MELANOPS.

Pr. Acad. Nat. Sci. Phila., ix, 1857, p. 200; P. R. R. Surv., vol. x, 1859, p. 11, pl. iii.

CALLIURUS MICROPS.

Pr. Acad. Nat. Sci. Phila., ix, 1857, p. 200; P. R. R. Surv., vol. x, 1859, p. 17, pl. iv, figs. 5-8. CALLIURUS MURINUS.

Pr. Acad. Nat. Sci. Phila., ix, 1857, p. 200; P. R. R. Surv., vol. x, 1859, p. 18, pl. vii, figs. 1-4. CAMPOSTOMA.

Pr. Acad. Nat. Sci. Phila., viii, 1856, p. 176; Mex. Bound. Surv., vol. ii, 1858, p. 40.

CAMPOSTOMA ANOMALUM.

Pr. Acad. Nat. Sci. Phila., viii, 1856, p. 176. CAMPOSTOMA FORMOSULUM.

Pr. Acad. Nat. Sci. Phila., viii, 1856, p. 176; Mex. Bound. Surv., vol. ii, 1858, p. 41, pl. xxv, figs. 5-8.

CAMPOSTOMA NASUTUM.

Pr. Acad. Nat. Sci. Phila., viii, 1856, p. 176; Mex. Bound. Surv., ii, 1858, p. 42, pl. xxv, figs. 9-12.

CAMPOSTOMA ORNATUM.

Pr. Acad. Nat. Sci. Phila., viii, 1856, p. 176; Mex. Bound. Surv., vol. ii, 1858, p. 41, pl. xxv, figs. 1-4.

CARANGUS.

Mex. Bound. Surv., vol. ii, 1858, p. 23.

CARANGUS BARTHOLOMÆI.

Pr. Acad. Nat. Sci. Phila., x, 1858, p. 168; Mex. Bound. Surv., vol. ii, 1858, p. 23.

CARANGUS CHRYSOS.

Pr. Acad. Nat. Sci. Phila., x, 1858, p. 168; Mex. Bound. Surv., vol. ii, 1858, p. 23.

CARANGUS DEFENSOR.

Pr. Acad. Nat. Sci. Phila., x, 1858, p. 168; Mex. Bound. Surv., vol. ii, 1858, p. 23.

CARANGUS ESCULENTUS.

Pr. Acad. Nat. Sci. Phila., x, 1858, p. 168; Mex. Bound. Surv., vol. ii, 1858, p. 23, pl. xi, figs. 1-3.

CARANGUS FALCATUS.

Pr. Acad. Nat. Sci. Phila., x, 1858, p. 168; Mex. Bound. Surv., vol. ii, 1858, p. 23.

CARANGUS FALLAX.

Pr. Acad. Nat. Sci. Phila., x, 1858, p. 168; Mex. Bound. Surv., vol. ii, 1858, p. 23.

CARANGUS PISQUETUS.

Pr. Acad. Nat. Sci. Phila., x, 1858, p. 168; Mex. Bound. Surv., vol. ii, 1858, p. 23.

CARANGUS RICHARDI.

Pr. Acad. Nat. Sci. Phila., x, 1858, p. 168; Mex. Bound. Surv., vol. ii, 1858, p, 23.

CARPIODES.

Pr. Acad. Nat. Sci. Phila., viii, 1856, p. 170; P. R. R. Surv., vol. x, 1859, p. 218.

CARPIODES DAMALIS.

Pr. Acad. Nat. Sci. Phila., viii, 1856, p. 170; P. R. R. Surv., vol. x, 16), p. 218, pl. xiviii, figs. 1-4.

CARPIODES TUMIDUS.

Pr. Acad. Nat. Sci. Phila., vii, 1854, p. 28. CATONOTUS.

Pr. Acad. Nat. Sci. Phila., xi, 1859, p. 68. Catonotus fasciatus.

Pr. Acad. Nat. Sci. Phila., xi, 1859, p. 68. Catostomus.

Pr. Acad. Nat. Sci. Phila., viii, 1856, p. 174; P. R. R. Surv., vol. x, 1859, p. 223.

CATOSTOMUS BERNARDINI.

Pr. Acad. Nat. Sci. Phila., viii, 1856, p. 175;

Mex. Bound. Surv., vol. ii, 1858, p. 40, pl.

xviii, figs. 1-5.

CATOSTOMUS CLARKI.

Pr. Acad. Nat. Sci. Phila., vii, 1854, p. 27. CATOSTOMUS COMMUNIS.

Pr. Acad. Nat. Sci. Phila., viii, 1856, p. 174. CATOSTOMUS CONGESTUS.

Pr. Acad. Nat. Sci. Phila., vii, 1854, p. 27. CATOSTOMUS HUDSONIUS.

Pr. Acad. Nat. Sci. Phila., viii, 1856, p. 174. Catostomus insignis.

Pr. Acad. Nat. Sci. Phila., vii, 1854, p. 28. Catostomus latipinnis.

Pr. Acad. Nat. Sci. Phila., vi, 1853, p. 388. CATOSTOMUS LABIATUS.

Pr. Acad. Nat. Sci. Phila., viii, 1856, p. 175; P. R. R. Surv., vol. x, 1859, p. 224.

CATOSTOMUS MACROCHELLUS.

Pr. Acad. Nat. Sci. Phila., viii, 1856, p. 175; P. R. R. Surv., vol. x, 1859, p. 225.

CATOSTOMUS OCCIDENTALIS.

Pr. Acad. Nat. Sci. Phila., viii, 1856, p. 174; P. R. R. Surv., vol. x, 1859, p. 224. CATOSTOMUS PLEBRIUS.

Pr. Acad. Nat. Sci. Phila., vii, 1854, p. 28. CATOSTOMUS SUCKLII.

Pr. Acad. Nat. Sci. Phila., viii, 1856, p. 175; P. R. R. Surv. vol. x, 1859, p. 226, pl. li.

P. R. R. Surv., vol. x, 1959, p. 121. CEBIDICHTHYS ALECTROLOPHUS.

P. R. R. Surv., vol. x, 1859, p. 121.

CEBIDICHTHYS VIOLACEUS.

P. R. R. Surv., vol. x, 1859, p. 121, pl. xxvb, figs. 4 and 5.

CENTRARCHUS INTERRUPTUS.

Pr. Acad. Nat. Sci. Phila., viii, 1854, p. 129. CERATICHTHYS.

Pr. Acad. Nat. Sci. Phila., viii, 1856, p. 212; P. R. R. Surv., vol. x, 1859, p. 253.

CERATICHTHYS AMBLOPS.

Pr. Acad. Nat. Sci. Phila., viii, 1856, p. 213. CERATICHTHYS BIGUTTATUS. Pr. Acad. Nat. Sci. Phila., viii, 1856, p. 213.

Digitized by Google

CERATICHTHYS LEPTOCEPHALCS.

Pr. Acad. Nat. Sci. Phila., viii. 1856, p. 212. CERATICHTHYS VIGILAX.

Pr. Acad. Nat. Sci. Phila., vi. 1853. p. 391. CESTRACION.

P. R. R. Surv., vol. x, 1859, p. 365.

CESTRACION FRANCISCI.

Pr. Acad. Nat. Sci. Phila., vii. 1854. p. 196: P. R. R. Surv., vol. x, 1859. p. 365.

CHATGESUS spec.

Mex. Bound. Surv., vol. ii. 1858, p. 75.

CHEILONEMUS.

Mem. Amer. Acad., v. 1855, p. 285; P. R. R. Surv., vol. x, 1859, p. 230.

CHEILONEMUS PULCHELLUS.

Mem.Amer. Acad., v. 1855, p. 286, pl. xxii, fig. 2. Cheirodox.

Pr. Acad. Nat. Sci. Phila., vii. 1854, p. 199: Gilliss' Rep. Exped. S. Hemisph., ii. 1855, p. 45.

CHRIBODON PISCERICULUS.

Pr. Acad. Nat. Sci. Phila., vii. 1854, p. 199: Gilliss' Rep. Exped. S. Hemisph., ii, 1655. p. 45, pl. xxxiv. figs. 4-7.

CHEONDA.

Pr. Acad. Nat. Sci. Phila., viii, 1856, p. 207; P. R. R. Surv., vol. x. 1859, 294.

CHEONDA CORDURA.

Pr. Acad. Nat. Sci. Phila., viii. 1856, p. 207; P. R. R. Surv., vol. x. 1859, p. 295, pl. lxiii. figs. 6-9.

CHEONDA COOPERI.

Pr. Acad. Nat. Sci. Phila., viii, 1856, p. 207: P. R. R. Surv., vol. x. 1859, p. 294, pl. lxiii, figs. 1-5.

CHIMÆBA.

P. R. R. Surv., vol. x. 1859, p. 359.

CHIMARRA COLLIEL.

P. R. R. Surv., vol. x, 1859. p. 360.

CHIRONECTES.

P. R. R. Surv.. vol. x. 1859. p. 133.

CHIBOPSIS.

Pr. Acad. Nat. Sci. Phila., ix, 1857, p. 201; P. R. R. Surv., vol. x. 1859, p. 41.

CHIROPSIS CONSTELLATUS.

Pr. Acad. Nat. Sci. Phila., ix. 1857: p. 201: P. R. R. Surv., vol. x. 1859. p. 42. pl. xix.

CHIROPSIS GUTTATUS.

Pr. Acad. Nat. Sci. Phila., ix, 1857, p. 201; P. R. R. Surv., vol. x, 1859, p. 44, pl. xx, figs. 5-8. Chiropsis nebulosus.

P. R. R. Surv., vol. x, 1859, p. 45.

CHIROPSIS PICTUS.

Pr. Acad. Nat. Sci. Phila., ix, 1857, p. 201; P. R. R.Surv., vol.x., 1859, p. 43, pl. xx, fig. 1-4. Chirus.

Pr. Acad. Nat. Sci. Phila., vii, 1854, 132; P. R. R. Surv., vol. x, 1859, p. 41.

CHIRUS CONSTRLLATUS.

Pr. Acad. Nat. Sci. Phila., vii, 1854, p. 141 and 147.

CHIRUS GUTTATUS.

Pr. Acad. Nat. Sci. Phila., vii, 1854, p. 132 and

CHIBUS PICTUS.

Pr. Acad. Nat. Sci. Phila., vii, 1854, p. 132.

CHLOROSCOMBRUS.

Pr. Acad. Nat. Sci. Phila., x. 1858, p. 164; Mex. Bound. Surv., vol. ii. 1858, p. 21.

CHLOROSCOMBRUS CARIBRAGUS.

Pr. Acad. Nat. Sci. Phila., x. 1858, p. 168; Mex. Bound. Surv., vol. ii. 1856, p. 21, pl. xi. fig. 6. Chorinemus.

Mex. Bound, Surv., vol. ii, 1858, p. 20.

CHORINEMUS LANCEOLATUS.

Pr. Acad. Nat. Sci. Phila., x, 1858, p. 168; Mex. Bound. Surv., vol. ii, 1858, p. 21, pl. xi. fig. 5. CHROMIS DESPONTAINI.

Le Naturaliste, Paris, 1859, p. 103.

CHROMIS ZILLII.

Le Naturaliste, Paris, 1859, p. 103.

CLINOSTOMUS.

Pr. Acad. Nat. Sci. Phila., viii. 1856, p. 211; P. R. R. Surv., vol. x. 1859, p. 302.

CLINGSTOMES APPINES.

Pr. Acad. Nat. Sci. Phila., viii, 1856, p. 212. CLINOSTOMUS CAROLINUS.

Pr. Acad. Nat. Sci. Phila., viii, 1856, p. 212. CLINOSTOMUS ELONGATUS.

Pr. Acad. Nat. Sci. viii. Phila., 1856, p. 212. CLINOSTOMUS FUNDULOIDES.

Pr. Acad. Nat. Sci. Phila., viii, 1856, p. 212. Cliola.

Pr. Acad. Nat. Sci. Phila., viii. 1856, p. 192; P. R. R. Surv., vol. x, 1859, p. 256.

CLIOLA VELON.

Pr. Acad. Nat. Sci. Phila., viii. 1856. p. 192; Mex. Bound. Surv., ii. 1856. p. 51, pl. xxxi, figs. 21-24; P. R. R. Surv., vol. x. 1859. p. 256. CLIOLA VIGILAX.

Pr. Acad. Nat. Sci. Phila., viii. 1856, p. 192; P. R. R. Surv., vol. x. 1859, p. 257.

CLIOLA VIVAX.

Pr. Acad. Nat. Sci. Phila., viii. 1856, p. 192; P. R. R. Surv., vol. x, 1859, p. 258.

P. R. R. Surv., vol. x. 1859, p. 329.

CLUPEA MIRABILIS.

Pr. Acad. Nat. Sci. Phila., v. ii. 1854. pp. 138 and 154.

CLUPEONIA SP.

Mex. Bound. Surv., vol. ii., 1858, p. 75.

COCHLOGNATHUS.

Pr. Acad. Nat. Sci. Phila., vii. 1854, p. 156, and viii. 1856, p. 181; Mex. Bound. Surv., vol. ii, 1858, p. 45.

COCHLOGNATHUS ORNATUS.

Pr. Acad. Nat. Sci. Phila., vii. 1854, 154, and viii, 1856, p. 181; Mex. Bound. Surv., vol. ii, 1858, p. 46, pl. xxxv, figs. 12-17.

CODOMA.

Pr. Acad. Nat. Sci. Phila., viii. 1856, p. 194; Mex. Bound. Surv., vol. ii. 1858, p. 53.

CODOMA ORNATA.

Pr. Acad. Nat. Sci. Phila., viii. 1856, p. 195; Mex. Bound. Surv., vol. ii. 1858, p. 53, pl. xxix, figs. 22-28.

CODOMA VITTATA.

Pr. Acad. Nat. Sci. Phila., viii, 1856, p. 195; Mex. Bound. Surv., vol. ii. 1858, p. 53, pl. xxix, figs. 18-21. I

CONODON ANTILLANUS.

Mex. Bound. Surv., vol. ii, 1858, p. 11. COREGONUS.

P. R. R. Surv., vol. x, 1859, p. 328.

COREGONUS WILLIAMSONI.

Pr. Acad. Nat. Sci. Phila., viii, 1856, 136; P. R. R. Surv., vol. x, 1859, p. 326, pl. lxvi.

Pr. Bost. Soc. Nat. Hist., iii, 1850, p. 303; N. Mém. Soc. Helv. Sc. Nat., xii, 1852, p. 20; Monogr. of Cottoids, 1852, p. 61; P. R. R. Surv., vol. x, 1859. p. 51.

COTTOPSIS ASPER.

Pr. Bost. Soc. Nat. Hist., iii, 1850, p. 303; N. Mém. *Soc. Helv. Sc. Nat., xii, 1852, p. 21; Monogr. of Cottoids, 1852, p. 62; P. R. R. Surv., vol. x, 1859, p. 51.

COTTOPSIS GULOSUS.

Pr. Acad. Nat. Sci. Phila., vii, 1854, p. 129; P. R. R. Surv., vol. x, 1859, p. 53.

COTTOPSIS PARVUS.

Pr. Acad. Nat. Sci. Phila., vii, 1854, p. 144; P. R. R. Surv., vol. x. 1859, p. 54.

COTTUS, Artédi.

Pr. Bost. Soc. Nat. Hist., iii, 1849; N. Mém. Soc. Helv. Sc. Nat., xii, 1852; Monogr. Cottoids, 1852.

COTTUS AFFINIS.

N. Mem. Soc. Helv. Sc. N., xii, 1852, p. 17. COTTUS ALVORDI.

Monogr. of Cottoids, 1852, p. 46, pl. i, figs. 7 and 8.

COTTUS BAIRDI.

Pr. Bost. Soc. Nat. Hist., iii, 1849, p. 189; Pr. Amer. Ass. Adv. Sc., ii, 1850, p. 410; Monogr. of Cottoids, 1852, p. 44, pl. i, figs. 5 and 6.

COTTUS BOLEOIDES.

Pr. Bost. Soc. Nat. Hist., iii, 1849, p. 189; Pr. Am. Ass. Adv. Sc., ii, 1850, p. 44; Monogr. of Cottoids, 1852, p. 56, pl. ii, figs. 7 and 8.

COTTUS BREVIS.

N. Mém. Soc. Helv. Sc. Nat., xii, 1852, p. 18. COTTUS COGNATUS.

Pr. Bost. Soc. Nat. Hist., iii, 1849, p. 189; Pr. Am. Ass. Adv. Sc., ii, 1850, 410; Monogr. of Cottoids, 1852, p. 41.

COTTUS FABRICII.

Pr. Bost. Soc. Nat. Hist., iii, 1849, p. 189; Pr. Am. Ass. Adv. Sc., ii, 1850, p. 411; Monogr. of Cottoids, 1852, p. 59.

COTTUS FERRUGINEUS.

N. Mém. Soc. Helv. Sc. Nat., xii, 1852, p. 27. COTTUS FORMOSUS.

Monogr. of Cottoids, 1852, p. 58.

COTTUS FRANKLINI.

Pr. Bost. Soc. Nat. Hist., iii, 1849, p. 189; Pr. Am. Ass. Adv. Sc., ii, 1850, p. 411; Monogr. of Cottoids, 1852, p. 53, pl. ii, figs. 5 and 6.

COTTUS GOBIO.

N. Mém. Soc. Helv. Sc. Nat., xii, 1852, p. 17.

COTTUS GOBIOIDES.

Pr. Bost. Soc. Nat. Hist., iii, 1849, p. 189; Pr. Am. Ass. Adv. Sc., ii, 1850, p. 411; Monogr. of Cottoids, 1852, p. 55, pl. ii, figs. 3 and 4.

COTTUS GRACILIS.

Pr. Bost. Soc. Nat. Hist., iii, 1849, p. 189; Pr. Am. Ass. Adv. Sc., ii, 1850, p. 411; Monogr. of Cottoids, 1852, p. 49, pl. i, figs. 11 and 12.

COTTUS MERIDIONALIS.

Pr. Bost. Soc. Nat. Hist., iii, 1849, p. 189; Pr. Am. Ass. Ad. Sc., ii, 1850, p. 410; Monogr. of Cottoids, 1852, p. 47, pl. i, figs. 9 and 10. COTTUS MINOSTOMUS.

N. Mém. Soc. Helv. Sc. Nat., xii, 1852, p. 18. COTTUS MINUTUS.

N. Mém. Soc. Helv. Sc. Nat., xii, 1852, p. 18. COTTUS PŒCILOPUS.

N. Mém. Soc. Helv. Sc. Nat., xii, 1852, p. 18. COTTUS RICHARDSONI.

Pr. Bost. Soc. Nat. Hist., iii, 1849, p. 189; Pr. Am. Ass. Adv. Sc., ii, 1850, p. 410, Monogr. of Cottoids, 1852, p. 39, pl. 4, figs. 1 and 2. COTTUS VISCOSUS.

Pr. Bost. Soc. Nat. Hist., iii, 1849, p. 189; Pr. Amer. Ass. Adv. Sc., ii, 1850, p. 411; Monogr. of Cottoids, 1852, p. 51, pl. ii, figs. 1 and 2.

COTTUS WILSONI.

Monogr. of Cottoids, 1852, p. 42, pl. i, figs. 3 and 4. COTTUS SP., seu. gobio.

N. Mém. Soc. Helv. Sc. Nat., xii, 1852, p. 18. COTTUS SP., seu. gobio.

N. Mém. Soc. Helv. Sc. Nat., xii, 1852, p. 18. COTTUS SP., seu. gobio.

N. Mém. Soc. Helv. Sc. Nat., xii, 1852, p. 18. CTENODON ACULEATUS.

P. R. R. Surv., vol. x, 1859, p. 123.

CTENODON MACULATUS. P. R. R. Surv., vol. x, 1859, p. 123.

CYCLOGASTER.

P. R. R. Surv., vol. x, 1859, p. 131. CYCLOGASTER CALLYODON.

P. R. R. Surv., vol. x, 1859, p. 132, CYCLOGASTER GELATINOSUS.

P. R. R. Surv., vol. x, 1859, p. 131. CYCLOGASTER MUCOSUS.

P. R. R. Surv., vol. x, 1859, p. 132. CYCLOGASTER PULCHELLUS.

P. R. R. Surv., vol. x, 1859, p. 132. CYLINDROSTEUS.

P. R. R. Surv., vol. x, 1859, p. 351.

CYLINDROSTEUS LUTIROSTRIS.

P. R. R. Surv., vol. x, 1859, p. 352. CYMATOGASTER ELLIPTICUS.

P. R. R. Surv., vol. x, 1859, p. 205.

CYMATOGASTER LARKINSI.

P. R. R. Surv., vol. x, 1859, p. 205. CYMATOGASTER PULCHELLUS.

P. R. R. Surv., vol. x, 1859, p. 205.

CYPRINELLA.

Pr. Acad. Nat. Sci. Phila., viii, 1856, p. 196; P. R. R. Surv., vol. x, 1859, p. 264.

CYPRINELLA ANALOSTANA.

Pr. Acad. Nat. Sci. Phila., xi, 1859, p. 58.

CYPRINELLA BECKWITHI.

Pr. Acad. Nat. Sci. Phila., viii, 1856, p. 197; P. R. R. Surv., vol. x, 1859, p. 267.

Cyprinella bubalina.

Pr. Acad. Nat. Sci. Phila., viii, 1856, p. 197; P. R. R. Surv., vol. x, 1859, p. 265.

CYPRINELLA GUNNISONI.

Pr. Acad. Nat. Sci. Phila., viii, 1856, p. 197; P. R. R. Surv., vol. x, 1859, p. 267.

CYPRINELLA LEPIDA.

Pr. Acad. Nat. Sci. Phila., viii, 1856, p. 197; P. R. R. Surv., vol. x, 1859, p. 268, pl. lviii, figs. 21-25.

CYPRINELLA LUDIBUNDA.

Pr. Acad. Nat. Sci. Phila., viii, 1856, p. 199; P. R. R. Surv., vol. x, 1859, p. 271.

CYPRINELLA LUGUBRIS.

Pr. Acad. Nat. Sci. Phila., viii, 1856, p. 199; P. R. R. Surv., vol. x, 1859, p. 271.

CYPRINELLA LUXILOIDES.

Pr. Acad. Nat. Sci. Phila., viii, 1856, p. 198; Mex. Bound. Surv., vol. ii, 1858, p. 55, pl. xxxi, figs. 13-16.

CYPRINELLA MACROSTOMA.

Pr. Acad. Nat. Sci. Phila., viii, 1856, p. 198; Mex. Bound. Surv., vol. ii, 1858, p. 54, pl. xxx, figs. 5-8.

CYPRINELLA NOTATA.

Pr. Acad. Nat. Sci. Phila., viii, 1856, p. 198; P. R. R. Surv., vol. x, 1859, p. 269, pl. lviii, figs. 16-20.

CYPRINELLA SUAVIS.

Pr. Acad. Nat. Sci. Phila., viii, 1856, p. 197; P. R. R. Surv., vol. x, 1858, p. 268.

CYPRINELLA TEXANA.

Pr. Acad. Nat. Sci. Phila., viii, 1856, p. 198; Mex. Bound. Surv., vol. ii, 1858, p. 55, pl. xxxi, figs. 9-12. CYPRINELLA UMBROSA.

Pr. Acad. Nat. Sci. Phila., viii, 1856, p. 197; P. R. R. Surv., vol. x, 1859, p. 266, pl. lviii, figs. 1-5.

CYPRINELLA VENUSTA.

Pr. Acad. Nat. Sci. Phila., viii, 1856, p. 198; Mex. Bound. Surv., vol. ii, 1858, p. 52, pl. xxxi, figs. 1-4.

CYPRINELLA WHIPPLII.

Pr. Acad. Nat. Sci. Phila., viii, 1856, p. 198; P. R. R. Surv., vol. x, 1859, p. 270, pl. lviii, figs.

CYPRINODON.

Mex. Bound. Surv., vol. ii, 1858, p. 66.

CYPRINODON BOVINUS.

Pr. Acad. Nat. Sci. Phila., vi, 1853, p. 389; Mex. Bound. Surv., vol. x, 1859, p. 67, pl. xxxvii, figs. 17, 18.

CYPRINODON CALABITANUS.

Le Naturaliste, 1889, p. 103.

CYPRINODON CALIFORNIENSIS.

Pr. Acad. Nat. Sci. Phila., xi, 1859, p. 157.

CYPRINODON ELEGANS.

Pr. Acad. Nat. Sci. Phila., vi, 1853, p. 389; Mex. Bound. Surv., vol. ii, 1858, p. 66, pl. xxxvii, figs. 1-7.

CYPRINODON EXIMIUS.

Pr. Acad. Nat. Sci. Phila., xi, 1859, p. 158.

CYPRINODON GIBBOSUS.

Pr. Acad. Nat. Sci. Phila., vi, 1853, p. 390; Mex. Bound. Surv., vol. ii, 1858, p. 67, pl. xxxviii, figs. 1-7.

CYPRINODON MACULARIUS.

Pr. Acad. Nat. Sci. Phila., vi, 1853, p. 389; Mex. Bound. Surv., vol. ii, p. 68, pl. xxxvii, figs.

CYPRINODON PARVUS.

Ninth An. Rep. Smiths. Inst., 1854, p. 345.

DAMALICHTHYS.

Pr. Acad. Nat. Sci. Phila., vii, 1855, p. 321; P. R. R. Surv., vol. x, 1859, p. 181.

DAMALICHTHYS VACA.

Pr. Acad. Nat. Sci. Phila., vii, 1855, p. 321; P. R. R. Surv., vol. x, 1859, p. 182, pl. xxxiii.

Pr. Acad. Nat. Sci. Phila., xi, 1859, p. 101. DIPLESION BLENNIOIDES.

Pr. Acad. Nat. Sci. Phila., xi, 1859, p. 101.

DIPLESION FASCIATUS. Pr. Acad. Nat. Sci. Phila., xi, 1859, p. 101.

DIONDA.

Pr. Acad. Nat. Sci., Phila., viii, 1856, p. 176; P. R. R. Surv., vol. x, 1859, p. 227.

DIONDA ARGENTOSA.

Pr. Acad. Nat. Sci. Phila., viii, 1856, p. 178; Mex. Bound. Surv., vol. ii, 1858, p. 43, pl. xxvi, figs. 5-8.

DIONDA CHRYSITIS.

Pr. Acad. Nat. Sci. Phila., viii, 1856, p. 178; Mex. Bound. Surv., vol. ii, 1858, p. 43, pl. xxvi, figs. 13-16.

DIONDA COUCHI.

Pr. Acad. Nat. Sci., Phila., viii, 1856, p. 178; Mex. Bound. Surv., vol. ii, 1858, p. 44, pl. xxvi, figs. 1-4.

DIONDA EPISCOPA.

Pr. Acad. Nat. Sci. Phila., viii, 1856, p. 177; P. R. R. Surv., vol. x, 1859, p. 227.

DIONDA GRISEA.

P. R. R. Surv., vol. x, 1859, p. 230, pl. lii, figs. 6-10.

DIONDA MELANOPS.

Pr. Acad. Nat. Sci. Phila., viii, 1856, p. 178; Mex. Bound. Surv., vol. ii, 1858, p. 44, pl. xxvi, figs. 17-20.

DIONDA PAPALIS.

Pr. Acad. Nat. Sci. Phila., viii, 1856, p. 178; P. R. R. Surv., vol. x, 1859, p. 228.

Pr. Acad. Nat. Sci. Phila., viii, 1856, p. 178; P. R. R. Surv., vol. x, 1859, p. 228, pl. lii, figs. 21-25.

DIONDA SERENA.

Pr. Acad. Nat. Sci. Phila., viii, 1856, p. 177; Mex. Bound. Surv., vol. ii, 1858, p. 42, pl. xxvi, figs. 9-12.

DIONDA SPADICEA.

Pr. Acad. Nat. Sci. Phila., viii. 1856, p. 178; P. R. R. Surv., vol. x, 1859, p. 229, pl. lii, figs. 26-30.

DIONDA TEXENSIS.

Pr. Acad. Nat. Sci. Phila., viii, 1856, p. 177; Mex. Bound. Surv., vol. ii, 1858, p. 42, pl. xxvi, figs. 21-27.

DIOPLITES.

P. R. R. Surv., vol. x, 1859, p. 4.

DIOPLITES NOBILIS.

P. R. R. Surv., vol. x, 1859, p. 4.

DIOPLITES NUECENSIS.

Pr. Acad. Nat. Sci. Phila., vii, 1854, p. 25; P. R. R. Surv., vol. x, 1859, p. 4; Mex. Bound. Surv., vol. ii, 1858, p. 1, pl. i.

DIAPLITES SALMOIDES.

P. R. R. Surv., vol. x, 1859, p. 4.

DOLIODON.

Pr. Acad. Nat. Sci. Phila., x, 1858, p. 168; Mex. Bound. Surv., vol. ii, 1858, p. 22.

DOLIODON CAROLINUS.

Pr. Acad. Nat. Sci. Phila., x, 1858, p. 168; Mex. Bound. Surv., vol. ii, 1858, p. 22, pl. xi,

DOLJODON SPINOSUS.

Pr. Acad. Nat. Sci. Phila., x, 1858, p. 168; Mex. Bound. Surv., vol. ii, 1858, p. 22.

Mex. Bound. Surv., vol. ii, 1858, p. 29. ELEOTRIS GYRINUS.

Mex. Bound. Surv., vol. ii, 1858, p. 28, pl. xii,

figs. 11 and 12.

ELECTRIS SUMNULENTUS.

Pr. Acad. Nat. Sci. Phila., x, 1858, p. 169; Mex. Bound. Surv., vol. ii, 1858, p. 28, pl. xii, figs. 1-3.

EMBIOTOCA.

Pr. Acad. Nat. Sci. Phila., viii, 1855, p. 320; P. R. R. Surv., vol. x, 1859, p. 168.

EMBIOTOCA ARGYBOSOMA.

Pr. Acad. Nat. Sci. Phila., viii, 1855, p. 136; P R. R. Surv., vol. x, 1859, p. 180.

EMBIOTOCA CASSIDI.

Pr. Acad. Nat. Sci. Phila., vii, 1854, p. 151, and vii, 1855, p. 320; P. R. R. Surv., vol. x, 1859, p. 171, pl. xxix and pl. xxvi, fig. 12.

EMBIOTOCA JACKSONI.

Pr. Acad. Nat. Sci. Phila., vii, 1854, p. 151, and vii, 1855, p. 320; P. R. R. Surv., vol. x, 1859, p. 168, pl. xxvii and xxviii, and pl. xxvi, figs. 3 and 4.

EMBIOTOCA LINEATA.

Pr. Acad. Nat. Sci. Phila., vii, 1854, p. 134, 141, and 151, and vii, 1855, p. 320; P. R. R. Surv., vol. x, 1859, p. 174, pl. xxxi and xxvi, figs. 5 and 6.

Pr. Acad. Nat. Sci. Phila., vii, 1855, p. 321; P. R. R. Surv., vol. x, 1859, p. 176, pl. xxvi, fig. 11.

EMBIOTOCA PERSPICABILIS.

Pr. Acad. Nat. Sci. Phila., vii, 1855, p. 321; P. R. R. Surv., vol. x, 1859, p. 178, pl. xxxii and xxvi, figs. 1 and 2.

EMBIOTOCA WEBBI.

Pr. Acad. Nat. Sci. Phila., vii, 1855, p. 320; P. R. R. Surv., vol. x, 1859, p. 173, pl. xxx.

١

ENGRAULIS.

Gilliss' Rep. Exped. So. Hemisph., ii, 1855, p. 247; P. R. R. Surv., vol. x, 1859, p. 333.

ENGRAULIS COMPRESSUS.

P. R. R. Surv., vol. x, 1859, p. 336.

ENGRAULIS DELICATISSIMUS.

Pr. Acad. Nat. Sci. Phila., vii, 1854, p. 154; P. R. R. Surv., vol. x, 1859, p. 335.

ENGRAULIS MORDAX.

Pr. Acad. Nat. Sci. Phila, vii, 1854, p. 138 and 154; P. R. R. Surv., vol. x, 1859, 334.

Engraulis nanus.

P. R. R. Surv., vol. x, 1859, p. 335.

ENGRAULIS PULCHELLUS.

Pr. Acad. Nat. Sci. Phila., vii, 1854, p. 199; Gilliss' Rep. Exped. So. Hemisph., ii, 1855, p. 43, pl. xxxi, figs. 5-9.

Engraulis vittata.

Ninth An. Rep. Smiths. Inst., 1854, p. 347.

Mex. Bound. Surv., vol. ii, 1858, p. 75. ENGRAULIS SP.

Mex. Bound. Surv., vol. ii, 1858.

ENNICHTHYS.

Pr. Acad. Nat. Sci. Phila., vii, 1855, p. 323; P. R. R. Surv., vol. x, 1859, p. 196.

ENNICHTHYS HEERMANNI.

Pr. Acad. Nat. Sci. Phila., vii, 1855, p. 323; P. R. R. Surv., vol. x, 1859, p. 199, pl. xxxviii and xxvi, fig. 9. Ennichthys megalops.

Pr. Acad. Nat. Sci. Phila., vii, 1855, p. 323; P. R. R. Surv., vol. x, 1859, p. 197, pl. xxxvii and xxvi, fig. 10.

EPHIPPUS.

P. R. R. Surv., vol. x, 1859, p. 110.

EPHIPPUS ZONATUS.

P. R. R. Surv., vol. x, 1859, p. 110.

ESOX ORNATUS.

Pr. Bost. Soc. Nat. Hist., v, 1854, p. 40.

ESTRELLA.

Pr. Acad. Nat. Sci. Phila., x, 1859, p. 65.

ESTRELLA ATROMACULATA.

Pr. Acad. Nat. Sci. Phila., xi, 1859, p. 65.

EUCINOSTOMUS.

Ninth An. Rep. Smiths. Inst., 1854, p. 334; Mex. Bound. Surv., vol. ii, 1858, p. 17.

EUCINOSTOMUS ARGENTEUS.

Ninth An. Rep. Smiths. Inst., 1854, p. 335; Mex. Bound. Surv., vol. ii, 1858, p. 17, pl. ix, figs. 9-12.

EXOGLOSSUM.

Pr. Acad. Nat. Sci. Phila., viii, 1856, p. 191; P. R. R. Surv., vol. x, 1859, p. 255.

EXOGLOSSUM MIRABILE.

Pr. Acad. Nat. Sci. Phila., viii, 1856, p. 191; P. R. R. Surv., vol. x, 1859, p. 256, pl. lvi, figs.

FARIO.

Pr. Acad. Nat. Sci. Phila., viii, 1856, p. 218; P R. R. Surv., vol. x, 1859, p. 308.

FARIO AURORA.

Pr. Acad. Nat. Sci. Phila., viii, 1856, p. 218; P R. R. Surv., vol. x, 1859, p. 308, pl. lxviii.

FARIO ARGYREUS.

Pr. Acad. Nat. Sci. Phila., viii, 1856, p. 218; P. R. R. Surv., vol. x, 1859, p. 312, pl. lxx.

FARIO CLARKI.

Pr. Acad. Nat. Sci. Phila., viii, 1856, p. 219; P.
 R. R. Surv., vol. x, 1859, p. 314, pl. lxxi, figs. 1-8.

FARIO GAIRDNERI.

Pr. Acad. Nat. Sci. Phila., viii, 1856, p. 219; P.
R. R. Surv., vol. x, 1859, p. 313, pl. lxxi, figs. 1-4.

FARIO NEWBERRI.

Pr. Acad. Nat. Sci. Phila., x. 1858, 224.

FARIO STELLATUS.

Pr. Acad. Nat. Sci. Phila., viii, 1856, p. 219; P. R. R. Surv., vol. x, 1859, p. 316, pl. lxix, figs. 5-8.

FARIO TSUPPITCH.

Pr. Acad. Nat. Sci. Phila., viii, 1856, p. 218; P. R. R. Surv., vol. x, 1859, p. 310, pl. lxix, figs. 1-4.

FUNDULUS.

P. R. R. Surv., vol. x, 1859, p. 303.

FUNDULUS FLORIDENSIS.

Pr. Acad. Nat. Sci. Phila., xi, 1859, p. 157. Fundulus grandis.

Pr. Acad. Nat. Sci. Phila., vi, 1853, p. 389; Mex. Bound. Surv., vol. x, 1859, p. 69, pl. xxvi.

FUNDULUS PARVIPINNIS.

Pr. Acad. Nat. Sci. Phila., vii, 1854, p. 154; P.R. R. Surv., vol. x, 1859, p. 303.

FUNDULUS SEMINOLIS.

Pr. Acad. Nat. Sci. Phila., xi, 1859, p. 59.

FUNDULUS TENELLUS. Pr. Acad. Nat. Sci. Phila., vi, 1853, p. 389. GADUS PROXIMUS.

Pr. Acad. Nat. Sci. Phila., vii, 1854, p. 141 and 154.

GAMBUSIA.

Mex. Bound. Surv., vol. ii, 1858, p. 72.

GAMBUSIA AFFINIS.

Mex. Bound. Surv., vol. ii, 1858, p. 72, pl. xxxix, figs. 12-15; Pr. Acad. Nat. Sci. Phila., xi, 1859, p. 120.

GAMBUSIA GRACILIS.

Pr. Acad. Nat. Sci. Phila., xi, 1859, p. 121. GAMBUSIA HOLBROOKI.

Pr. Acad. Nat. Sci. Phila., xi, 1859, p. 61.

GAMBUSIA NOBILIS.

Mex. Bound. Surv., vol. ii, 1859, p. 71, pl. xxxix, figs. 8-11; Pr. Acad. Nat. Sci. Phila., xi, 1859, p. 120.

GAMBUSIA PATRUELIS.

Mex. Bound. Surv., vol. ii, 1858, p. 72, pl. xxxix, figs. 1-7; Pr. Acad. Nat. Sc. Phila., xi, 1859, p. 121.

GAMBUSIA SENILIS.

Pr. Acad. Nat. Sci. Phila., xi, 1859, p. 121. GAMBUSIA SPECIOSA.

Pr. Acad. Nat. Sci. Phila., xi, 1859, p. 121. GASTEROSTEUS.

Bost. Jour. Nat. Hist., vi, 1850, p. 284; P. R. R. Surv., vol. x. 1859, p. 85.

GASTEROSTEUS APELTES.

P. R. R. Surv., vol. x, 1859, p. 85,

GASTEROSTEUS BIACULEATUS.

P. R. R. Surv., vol. x, 1859, p. 85.

GASTEROSTEUS CUVIERI.

Bost. Jour. Nat. Hist., vi, 1850, p. 254, pl. vii, fig. 1.

GASTEROSTEUS INOPINATUS.

Pr. Acad. Nat. Sci. Phila., vii, 1854, p. 147; P. R. R. Surv., vol. x, 1859, p. 90.

GASTEROSTEUS INTERMEDIUS.

Pr. Acad. Nat. Sci. Phila., viii, 1856, p. 135; P. R. R. Surv., vol. ii, 1858, p. 89.

GASTEROSTEUS MINOCEPHALUS.

Pr. Acad. Nat. Sci. Phila., vii, 1854, p. 133; P. R. R. Surv., vol. x, 1859, p. 91.

GASTEROSTEUS OCCIDENTALIS.

P. R. R. Surv., vol. x, 1859, p. 85.

GASTEROSTEUS PLEBEIUS.

Pr. Acad. Nat. Sci. Phila., vii, 1854, p. 147; P. R. R. Surv., vol. x, 1859, p. 86.

GASTEROSTEUS PUGETTI.

Pr. Acad. Nat. Sci. Phila., viii, 1856, p. 135; P. R. R. Surv., vol. x, 1859, p. 92.

GASTEROSTEUS SERRATUS.

P. R. R. Surv., vol. x, 1859, p. 88.

GASTEROSTEUS WILLIAMSONI.

Pr. Acad. Nat. Sci. Phila., vii, 1854, p. 133; P. R. R. Surv., vol. x, 1859, p. 93.

GIRARDINUS.

Mex. Bound. Surv., vol. ii, 1858, p. 73.

GIRARDINUS OCCIDENTALIS.

Mex. Bound. Surv., vol. ii, 1859, p. 73, pl. xxxix, figs. 16-19; Pr. Acad. Nat. Sci. Phila., xi, 1859, p. 119.

GIRARDINUS SONORIENSIS.

Pr. Acad. Nat. Sci. Phila., xi, 1859, p. 120.

GIRARDINUS FORMOSUS.

Pr. Acad. Nat. Sci. Phila., xi, 1859, p. 62.

GILA.

Pr. Acad. Nat. Sci. Phila., vi, 1853, p. 368; Sitgr. Rep. Expl. Zuñi and Color. Riv., 1853, 148; Pr. Acad. Nat. Sci. Phila., viii, 1856, p. 205; P. R. R. Surv., vol. x, 1859, p. 284.

GILA CONOCEPHALA.

Pr. Acad. Nat. Sci. Phila., vii, 1854, p. 135.

GILA ELEGANS.

Pr. Acad. Nat. Sci. Phila., vi, 1853, p. 369;
Sitgr. Rep. Expl. Zuñi and Color. Riv.,
1853, p. 150, pl. ii; Pr. Acad. Nat. Sci.
Phila., viii, 1856, p. 205; Mex. Bound.
Surv., vol. ii, 1858, p. 61; P. R. R. Surv.,
vol. x, 1859, p. 286.

GILA EMORYI.

Pr. Acad. Nat. Sci. Phila., vi, 1853, p. 388; Mex. Bound. Surv., vol. iv, 1858, p. 62, pl. xxxiii, fig. 5-10.

GILA GIBBOSA.

Pr. Acad. Nat. Sci. Phila., vii, 1854, p. 28.

GILA GRACILIS.

Pr. Acad. Nat. Sci. Phila., vi, 1853, p. 369;
Sitgr. Rep. Expl. Zuñi and Color. Riv.,
1853, p. 151, pl. iii; Pr. Acad. Nat. Sci.
Phila., viii, 1856, p. 205; P. R. R. Surv.,
vol. x, 1859, p. 287.

GILA GRAHAMI.

Pr. Acad. Nat. Sci. Phila., vi. 1853, p. 389; Mex. Bound. Surv., vol. ii, 1858, p. 61, pl. xxiv, figs. 9-12.

GILA PULCHELLA.

Pr. Acad. Nat. Sci. Phila., vii, 1854, p. 29. GILA BOBUSTA.

Pr. Acad. Nat. Sci. Phila., vi, 1853, p. 368;
Sitgr. Rep. Expl. Zuñi and Color. Riv.,
1853, p. 148, pl. i: Pr. Acad. Nat. Sci.
Phila., viii, 1856, p. 205; P. R. R. Surv.,
vol. x, 1859, p. 285.

GLYPHISODON.

P. R. R. Surv., vol. x, 1859, p. 160.

GLYPHISODON RUBICUNDUS.

Pr. Acad. Nat. Sci. Phila., vii, 1854, p. 148;
 P. R. R. Surv., vol. x, 1859, p. 161, pl. xxiv.
 GOBIO.

Pr. Acad. Nat. Sci. Phila., viii, 1856, p. 188; P. R. R. Surv., vol. x, 1859, p. 248.

GOBIO ÆSTIVALIS.

Pr. Acade Nat. Sci. Phila., viii, 1856, p. 189;
 Mex. Bound. Surv., vol. ii, 1858, p. 49, pl. lvii, figs. 17-29.

GOBIO GELIDUS.

Pr. Acad. Nat. Sci. Phila., viii, 1856, p. 188;
P. R. R. Surv., vol. x, 1859, p. 248;
Mex. Bound. Surv., vol. ii, 1858, pl. xxix, figs. 5-9.

GOBIO VERNALIS.

Pr. Acad. Nat. Sci. Phila., viii, 1856, p. 189; P. R. R. Surv., vol. x, 1859, p. 249.

GOBIONELLUS.

Pr. Acad. Nat. Sci. Phila., x, 1858, p. 168; Mex. Bound. Surv., vol ii, 1858, p. 24.

GOBIONELLUS BACALAUS.

Pr. Acad. Nat. Sci. Phila., x, 1858, p. 168; Mex. Bound. Surv., vol. ii, 1858, p. 24.

GOBIONELLUS BRASILIENSIS.

Pr. Acad. Nat. Sci. Phila., x, 1858, p. 168; Mex. Bound. Surv., vol. ii, 1858, p. 24.

GOBIONELLUS HASTATUS.

Pr. Acad. Nat. Sci. Phila., x, 1858, p. 168; Mex. Bound. Surv., vol. ii, 1858, p. 25, pl. xii, figs. 7, 8.

GOBIONELLUS LAMEOLATUS.

Pr. Acad. Nat. Sci. Phila., x, 1858, p. 168; Mex. Bound. Surv., vol. ii, 1858, p. 24.

GOBIONELLUS SMARAGDUS.

Pr. Acad. Nat. Sci. Phila., x, 1858, p. 168; Mex. Bound. Surv., vol. ii, 1858, p. 24.

GOBIOSOMA.

Pr. Acad. Nat. Sci. Phila., x, 1858, p. 169; Mex. Bound. Surv., vol. ii, 1858, p. 27.

GOBIOSOMA ALEPIDOTA.

Pr. Acad. Nat. Sci. Phila., x, 1858, p. 169; Mex. Bound. Surv., vol. ii, 1858, p. 27.

GOBIOSOMA MOLESTUM.

Pr. Acad. Nat. Sci. Phila., x, 1858, p. 169; Mex. Bound. Surv., vol. ii, 1858, p. 27, pl. xxii, fig. 14.

GOBIUS.

P. R. R. Surv., vol. x, 1859, p. 126.

GOBIUS CATULUS.

Pr. Acad. Nat. Sci. Phila., x, 1858, p. 169; Mex. Bound. Surv., vol. ii, 1858, p. 26, pl. xii, figs. 9, 10.

GOBIUS GRACILIS.

Pr. Acad. Nat. Sci. Phila., vii, 1854, p. 134. Gobius gulosus.

Pr. Acad. Nat. Sci. Phila., x, 1858, p. 169; Mex. Bound. Surv., vol. ii, 1858, p. 26.

GOBIUS LEPIDUS.

P. R. R. Surv., vol. x, 1859, p. 127, pl. xxva, figs. 5, 6.

GOBIUS LYRICUS.

Pr. Acad. Nat. Sci. Phila., x, 1858, p. 169; Mex. Bound. Surv., vol. ii, 1858, p. 25, pl. xii, figs. 4, 5.

GOBIUS NEWBERRI.

Pr. Acad. Nat. Sci. Phila., vii, 1856, p. 136; Bost. Journ. Nat. Hist., vi, 1857, p. 539, pl. xxv, figs. 5-8; P. R. R. Surv., vol. x, 1859, p. 128. GOBIUS WURDEMANNI.

Pr. Acad. Nat. Sci. Phila., x, 1858, p. 169; Mex. Bound. Surv., vol. ii, 1858, p. 25.

GRYSTES NUECENSIS.

Pr. Acad. Nat. Sci. Phila., vii, 1854, p. 25. Gunnellus.

P. R. R. Surv., vol. x, 1859, p. 116.

GUNNELLUS MACROCEPHALUS.

Bost. Journ. Nat. Hist., vi, 1850, p. 263; Mem. Amer. Acad., v, 1855, 261, pl. xvii, fig. 3. GUNNELLUS ORNATUS.

Pr. Acad. Nat. Sci. Phila., vii, 1854, p. 149;
 R. R. Surv., vol. x, 1859, p. 116, pl. xxvb, figs. 6, 7.

HADROPTERUS.

Pr. Acad. Nat. Sci. Phila., xi, 1859, p. 100. HADROPTERUS MACULATUS.

Pr. Acad. Nat. Sci. Phila., xi, 1859, p. 100. HADROPTERUS SHUMARDI.

Pr. Acad. Nat. Sci. Phila., xi, 1859, p. 100. HARENGULA.

Pr. Acad. Nat. Sci. Phila., xi, 1859, p. 158. HARENGULA TERES.

Pr. Acad. Nat. Sci. Phila., xi, 1859, p. 158. HEMICHROMIS ROLANDI.

Le Naturaliste, 1889, p. 103.

HEMICHROMIS SAHARÆ.

Le Naturaliste, 1889, p. 103.

HEMILEPIDOTUS.

P. R. R. Surv., vol. x, 1859, p. 67.

HEMILEPIDOSUS SPINOSUS.

P. R. R. Surv., x, 1859, p. 68.

HEPTANCHUS.

P. R. R. Surv., vol. x, 1859, p. 367. HEPTANCHUS MACULATUS.

P. R. R. Surv., vol. x, 1859, p. 367.

HERICHTHYS.

Pr. Acad. Nat. Sci. Phila., vii, 1854, p. 25; Mex. Bound. Surv., vol. ii, 1858, p. 30.

HERICHTHYS CYANOGUTTATUS.

Pr. Acad. Nat. Sci. Phila., vii, 1854, p. 25; Mex. Bound. Surv., vol. ii, 1858, p. 30, pl. iv, figs. 9-12.

HETERANDBIA AFFINIS.

Pr. Acad. Nat. Sci. Phila., vi, 1853, p. 390. HETERANDRIA NOBILIS.

Pr. Acad. Nat. Sci. Phila., vi, 1853, p. 390. HETERANDRIA OCCIDENTALIS.

Pr. Acad. Nat. Sci. Phila., vi, 1853, p. 390. HETERANDRIA PATRUELIS.

Pr. Acad. Nat. Sci. Phila., vi, 1853, p. 390.

HETEROSTICHUS.

Pr. Acad. Nat. Sci, Phila., vii, 1854, p. 143; P. R. R. Surv., vol. x, 1859, p. 36.

HETEROSTICHUS ROSTRATUS.

Pr. Acad. Nat. Sci. Phila., vii, 1854, p. 143; P. R. R. Surv., vol. x, 1859, p. 36, pl. xiii.

HIPPOCAMPUS.

P. R. R. Surv., vol. x, 1859, p. 342.

HIPPOCAMPUS INGENS.

P. R. R. Surv., vol. x, 1859, p. 342.

HIPPOGLOSUS VULGARIS.

P. R. R. Surv., vol. x, 1859, p. 146.

HOLCONOTUS.

Pr. Acad. Nat. Sci. Phila., vii, 1855, p. 322; P. R. R. Surv., vol. x, 1859, p. 193.

HOLCONOTUS AGGASSIZI.

P. R. R. Surv., vol. x, 1859, p. 205.

HOLCONOTUS FULIGINOSUS.

P. R. R. Surv., vol. x, 1859, p. 205.

HOLCONOTUS GIBBONSI.

P. R. R. Surv., vol. x, 1859, p. 205.

HOLCONOTUS MEGALOPS.

Pr. Acad. Nat. Sci. Phila., vii, 1854, p. 152.

HOLCONOTUS RHODOTERUS.

Pr. Acad. Nat. Sci. Phila., vii, 1854, pp. 141 and 152, and vii, 1885, p. 322, pls. xxxv and xxxvi, figs. 1-4, and pl. xxxvi, figs. 7 and 8. HOLCONOTUS TROWBRIDGI.

Pr. Acad. Nat. Sci. Phila, vii, 1854, p. 152.

HOMALOPOMUS.

Pr. Acad. Nat. Sci. Phila., viii, 1856, p. 132; P. R. R. Surv., vol. x, 1859, p. 143.

HOMALOPOMUS TROWBRIDGI.

Pr. Acad. Nat. Sci. Phila., viii, 1856, p. 132; P. R. R. Surv., vol. x, 1859, p. 144, pl. xla, figs. 1-4.

HOMOPRION LANCEOLATUS.

Mex. Bound. Surv., vol. ii, 1858, p. 11. HOMOPRION XANTHURUS.

Mex. Bound. Surv., vol. ii, 1858, p. 11.

HUDSONIUS. Pr. Acad. Nat. Sci. Phila., viii, 1856, p. 210; P.

R. R. Surv., vol. x, 1859, p. 284. HUDSONIUS AMARUS.

Pr. Acad. Nat. Sci. Phila., viii, 1856, p. 210.

HUDSONIUS FLUVIATILES.

Pr. Acad. Nat. Sci. Phila., viii, 1856, p. 210. HYBOGNATHUS.

Pr. Acad. Nat. Sci. Phila., viii, 1856, p. 181; P.

R. R. Surv., vol. x, 1859, p. 235.

HYBOGNATHUS ARGYRITIS.

Pr. Acad. Nat. Sci. Phila., viii, 1856, 182; P. R. R. Surv., vol. x, 1859, p. 235, pl. liii, figs. 5-8.

Hybognathus Evansi.

Pr. Acad. Nat. Sci. Phila., viii, 1856, p. 182; P. R. R. Surv., vol. x, 1859, p. 236.

HYBOGNATHUS NITIDUS.

Pr. Acad. Nat. Sci. Phila., viii, 1856, p. 182.

HYBOGNATHUS NUCHALIS.

Pr. Acad. Nat. Sci. Phila., viii, 1856, p. 181.

HYBOGNATHUS PLACITUS.

Pr. Acad. Nat. Sci. Phila., viii, 1856, p. 182; P. R. R. Surv., vol. x, 1859, p. 236.

HYBOGNATHUS REGIUS.

Pr. Acad. Nat. Sci. Phila., viii, 1856, p. 182.

HYBOPSIS.

Pr. Acad. Nat. Sci. Phila., viii, 1856, p. 182. HYBOPSIS STORERIANUS.

Pr. Acad. Nat. Sci. Phila., viii, 1856, p. 182. HYBOPSIS WINCHELLI.

Pr. Acad. Nat. Sci. Phila., viii, 1856, p. 182.

HYBORHYNCHUS. Pr. Acad. Nat. Sci. Phila., viii, 1856, p. 179; P.

R. R. Surv., vol. x, 1859, p. 230. HYBORHYNCHUS CONFERTUS.

Pr. Acad. Nat. Sci. Phila., viii, 1856, 179; P. R. R. Surv., vol. x, 1859, p. 233, pl. lix, figs. 11-15.

HYBORHYNCHUS NOTATUS.

Pr. Acad. Nat. Sci. Phila., viii, 1856, p. 179.

HYBORHYNCHUS PERSPICUUS.

Pr. Acad. Nat. Sci. Phila.. viii, 1856, p. 179; P. R. R. Surv., vol. x, 1859, p. 251, pl. lii, figs. 16-20.

HYBORHYNCHUS PUNICEUS.

Pr. Acad. Nat. Sci. Phila., viii, 1856, p. 179; P. R. R. Surv., vol. x, 1859, p. 232, pl. lii, figs. 1-5 and 11-15.

HYBORHYNCHUS TENELLUS.

Pr. Acad. Nat. Sci. Phila., viii, 1856, p. 179; P. R. R. Surv., vol. x, 1859, p. 231.

HYDRARGYRA SIMILIS.

Pr. Acad. Nat. Sci. Phila., vi, 1853, p. 389; Mex, Bound. Surv., vol. ii, 1858, p. 68, pl. xxxv. figs. 1-8.

HYDRARGYRA ZEBRA.

Pr. Acad. Nat. Sci. Phila., xi, 1859, p. 60.

HYPSOLEPIS.

Mem. Amer. Acad., n. s. v., 1855, p. 284.

HYPSOLEPIS CORNUTUS.

Mem. Amer. Acad., v, 1855, 284, pl. xxi, fig. 3.

HYPSOLEPIS GIBBOSUS. Mem. Amer. Acad., v, 1855, 284.

HYSTEROCARPUS TRASKI.

P. R. R. Surv., vol. x, 1859, p. 205.

HYODON.

P. R. R. Surv., vol. x, 1859, p. 332.

HYODON TERGISUS.

P. R. R. Surv., vol. x, 1859, p. 332, pl. lxxv, figs. 1-4.

ICHTHYOMYZON.

P. R. R. Surv., vol. x, 1859, p. 381.

ICHTHYOMYZON APPENDIX.

P. R. R. Surv., vol. x, 1859, p. 381.

ICHTHYOMYZON ARGENTEUS.

P. R. R. Surv., vol. x, 1859, p. 381.

ICHTHYOMYZON CASTANEUS.

P. R. R. Surv., vol. x, 1859, p. 381.

ICHTHYOMYZON HIRUDO.

P. R. R. Surv., vol. x, 1859, p. 382.

ICHTHYOMYZON LAMOTTENI.

P. R. R. Surv., vol. x, 1859, p. 381.

ICHTHYOMYZON PLANERI.

P. R. R. Surv., vol. x, 1859, p. 381.

ICTELIS.

P. R. R. Surv., vol. x, 1859, p. 22.

ICTIOBUS.

Pr. Acad. Nat. Sci. Phila., viii, 1856, p. 170; Mex. Bound. Surv., vol. ii, 1858.

ICTIOBUS TUMIDUS.

Pr. Acad. Nat. Sci. Phila., viii, 1856, p. 170; Mex. Bound. Surv., vol. ii, 1858, p. 34, pl. xix, figs. 1-4.

JOHNIUS.

Mex. Bound. Surv., vol. ii, 1858, p. 14; P. R. R. Surv., vol. x, 1859, p. 96.

JOHNIUS OCELLATUS.

Mex. Bound. Surv., vol. ii, 1858, p. 14, pl. viii, figs. 1-4; P. R. R. Surv., vol. x, 1859, p. 96.

JULIS.

P. R. R. Surv., vol. x, 1859, p. 162.

JULIS MODESTUS.

Pr. Acad. Nat. Sci. Phil., vii, 1854, p. 151; P. R. R. Surv., vol. x, 1859, p. 163.

LABRAX.

P. R. R. Surv., vol. x, 1859, p. 29.

LABRAX CHRYSOPS.

P. R. R. Surv., vol. x, 1859, p. 29, pl. xi, figs. 1-4. LABRAX CLATHRATUS.

Pr. Acad. Nat. Sci. Phila., vii, 1854, p. 142. LABRAX NEBULIFER.

Pr. Acad. Nat. Sci. Phila., vii, 1854, p. 142. LABRUS PULCHER.

P. R. R. Surv., vol. x, 1859, p. 162.

LAGODON RHOMBULIFER.

Mex. Bound. Surv.. vol. ii, 1858, p. 16, pl. iv, figs. 13-16.

LAURIDA LUCIOCEPS.

P. R. R. Surv., vol. x, 1859, p. 328.

Pr. Acad. Nat. Sci. Phila., vii, 1854, p. 137, and viii, 1856, p. 184; P. R. R. Surv., vol. x, 1859, p. 240.

LAVINIA ALUTACEA.

Pr. Acad. Nat. Sci. Phila., viii, 1856, p. 184; P. R. R. Surv., vol. x, 1859, p. 240.

LAVINIA CONFORMIS.

Pr. Acad. Nat. Sci. Phila., vii, 1854, p. 137. LAVINIA CRASSICAUDA.

Pr. Acad. Nat. Sci. Phila., vii, 1854, p. 137.

LAVINIA EXILICAUDA.

Pr. Acad. Nat. Sci. Phila., vii, 1854, p. 137, and viii, 1856, p. 184; P. R. R. Surv., vol. x, 1859, p. 241, pl. lix, figs. 1-4.

LAVINIA HARENGUS.

Pr. Acad. Nat. Sci. Phila., viii, 1856, p. 184; P. R. R. Surv., vol. x, 1859, p. 242.

LEIOCOTTUS.

Pr. Acad. Nat. Sci. Phila., viii, 1856, p. 133; P. R. R. Surv., vol. x, 1859, p. 62.

LEIOCOTTUS HIRUNDO.

Pr. Acad. Nat. Sci. Phila., viii, 1856, p. 133; P. R. R. Surv., vol. x, 1859, p. 62, pl. xvi, figs. 2-3.

LEIOSTOMUS.

P. R. R. Surv., vol. x, 1859, p. 99.

LEIOSTOMUS LINEATUS.

Pr. Acad. Nat. Sci. Phila., viii, 1856, p. 135; P. R. R. Surv., vol. x, 1859, p. 99, pl. xxii, figs. 1-4.

LEIOSTOMUS OBLIQUUS.

Mex. Bound. Surv., vol. ii, 1858, p. 11.

LEPADOGASTER.

P. R. R. Surv., vol. x, 1859, p. 129.

LEPADOGASTER MEANDRICUS.

Pr. Acad. Nat. Sci. Phila., vii, 1854, p. 155; P. R. R. Surv., vol. x, 1859, p. 130.

LEPADOGASTER RETICULATUS.

Pr. Acad. Nat. Sci. Phila., vii, 1854, p. 155. LEPIDOSTEUS.

P. R. R. Surv., vol. x, 1859, p. 350. LEPIDOSTEUS BERLANDIERI.

P. R. R. Surv., vol. x, 1859, p. 353. LEPIDOSTEUS FEBOX.

P. R. R. Surv., vol. x, 1859, p. 353. LEPIDOSTEUS LATIROSTEIS.

P. R. R. Surv., vol. x, 1859, p. 352. LEPIDOSTEUS LEPTORHYNCHUS.

P. R. R. Surv., vol. x, 1859, p. 351. LEPIDOSTEUS PLATOSTOMUS.

P. R. R. Surv., vol. x, 1859, p. 351. LEPIDOSTEUS OXYURUS.

P. R. R. Surv., vol. x, 1859, p. 351. LEPTOCOTTUS.

Pr. Acad. Nat. Sci. Phila., vii, 1854, p. 130; P. R. R. Surv., vol. x, 1859, p. 59.

LEPTOCOTTUS ARMATUS.

Pr. Acad. Nat. Sci. Phila., vii, 1854, pp. 130 and 145; P. R. R. Surv., vol. x, 1859, p. 60 pl. xv, fig. 2.

LEUCISCUS AMERICANUS.

Storer Fish., Mass. (Mem. Amer. Acad.). LEUCISCUS BUBALINUS.

Pr. Acad. Nat. Sci. Phila., vi, 1853, p. 391; Marcy and McClellan Rep. Expl. Red Riv., La., 1853, p. 249, pl. xiv, figs. 5-8. LEUCISCUS LUTRENSIS.

Pr. Acad. Nat. Sci. Phila., vi, 1853, p. 391.

LUCISCUS VIGILAX.

Marcy and McClellan Rep. Expl. Red. Riv. La., 1853, p. 248, pl. xiv, figs. 1-4. LEUCOSOMUS.

Pr. Acad. Nat. Sci. Phila., viii, 1856, p. 188; P. R. R. Surv., vol. x, 1859, p. 250. LEUCOSOMUS AMERICANUS.

Storer Fish, Mass. (Mem. Amer, Acad.), 1855, p. 283, pl. xxi, fig. 2.

LEUCOSOMUS DISSIMILIS.

Pr. Acad. Nat. Sci. Phila., viii, 1856, p. 189; P. R. R. Surv., vol. x, 1859, p. 250.

LEUCOSOMUS INCRASSATUS.

Pr. Acad. Nat. Sci. Phila., viii, 1856, p. 190; P. R. R. Surv., vol. x, 1859, p. 252, pl. lxi, figs. 1-6.

LEUCOSOMUS MACROCEPHALUS.

Pr. Acad. Nat. Sci. Phila., viii, 1858, p. 252. LEUCOSOMUS OCCIDENTALIS.

Pr. Acad. Nat. Sci. Phila., vii, 1854, p. 137. LEUCOSOMUS PALLIDUS.

Pr. Acad. Nat. Sci. Phila., viii, 1856, p. 190; P. R. R. Surv., vol. x, 1859, p. 251, pl. lxi, figs. 6-10.

LIMIA.

Mex. Bound. Surv., vol. ii, 1858, p. 70; Pr. Acad. Nat. Sci. Phila., xi, 1859, p. 114. LIMIA COUCHIANA.

Pr. Acad. Nat. Sci. Phila., xi, 1859, p. 116. LIMIA FORMOSA.

Pr. Acad. Nat. Sci. Phila., xi, 1859, p. 115, LIMIA MATAMORENSIS.

Pr. Acad. Nat. Sci. Phila., xi, 1859, p. 116,

LIMIA PŒCILOIDES.

Pr. Acad. Nat. Sci. Phila., x, 1858, p. 170;
 Mex. Bound. Surv., vol. ii, 1858, p. 70, pl.
 xxxviii, figs. 8-14;
 Pr. Acad. Nat. Sci.
 Phila., xi, 1859, p. 115.

LIMIA VENUSTA.

Pr. Acad. Nat. Sci. Phila., x. 1858, p. 171; Mex. Bouhd. Surv., vol. ii, 1858, p. 71, pl. xxxix, figs. 20-23.

LOBOTES EMARGINATUS.

Ninth An. Rep. Smiths. Inst., 1854, p. 332. LUCANIA.

Pr. Acad. Nat. Sci. Phila., xi, 1859, p. 118. LUCANIA AFFINIS.

Pr. Acad. Nat. Sci. Phila., xi, 1859, p. 118. Lucania venusta.

Pr. Acad. Nat. Sci. Phila., xi, 1859, p. 118. LUCANIA SP. INOM.

Pr. Acad. Nat. Sci. Phila., xi, 1859, p. 118. LUCIOPERCA.

P. R. R. Surv., vol. x, 1859, p. 31.

LUCIOPERCA BOREA.

Pr. Acad. Nat. Sci. Phila., ix, 1857, p. 201. Lumpenus.

P. R. R. Surv., vol. x, 1859, p. 122.

LUMPENUS ANGUILLARIS.

P. R. R. Surv., vol. x, 1859, p. 123, pl. xxvb, figs. 1-3.

Luxilus.

Pr. Acad. Nat. Sci. Phila., viii, 1856, p. 202; P. R. R. Surv., vol. x, 1859, p. 280.

LUXILUS AMERICANUS.

Pr. Acad. Nat. Sci. Phila., viii, 1856, p. 202. LUXILUS CHRYSOCEPHALUS.

Pr. Acad. Nat. Sci. Phila., viii, 1856, p. 202;
P. R. R. Surv., vol. x, 1859, p. 280.

LUXILUS CHRYSOLEUCUS.

Pr. Acad. Nat. Sci. Phila., viii, 1856, p. 202; P. R. R. Surv., vol. x. 1859, p. 280.

LUXILUS COMPRESSUS.

Pr. Acad. Nat. Sci. Phila., viii, 1856, p. 203. Luxilus leptosomus.

Pr. Acad. Nat. Sci. Phila., viii, 1856, p. 203; Mex. Bound. Surv., vol. ii, 1858, p. 60, pl. xix, figs. 9-12.

LUXILUS LUCIDUS.

Pr. Acad. Nat. Sci. Phila., viii. 1856, p. 203; P. R. R. Surv., vol. x, 1859, p. 282, pl. lx, figs. 9-12.

LUXILUS OBESUS.

Pr. Acad. Nat. Sci. Phila., viii, 1856, p. 203. LUXILUS OCCIDENTALIS.

Pr. Acad. Nat. Sci. Phila., viii, 1856, p. 203; P. R. R. Surv., vol. x, 1859, p. 280.

Luxilus seco.

Pr. Acad. Nat. Sci. Phila., viii, 1856, p. 203;
P. R. R. Surv., vol. x, 1859, p. 281.

MALTHE.

P. R. R. Surv., vol. x, 1859, p. 133.

Pr. Acad. Nat. Sci. Phila., viii, 1856, p. 191; Mex. Bound. Surv., vol. ii, 1858, p. 50.

MEDA FRIGIDA.

Pr. Acad. Nat. Sci. Phila., xiii, 1856, p. 192; Mex. Bound. Surv., vol. ii., 1858, p. 50, pl. xxviii, figs. 9 and 10.

Bull. 41, N. M.——9

MEGALOPS ELONGATUS.

Pr. Acad. Nat. Sci. Phila., x, 1858, p. 224, and xi, 1859, p. 64.

MELETTA.

P. R. R. Surv., vol. x, 1859, p. 330.

MELETTA CŒRULEA.

Pr. Acad. Nat. Sci. Phila., vii, 1856, pp.138,141, and 154; P. R. R. Surv., vol. x, 1859, p. 330. MELETTA SP.

Mex. Bound. Surv., vol. ii, 1858, p. 75.

MERLANGUS.

P. R. R. Surv., vol. x, 1859, pp. 141 and 143. MERLANGUS CHALCOGRAMMUS.

P. R. R. Surv., vol. x, 1859, p. 141.

MERLANGUS PRODUCTUS.

P. R. R. Surv., vol. x, 1859, pp. 141 a 31 143.
MERLUCIUS.

P. R. R. Surv., vol. x, 1859, p. 141 and 143.

MERLUCIUS FIMBRIA.

P. R. R. Surv., vol. x, 1859, p. 141.

MICROMETRUS AGREGATUS.

P. R. R. Surv., vol. x, 1859, p. 205.

MICROMETRUS MINIMUS.

P. R. R. Surv., vol. x, 1859, p. 205.

MICROPOGON.

Mex. Bound. Surv., vol. ii, 1858; P. R. R. Surv., vol. x, 1859, p. 95.

MICROPOGON UNDULATUS.

Mex. Bound. Surv., vol. ii, 1858, p. 13, pl. vii. MINOMUS.

Pr. Acad. Nat. Sci. Phila., viii, 1856, p. 173; Mex. Bound. Surv., vol. ii, 1858, p. 37.

MINOMUS CLARKI.

Pr. Acad. Nat. Sci. Phila., viii, 1856, p. 173; Mex. Bound. Surv., vol. ii, 1858, p. 38, pl. xxii, figs. 5-8.

MINOMUS INSIGNIS.

Pr. Acad. Nat. Sci. Phila., viii, 1856, p. 173; Mex. Bound. Surv., vol. ii, 1858, p. 7, pl. xxi, figs. 1-4.

MINOMUS PLEBEIUS.

Pr. Acad. Nat. Sci. Phila., viii, 1856, p. 173. Mex. Bound. Surv., vol. ii, 1858, p. 38, pl. xxii, figs. 1-4.

MOLLIENSIA.

Pr. Acad. Nat. Sci. Phila., xi, 1859, p. 114. MOLLIENSIA LATIPINNA.

Pr. Acad. Nat. Sci. Phila., xi, 1859, p. 114. MONIANA.

Pr. Acad. Nat. Sci. Phila., viii, 1856, p. 199; P. R. R. Surv., vol. x, 1859, p. 272.

MONIANA AURATA.

Pr. Acad. Nat. Sci. Phila., viii, 1856, p. 200; Mex. Bound. Surv., vol. ii, 1858, p. 56, pl. xxx, figs. 13-16.

MONIANA COMPLANATA.

Pr. Acad. Nat. Sci. Phila., viii, 1856, p. 200; Mex. Bound. Surv., vel. ii, 1858, p. 56, pl. xxxi, figs. 17-20.

MONIANA COUCHI.

Pr. Acad. Nat. Sci. Phila., viii, 1856, p. 201; Mex. Bound. Surv., vol. ii, 1858, p. 57, pl. xxx, figs. 21-24.

MONIANA DELICIOSA.

Pr. Acad. Nat. Sci. Phila., viii, 1856, p. 199, P. R. R. Surv., vol. x, 1859, p. 274.

MONIANA FORMOSA.

Pr. Acad. Nat. Sci. Phila., viii, 1850, p. 201; Mex. Bound. Surv., vol. ii, 1858, p. 58, pl. xxx. figs. 5-8.

MONIANA FRIGIDA.

Pr. Acad. Nat. Sci. Phila., viii, 1856, p. 200; Mex. Bound. Surv., vol. ii, 1858, p. 56, pl. xxx. figs. 17-20; P. R. R. Surv., vol. x, 1859, p. 276, pl. lix, figs. 16-20.

MONIANA GIBBOSA.

Pr. Acad. Nat. Sci. Phila., viii, 1856, p. 201; Mex. Bound. Surv., vol. ii, 1858, p. 59, pl. xxx, figs. 9-12.

MONIANA GRACILIS.

Pr. Acad. Nat. Sci. Phila., viii, 1856, p. 201; Mex. Bound. Surv., vol. ii, 1858, p. 59.

MONIANA LÆTABILIS. Pr. Acad. Nat. Sci. Phila., viii, 1856, p. 200; P.

R. R. Surv., vol. x, 1859, p. 275. MONIANA LEONINA.

Pr. Acad. Nat. Sci. Phila., viii, 1856, p. 199; P.
 R. R. Surv., vol. x, 1859, p. 273, pl. lix, figs.
 6-10.

MONIANA LUTRENSIS.

Pr. Acad. Nat. Sci. Phila., viii, 1856, p. 199; P.
 R. R. Surv., vol. x, 1859, p. 272.

MONIANA NITIDA.

Pr. Acad. Nat. Sci. Phila., viii, 1856, p. 201; Mex. Bound. Surv., vol. ii, 1858, p. 58.

MONIANA PROSERPINA.

Pr. Acad. Nat. Sci. Phila., viii, 1856, p. 200; Mex. Bound. Surv., vol. ii, 858, p. 59.

MONIANA PULCHELLA.

Pr. Acad. Nat. Sci. Phila., viii, 1856, p. 200; P. R. R. Surv., vol. x, 1859, p. 275, pl. lviii, figs. 11-15.

MONIANA RUTILAR.

Pr. Acad. Nat. Sci. Phila., viii, 1856, p. 201; Mex. Bound. Surv., vol. ii, 1858, p. 58.

MONIANA TRISTIS.

Pr. Acad. Nat. Sci. Phila., viii, 1856, p. 201; P. R. R. Surv., vol. x, 1859, p. 277.

MORRHUA.

P. R. R. Surv., vol. x, 1859, p. 141.

MORRHUA GRACILIS.

P. R. R. Surv., vol. x, 1859, p. 141.

MORRHUA MINUTA.

P. R. R. Surv., vol. x. 1859, p. 142.

MORRHUA PROXIMA.

P. R. R. Surv., vol. x,1859, p. 142, pl. xla, figs. 5-8.

MORRHUA PRUINOSA.

P. R. R. Surv., vol. x, 1859, p. 142.

MORRHUA PYGMÆA.

P. R. R. Surv., vol. x, 1859, p. 141.

MORRHUA WACHNA.

P. R. R. Surv., vol. x, 1859, p. 141.

MOXOSTOMA.

Pr. Acad. Nat. Sci. Phila., viii, 1856, p. 170; P. R. R. Surv., vol. x, 1859, p. 219.

MOXOSTOMA CAMPBELLI.

Pr. Acad. Nat. Sci. Phila., viii, 1856, p. 172; Mex. Bound. Surv., vol. ii, 1858, p. 35, pl. xx, figs. 4-6.

MOXOSTOMA CLAVIFORMIS.

Pr. Acad. Nat. Sci. Phila., viii, 1856, p. 171; P.
 R. R. Surv., vol. x, 1859, p. 219, pl. xlviii, figs. 5-9.

MOXOSTOMA KENNERLI.

Pr. Acad. Nat. Sci. Phila., viii, 1856, p. 171; Mex. Bound. Surv., vol. ii, 1859, p. 34, pl. xx, figs. 7-9.

MOXOSTOMA VICTORIÆ.

Pr. Nat. Acad. Sci. Phila., viii, 1856, p. 171; Mex. Bound. Surv., vol. ii, 1858, p. 35, pl. xx, figs. 1-3.

Mugil.

P. R. R. Surv., vol. x, 1859, p. 102.

MUGIL BERLANDIERI.

Pr. Acad. Nat. Sci. Phila., x, 1858, p. 167; Mex. Bound, Surv., vol. ii, 1858, p. 20, pl. x, figs, 1-4.

MUSTELUS FELIS.

P. R. R. Surv., x, 1859, p. 364.

MYLOCHEILUS.

Pr. Acad. Nat. Sci. Phila., viii, 1856, p. 169; P. R. R. Surv., vol. x, 1859, p. 213.

MYLOCHEILUS CAURINUS.

Pr. Acad. Nat. Sci. Phila., viii, 1856, p. 169;
P. R. R. Surv., vol. x, 1859, p. 213, pl. xlvi, figs. 1-4.

MYLOCHEILUS FRATERNELUS.

Pr. Acad. Nat Sci. Phila., viii, 1856, p. 169; P. R. R. Surv., vol. x, 1859, p. 215, pl. xlv, figs. 1-4.

MYLOCHEILUS LATERALIS.

Pr. Acad. Nat. Sci. Phila., viii, 1856, p. 169; P. R. R. Surv., vol. x, 1859, p. 214, pl. xlv, figs. 5-8.

MYLOPHARODON.

Pr. Acad. Nat. Sci. Phila., viii, 1856, p. 169; P. R. R. Surv., vol. x, 1859, p. 215.

MYLOPHARODON CONOCEPHALUS.

Pr. Acad. Nat. Sci. Phila., viii, 1856, p. 189; P. R. R. Surv., vol. x, 1859, p. 216, pl. xlvi, figs. 5-8.

MYLOPHARODON ROBUSTUS.

Pr. Acad. Nat. Sci. Phila., viii, 1856, p. 169; P. R. R. Surv., vol. x, 1859, p. 216, pl. xlvii. Myrichthys.

Pr. Acad. Nat. Sci. Phila., xi, 1859, p. 58. MYRICHTHYS TIGRINUS.

Pr. Acad. Nat. Sci. Phila., xi, 1859, p. 58. MYTILOPHAGUS FASCIATUS.

P. R. R. Surv., vol. x, 1859, p. 205,

MYXCINE.

Pr. Acad. Nat. Sci. Phila., x, 1858, p. 223,

MYXCINE LIMOSA.

Pr. Acad. Nat. Sci. Phila., x, 1858, p. 223.

NARCINE CALIFORNICA.

P. R. R. Surv., vol. x, 1859, p. 371.

NAUTICHTHYS.

P. R. R. Surv., vol. x, 1859, p. 74.

NAUTICHTHYS OCULOFASCIATUS.

P. R. R. Surv., vol. x, 1859, p. 75.

NEMATOGENYS.

Pr. Acad. Nat. Sci. Phila., vii, 1854, p. 198; Gilliss' Rep. Exped. S. Hemisph., ii, 1855, p. 36. NEMATOGENYS INERMIS.

Pr. Acad. Nat. Sci. Phila., vii, 1854, p. 198;
 Gilliss' Rep. Exped. S. Hemisph., ii, 1855,
 p. 36, pl. xxxii, figs. 1-3.

NEOCLINUS.

P. R. R. Surv. vol. x, 1859, p. 114; Pr. Acad. Nat. Sci. Phila., xi, 1859, p. 56.

NEOCLINUS BLANCHARDI.

P. R. R. Surv., vol. x, 1859, p. 114; Pr. Acad. Nat. Sci. Phila., xi, 1859, p. 56.

NEOCLINUS SATYRICUS.

Pr. Acad. Nat. Sci. Phila., vi, 1859, p. 56. NEOCONGER.

Pr. Acad. Nat. Sci. Phila., x, 1858, p. 171;
 Mex. Bound. Surv., vol. ii, 1858, p. 77.
 NEOCONGER MUCONATUS.

Pr. Acad. Nat. Sci. Phila., x, 1858, p. 171; Mex. Bound. Surv., vol. ii, 1858, p. 77.

Mex. Bound NEOMÆNIS.

Pr. Acad. Nat. Sci. Phila., x, 1858, p. 167; Mex. Bound. Surv., vol., ii, 1858, p. 18. NEOMÆNIS EMARGINATUS.

Pr. Acad. Nat. Sci. Phila., x, 1858, p. 167; Mex. Bound. Surv., vol. ii, 1858, p. 18, pl. ix, figs. 5–8.

NEOMURÆNA.

Pr. Acad. Nat. Sci. Phila., x, 1858, p. 171; Mex. Bound. Surv., vol. ii, 1858, p. 76. NEOMURÆNA NIGROMACULATA.

Pr. Acad. Nat. Sci. Phila., x, 1858, p. 171; Mex. Bound. Surv., vol. ii, 1858, p. 76, pl. xli.

Nocomis.

Pr. Acad. Nat. Sci. Phila., viii, 1856, p. 190; P. R. R. Surv., vol. x, 1859, p. 254. NOCOMIS BELLICUS.

Pr. Acad. Nat. Sci. Phila., viii, 1856, p. 213. NOCOMIS NEBRABCENSIS.

Pr. Acad. Nat. Sci. Phila., viii, 1856, p. 190; P. R. R. Surv., vol. x, 1859, p. 254.

Pr. Acad. Nat. Sci. Phila., xi, 1859, p. 158. NOTURUS LEMNISCATUS.

NOTURUS LEMNISCATUS.
Pr. Acad. Nat. Sci. Phila., xi, 1859, 158.

OLIGOCEPHALUS. Pr. Acad. Nat. Sci. Phila., xi, 1859, p. 67.

OLIGOCEPHALUS GRAHAMI. Pr. Acad. Nat. Sci. Phila., xi, 1859, p. 102.

OLIGOCEPHALUS HUMERALIS. Pr. Acad. Nat. Sci. Phila., xi, 1859, p. 67.

OLIGOCEPHALUS LINSLII.

Pr. Acad, Nat. Sci. Phila., xi, 1859, p. 67. OLIGOCEPHALUS LEONENSIS.

Pr. Acad. Nat. Sci. Phila., xi, 1859, p. 102. OLIGOCEPHALUS LEPIDUS.

Pr. Acad. Nat. Sci. Phila., xi, 1859, p. 67. OLIGOCEPHALUS PULCHELLUS.

Pr. Acad. Nat. Sci. Phila., xi, 1859, p. 102. OLIGOCOTTUS.

Pr. Acad. Nat. Sci. Phila., viii, 1856, p. 132; P. R. R. Surv., vol. x, 1859, p. 55.

OLIGOCOTTUS ANALIS.

Pr. Acad. Nat. Sci. Phila., ix, 1857, p. 201; P. R. R. Surv., vol. x, 1859, p. 57.

OLIGOCOTTUS GLOBICEPS.

Pr. Acad. Nat. Sci. Phila., ix, 1857, p. 202; P. R. R. Surv., vol. x, 1859, p. 58.

OLIGOCOTTUS MACULOSUS.

Pr. Acad. Nat. Sci. Phila., viii, 1856, p. 133; Bost. Journ. Nat. Hist., vi, 1857, p. 133, pl. xxiv, fig. 7.

OPHIDION.

P. R. R. Surv., vol. x, 1859, p. 138. Ophidion Josephi.

Pr. Acad. Nat. Sci. Phila., x, 1858, p. 170; Mex. Bound. Surv., vol. ii, 1858, p. 29. OPHIDION TAYLORI.

P. R. R. Surv., vol. x, 1859, p. 138.

ритопом

Pr. Acad. Nat. Sci. Phila., vii, 1854, p. 123; P. R. R. Surv., vol. x, 1859, p. 48.

Ophiodon elongatus.

Pr. Acad. Nat. Sci. Phila., vii., 1854, p. 133; P. R. R. Surv., vol. x, 1859, p. 48, pl. xviii, flgs. 4-7.

OPISTOGNATHUS.

P. R. R. Surv., vol. x, 1859, p. 114.

OPLOPOMA.

Pr. Acad. Nat. Sei. Phila., viii, 1856, p. 135;
P. R. R. Surv., vol. x, 1859, p. 46.

OPLOPOMA PANTHERINA.

Pr. Acad. Nat. Sci. Phila., viii, 1856, p. 135;
P. R. R. Surv., vol. x, 1859, p. 4, pl. xviii, figs. 1-3.

ORTHAGORISCUS.

P. R. R. Surv., vol. x, 1859, p. 338.

)rthodon.

Pr. Acad. Nat. Sci. Phila., viii, 1856, p. 182; P. R. R. Surv., vol. x, 1859, p. 237. Orthodon microlepidotis.

Pr. Acad. Nat. Sci. Phila., viii, 1856, p. 182; P. R. R. Surv., vol. x, 1859, p. 237, pl. liii, figs. 1-4.

ORTHOPRISTIS.

Pr. Acad. Nat. Sci. Phila., x, 1858, p. 167; Mex. Bound. Surv., vol. ii, 1858, p. 15.

ORTHOPRISTIS DUPLEX.

Pr. Acad. Nat. Sci. Phila., x, 1858, p. 167; Mex. Bound. Surv., vol. ii, 1858, p. 15, pl. ix, figs. 1-4.

OSMERUS.

P. R. R. Surv., vol. x, 1859, p. 323.

OSMERUS PRETIOSUS.

P. R. R. Surv., vol. x, 1859, p. 324, pl. lxxv, fig. 5.

Osmerus Stevensi.

P. R. R. Surv., x, 1859, 325.

OTOLITHUS.

P. R. R. Surv., vol. x, 1859, p. 95.

OTOLITHUS DRUMMONDI.

Mex. Bound. Surv., vol. ii, 1858, p. 12, pl. vi.

OTOLITHUS NOTHUS.

Mex. Bound. Surv., ii, 1858, p. 11.

D. CHINA A DRIVE WAR DIEG AMUS

PACHYLABRUS VARIEGATUS.

P. R. R. Surv., vol. x, 1859, p. 205.

PARALABRAX.

Pr. Acad. Nat. Sci. Phila., viii, 1856, p. 1314
 P. R. R. Surv., vol. x, 1859, p. 33.

PARALABRAX CLATHRATUS.

Pr. Acad. Nat. Sci. Phila., viii, 1856, 132: P. R. R. Surv., vol. x, 1859, p. 34, pl. xii, figs, 5_8

PARALABRAX NEBULIFER.

Pr. Acad. Nat. Sci. Phila., viii, 1856, p. 132; P. R. R. Surv., vol. x. 1859, p. 33, pl. xii, figs.

PARALEPSIS.

P. R. R. Surv., vol. x, 1859, p. 39.

PARALICHTHYS.

P. R. R. Surv., vol. x, 1859, p. 146.

PARALICTHYS MACULOSUS.

P. R. R. Surv., vol. x, 1859, p. 147.

PAROPHRYS.

Pr. Acad. Nat. Sci. Phila., vii, 1854, p. 139; P. R. R. Surv., vol. x, 1859, p. 153.

PAROPHRYS VETULUS.

Pr. Acad. Nat. Sci. Phila., vii, 1854, pp. 139, 142, 155.

PELAMYS.

P. R. R. Surv., vol. x, 1859, p. 105.

PELAMYS LINEOLATA.

P. R. R. Surv., vol. x, 1859, p. 106. PERCICHTHYS.

Pr. Acad. Nat. Sci. Phila., vii, 1854, p. 196; Gilliss' Rep. Exped, S. Hemisph., ii, 1852, p. 26.

PERCICHTHYS CHILENSIS.

Pr. Acad. Nat. Sci. Phila., vii, 1854, p. 197; Gilliss' Rep. Exped. S. Hemisph., ii, 1855, p. 27, pl. xxix, figs. 1-4.

PERCICHTHYS MELANOPS,

Pr. Acad. Nat. Sci. Phila., vii, 1854, p. 197; Gilliss' Rep. Exped. S. Hemisph., ii, 1855, p. 29, pl. xxx, figs, 1-5,

Pr. Acad. Nat. Sci. Phila., vii, 1854, p. 197; Gilliss' Rep. Exped. S. Hemisph., ii, 1855, p. 31.

PERCILIA GILLISSI.

Pr. Acad. Nat. Sci. Phila., vii, 1854, p. 197; Gilliss' Rep. Exped. S. Hemisph., ii, 1855, p. 32, pl. xxix. figs. 5-9.

PERCINA.

Pr. Acad. Nat. Sci. Phila., xi, 1859, p. 66. PERCINA CAPRODES.

Pr. Acad. Nat. Sci. Phila., xi, 1859, p. 66. PERCINA CARBONARIA.

Pr. Acad. Nat. Sci. Phila., xi, 1859, p. 66. PERCINA NEBULOSA.

Pr. Acad. Nat. Sci. Phila., xi, 1859, p. 66. PERCINA SEMIFASCIATA.

Pr. Acad. Nat. Sci. Phila., xi, 1859, p. 66. PERCINA ZEBRA.

Pr. Acad. Nat. Sci. Phila., xi, 1859, p. 66. PETROMYZON.

P. R. R. Surv., vol. x, 1859, p. 377.

Petromyzon Astori.

P. R. R. Surv., vol. x, 1859, p. 380.

PETROMYZON CILIATUS.

P. R. R. Surv., vol. x, 1859, p. 378.

PETROMYZON LIVIDUS.

P. R. R. Surv., vol. x, 1859, p. 379.

PETROMYZON PLUMBEUS.

P. R. R. Surv., vol. x, 1859, p. 380.

PETROMYZON TRIDENTATUS,

P. R. R. Surv., vol. x, 1859, p. 377.

PHANERODON.

Pr. Acad. Nat. Sci. Phila., vii, 1854, p. 153, and vii, 1855, p. 321; P. R. R. Surv., vol. x, 1859, p. 183.

PHANERODON FURCATUS.

Pr. Acad. Nat. Sci. Phila., vii, 1854, p. 153, and vii, 1855, p. 322.

PILEOMA CARBONARIA.

Pr. Acad. Nat. Sci. Phila., vi, 1853, p. 387; Mex. Bound. Surv., vol. ii, 1858, p. 10, pl. viii, figs. 10-13.

PHILIPNUS DORMITATOR.

Mex. Bound. Surv., vol. ii, 1858, p. 29, pl. xii, fig. 13.

PIMELODUS.

P. R. R. Surv., vol. x, 1859, p. 207.

PIMELODUS AFFINIS.

Pr. Acad. Nat. Sci. Phila., vii, 1854, p. 26; Mex. Bound. Surv., vol. ii, p. 32, pls. xvi, xvii.

PIMELODUS AILURUS.

P. R. R. Surv., vol. x, 1859, p. 210, pl. xliv PIMELODUS ANTONIENSIS.

P. R. R. Surv., vol. x, 1859, p. 209.

PIMELODUS CATULUS.

P. R. R. Surv., vol. x, 1859, p. 208, pl. xli, figs, 4-6.

PIMELODUS CATUS. Pr. Acad. Nat. Sci. Phila., xi, 1859, p. 160; P. R. R. Surv., vol. x, 1859, p. 208.

PIMELODUS CONFINIS.

Pr. Acad. Nat. Sci. Phila., xi, 1859, p. 159. PIMELODUS CUPRESSOIDES.

Pr. Acad. Nat. Sci. Phila., xi, 1859, p. 159. PIMELODUS DEKAYL.

Pr. Acad. Nat. Sci. Phila., xi, 1859, p. 160. PIMELODUS FELINUS.

P. R. R. Surv., vol. x, 1859, p. 209. PIMELODUS FURCATUS.

P. R. R. Surv., vol. x, 1859, p. 208, PIMELODUS GRACILIS.

Pr. Acad. Nat. Sci. Phila., xi, 1859, p. 158. PIMELODUS GRACIOSUS

Pr. Acad. Nat. Sci. Phila., xi, 1859, p. 161. PIMELODUS HOYI.

Pr. Acad. Nat. Sci. Phila., xi, 1859, p. 159. PIMELODUS LUPUS.

P. R. R. Surv., vol. x, 1859, p. 211.

PIMELODUS LYNX.

Pr. Acad. Nat. Sci. Phila., xi, 1859, p. 160. PIMELODUS MEGALOPS.

Pr. Acad, Nat. Sci. Phila., xi, 1859, p. 61.

PIMELODUS OLIVACEUS.

P. R. R. Surv., vol. x, 1859, p. 211, pl. xli, figs. 1-3, and pl. xlii.

PIMELODUS PLATYCEPHALUS.

Pr. Acad. Nat. Sci. Phila., xi, 1859, p. 161.

PIMELODUS PUMA.

Pr. Acad. Nat. Sci. Phila., xi, 1859, p. 160.

PIMELODUS VULPECULUS.

Pr. Acad. Nat. Sci. Phila., xi. 1859, p. 160. PIMELODUS VULPES.

Pr. Acad. Nat. Sci. Phila., x, 1858, p. 170; Mex. Bound. Surv., vol. ii, 1858, p. 33, pl. xviii.

Pr. Acad. Nat. Sci. Phila., viii, 1856, p. 180: P. R. R. Surv., vol. x, 1859, p. 233.

PIMEPHALES FASCIATUS.

Pr. Acad. Nat. Sci. Phila., viii, 1856, p. 180; P. R. Surv., vol. x, 1859, p. 234.

PIMEPHALES MACULOSUS.

Pr. Acad. Nat. Sci. Phila., viii, 1856, p. 180; P. R. R. Surv., vol. x, 1859, p. 234.

PIMEPHALES PROMELAS.

P. R. R. Surv., x, 1859, p. 233.

Pr. Acad. Nat. Sci. Phila., viii, 1856, p. 195; P. R. R. Surv., vol. x, 1859, p. 263.

PLARGYRUS ARGENTATUS.

Pr. Acad. Nat. Sct. Phila., viii, 1856, p. -.

PLARGYRUS BOWMANI.

Pr. Acad. Nat. Sci. Phila., viii, 1856, p. 196; P. R. R. Surv., vol. x, 1859, p. 263, pl. lix, figs.

PLARGYRUS CORNUTUS.

Pr. Acad. Nat. Sci. Phila., viii, 1856, p. 196.

PLARGYRUS FRONTALIS.

Pr. Acad. Nat. Sci. Phila., viii, 1856.

PLARGYRUS GIBBOSUS.

Pr. Acad. Nat. Sci. Phila., viii, 1856.

PLARGYRUS TYPICUS.

Pr. Acad. Nat. Sci. Phila., viii, 1856.

PLATESSA BILINEATA.

P. R. R. Surv., vol. x, 1859, p. 146.

PLATESSA STELLATA.

P. R. R. Surv., vol. x, 1859, p. 148.

PLATICHTHYS.

Pr. Acad. Nat. Sci. Phila., vii, 1854, p. 139, and viii, 1856, p. 136; P. R. R. Surv., vol. x, 1859, p. 148.

PLATICHTHYS RUGOSUS.

Pr. Acad. Nat. Sc. Phila., vii, 1854, p. 139 and 155; P. R. R. Surv., vol. x, 1859, p. 148.

PLATICHTHYS STELLATUS.

P. R. R. Surv., vol. x, 1859, p. 148.

PLATICHTHYS UMBROSUS.

Pr. Acad. Nat. Sc. Phila., viii, 1856, p. 136; P. R. R. Surv., vol. x, 1859, p. 149.

PLEURONECTES MACULOSUS.

P. R. R. Surv., vol. x, 1859, p. 147.

PLEURONECTES STELLATUS.

P. R. R. Surv., vol. x, 1859, p. 148.

PLEURONICHTHYS.

Pr. Acad. Nat. Sc. Phila., vii, 1854, p. 139; P. R. R. Surv., vol. x, 1859, p. 150.

PLEURONICHTHYS COMOSUS.

Pr. Acad. Nat. Sc. Phila., vii, 1854, p. 139; P. R. R. Surv., vol. x, 1859, p. 151.

PLEURONICHTHYS GUTTULATUS.

Pr. Acad. Nat. Sci. Phila., viii. 1856, p. 137; Bost. Jour. Nat. Hist., vi. 1857, p. 542, pl. xxv, figs. 1-4; P. R. R. Surv., vol. x. 1859, p. 152.

PODABRUS.

Pr. Bost. Soc. Nat. His., iii, 1850, p. 304; N. Mém. Soc. Helv. Sci. Nat., xii, 1852, p. 14.

PODABRUS CENTROPOMUS.

Pr. Bost. Soc. Nat. Hist., iii, 1850, p. 304; N. Mém. Soc. Helv. Sci. Nat., xii, 1852, p. 15.

PODABRUS COTTOIDES.

Pr. Bost. Soc. Nat. Hist., iii, 1850, p. 304; N. Mém. Soc. Helv. Sci. Nat., xii, 1852, p. 14.

PŒCILIA.

Mex. Bound. Surv., vol. ii, 1858, p. 69; Pr. Acad. Nat. Sci. Phila., xi, 1859, p. 114.

PŒCILIA LINEOLATA.

Pr. Acad. Nat. Sci. Phila., x, 1858, p. 170; Mex. Bound. Surv., vol. ii, 1858, p. 70, pl. xxxv, figs. 9-11; Pr. Acad. Nat. Sci. Phila., xi, 1859, p. 114.

PŒCILIA MULTILINEATA.

Pr. Acad. Nat. Sci. Phila., xi, 1859, p. 114.

PECILICHTHYS LEPIDUS.

Mex. Bound. Surv., vol. ii, 1858, p. 11, pl. viii, figs. 14-17.

POGONIAS FASCIATUS.

Mex. Bound. Surv., vol. ii, 1858. p. 11.

Pr. Acad. Nat. Sci. Phila., vi, 1854, p. 136, and viii, 1856, p. 187; P. R. R. Surv., vol. x. 1859, p. 245.

POGONICHTHYS ARGYREIOSUS.

Pr. Acad. Nat. Sci. Phila., vii, 1854, p. 153, and viii, 1856, p. 188; P. R. R. Surv., vol. x, 1859, p. 246.

POGONICHTHYS COMMUNIS.

Pr. Acad. Nat. Sci. Phila., viii, 1856, p. 188; P. R. R. Surv., vol. x, 1859, p. 247, pl. lv.

POGONICHTHYS INÆQUILOBUS.

Pr. Acad. Nat. Sci. Phila., vii, 1854, p. 136; Pr. Acad. Nat. Sci. Phila., viii, 1856, p. 188; P. R. R. Surv., vol. x, 1859, p. 245, pl. lvi, figs. 1-4.

POGONICHTHYS SYMMETRICUS.

Pr. Acad. Nat. Sci. Phila., vii, 1854, p. 136; Pr. Acad. Nat. Sci. Phila., viii, 1856, p. 188; P. R. R. Surv., vol. x, 1859, p. 246.

POLYNEMUS OCTONEMUS.

Pr. Acad. Nat. Sci. Phila., x, 1858, p. 167; Mex. Bound, Surv., vol. ii, p. 19, pl. x, figs. 5-9. POLYODON.

P. R. R. Surv., vol. x, 1859, p. 357.

POLYODON FOLIUM.

P. R. R. Surv., vol. x, 1859, p. 358.

POMOTIS.

P. R. R. Surv., vol. x, 1859, p. 22.

POMOTIS AQUILENSIS.

Pr. Acad. Nat. Sci. Phila., vi, 1853, p. 388; Mex. Bound. Surv., vol. ii, 1858, p. 7, pl. iii, figs. 1-8; P. R. R. Surv., vol. x, 1859, p. 25, pl. ix, figs. 1-4, and pl. x., figs. 8-11.

POMOTIS BREVICEPS.

Pr. Acad. Nat. Sci. Phila., vi, 1853, p. 390; Marcy and McClellan's Rep. Expl. Red River, La., 1853, p. 246, pl. xiii; P. R. R. Surv., vol. x, 1858, p. 28.

POMOTIS CONVEXIFRONS.

Pr. Acad. Nat. Sci. Phila., vii, 1854, p. 24.

POMOTIS FALLAX.

Pr. Acad. Nat. Sci. Phila., vii, 1854, p. 24; Mex. Bound. Surv., vol. ii, 1858, p. 8, pl. ii, figs. 5-8, and pl. iii, figs. 9-12; P. R. R. Surv., vol. x, 1859, p. 27, pl. viii, figs. 9-12; pl. ix, figs. 5-12; pl. x, figs. 1-7.

POMOTIS HEROS.

Pr. Acad. Nat. Sci. Phila., vii. 1854, p. 25; Mex. Bound. Surv., vol. ii, 1858, p. 6, pl. ii, figs. 1-4; P. R. R. Surv., vol. x, 1859, p. 24, pl. ix, figs. 13-16.

POMOTIS LONGULUS.

Pr. Acad. Nat. Sci. Phila., vi, 1853, p. 391; Marcy and McClellan's Rep. Expl. Red River. La., 1853, p. 245, pl. xii.

POMOTIS LUNA.

Pr. Acad. Nat. Sci. Phila., ix, 1857, p. 201; P. R. R. Surv., vol. x, 1859, p. 22, pl. viii, figs. 1-4. Pomotis nefastus.

Pr. Acad. Nat. Sci. Phila., vii. 1854, p. 24. POMOTIS OBESUS.

Pr. Bost. Sci. Nat. Hist., v. 1854, p. 40; 9th An. Rep. Smiths. Inst., 1854, p. 324.

POMOTIS POPEI.

P. R. R. Surv., vol. x, 1858, p. 26.

POMOTIS SPECIOSUS.

Pr. Acad. Nat. Sci. Phila., vii. 1854, p. 24; Mex.
Bound. Surv., vol. ii. 1858, p. 53, pl. iv, figs.
5-8; P. R. R. Surv., vol. x, 1859, p. 23, pl. viii, figs. 5-8.

Pomoxis.

P. R. R. Surv., vol. x, 1859, p. 5.

POMOXIS ANNULARIS.

P. R. R. Surv., vol. x, 1859, p. 6.

POMOXIS NIGROMACULATUS.

P. R. R. Surv., vol. x. 1859, p. 6.

POMOXIS NITIDUS.

Pr. Acad. Nat. Sc. Phila., ix, 1857, p. 200; P. R. R. Surv., vol. x, 1859, p. 6, pl. ii, figs. 5-8.

POMOXIS SPAROIDES.

P. R. R. Surv., vol. x, 1859, p. 6.

Porichthys.

Pr. Acad. Nat. Sci. Phila., vii, 1854, p. 141; P. R. R. Surv., vol. x. 1859, p. 134.

PORICHTHYS NOTATUS.

Pr. Acad. Nat. Sci. Phila., vii, 1854, pp. 141, 151; P. R. R. Surv., vol. x. 1859, p. 134, pl. xxv.

PSETTICHTHYS.

Pr. Acad. Nat. Sci. Phila., vii. 1854, p. 139; P.

R. R. Surv., vol. x. 1859, p. 154.

PSETTICHTHYS MELANOSTICTUS.

Pr. Acad. Nat. Sci. Phila., vii, 1854, 139: P. R. R. Surv., vol. x, 1859, p. 154.

PSETTICHTHYS SORDIDUS.

Pr. Acad. Nat. Sci. Phila., vii, 1854, pp. 142, 155; P. R. R. Surv., vol. x. 1859, p. 155, pl. xlb.

PTYCHOCHEILUS.

Pr. Acad. Nat. Sci. Phila., viii, 1856, p. 208; P. R. R. Surv., vol. x, 1859, p. 298.

PTYCHOCHEILUS GRANDIS.

Pr. Acad. Nat. Sci. Phila., viii, 1856, p. 209; P.R. R. Surv., vol. x, 1859, p. 209.

PTYCHOCHEILUS LUCIUS.

Pr. Acad. Nat. Sci. Phila., viii, 1856, p. 209; Mex. Bound. Surv., ii, 1858, p. 65, pl. xxxiv, figs. 1-4.

PTYCHOCHEILUS OREGONENSIS.

Pr. Acad. Nat. Sci. Phila., viii. 1856, p. 209; P. R. R. Surv., vol. x, 1859, p. 298. pl. lxiv, figs. 5-9.

PTYCHOCHEILUS RAPAX.

Pr. Acad. Nat. Sci. Phila., viii, 1856, p. 209; P. R. R. Surv., x. 1859, p. 300, pl. lxv.

PTYCHOCHEILUS VORAX.

Pr. Acad. Nat. Sci. Phila., viii, 1856, p. 209; P. R. R. Surv., x, 1859, p. 301.

Ртусновтомия.

Pr. Acad. Nat. Sci. Phila., viii, 1856, p. 172; P. R. R. Surv., x, 1859, p. 220.

PTYCHOSTOMUS ALBIDUS.

Pr. Acad. Nat. Sci. Phila., viii, 1856, p. 172; Mex. Bound, Surv., ii, 1858, p. 36, pl. xix, figs. 5-8.

PTYCHOSTOMUS CONGESTUS.

Pr. Acad. Nat. Sci. Phila., viii, 1856, p. 172; Mex. Bound. Surv., ii, 1858, p. 36, pl. xxi, figs. 5-8.

PTYCHOSTOMUS HAYDENI.

Pr. Acad. Nat. Sci. Phila., viii, 1856, p. 172; P. R. R. Surv., x. 1859, p. 220, pl. xlix, figs. 1-4.

RAJA.

P. R. R. Surv., x, 1859, p. 372. Raja binoculata.

Pr. Acad. Nat. Sci. Phila., vii, 1854. p. 196.

RAJA COOPEBI. P. R. R. Surv., x, 1859, p. 372.

P. R. R. Surv Rhacocheilus.

P. R. R. Surv., x, 1859, p. 188.

RHACOCHEILUS TOXOTES.

Pr. Acad. Nat. Sci. Phila., viii, 1856, p. 136; P. R. R. Surv., x, 1859, p. 188 pl. xl.

RHINICHTHYS.

P. R. R. Surv., x, 1859, p. 243.

RHINOBATUS.

P. R. R. Surv., x. 1859, p. 370.

RHINOBATUS PRODUCTUS.

Pr. Acad. Nat. Sci. Phila., vii, 1854, p. 196; P. R. R. Surv., x, 1859, p. 370.

RHINOPTERA.

P. R. R. Surv., x, 1859, p. 374.

RHINOPTERA VESPERTILIO

Pr. Acad. Nat. Sci. Phila., viii, 1856, p. 137; Bost. Jour. Nat. Hist., vi, 1857, p. 544, pl. xvi, figs. 1-3; P. R. R. Surv., x, 1859, p. 375. RHOMBUS.

P. R. R. Surv., x, 1859, pp. 146 and 150.

RHOMBUS MACULATUS.

Seventh Ann. Rep. Reg. Univ., N. Y., p. 23: Ninth Ann. Rep. Smiths. Inst., 1854, p. 350. RICHARDSONIUS.

Pr. Acad. Nat. Sci. Phila., viii, 1856, p. 201; P. R. R. Surv., x, 1859, p. 278.

RICHARDSONIUS BALTEATUS.

Pr. Acad. Nat. Sci. Phila., viii, 1856, p. 202; P. R. R. Surv., x, 1859, p. 278, pl. lx, figs. 1-4.

RICHARDSONIUS LATERALIS.

Pr. Acad. Nat. Sci. Phila., viii, 1856, p. 202: P. R. R. Surv., x, 1859, p. 279, pl. lx. figs. 5–8.

SALAR.

Pr. Acad. Nat. Sci. Phila., viii, 1856, p. 219; P. R. R. Surv., x, 1859, p. 318.

ALAR IRIDEA.

Pr. Acad. Nat. Sci. Phila., viii, 1856, p. 220;
 P. R. R. Surv., vol. x, 1859, p. 321, pl. lxxiii, fig. 5, and pl. lxxiv.

SALAR LEWISI.

Pr. Acad. Nat. Sci. Phila., viii, 1856, p. 219; P. R. R. Surv., vol. x, 1859, p. 318, pl. lxxii.

SALAR VIRGINALIS.

Pr. Acad. Nat. Sci. Phila., viii, 1856, p. 220; P. R. R. Surv., vol. x, 1859, p. 320, pl. lxxiii, figs. 1-4 SATMO.

Pr. Acad. Nat. Sci. Phila., vii, 1856, p. 217; P. R. R. Surv., x, 1859, p. 305.

SALMO AUBORA.

P. R. R. Surv., vol. x, 1859, p. 308.

SALMO ARGYREUS.

P. R. R. Surv., vol. x, 1859, p. 312.

SALMO GLOVERI.

Pr. Acad. Nat. Sci. Phila., vii, 1854, p. 55. SALMO OQUASSA.

Pr. Bost. Soc. Nat. Hist., iv, 1852, p. 262.

SALMO QUINNAT.

Pr. Acad. Nat. Sci. Phila., viii, 1856, p. 217; P. R. R. Surv., x, 1859, p. 306, pl. lxvii. SALMO SCOULERI.

Pr. Acad. Nat. Sci. Phila., viii, 1856, p. 217; P. R. R. Surv., x, 1859, p. 305.

SALMO SEBAGO.

Pr. Acad. Nat. Sci. Phila., vi, 1853, p. 380. SALMO SPECTABILIB.

Pr. Acad. Nat. Sci. Phila., viii, 1856, p. 218; P. R. R. Surv., x, 1859, p. 307.

SALMO STELLATUS.

P. R. R. Surv., vol. x, 1859, p. 316.

SARGUS OVIS.

Mex. Bound. Surv., ii, 1858, p. 11.

SAURUS LUCIOCEPS.

P. R. R. Surv., vol. x, 1859, p. 328.

SAURUS MEXICANUS.

Mex. Bound. Surv., vol. ii, 1858, p. 75. SCAPHIRHYNCHUS.

P. R. R. Surv., vol. x, 1859, p. 357.

SCAPHIRHYNCHUS PLATIRHYNCHUS. P. R. R. Surv., vol. x, 1859, p. 357.

SCOLECOSOMA.

P. R. R. Surv., vol. x, 1859, p. 384. SCOLECOSOMA BOREALIS.

P. R. R. Surv., vol. x, 1859, p. 384.

SCOLECOSOMA CONCOLOR. P. R. R. Surv., vol. x, 1859, p. 384.

SCOLECOSOMA UNICOLOR.

P. R. R. Surv., vol. x, 1859, p. 384. SCOMBER DIEGO.

P. R. R. Surv., vol. x, 1859, p. 105.

SCORPÆNA.

P. R. R. Surv., vol. x, 1859, p. 76.

SCORPÆNA GUTTATA.

Pr. Acad. Nat. Sci. Phila., vii, 1854, p. 145; P. R. R. Surv., vol. x, 1859, p. 77, pl. xvii, figs. 1-4.

SCORPÆNICHTHYS.

Pr. Acad. Nat. Sci. Phila., vii, 1854, p. 131; P. R. R. Surv., vol. x, 1859, p. 63.

SCORPÆNICHTHYS LATERALIS.

Pr. Acad. Nat. Sci. Phila., vii, 1854, p. 145. SCORPÆNICHTHYS MARMORATUS.

Pr. Acad. Nat. Sci. Phila., vii, 1854, pp. 131 and 145, and viii, 1856, p. 133; P. R. R. Surv., vol. x, 1859, p. 64, pl. xvi, fig. 1.

SEBASTES.

P. R. R. Surv., vol. x, 1859, p. 78. SEBASTES AURICULATUS.

Pr. Acad. Nat. Sci. Phila., vii, 1854, pp. 131 and 146; P. R. R. Surv., vol. x. 1859, p. 80. SEBASTES FASCIATUS.

Pr. Acad. Nat. Sci. Phila.; vii, 1854, p. 146; P. R. R. Surv., vol. x, 1859, p. 79, pl. xxii. SEBASTES MELANOPS.

Pr. Acad. Nat. Sci. Phila., viii, 1856, p. 135; P. R. R. Surv., vol. x, 1859, p. 81.

SEBASTES PAUCISPINIS. P. R. R. Surv., vol. x, 1859, p. 83.

SEBASTES ROSACEUS.

Pr. Acad. Nat. Sci. Phila., vii, 1854, p. 146; P. R. R. Surv., vol. x, 1859, p. 78, pl. xxi.

SEMOTILUS.

Pr. Acad. Nat. Sci. Phila., viii, 1856, p. 203; P. R. R. Surv., vol. x, 1859, p. 283.

SEMOTILUS ATROMACULATUS.

Pr. Acad. Nat. Sci. Phila., viii, 1856, p. 204; P. R. R. Surv., vol. x, 1859, p. 283. SEMOTILUS CEPHALUS.

Pr. Acad. Nat. Sci. Phila., viii, 1856, p. 203; P. R. R. Surv., vol. x, 1859, p. 283.

SEMOTILUS DORSALIS.

Pr. Acad. Nat. Sci. Phila., viii, 1856, p. 203; P. R. R. Surv., vol. x, 1859, p. 283. SEMOTILUS MACROCEPHALUS.

Pr. Acad. Nat. Sci. Phila., viii, 1856, p. 204. SEMOTILUS SPECIOSUS.

Pr. Acad. Nat. Sci. Phila., viii, 1856, p. 204; P. R. R. Surv., vol. x, 1859, p. 283, pl. lxi,

SIROMA.

Pr. Acad. Nat. Sci. Phila., viii, 1856, p. 208; P. R. R. Surv., vol. x, 1859, p. 296.

SIBOMA ATRARIA.

Pr. Acad. Nat. Sci. Phila., viii, 1856, p. 208; P. R. R. Surv., vol. x, 1859, p. 297. SIBOMA CRASSICAUDA.

Pr. Acad. Nat. Sci. Phila., viii, 1856, p. 208; P. R. R. Surv., vol. x, 1859, p. 296, pl. lxiv, figs. 1-4.

SPHYRÆNA.

P. R. R. Surv., vol. x, 1859, p. 38, SPHYRÆNA ARGENTEA.

Pr. Acad. Nat. Sci. Phila., vii, 1854, p. 144; P. R. R. Surv., vol. x, 1859, p. 39, pl. xiv. SPINAX SUCKLII.

Pr. Acad. Nat. Sci. Phila., vii, 1854, p. 196. STIZOSTEDION.

P. R. R. Surv., vol. x, 1859, p. 31.

STIZOSTEDION BOREUS.

P. R. R. Surv., vol. x, 1859, p. 31, pl. xi, figs.

SYNGNATHUS.

P. R. R. Surv., vol. x, 1859, p. 344.

SYNGNATHUS ABBOTI.

P. R. R. Surv., vol. x, 1859, p. 346.

SYNGNATHUS ARUNDINACEUS.

P. R. R. Surv., vol. x, 1859, p. 346.

SYNGNATHUS BREVIROSTRIS.

Pr. Acad. Nat. Sci. Phila., vii, 1854, p. 156; P. R. R. Surv., vol. x, 1859, p. 345.

SYNGNATHUS CALIFORNIENSIS.

Pr. Acad. Nat. Sci. Phila., viii, 1856, p. 137; P. R. R. Surv., vol. x, 1859, p. 344.

SYNGNATHUS LEPTORHYNCHUS.

Pr. Acad. Nat. Sci. Phila., vii, 1854, p. 156; P. R. R. R. Surv., vol. x, 1859, p. 345.

TELIPOMIS.

P. R. R. Surv., vol. x, 1859, p. 22.

TETRAODON.

P. R. R. Surv., vol. x. 1859, p. 339.

TETRAODON POLITUS.

P. R. R. Surv., vol. x, 1859, p. 340.

THALEICHTHYS.

P. R. R. Surv., vol. x, 1859, p. 325.

THALEICHTHYS PACIFICUS.

Pr. Acad. Nat. Sci. Philad., x, 1858, p. 225.

THALEICHTHYS STEVENSI.

P. R. R. Surv., vol. x, 1859, p. 325, pl. lxxv, figs.

P. R. R. Surv., vol. x, 1859, p. 325, pl. 1xxv, 11gs 1-4.

THYMALLUS.

P. R. R. Surv., vol. x, 1859, p. 326.

TIAROGA

Pr. Acad. Nat. Sci. Phila., viii, 1856, p. 204; Mex. Bound. Surv., ii, 1858, p. 60.

TIABOGA COBITIS.

Pr. Acad. Nat. Sci. Phila., viii, 1856, p. 204; Mex. Bound. Surv., ii, 1858, p. 60, pl. xxvii, figs. 11-14.

TIGOMA.

Pr. Acad. Nat. Sci. Phila., viii, 1856, p. 205; P. R. R. Surv., x, 1859, 288.

TIGOMA BICOLOR.

Pr. Acad. Nat. Sci. Phila., viii, 1856, p. 206; P. R. R. Surv., x, 1859, p. 289.

TIGOMA CONFORMIS.

Pr. Acad. Nat. Sci. Phila., viii. 1856, p. 206; P. R. R. Surv., x, 1859, p. 289.

TIGOMA CRASSA.

Pr. Acad. Nat. Sci. Phila., viii, 1856, p. 207; P. R. R. Surv., vol. x, 1859, p. 293, pl. lxii.

TIGOMA GIBBOSA.

Pr. Acad. Nat. Sci. Phila., viii, 1856, p. 207; Mex. Bound. Surv., vol. ii, p. 64, pl. xxxiii, figs. 1-4.

TIGOMA GRACILIS.

Pr. Acad. Nat. Sci. Phila., viii, 1856, p. 206; P. R. R. Surv, vol. x, 1859, p. 293.

TIGOMA HUMBOLDTI.

Pr. Acad. Nat. Sci. Phila., viii, 1856, p. 206; P. R. R. Surv., vol. x, 1859, p. 291.

TIGOMA INTERMEDIA.

Pr. Acad. Nat. Sci. Phila., viii, 1856, p. 206; Mex. Bound. Surv., vol. ii, 1858, p. 63.

TIGOMA LINEATA.

Pr. Acad. (Nat. Sci. Phila., viii, 1856, p. 206;
P. R. R. Surv., vol. x, 1859, p. 292.

TIGOMA NIGRESCENS.

Pr. Acad. Nat. Sci. Phila., viii, 1856, p. 207; Mex. Bound. Surv., vol. ii, 1858, p. 64, pl. xxxii, figs. 1-4.

TIGOMA OBESA.

Pr. Acad. Nat. Sci. Phila., viii, 1856, p. 206; P. R. R. Surv., vol. x, 1859, p. 290.

TIGOMA PULCHELLA.

Pr. Acad. Nat. Sci. Phila., viii, 1856, p. 206; Mex. Bound. Surv., vol. ii, 1858, p. 62, pl. xxxiv, figs. 5-8.

TIGOMA PULCHRA.

Pr. Acad. Nat. Sci. Phila., viii, 1856, p. 207; Mex. Bound. Surv., vol. ii, 1858, p. 65, pl. xxxii, figs. 5-8.

TIGOMA PURPUREA.

Pr. Acad. Nat. Sci. Phila., viii, 1856, p. 206; Mex. Bound. Surv., vol. ii, 1858, p. 63.

TRACHIDERMIS.

Pr. Bost. Soc. Nat. Hist., iii, 1850, p. 302; N. Mém. Soc. Helv. Sc. Nat., xii, 1852, p. 13. TRACHIDERMIS FASCIATUS.

Pr. Bost. Soc. Nat. Hist., iii, 1850, p. 302; N. Mém. Soc. Helv. Sc. Nat., xii, 1852, p. 13. Trachidermis intermedius.

Pr. Bost. Soc. Nat. Hist., iii, 1850, p. 302; N. Mém. Soc. Helv. Sc. Nat., xii, 1852, p. 13. TRACHIDERMIS UNCINATUS.

Pr. Bost. Soc. Nat. Hist., iii, 1849, p. 302; N. Mém. Soc. Helv. Sc. Nat., xii, 1852, p. 13.
TRACHURUS.

P. R. R Surv., vol. x, 1859, p. 107.

TRACHURUS BOOPS.

P. R. R. Surv., vol. x, 1859, p. 108. TRACHURUS SYMMETRICUS.

P. R. R. Surv., vol. x, 1859, p. 107.

TRIAKIS.

P. R. R. Surv., vol. x, 1859, p. 362. Triakis semifasciatus.

Pr. Acad. Nat. Sci. Phila., vii, 1854, p. 196; P.

R. R. Surv., vol. x, 1859, p. 362. TRICHIURUS LEPTURUS.

Mex. Bound. Surv., vol. ii, 1858, p. 24.

TRICHOMYCTERUS.

Gilliss' Rep. Exped. S. Hemisph., ii, 1855, p. 38. TRICHOMYCTERUS MAUCLATUS.

Gilliss' Rep. Exped., S. Hemisph., ii, 1855, p. 39, pl. xxxiv, figs. 1-3.

TRICHOMYCTERUS MACRÆI.

Gilliss' Rep. Exped. S. Hemisph., ii, 1855, p. 41. Triglopsis.

Pr. Bost. Soc. Nat. Hist., iv, 1851, p. 19; N. Mém. Soc. Helv. Sc. Nat., xii, 1852, p. 27; Monogr. of Cottoids, 1852, p. 64.

TRIGLOPSIS THOMPSONI.

Pr. Bost. Soc. Nat. Hist., iv, 1851, p. 19; N. Mém. Soc. Helv. Sc. Nat., xii, 1852, p. 27; Monogr. of Cottoids, 1852, p. 65, pl. ii, figs. 9, 10.

CYPHLICHTHYS.

Pr. Acad. Nat. Sci. Phila., xi, 1859, p. 63; Le Naturaliste, 1888, p. 107.

TYPHLICHTHYS SUBTERRANEUS.

Pr. Acad. Nat. Sci. Phila., xi, 1859, p. 63; Le Naturaliste, 1888, p. 107.

Umbrina.

P. R. R. Surv., vol. x, 1859, p. 101.

Umbrina phalæna.

Pr. Acad. Nat. Sci. Phila., x, 1858, p. 167.

UMBRINA UNDULATA.

Pr. Acad. Nat. Sci. Phila., vii, 1854, p. 143; P. R. R. Surv., vol. x, 1859, p. 101. TRANOSCOPUS.

P. R. R. Surv., vol. x, 1859, p. 134.

VOMER SETAPINNIS.

Mex. Bound. Surv., vol. ii, 1858, p. 24, pl. xi. fig. 8.

XIPHIDION.

P. R. R. Surv., vol. x, 1859, p. 119.

XIPHIDION MUCRONATUS.

P. R. R. Surv., vol. x, 1859, p. 119.

TRAPTERA.

P. R. R. Surv., vol. x, 1859, p. 373.

URAPTERA BINOCULATA.

P. R. R. Surv., vol. x, 1859, p. 373.

ZANIOLEPIS.

Pr. Acad. Nat. Sci. Phila., ix, 1857, p. 202; P. R. R. Surv., vol. x, 1859, p. 73.

ZANIOLEPIS LATIPINNIS.

Pr. Acad. Nat. Sci. Phila., ix, 1857, p. 202; P. R. R. Surv., vol. x, 1859, p. 73, pl. xvii, figs. 5, 6.

ZOARCES.

P. R. R. Surv., vol. x, 1859, p. 124.

ZYGONECTES.

Pr. Acad. Nat. Sci. Phila., xi, 1859, p. 60.

ZYGONECTES PULCHELLUS.

Pr. Acad. Nat. Sci. Phila., xl, 1859, p. 113. Zygonectes tenellus.

Pr. Acad. Nat. Sci. Phila., xi, 1859, p. 60.

INSECTS.

ANABRUS.

Marcy and McClellan's Rep. Expl. Red Riv., La., 1853, p. 259.

ANABRUS HALDEMANNI.

Marcy and McClellan's Rep. Expl. Red Riv., La., 1853, p. 259, pl. xv, figs. 5-8.

BRACHYPEPLUS.

Marcy and McClellan's Rep. Expl. Red Riv., La., 1853, p. 260.

BRACHYPEPLUS MAGNUS.

Marcy and McClellan's Rep. Expl. Red Riv., La., 1853, p. 260, pl. xv, figs. 1-4. BRACHYPEPLUS VIRESCENS.

Marcy and McClellan's Rep. Expl. Red Riv., La., 1853, p. 261.

Daihinia.

Marcy and McClellan's Rep. Expl. Red Riv., La., 1853, p. 257.

DAIHINIA BREVIPES.

Marcy and McClellan's Rep. Expl. Red Riv., La., 1853, p. 257, pl. xv, figs. 9-13.

ARACHNIDIANS.

ATREUS CALIFORNICUS.

Marcy and McClellan's Rep. Expl. Red Riv., La., 1853, p. 269.

ATREUS SAYI.

Marcy and McClellan's Rep. Expl. Red Riv., La., 1853, p. 269.

GALEODES SUBULATA.

Marcy and McClellan's Rep. Expl. Red Riv., La., 1853, p. 270.

LYCOSA PILOSA.

Marcy and McClellan's Rep. Expl. Red Riv., La., 1853, p. 263, pl. xvi, figs. 4, 5.

MYGALE HENTZI.

Marcy and McClellan's Rep. Expl. Red Riv., La., 1853, p. 262, pl. xvi, figs. 1-3 Scorpio Boreus.

Marcy and McClellan's Rep. Expl. Red Riv., La., 1853, p. 267. pl. xvii, figs. 5-7.

SCORPIO CALIFORNICUS.

Marcy and McClellan's Rep. Expl. Red Riv., La., 1853, p. 269.

SCORPIO SAYI.

Marcy and McClellan's Rep. Expl. Red Riv., La., 1853, p. 269.
TELEGONUS BOREUS.

Manua and Ma

Marcy and McClellan's Rep. Expl. Red Riv., La., 1853, p. 267.

THELYPHONUS EXCUBITOR.

Marcy and McClellan's Rep. Expl. Red Riv., La., 1853, p. 265, pl. xvii.

MYRIAPODS.

JULUS ATRATUS.

Marcy and McClellan's Rep. Expl. Red Riv., La., 1853. p. 274.

JULUS ORNATUS

Marcy and McClellan's Rep. Expl. Red Riv., La., 1853, p. 274. SCOLOPENDRA HEROS.

Marcy and McClellan's Rep. Expl. Red Riv., La., 1853, p. 272, pl. xviii.

CRUSTACEA.

ÆGLEA.

Gilliss' Rep. Exped. S. Hemisph., ii, 1855, p. 50. ÆGLEA DENTICULATA.

Gilliss' Rep. Exped. S. Hemisph., ii, 1855, p. 50. ÆGLEA INTERMEDIA.

Gilliss' Rep. Exped. S. Hemisph., ii, 1855, p. 50.

ÆGLEA LÆVIS.

Gillies' Rep. Exped. S. Hemisph., ii, 1855, p. 50. ASTACUS.

Pr. Acad. Nat. Sci. Phila., vi, 1852, p. 87. ASTACOIDES.

Pr. Acad. Nat. Sci. Phila., vi, 1852, p. 87.

CAMBARUS.

Pr. Acad. Nat. Sci. Phila., vi, 1852, p. 87. Cambarus acutissimus.

Pr. Acad. Nat. Sci. Phila., vi, 1852, p. 91. CAMBARUS ACUTUS.

Pr. Acad. Nat. Sci. Phila., vi, 1852, p. 91. CAMBARUS AFFINIS.

Pr. Acad. Nat. Sci. Phila., vi. 1852, p. 87. CAMBARUS BARTONI.

Pr. Acad. Nat. Sci. Phila., vi. 1852, p. 88. CAMBARUS BLANDINGI.

Pr. Acad. Nat. Sci. Phila., vi. 1852, p. 91. CAMBARUS CAROLINUS.

Pr. Acad. Nat. Sci. Phila., vi, 1852, p. 88. Cambarus Clarki.

Pr. Acad. Nat. Sci. Phila., vi, 1852, p. 91. CAMBARUS DIOGENES.

Pr. Acad. Nat. Sci. Phila., vi, 1852, p. 89. Cambarus fossor.

Pr. Acad. Nat. Sci. Phila., vi, 1852, p. 88. CAMBARUS GAMBELI.

Pr. Acad. Nat. Sci. Phila., vi. 1852, p. 90. Cambarus Longulus.

Pr. Acad. Nat. Sci. Phila., vi, 1852, p. 91. CAMBARUS MONTANUS.

Pr. Acad. Nat. Sci. Phila., vi, 1852, p. 88.

CAMBARUS NEBRASCENSIS.

Pr. Acad. Nat. Sci. Phila., vi, 1852, p. 91. Cambarus oreganus.

Pr. Acad. Nat. Sci. Phila., vi, 1852, p. 87. CAMBARUS PEALEI.

Pr. Acad. Nat. Sci. Phila., vi, 1852, p. 87. CAMBARUS PELLUCIDUS.

Pr. Acad. Nat. Sci. Phila., vi, 1852, p. 87. CAMBARUS PROPINQUUS.

Pr. Acad. Nat. Sci. Phila., vi, 1852, p. 88. CAMBARUS PUSILLUS.

Pr. Acad. Nat. Sci. Phila., vi, 1852, p. 90. CAMBARUS ROBUSTUS.

-Pr. Acad. Nat. Sci. Phila., vi, 1852, p. 90. CAMBARUS RUSTICUS.

Pr. Acad. Nat. Sci. Phila., vi, 1852, p. 88. CHERAPS.

Pr. Acad. Nat. Sci. Phila., vi. 1852, p. 87. Engæus.

Pr. Acad. Nat. Sci. Phila., vi, 1852, p. 87. RHYNCHOCINETES.

Gilliss' Rep. Exped. S. Hemisph., ii, 1855, p. 54. RHYNCHOCINETES TYPICUS.

Gilliss' Rep. Exped. S. Hemisph., ii, 1855, p. 55.

ENTOMOSTRACANS.

LYMNADELLA.

Pr. Acad. Nat. Sci. Phila., vii, 1854, p. 3.

LYMNADELLA KITEI.

Pr. Acad. Nat. Sci. Phila., vii, 1854, p. 3.

WORMS.

ARENICOLA NATALIS.

Pr. Bost. Soc. Nat. Hist., v, 1854, p. 88. Phyllobranchus.

Pr. Amer. Ass. Adv. Sci., iv, 1851, p. 124.

PHYLLOBRANCHUS RAVENELI.

Pr. Amer. Ass. Adv. Sci., iv, 1851, p. 125.

PLANARIANS.

BDELLOURA.

Pr. Acad. Nat. Sci. Phila., iv. 1852, p. 211; Ann. Sciences Naturalles, Paris, 1891. BDELLOURA CANDIDA.

Pr. Acad. Nat. Sci. Philad., iv, 1852, p. 211; Ann. Sciences Natur., Paris, 1891.

BDELLOURA LONGICEPS.

Ann. Sc. Naturelles, Paris, 1891.

BDELLOURA RUSTICA.

Ann. Sc. Naturelles, Paris, 1891.

DENDROCŒLUM.

Ann. Sc. Naturelles, Paris, 1891.

DENDROCŒLUM LACTEUM.

Pr. Bost. Soc. Nat. Hist., iii, 1850, p. 265;
 Nordamer. Monatsb., ii, 1851, p. 2; Ann.
 Sc. Naturelles, Paris, 1891.

DENDROCŒLUM PULCHERRIMUM.

Pr. Bost. Soc. Nat. Hist., iii, 1850, p. 265; Nordamer. Monatsb., ii, 1851, p. 2; Ann. Sciences Naturelles, Paris, 1891.

DENDROCŒLUM SUPERBUM.

Pr. Bost. Soc. Nat. Hist., iii, 1850, p. 265;
 Nordamer. Monatsb. ii, 1851, p. 2; Ann.
 Sc. Naturelles, Paris, 1891.

DENDROCŒLUM VITTATUM.

Pr. Bost. Soc. Nat. Hist., iii, 1850, p. 265;
 Nordamer. Monatsb., ii, 1851, p. 2; Ann.
 Sc. Naturelles, Paris, 1891.

DEROSTOMA.

Ann. Sc. Naturelles, Paris, 1891.

DEROSTONA MARGINATUM.

Ann. Sc. Naturelles, Paris, 1891.

DUGESIA.

Pr. Bost. Soc. Nat. Hist. iii, 1850, p. 265; Nordamer. Monatsb., ii, 1851, p. 2; Ann. Sciences Naturelles, Paris, 1891.

Dugesia Foremani.

Pr. Acad. Nat. Sci. Phila., iv, 1852, p. 211; Ann. Sc. Naturelles, Paris, 1891.

DUGESIA GONOCEPHALA.

Pr. Bost. Soc. Nat. Hist., iii, 1850, p. 265; Nordamer. Monatsb., ii, 1851, p. 2; Ann. Sciences Naturelles, Paris, 1891.

DUGESIA GONOCEPHALOIDES.

Pr. Bost. Soc. Nat. Hist., iii, 1850, p. 265;
 Nordamer. Monatsb., ii, 1851. p. 2;
 Ann. Sc. Naturelles, Paris, 1891.

DUGESIA MACULATA.

Nordamer. Monatsb., ii, 1851, p. 3; Ann. Sciences Naturelles, Paris, 1891.

DUGESIA TRUNCATA.

Ann. Sc. Naturelles, Paris, 1891.

FOVIA.

Pr. Bost. Soc. Nat. Hist., iv, 1852, p. 211; Ann. Sciences Naturelles, Paris, 1891.

FOVIA WARRENI.

Pr. Bost. Soc. Nat. Hist., iv, 1852, p. 211; Ann. Sc. Naturelles, Paris, 1891.

GYRATOR.

Ann. Sc. Naturelles, Paris, 1891.

GYRATOR ALBUS.

Ann. Sc. Naturelles, Paris, 1891.

HYDROLIMAX.

Ann. Sc. Naturelles, Paris, 1891.

HYDROLIMAX BRUNEUS.

Le Natural, 1891, Paris; Ann. Sc. Naturelles, Paris, 1891.

HYDROLIMAX GRISEUS.

Ann. Sc. Naturelles, Paris, 1891.

IMOGINE

Pr. Acad. Nat. Sci. Philad., vi. 1873, p. 367; Ann. Sc. Naturelles, Paris, 1891.

IMOGINE OCULIFERA.

Pr. Acad. Nat. Sc. Phila., vi, 1853, p. 367; Ann. Sc. Naturelles, Paris, 1891.

LEPTOPLANA.

Ann. Sciences Naturelles, Paris, 1891.

LEPTOPLANA ELLIPSOIDES.

Smiths. Contr. to Knowl., vi, 1854, p. 27, fig. 16; Ann. Sciences Naturelles, Paris, 1891.

MACROSTOMA.

Ann. Sc. Naturelles, Paris, 1891.

Macrostoma hystrix.

Ann. Sc. Naturelles, Paris, 1891.

Macrostoma sensitivum.

Ann. Sc. Naturelles, Paris, 1891.

MESOSTOMA.

Ann. Sc. Naturelles, Paris, 1891.

Mesostoma cæcum.

Ann. Sc. Naturelles, Paris, 1891. Mesostoma gonocephalum.

Ann. Sc. Naturelles, Paris, 1891.

Ann. Sc. Naturenes, Faris, 1891

Mesostoma Pattersoni.

Ann. Sc. Naturelles, Paris, 1891.

Mesostoma viviparum.

Ayn. Sc. Naturelles, Paris, 1891.

MICROSTOMA.

Ann. Sc. Naturelles, Paris, 1891.

Microstoma caudatum.

Ann. Sc. Naturelles, Paris, 1891. Microstoma lineare.

Ann. Sc. Naturelles, Paris, 1891.

Microstoma Philadelphicum.

Ann. Sc. Naturelles, Paris, 1891.

Microstoma variabile.

Ann. Sc. Naturelles, Paris, 1891.

MONOCELIS.

Ann. Sc. Naturelles, Paris, 1891.

MONOCELIS SPATULICAUDA.

Nordamer. Monatsb., ii, 1851, p. 3; Ann. Sc. Naturelles, Paris, 1891. NIOBE.

Pr. Bost. Soc. Nat. Hist., iv, 1852, p. 210; Ann. Sc. Naturelles, Paris, 1891.

NIOBE LIMACINA.

Pr. Bost. Soc. Nat. Hist., iv, 1852, p. 211; Ann. Sci. Naturelles, Paris, 1891.

NIOBE ZONATA.

Pr. Bost. Soc. Nat. Hist., iv, 1852, p. 211; Ann. Sci. Naturelles, Paris, 1891.

PHAGOCATA.

Nordamer, Monatsb., ii, 1851, p. 1; Ann. Sci. Naturelles, Paris, 1891.

PHAGOCATA CORONATA.

Le Natural, Paris, 1891; Ann. Sci. Naturelles, 1891.

PHAGOCATA GRACILIS.

Pr. Bost. Soc. Nat. Hist., iii, 1850, p. 264; Nordamer. Monatsb. ii, 1851, p. 1; Ann. Sci. Naturelles, Paris, 1891.

PLAGIOSTOMA.

Ann. Sci. Naturelles, Paris, 1891.

PLAGIOSTOMA PLANUM.

Ann. Sci. Naturelles, Paris, 1891.

PLANARIA GRACILIS.
Pr. Bost. Soc. Nat. Hist., iii, 1850, p. 264.

PLANARIA TIGRINA.

Pr. Bost. Soc. Nat. Hist., iii, 1850, p. 264; Nordamer. Monatsb., ii, 1851, p. 2; Ann. Sci. Naturelles, Paris, 1891.

PLANOCERA.

Ann. Sci. Naturelles, Paris, 1891.

PLANOCERA ELLIPTICA.

Pr. Bost. Soc. Nat. Hist., iii, 1850, p. 251;
 Nordamer. Monatsb., ii, 1851, p. 3; Ann.
 Sci. Naturelles, Paris, 1891.

PLANOCERA NEBULOSA.

Pr. Acad. Nat. Sci. Phila., vi, 1853, p. 367; Ann. Sci., Naturelles, Paris, 1891.

POLYCELIS.

Ann. Sci. Naturelles, Paris, 1891.

POLYCELIS TIGRINUS.

Ann. Sci. Naturelles, Paris, 1891.

POLYCELIS VARIABILIS.

Pr. Bost. Soc. Nat. Hist., iii, 1850, p. 251; Nordamer. Monatsb., ii, 1851, p. 3; Ann. Sci. Naturelles, Paris, 1891.

PROCERODES.

Pr. Bost. Soc. Nat. Hist., iii, 1850, p. 251; Nordamer. Monatsb., ii, 1851, p. 4; Ann. Sci. Naturelles, Paris, 1891.

PROCERODES WHEATLANDI.

Pr. Bost. Soc. Nat. Hist., iii, 1850, p. 251; Nordamer. Monatsb., ii, 1851, p. 4; Ann. Sci. Naturelles, Paris, 1891.

PROCOTYLA.

Ann. Sci. Naturelles, Paris, 1891.

PROCOTYLA FLUVIATILIS.

Ann. Sci. Naturelles, Paris, 1891.

PRORHYNCHUS.

Ann. Sci. Naturelles, Paris, 1891.

PROSTHIOSTOMUM.

Ann. Sci. Naturelles, Paris, 1891.

PROSTHIOSTOMUM GRACILE.

Pr. Bost. Soc. Nat. Hist., iii, 1850, p. 251;
 Nordamer. Monatsb., ii, 1851, p. 3; Ann.
 Sci. Naturelles, Paris, 1891.

PROSTOMA.

Ann. Sci. Naturelles, Paris, 1891.

PROSTOMA MARGINATUM.

Nordamer, Monatsb., ii, 1851, p. 3; Ann. Sci. Naturelles, Paris. 1891.

RHYNCHODEMUS.

Ann. Sci. Naturelles, Paris, 1891.

RHYNCHODEMUS SYLVATICUS.

Ann. Sci. Naturelles, Paris, 1891.

RHYNCHODEMUS TERRESTRIS. Ann. Sci. Naturelles, Paris, 1891.

STENOSTOMA. Ann. Sci. Naturelles, Paris, 1891.

STENOSTOMA AGILE.

Ann. Sci. Naturelles, Paris, 1891.

STENOSTOMA LEUCOPS. Ann. Sci. Naturelles, Paris, 1891.

THYSANOZOON.

Ann. Sci. Naturelles, Paris, 1891.

THYSANOZOON NIGRUM.

Pr. Bost. Soc. Nat. Hist., iv. 1851, p. 137; Ann. Sci. Naturelles, Paris, 1891.

TYPHLOLEPTA.

Ann. Sci. Naturelles, Paris, 1891.

TYPHIOLEPTA ACUTA.

Smiths, Contr. to Knowl., vi, 1854, p. 27; Ann. Sci. Naturelles, Paris, 1891.

TYPHLOLEPTA FULIGINOSA.

Ann. Sci. Naturelles, Paris, 1891.

VORTEX.

Ann. Sci. Naturelles, Paris, 1891.

VORTEX ARMIGER.

Ann. Sci. Naturelles, Paris, 1891.

VORTEX BLODGETTI.

Ann. Sci. Naturelles, Paris, 1891.

VORTEX CANDIDA.

Pr. Bost. Soc. Nat. Hist., iii, 1850, p. 264; Nordamer. Monatsb., ii, 1851, p. 4.

VORTEX PINGUIS.

Ann. Sci. Naturelles, Paris, 1891.

VORTEX WARRENI.

Pr. Bost. Soc. Nat. Hist., iii, 1850, p. 264; Nordamer, Monatsb., ii, 1851, p. 4.

NÉMERTEANS.

AMPHIPORUS.

Ann. Sci. Naturelles, Paris, 1891.

AMPHIPORUS SANGUINEUS.

Pr. Acad. Nat. Sci. Phila., vi. 1853, p. 366; Ann. Sci. Naturelles, Paris, 1891.

BORLASIA.

Ann. Sci. Naturelles, Paris, 1891.

BORLASIA KURTZI.

Pr. Acad. Nat. Sci. Phila., vi, 1853, p. 366; Ann. Sci. Naturelles, Paris, 1891.

Ann. Sci. Naturelles, Paris, 1891.

EMEA SILLIMANI. Ann. Sci. Naturelles, Paris, 1891.

EMEA DUGESI.

Ann. Sci. Naturelles, Paris, 1891.

Sci. Naturelles, Paris, 1891.

EMEA RUBRA. Ann. Sci. Naturelles, Paris, 1891.

HECATE. Pr. Bost. Soc. Nat. Hist., iv, 1852, p. 185; Ann.

HECATE ELEGANS.

Pr. Bost. Soc. Nat. Hist., iv, 1852, p. 186; Ann. Sci. Naturelles, 1891.

LEODES.

Pr. Acad. Nat. Sci. Phila., vi, 1853, p. 366; Ann. Sci. Naturelles, Paris, 1891.

LEODES STRIOLENTA.

Pr. Acad. Nat. Sci. Phila., vi, 1853, p. 366; Ann. Sci. Naturelles, Paris, 1891.

MECKELIA.

Ann. Sci. Naturelles, Paris, 1891.

MECKELIA ATRA.

Pr. Bost. Soc. Nat. Hist., iv, 1851, p. 137; Ann. Sci. Naturelles, Paris, 1891.

MECKELIA FRAGILIS.

Nordamer. Monatsb., ii, 1851, p. 4; Ann. Sci. Naturelles, Paris, 1891.

MECKELIA LACTEA.

Ann. Sci. Naturelles, Paris, 1891.

MECKELIA LIZZIÆ.

Pr. Acad. Nat. Sci. Phila., vi, 1853, p. 367; Ann. Sci. Naturelles, Paris, 1891.

MECKELIA POCAHONTAS.

Pr. Acad. Nat. Sci. Phila., vi, 1853, p. 366; Ann. Sci. Naturelles, Paris, 1891.

MECKELIA ROSEA.

Ann. Sci. Naturelles, Paris, 1891.

NAREDA.

Smiths. Contr. to Knowl., vi, 1854, p. 28; Ann. Sci. Naturelles, Paris, 1891.

NAREDA SUPERBA.

Smiths. Contr. to Knowl., vi, 1854, p. 28, fig. 17; Annales Sci. Naturelles, Paris, 1891.

OMATOPLEA.

Ann. Sci. Naturelles, Paris, 1891.

OMATOPLEA STIMPSONI.

Smith's Contr. to Knowl., vi, 1854, p. 28, fig. 18; Ann. Sciences Naturelles, Paris, 1891.

Ann. Sci. Naturelles, Paris, 1891.

POLIA GRACILIS.

Nordamer. Monatsb., ii, 1851, p. 4; Ann. Sci. naturelles, Paris, 1891.

Poseidon.

Pr. Bost. Soc. Nat. Hist., iv, 1852 p. 186; Ann. Sci. Naturelles, Paris, 1891.

Poseidon affinis.

Smiths. Contr. to Knowl., vi, 1854, p. 28; Ann. Sci. Naturelles, Paris, 1891.

POSEIDON COLEI.

Pr. Bost. Soc. Nat. Hist., iv., 1852, p. 186: Ann. Sci. Naturelles, Paris, 1891.

RENIERIA.

Pr. Acad. Nat. Sci. Phila., vi, 1853, p. 366; Aun. Sci. Naturelles, Paris, 1891.

RENIERIA RUBRA.

Pr. Acad. Nat. Sci. Phila., vi, 1853, p. 366; Ann. Sciences Naturelles, Paris, 1891.

STIMPSONIA.

Pr. Acad. Nat. Sci. Phila., vi. 1853, p. 367; Ann. Sci. Naturelles, Paris, 1891.

STIMSONIA AURANTIACA.

Pr. Acad. Nat. Sci. Phila., vi, 1853, p. 367; Ann. Sci. Naturelles, Paris, 1891.

TETRASTEMMA.

Ann. Sci. Naturelles, Paris, 1891.

TETRASTEMMA SERPENTINA.

Nordamer. Monatsb., ii, 1851, p. 4; Smiths. Contr. to Knowl., vi, 1854, p. 28; Ann. Sci. Naturelles, Paris, 1891.

MOLLUSKS.

PLASOBRANCHUS SIMPLEX.

Pr. Bost. Soc. Nat. Hist., v. 1854, p. 89.

ECHINODERMS.

A MPHIDETUS.

Pr. Bost. Soc. Nat. Hist., iv. 1852, p. 213. Amphidetus Kurtzi.

Pr. Bost. Soc. Nat. Hist., iv, 1852, p. 213. ECHINOCYAMUS MINIMUS.

Pr. Bost. Soc. Nat. Hist., iii, 1850, p. 367. ECHINOMETRA NIGRINA.

Pr. Bost. Soc. Nat. Hist., iii, 1850, p. 366. Heliechinus.

Pr. Bost. Soc. Nat. Hist., iii, 1850, p. 365.

HELIECHINUS GOULDI.

Pr. Bost. Soc. Nat. Hist., iii, 1850, p. 365. MELEBOSIS.

Pr. Bost, Soc. Nat. Hist., iii, 1850, p. 365. Melebosis mirabilis.

Pr. Bost. Soc. Nat. Hist., iii, 1850, p. 365. PSAMMECHINUS ASTEROIDES.

Pr. Bost. Soc. Nat. Hist., iii, 1850, p. 366. Schizaster lachesis.

Pr. Bost. Soc. Nat. Hist., iii, 1850, p. 368.

0





